

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number  
**WO 01/51659 A2**

- (51) International Patent Classification: **C12Q 1/68**
- (21) International Application Number: **PCT/IB01/00116**
- (22) International Filing Date: 11 January 2001 (11.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/175,854 13 January 2000 (13.01.2000) US
- (71) Applicant (for all designated States except US): **GENSET** [FR/FR]; Intellectual Property Dept., 24, rue Royale, F-75008 Paris (FR).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **CHU, Tom** [US/US]; 5394 Camino Playa Norte, San Diego, CA 92124 (US). **BLUMENFELD, Marta** [FR/FR]; 5, rue Tagore, F-75013 Paris (FR). **COHEN, Daniel** [FR/FR]; 1, boulevard Richard Wallace, F-92200 Neuilly-sur-Seine (FR).
- (74) Common Representative: **GENSET**; Intellectual Property Dept., 24, rue Royale, F-75008 Paris (FR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**  
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/51659 A2

(54) Title: **BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS**

(57) Abstract: The invention provides polynucleotides including biallelic markers derived from genes involved in CNS disorders and from genomic regions flanking those genes. Primers hybridizing to regions flanking these biallelic markers are also provided. This invention also provides polynucleotides and methods suitable for genotyping a nucleic acid containing sample for one or more biallelic markers of the invention. Further, the invention provides methods to detect a statistical correlation between a biallelic marker allele and a phenotype and/or between a biallelic marker haplotype and a phenotype.

## **BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS**

### **FIELD OF THE INVENTION**

5           The present invention is in the field of pharmacogenomics, and is primarily directed to biallelic markers that are located in or in the vicinity of genes that play a role in disorders of the brain and nervous system and to the uses of these markers. The present invention encompasses methods of establishing associations between these markers and central nervous system (CNS) disorders such as psychiatric disorders and neurodegenerative diseases as well as associations  
10       between these markers and treatment response to a variety of therapeutic agents. The present invention also provides means to determine the genetic predisposition of individuals to such diseases and means to predict responses to such drugs.

### **BACKGROUND OF THE INVENTION**

15           Advances in the technological armamentarium available to basic and clinical investigators have enabled increasingly sophisticated studies of brain and nervous system function in health and disease. Numerous hypotheses both neurobiological and pharmacological have been advanced with respect to the neurochemical and genetic mechanisms involved in central nervous system (CNS) disorders, including psychiatric disorders and neurodegenerative  
20       diseases. However, CNS disorders have complex and poorly understood etiologies, as well as symptoms that are overlapping, poorly characterized, and difficult to measure. As a result future treatment regimes and drug development efforts will be required to be more sophisticated and focused on multigenic causes, and will need new assays to segment disease populations, and provide more accurate diagnostic and prognostic information on patients suffering from CNS  
25       disorders.

#### **A. Neurological Basis of CNS Disorders**

          Neurotransmitters serve as signal transmitters throughout the body; therefore, diseases that affect neurotransmission can have serious consequences. For example, for over 30 years the leading theory to explain the biological basis of many psychiatric disorders such as depression  
30       has been the monoamine hypothesis. This hypothesis proposes that depression is partially due to a deficiency in one of the three major biogenic monoamines, namely dopamine, norepinephrine and serotonin. However, this hypothesis has been replaced by one that takes into account the overall function of the brain and no longer only considers a single neuronal system.

#### **Dopamine**

35           Dopamine is synthesized via the hydroxylation of tyrosine to dihydroxyphenylalanine (DOPA), involving the enzyme tyrosine hydroxylase (TH) and catechol O-methyl transferase (see Table 2: TH and COMT). Tyrosine hydroxylase is the rate-limiting enzyme in the synthesis



of catecholamines such as dopamine and norepinephrine. Dopamine and the enzymes involved in its biosynthesis and degradation are known to be involved in the pathophysiology of a depression, schizophrenia and Parkinson's disease. For example, it is believed tyrosine hydroxylase may be involved in the pathophysiology of psychiatric disorders and positive associations have been reported for tyrosine hydroxylase gene markers in mood disorders. However, a recent study was unable to conclude tyrosine hydroxylase variants are related with depressive symptomatology in subjects affected by mood disorder (Serretti A. et al.; *American Journal of Medical Genetics* 81(2):127-130, 1998).

Dopamine, released from the nerve terminals, is largely recaptured by a re-uptake mechanism involving dopamine transporter (DAT) (see Table 2: DAT). Following re-uptake, dopamine is metabolized by monoamine oxidases A and B (MAOA/B) (see Table 2: MAOA and MAOB). Monoamine oxidase A and B are critical enzymes in deamination of biogenic amines and may be involved in the pathophysiology of major psychoses, including mood disorder, Parkinson's disease and schizophrenia. Recently, evidence for genetic association between the MAOA gene and bipolar mood disorder was demonstrated in a Caucasian population, but not seen in a Japanese population (Sasaki T. et al.; *Biological Psychiatry* 44(9):922-924, 1998).

Receptors for dopamine regulate dopaminergic neurotransmission. A plethora of dopamine receptors exist, including the presynaptic dopamine transporter and at least five pharmacologic subtypes (D<sub>1</sub> -which is linked to the enzyme adenylyl cyclase, D<sub>2</sub> -not linked to adenylyl cyclase, D<sub>3</sub>, D<sub>4</sub>, and D<sub>5</sub>). Classically, the most extensively investigated dopamine receptor is the D<sub>2</sub> receptor, as it is stimulated by dopaminergic agonists for the treatment of Parkinson's disease and blocked by dopamine antagonist neuroleptics for the treatment of schizophrenia (see Table 2: DRD2). Recently, other dopamine receptors, particularly the D<sub>4</sub> receptor, have become targets for new antipsychotics in the treatment of Parkinson's disease (see Table 2: DRD4). It appears the interaction of all or some of the dopamine receptors play a role in many CNS disorders. However, only a limited number of studies investigating the association of such disorders with genes of the dopaminergic pathway have been completed and often with conflicting results.

#### Norepinephrine

The noradrenergic system is known to play a large role in the determination of mood, dysfunction of contributes to the "functional" disorders of depression, mania and anxiety. It is believed depressed patients are unable to produce sufficient norepinephrine in some parts of the brain for neuronal transmission, while mania may result from excessive activity or sensitivity of this system.

The amino acid tyrosine, having been actively taken up by adrenergic neurons, is converted to DOPA by means of tyrosine hydroxylase. DOPA is then converted to dopamine and later into norepinephrine in the synaptic vesicles. Conversion of norepinephrine to

epinephrine occurs in the adrenal medulla and also in certain restricted parts of the brain. Catecholamine degradation is enzymatically controlled by MAOA/B intraneuronally, with the main norepinephrine metabolite being 3-methoxy-4-hydroxyphenylglycol.

The noradrenergic neuron is regulated by a multiplicity of receptors and for  
 5 norepinephrine, these being designated  $\alpha_1$ ,  $\alpha_2$ ,  $\beta_1$  and  $\beta_2$ . Postsynaptic norepinephrine receptors bind norepinephrine released from the presynaptic neuron and activate a molecular cascade in the postsynaptic neuron. Specifically, the activation of  $\alpha_2$  receptors causes inhibition of norepinephrine, whereas activation of  $\beta_1$  receptors leads to increased release of norepinephrine from adrenergic terminals (see Table 2: ADRB1R). Systemically, the adrenoreceptor subtypes  
 10  $\alpha_1$ ,  $\alpha_2$ ,  $\beta_1$  and  $\beta_2$  are functional in a variety of other ways ranging from vasodilatation to initiating smooth muscle relaxation. The action of norepinephrine is terminated by the norepinephrine transporter (NET), a membrane protein that serves as a reuptake pump for synaptic norepinephrine (see Table 2: NET). These receptors and transporter are the target of many therapeutic agents currently used to treat psychiatric disorders particularly depression.

#### 15 Serotonin (5-hydroxytryptamine, 5HT)

The serotonergic system is an anatomically diverse system with pathways that follow closely those of the noradrenergic system, but are quite different from those of the dopaminergic distribution. The physiological functions in which the serotonergic system is involved include sleep, appetite, nociception, diurnal rhythmicity, neuroendocrine regulation and mood. At the  
 20 level of consciousness there is also the suggestion that rational thought processes arise, using previously stored information, with the aid of the serotonergic system. Serotonergic projections innervating the hypothalamus influence the secretion of several anterior pituitary hormones. There is evidence that serotonin may serve as the final common pathway by which other neurotransmitters act in controlling secretion of many hormones.

25 Tryptophan is taken up by active transport into the neurons where it is hydroxylated by tryptophan hydroxylase to 5-hydroxytryptophan (5HTP). The latter is then decarboxylated to serotonin which, following release from the neurons, is recovered by a re-uptake mechanism. Degradation of serotonin occurs by way of MAOA/B and the majority of the metabolites are excreted in the urine.

30 Serotonin receptors come in 13 or more subtypes that can vary in their sensitivity to serotonin and in the effects they produce. An increasingly complex series of serotonin receptors is being identified. Presynaptic serotonin uptake sites and serotonin receptors designated 5HT<sub>1</sub> (and further subdivided into 5HT<sub>1a</sub>, 5HT<sub>1b</sub>, 5HT<sub>1c</sub>), 5HT<sub>2</sub>, 5HT<sub>3</sub>, 5HT<sub>4</sub>, and 5HT<sub>6</sub>, have been identified by means of pharmacological studies (see Table 2: 5HTT, 5HT1A, 5HTR2C, 5HTR6,  
 35 and 5HTR7). As a whole, communication between two neurons is complex and may be

mediated by more than one neurotransmitter; for example, the serotonergic system may co-exist with other neurotransmitter in the same synapses.

#### Gamma aminobutyric acid (GABA)

Gamma aminobutyric acid (GABA) is an important amino acid which functions as the most prevalent inhibitory neurotransmitter in the central nervous system. Gamma aminobutyric acid works in partnership with a derivative of Vitamin B-6, pyridoxine, to cross from the axons to the dendrites through the synaptic cleft, in response to an electrical signal in the neuron and inhibits message transmission. This helps control the nerve cells from firing too fast, which would overload the system.

The gamma aminobutyric acid (a) receptor (see Table 2: GABRA5 and GABRG2) appears to play a key role in modulating anxiety and could be involved in either the etiology or the pathogenesis of anxiety disorders (Crowe et al. *Am J Psychiatry* 154:8). A benzodiazepine binding site is located on this receptor, and ligands that bind to this site can either increase or decrease anxiety.

#### Growth associated protein (GAP43)

Growth associated protein (GAP43) is localized exclusively to nerve tissue and is known to play a role in synaptic transmission and membrane permeability. The expression of GAP43 is associated with mammalian peripheral nerve regeneration (Kosik et al. *Neuron* 1:127-132, 1988). A polymorphism in the 3'-untranslated region of GAP43 is found at slightly lower frequencies in Alzheimers and Parkinson's patients (Poduslo. *Hum Genet.* 92:635-636, 1993).

#### Subreceptor Activity

The activity of subreceptors has also been investigated in recent years for its role in a wide range of CNS disorders. When neurotransmitters bind to receptors on the membranes of postsynaptic neurons, they elicit a target response in the cell via a second or third messenger. Several different messenger chemicals are known including cyclic adenosine monophosphate (AMP). G proteins serve as signal transduction subunits in the cyclic AMP pathway (see Table 2: Gbeta3). G protein coupled receptors are thought to have seven membrane spanning domains and have been divided into 2 subclasses: those in which the binding site is in the extracellular domain for example receptors for glycoprotein hormones, such as thyroid stimulating hormone (TSH) and follicle stimulating hormone (FSH) and those in which the ligand binding site is likely to be in the plane of the 7 transmembrane domains for example rhodopsin and receptors for small neurotransmitters and hormones for example muscarinic acetylcholine receptor. However, orphan G-protein coupled receptor (see Table 2: HM77) does not contain N-linked glycosylation sites near the N-terminus like other members of this protein family.

There is evidence that various monoamine or monoaminergic receptors are able to alter cyclic AMP levels through the same G protein. Therefore, G proteins serve as an important cross-talk mechanism between transmitter systems in the CNS. An abnormality in a G protein or

in the responsiveness of cyclic AMP to any of the receptors may result in an alteration in monoaminergic neurotransmission. For example, guanine nucleotide binding protein olfactory type (see Table 2: GOLF) is believed to play a role in signaling involving the cAMP mediated signaling pathway as well as the norepinephrine pathway.

5    B. Endocrine Basis of CNS Disorders

Biological theories of many CNS disorders have long revolved around the main monoamine systems, namely dopamine, norepinephrine and serotonin. It is apparent, however, that these three systems do not completely explain the pathophysiology of many CNS disorders. The hypothalamic-pituitary-adrenal (HPA) axis, including the effects of corticotrophin-releasing factor and glucocorticoids, plays an important role in the pathophysiology of CNS disorders.

The hypothalamus lies at the top of the hierarchy regulating hormone secretion via the hypothalamus-pituitary-adrenal (HPA) axis. It manufactures and releases peptides that act on the pituitary, thus stimulating or inhibiting the pituitary's release of various hormones into the blood. These hormones, among them growth hormone, thyroid-stimulating hormone and  
15    adrenocorticotrophic hormone (ACTH), control the release of other hormones from target glands. In addition to functioning outside the nervous system, the hormones released in response to pituitary hormones feed back to the pituitary and hypothalamus. There they deliver inhibitory signals that serve to limit excess hormone biosynthesis.

Also included in the regulation of the HPA axis is vasopressin receptor 1A (see Table 2:  
20    AVPR1A). Vasopressin receptors are present in a number of tissues including the anterior pituitary, where they stimulate adrenocorticotrophic hormone (ACTH) release (Thibonnier et al. *Genomics* 31: 327-334, 1996).

Dysregulation of the HPA axis appears to be an important feature of many psychiatric disorders and neurodegenerative diseases. When a threat to physical or psychological well-being  
25    is detected, the hypothalamus amplifies production of corticotrophin-releasing factor (CRF), which induces the pituitary to secrete ACTH (see Table 2: CRF, CRHBP, CRFR1 and CRFR2). ACTH then instructs the adrenal glands to release cortisol. Therefore, it is believed chronic activation of the HPA axis may lay the ground for illness.

The increased HPA drive is primarily mediated by hypersecretion of corticotrophin-releasing factor. Patients with major depression show increased levels of lumbar cerebrospinal  
30    fluid (CSF) corticotrophin-releasing factor as compared to matched controls or patients with other neurologic illnesses (Plotsky, P.M., *Psych. Clin. Of North Am.*, 21(2):293-307, 1998). Dysregulation of hypothalamic corticotrophin-releasing factor neurons, whether intrinsic or extrinsic to these neurons, can result in corticotrophin-releasing factor hypersecretion leading to  
35    elevations in cortisol followed by adaptive down regulation of both pituitary and central glucocorticoid receptors and corticotrophic-releasing receptors.

The anxi lytic effects of corticotrophin-releasing factor appear to be mediated by the activation of the central noradrenergic system. A CRF-positive projection has been identified linking limbic structures to the noradrenergic locus ceruleus, stimulation of which plays an important role in emotional memory and increases tyrosine hydroxylase activity. Therefore,  
 5 primary or secondary dysfunction of corticotrophin-releasing factor would be expected to initiate a cascade of maladaptations.

Glucocorticoids and mineralocorticoids are both classes of steroid hormones that play an important role in the HPA axis; and have therefore been implicated in the pathophysiology of various psychiatric disorders and neurodegenerative diseases (see Table 2: GRL and MLR).  
 10 Glucocorticoids exert numerous effects on metabolism, reproduction, inflammation and immunity. In addition, glucocorticoids serve as the primary negative feedback mechanism that regulates the HPA axis. Mineralocorticoids maintain electrolyte balance by regulating salt and water retention in the kidneys.

Brain-derived neurotrophic factor (see Table 2: BDNF) is a member of a group of  
 15 proteins that includes neurotrophin-3/4/5 and nerve growth factor (NGF) and are believed to play a role in the etiology of a number of CNS-related disorders including schizophrenia and Parkinson's disease (Hawi et al. *Psychiatry Research* 81: 111-116, 1998 and Gasser et al. *Annals of Neurology* 36(3)387-396, 1994). BDNF plays an important role in promoting growth and maintenance during normal development and differentiation of the vertebrate system (Hanson et  
 20 al. *Genomics* 13: 1331-1333, 1992). Further, it is believed BDNF has an effect on the differentiation of dopaminergic and serotonergic neurons (Studer et al. *Euro. J. of Neuroscience* 7: 223-233, 1995).

### C. Examples of CNS Disorders

Neurotransmitter and hormonal abnormalities are implicated in disorders of movement  
 25 (e.g. Parkinson's disease, Huntington's disease, motor neuron disease, etc.), disorders of mood (e.g. unipolar depression, bipolar disorder, anxiety, etc.) and diseases involving the intellect (e.g. Alzheimer's disease, Lewy body dementia, schizophrenia, etc.). In addition, Neurotransmitter and hormonal abnormalities have been implicated in a wide range of disorders, such as coma, head injury, cerebral infarction, epilepsy, alcoholism and the mental retardation states of metabolic  
 30 origin seen particularly in childhood.

### Schizophrenia

In developed countries schizophrenia occurs in approximately one per cent of the adult population at some point during their lives. There are an estimated 45 million people with schizophrenia in the world, with more than 33 million of them in the developing countries.  
 35 Moreover, schizophrenia accounts for a fourth of all mental health costs and takes up one in three psychiatric hospital beds. Most schizophrenia patients are never able to work. The cost of schizophrenia to society is enormous. In the United States, for example, the direct cost of

treatment of schizophrenia has been estimated to be close to 0.5% of the gross national product. Standardized mortality ratios (SMRs) for schizophrenic patients are estimated to be two to four times higher than the general population and their life expectancy overall is 20 % shorter than for the general population.

5           The most common cause of death among schizophrenic patients is suicide (in 10% of patients) which represents a 20 times higher risk than for the general population. Deaths from heart disease and from diseases of the respiratory and digestive system are also increased among schizophrenic patients.

          Schizophrenia comprises a group of psychoses with either 'positive' or 'negative' symptoms. Positive symptoms consist of hallucinations, delusions and disorders of thought; negative symptoms include emotional flattening, lack of volition and a decrease in motor activity.

          A number of biochemical abnormalities have been identified and, in consequence, several neurotransmitter-based hypotheses have been advanced over recent years; the most popular one has been "the dopamine hypothesis," one variant of which states that there is over-activity of the mesolimbic dopamine pathways at the level of the D<sub>2</sub> receptor. However, researchers have been unable to consistently find an association between various receptors of the dopaminergic system and schizophrenia.

          In addition to the hypotheses which are briefly presented here, and which attempt to draw together the neurochemical observations in schizophrenia, one should add that some abnormalities of cortical neuropeptides are well documented. These abnormalities include changes in the levels of somatostatin, substance P, cholecystokinin (CCK) and vasoactive intestinal peptide (VIP) found in association with negative symptom defect states in the temporal area of the brain (i.e. the hippocampus, amygdala and neocortex), in particular.

#### 25           Bipolar Disorder

          Bipolar disorders are relatively common, occurring in about 1.3% of the population, and have been reported to constitute about half of the mood disorders seen in psychiatric clinics. Bipolar disorders have been found to vary with gender depending of the type of disorder; for example, bipolar disorder I is found equally among men and women, while bipolar disorder II is reportedly more common in women. The age of onset of bipolar disorders is typically in the teenage years and diagnosis is typically made in the patient's early twenties. Bipolar disorders also occur among the elderly, generally as a result of a neurological disorder or other medical conditions. In addition to the severe effects on patients' social development, suicide completion rates among bipolar patients are reported to be about 15%.

35           Bipolar disorders are characterized by phases of excitement and depression; the excitement phases (mania) and depressive phases can alternate or occur in numerous admixtures with varying degrees of severity and duration. Because bipolar disorders can exist in different

forms and display different symptoms, the classification of bipolar disorder has been the subject of extensive studies resulting in the definition of bipolar disorder subtypes and widening of the overall concept to include patients previously thought to be suffering from different disorders. Bipolar disorders often share certain clinical signs, symptoms, treatments and neurobiological features with psychotic illnesses in general and therefore present a challenge to the psychiatrist to make an accurate diagnosis. Furthermore, because the course of bipolar disorders and various mood and psychotic disorders can differ greatly, it is critical to characterize the illness as early as possible in order to offer means to manage the illness over a long term.

Diagnosis of bipolar disorder can be very challenging. One particularly troublesome difficulty is that some patients exhibit mixed states, simultaneously manic and dysphoric or depressive, but do not fall into the DSM-IV classification because not all required criteria for mania and major depression are met daily for at least one week. Other difficulties include classification of patients in the DSM-IV groups based on duration of phase since patients often cycle between excited and depressive episodes at different rates. In particular, it is reported that the use of antidepressants may alter the course of the disease for the worse by causing "rapid-cycling". Also making diagnosis more difficult is the fact that bipolar patients, particularly at what is known as Stage III mania, share symptoms of disorganized thinking and behavior with bipolar disorder patients. Furthermore, psychiatrists must distinguish between agitated depression and mixed mania; it is common that patients with major depression exhibit agitation, resulting in bipolar-like features.

For both schizophrenia and bipolar disorder, all the known molecules used for treatment have side effects and act only against the symptoms of the disease. There is a strong need for new molecules without associated side effects or reduced side effects which are directed against targets that are involved in the causal mechanisms of schizophrenia and bipolar disorder. Therefore, tools facilitating the discovery and characterization of these targets are necessary and useful.

The aggregation of schizophrenia and bipolar disorder in families, the evidence from twin and adoption studies, and the lack of variation in incidence worldwide, indicate that schizophrenia and bipolar disorder are primarily genetic conditions, although environmental risk factors are also involved at some level as necessary, sufficient, or interactive causes. For example, schizophrenia occurs in 1% of the general population. However, if a subject has one grandparent with schizophrenia, the risk of getting the illness increases to about 3%, while one parent with Schizophrenia increases risk to about 10%. When both parents have schizophrenia, the risk rises to approximately 40%. Consequently, there is a strong need to identify genes involved in schizophrenia and bipolar disorder. The knowledge of these genes will allow researchers to understand the etiology of schizophrenia and bipolar disorder and could lead to

drugs and medications which are directed against the cause of the diseases, not just against their symptoms.

There is also a great need for new methods to detect susceptibility to schizophrenia and bipolar disorder, as well as for preventing or following up the development of the disease.

- 5 Diagnostic tools could also prove extremely useful. Indeed, early identification of subjects at risk of developing schizophrenia would enable early and/or prophylactic treatment to be administered. Moreover, accurate assessments of the eventual efficacy of a medicament as well as the patient's eventual tolerance to it may enable clinicians to enhance the benefit/risk ratio of schizophrenia and bipolar disorder treatment regimes.

10 Depression

- Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. As a result, depression is the leading cause of disability throughout the world with an estimated cost
- 15 of \$53 billion each year in the United States alone.

- Symptoms of depression include depressed mood, diminished interest or pleasure in activities, change in appetite or weight, insomnia or hypersomnia, psycho-motor agitation or retardation, fatigue or loss of energy, feelings of worthlessness or excessive guilt, anxiety, inability to concentrate or act decisively, and recurrent thoughts of death or suicide. A diagnosis
- 20 of unipolar major depression (or major depressive disorder) is made if a person has five or more of these symptoms and impairment in usual functioning nearly every day during the same two-week period. The onset of depression generally begins in late adolescence or early adult life; however, recent evidence suggests depression may be occurring earlier in life in people born in the past thirty years.

- 25 The World Health Organization predicts that by the year 2020 depression will be the greatest burden of ill-health to people in the developing world, and that by then depression will be the second largest cause of death and disability. Beyond the almost unbearable misery it causes, the big risk in major depression is suicide. Within five years of suffering a major depression, an estimated 25% of sufferers try to kill themselves. In addition, depression is a
- 30 frequent and serious complication of heart attack, stroke, diabetes, and cancer. According to one recent study that covered a 13-year period, individuals with a history of major depression were four times as likely to suffer a heart attack compared to people without such a history.

- Depression may be a feature in up to 50% of patients with CNS disorders such as Parkinson's disease and Alzheimer's disease. The neuronal loss in the locus ceruleus, typical of
- 35 Alzheimer's disease, is greatest in those patients who have depression; such patients also have lower norepinephrine levels than do those who lack depressive features. Approximately 50% of



patients with Alzheimer's disease have less norepinephrine than normal in the majority of cortical and subcortical areas of the brain that have been examined to date.

Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function have been  
5 recognized in depression for many years involving norepinephrine, serotonin and dopamine. Changes in adrenoceptor density and function as well as changes in adrenoceptors associated with the pituitary-adrenal axis function strongly implicate a disorder in central noradrenergic transmission in depression. This dysfunction may be caused by changes in the activity of tyrosine hydroxylase. The effect of corticotrophin releasing factor in modulating the activity of  
10 noradrenergic neurons in the locus ceruleus may provide the link between environmental trigger factors and central noradrenergic dysfunction, along with dysfunction of the HPA axis.

Dysfunction of serotonin metabolism, as shown by decreased concentrations of the metabolite 5HIAA in cerebrospinal fluid (CSF), is linked with depression; nevertheless, it is not a feature in all patients with depression. Therefore, a subgroup entitled "serotonin depression"  
15 has been proposed. Often included among those who suffer from serotonin depression are patients who also suffer a number of neurological diseases. A reduction in the number of serotonin-containing neurons in the median raphe in Parkinson's disease, Alzheimer's disease and, possibly, the elderly, is associated with the development of depression.

Low levels of the dopamine metabolite HVA are found in the CSF in patients with  
20 depression. In addition, dopamine agonists produce a therapeutic response in depression.

Presently, antidepressants are designed to address many of the symptoms of depression by increasing neurotransmitter concentration in aminergic synapses. Distinct pharmacologic mechanisms allow the antidepressants to be separated into seven different classes. The two classical mechanisms are those of tricyclic antidepressants (TCAs) and monoamine oxidase  
25 inhibitors (MAOIs). The most widely prescribed agents are the serotonin selective reuptake inhibitors (SSRIs). Three other classes of antidepressants, like the SSRIs, increase serotonergic neurotransmission, but they also have additional actions, namely dual serotonin and norepinephrine reuptake inhibition; serotonin-2 antagonism/reuptake inhibition; and  $\alpha_2$  antagonism plus serotonin-2 and -3 antagonism. The selective norepinephrine and dopamine  
30 reuptake inhibitors define a novel class of antidepressant that has no direct actions on the serotonin system.

Recent findings suggest some re-appraisal and modifications of the monoamine hypothesis are necessary. The increased levels of monoamine transmitters at the synapses, although quickly produced in response to antidepressant therapy, are in contrast with the much  
35 slower clinical recovery of the patient from depression, which takes about two weeks to begin and may only reach maximal levels several weeks later. Moreover, should acute depletion of either norepinephrine and/or serotonin occur experimentally in a normal individual, then

depression does not, in the short-term, occur. Not in keeping with the hypothesis, too, is the cerebral resistance generated in response to the pharmacological changes induced by antidepressant compounds. These counteractive changes comprise reduction in the number of post-synaptic  $\beta$ -receptors, together with a lowered firing rate of noradrenergic neurons.

5           In addition, there are subsets of patients with differential responses to antidepressants. Thus far, biochemical predictors of treatment response have failed to identify definite parameters that could correctly identify patients more likely to respond to particular classes of antidepressants (Schatzberg, Alan F., *Journal of Clinical Psychiatry*, 59:15-18, 1998). As a result, psychiatrists often must choose a treatment based on intuition or trial and error. However,  
10       probes such as biallelic markers could serve as an invaluable tool to successfully identify patients who might respond preferentially to existing and new antidepressants (Charney, Dennis S, *Journal of Clinical Psychiatry*, 59:11-14, 1998). In particular, markers from genes known to affect drug response such as transcription factors (see Table 2: SEF-1B) and drug metabolizing enzymes (see Table 2: CYP3A4) need to be investigated to determine "responders" and "non-  
15       responders" to medicaments.

          While modulating monoamine activity as a therapeutic strategy continues to dominate research, an important new development has been the emergence of novel mechanisms of action, notably modulation of the activity of neuropeptides, namely through the neuropeptide receptor Y1, the tachykinin NK1 receptor and nicotinic receptors (see Table 2: NPY1R, TACR1 and  
20       CHRNA7). Recent clinical trials showed that tachykinin NK1 receptor antagonists are effective in treating depression and chemotherapy-induced emesis. Therefore, it is well possible that such antagonists will be clinically useful for treatment of specific CNS disorders. Nicotinic receptors are known to serve as important ligand-gated ion channels active in classical, excitatory neurotransmission and perhaps more novel forms of neurochemical signaling. Their critical  
25       functional roles both centrally and peripherally make them ideal targets for regulation of the nervous system. Finally, new antidepressants that may render the HPA axis more sensitive to glucocorticoid feedback are being investigated as well.

          In addition to monoamine dysfunction as a possible cause of depression, researchers have reported increased activity in the HPA axis in untreated depressed patients, as evinced by  
30       raised levels of cortisol in urine, blood and cerebrospinal fluid, as well as by other measures. Numerous studies have confirmed that substantial numbers of depressed patients, particularly those most severely affected, display HPA axis hyperactivity. Patients with depression frequently have symptom clusters which point strongly to involvement of the HPA system as a relay station between neurocircuitries in the brain and peripheral hormone and autonomic  
35       nervous function. It has been proposed that this increased, state-dependent hyperactivity of the HPA system in depression is probably initiated and/or maintained by the combination of enhanced central production of corticotrophin-releasing factor and desensitization of the binary,

glucocorticoid receptor binding system in the hippocampus, which is the central regulator of HPA system activity.

Deeper investigation of the phenomenon has now revealed alterations at each level of the HPA axis in depressed patients. For instance, both the adrenal gland and the pituitary are enlarged, and the adrenal gland hypersecretes cortisol. But many researchers, have become persuaded that aberrations in CRF-producing neurons of the hypothalamus and elsewhere bear most of the responsibility for HPA axis hyperactivity and the emergence of depressive symptoms.

Many studies have shown corticotrophin-releasing factor concentrations in cerebrospinal fluid to be elevated in depressed patients, compared with control subjects or individuals with other psychiatric disorders. This magnification of corticotrophin-releasing factor levels is reduced by treatment with antidepressants and by effective electroconvulsive therapy. Further, postmortem brain tissue studies have revealed a marked exaggeration both in the number of CRF-producing neurons in the hypothalamus and in the expression of the corticotrophin-releasing factor gene (resulting in elevated corticotrophin-releasing factor synthesis) in depressed patients as compared with controls. Moreover, delivery of corticotrophin-releasing factor to the brains of laboratory animals produces behavioral effects that are cardinal features of depression in humans, namely, insomnia, decreased appetite, decreased libido and anxiety.

Geneticists have provided some of the oldest proof of a biological component to depression in many people. Depression and manic-depression frequently run in families. Thus, close blood relatives of patients with severe depressive or bipolar disorder are much more likely to suffer from those or related conditions than are members of the general population. Studies of identical and fraternal twins also support an inherited component. Illness in both members of a pair is much higher for manic-depression in identical twins than in fraternal and is somewhat elevated for depression alone.

In the past 20 years, genetic researchers have expended great effort trying to identify the genes which contribute to depression. So far, though, those genes have evaded discovery, perhaps because a predisposition to depression involves several genes, each of which makes only a small, hard-to-detect contribution. As a result, psychiatrists today have to choose antidepressant medications by intuition and trial and error; a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Therefore, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

#### Alzheimer's Disease

Alzheimer's disease is characterized by the onset in middle age of a slowly progressive dementia; there is loss of memory for past events, inability to develop new memories and impairment of intellect, all leading to a lessened capacity for dealing with the tasks and problems

of daily living. It is the most common cause of both presenile and senile dementia. Alzheimer's disease is not the non-specific degenerative disorder of the CNS that it was once thought to be, as neurochemical studies on postmortem material now reveal the degeneration to be selective for certain neuronal populations in the subcortical and cortical areas; their cell populations seem to be unaffected. Senile plaques and neurofibrillary tangles are the characteristic histological feature, found throughout the cerebral cortex and especially in certain regions of the limbic system (the amygdala and hippocampus), perhaps accounting for the memory loss so typical of the early phase of the disease. In addition, there is reduction of acetylcholine, norepinephrine, serotonin and somatostatin in the subcortical areas in Alzheimer's disease.

10       The activity of CAT, the enzyme involved in acetylcholine synthesis, is markedly decreased in Alzheimer's disease. This decrease does not occur in all areas of the brain, but does so particularly in the hippocampus and amygdala, which are some of the main sites where senile plaques and neurofibrillary tangles accumulate. The loss of such cortical cholinergic activity correlates well with the degree of dementia in patients with this disease. A further finding is that  
15   nerve growth factor (NGF) is now known to be involved in the maintenance of cholinergic neurons in the forebrain; also, nicotine, a cholinomimetic compound, is able to stimulate dopaminergic neurons via their nicotinic receptors; thus, seemingly, to provide smokers with some protection against degeneration of the dopaminergic neurons. The forebrain cholinergic system degenerates not only in Alzheimer's disease, but also in alcohol-induced dementia, Pick's  
20   disease, Lewy body dementia, progressive supranuclear palsy and in Parkinson's disease.

      In Alzheimer's disease there is a reduction of both serotonin and its receptor proteins in the temporal lobe of the brain, as revealed from studies on autopsy and biopsy material. The loss of serotonin is, however, less than in Parkinson's disease and it would be unlikely, therefore, that the severe memory loss of Alzheimer's disease could be accounted for on this basis alone,  
25   although in Parkinson's disease there is an important difference in that the 5HT<sub>2</sub> receptor is not decreased. Of interest in this context, but not necessarily related, is the bradyphrenia (characterized by difficulty in concentration, slowing of thought processes and inability to associate ideas) of Parkinson's disease where serotonin is low in most of the cortical regions. In the Lewy body type of senile dementia it is common for visual hallucinations to occur, and it is  
30   of great interest that in the temporal lobe the serotonergic activity is higher (as shown by the raised serotonergic:cholinergic ratio) in those patients who suffer from hallucinations compared with those who do not.

      In addition to the involvement of serotonin in Alzheimer's disease, patients also suffer from decreased levels of norepinephrine and several neuropeptides. It is in those patients with  
35   Alzheimer's disease who also have depression that there is not only greatest reduction in the number of neurons within the locus ceruleus but also a markedly reduced norepinephrine content. There is also associated reduction in cortical somatostatin and corticotrophin-releasing factor,

and loss of the somatostatin content of neurons in the temporal cortex develops early in the condition.

There is no known definitive cure for Alzheimer's disease; therefore, treatment is aimed at relief of symptoms and protection from the effects of the deteriorating condition. Most treatments are still considered experimental or have had variable results. Treatment is also aimed at underlying disorders that contribute to confusion such as heart failure, hypoxia, thyroid disorders, anemia, nutritional disorders, infections, and psychiatric conditions such as depression. The correction of coexisting medical and psychiatric disorders often improves the patient's mental function.

#### 10        Parkinson's Disease

Parkinson's disease is a disabling progressive neurodegenerative disorder characterized by tremor, rigidity, bradykinesia, and loss of postural reflexes. In the United States, about a million people are believed to suffer from Parkinson's disease, and about 50,000 new cases are reported every year. Because the symptoms typically appear later in life, these Tables are expected to grow as the average age of the population increases over the next several decades. The disorder is most frequent among people in there 70s and 80s, and appears to be slightly more common in men than in women. Parkinson's disease is found all over the world. The rates vary from country to country, but it is not clear whether this reflects true ethnic or geographic differences or simply variations in data collection.

20        The pathology is not completely understood, but there appears to be consistent changes in the melanin-containing nerve cells in the brainstem (substantia nigra, locus ceruleus), where there are varying degrees of nerve cell loss with reactive gliosis along with eosinophilic intracytoplasmic inclusions (Lewy bodies). As a result, the primary neurochemical defect in Parkinson's disease is the loss of dopaminergic projections to the striatum. Moreover, the loss of these populations of neurons also leads to neurotransmitter deficits, but to a lesser extent than that which accompanies the massive degeneration of dopaminergic neurons. For example, norepinephrine, serotonin and acetylcholine are variably decreased in Parkinson's disease due to loss of neurons in the locus ceruleus, raphe nuclei and the nucleus basalis of Meynert. Thus, some of the secondary clinical features of Parkinson's disease have been ascribed to these neurotransmitter deficits.

30        The neurochemical defect associated with Parkinson's disease can be partially corrected by L-DOPA, which helps replace the brain's dopamine, but cannot reverse the progression of the disease. There is no specific biological test for the diagnosis of Parkinson's disease. Twin studies have shown variable results and suggest that the genetics of this disorder will prove to be complex. Despite the importance and severity of Parkinson's disease and many years of research, a cause has not been identified and there is neither means of preventing the disease nor a proven permanent cure.

Findings of considerable importance in this search would be the location of a genetic marker, determination of the probability of penetrance, determination of possible genetic heterogeneity, and evidence of multifactorial inheritance with environmental interaction. Genetic factors determining susceptibility to Parkinson's disease will enhance epidemiological studies and possibly lead to identification of susceptible groups and of significant risk factors.

#### Huntington's Disease

Huntington's disease is a hereditary neurodegenerative disease that generally develops subtly in a person's thirties or forties; though it can begin any time between childhood and old age. In the United States alone, about 30,000 people have Huntington's disease, while at least 150,000 others have a 50 percent risk of developing the disease and thousands more of their relatives live with the possibility that they, too, might develop Huntington's disease.

Huntington's disease is characterized by difficulties in three areas: a movement disorder, dementia, and psychiatric disturbances. The movement disorder consists of two parts: involuntary twitching movement which first tend to involve the fingers and toes and then progress to include the whole body, and difficulties with voluntary movements in the form of clumsiness, stiffness, or trouble with walking. Dementia refers to a gradual loss of intellectual abilities such as memory, concentration, problem solving, and judgment. Psychiatric disturbances do not strike every person with Huntington's disease, but when they do, usually take the form of depression, irritability, and apathy. Depression and other psychiatric conditions in people with Huntington's disease, which seem to result from damage to the brain, can be debilitating.

Loss of neurotransmitter receptors, especially glutamate and dopamine receptors, is one of the pathologic hallmarks of patients with Huntington's disease (Cha J.H. et al.; *Proc National Acad Sci USA* May 26;95(11):6480-5, 1998). In addition, deficiency of GABA permits excessive dopaminergic activity in the corpus striatum resulting in onset of Huntington's disease, on account of the imbalance generated between cholinergic and dopaminergic systems.

Researchers have identified a single gene product thought to be causal when mutated by a tri-nucleotide repeat expansion. However, there is at present no cure for Huntington's disease or even any direct treatments, although researchers are presently working on a number of treatments which may slow down the progression of the disease. In the early and middle stages of the disease, medications called neuroleptics, which are given in larger doses for psychiatric complaints, can be given in small doses to Huntington's disease patients to suppress the involuntary movements. Drugs that cause increased dopamine release in the brain and dopamine receptor agonists are used, but both precipitate nausea and vomiting as side effects and dopamine antagonists are anti-emetic.

#### Pharmacogenomics and CNS Disorders

The vast majority of common diseases, such as all of the CNS disorders described above, are polygenic, meaning multiple genes cause them. In addition, these diseases are modulated by environmental factors such as pollutants, chemicals and diet. This is why many diseases are considered to be multifactorial; they result from a synergistic combination of factors, both genetic and environmental. Therapeutic management and drug development could be markedly improved by the identification of specific genetic polymorphisms that determine and predict patient susceptibility to diseases or patient responses to drugs.

To assess the origins of individual variations in disease susceptibility or drug response, pharmacogenomics uses the genomic technologies to identify polymorphisms within genes which are part of biological pathways involved in disease susceptibility, etiology, and development, or more specifically in drug response pathways responsible for a drug's efficacy, tolerance or toxicity. Pharmacogenomics can also provide tools to refine the design of drug development by decreasing the incidence of adverse events in drug tolerance studies, by better defining patient subpopulations of responders and non-responders in efficacy studies and, by combining the results obtained therefrom, to further allow better enlightened individualized drug usage based on efficacy/tolerance prognosis. Pharmacogenomics can also provide tools to identify new targets for designing drugs and to optimize the use of already existing drugs, in order to either increase their response rate and/or exclude non-responders from corresponding treatment, or decrease their undesirable side effects and/or exclude from corresponding treatment patients with marked susceptibility to undesirable side effects. However, for pharmacogenomics to become clinically useful on a large scale, additional molecular tools and diagnostics tests must become available.

#### Genetic Analysis of Complex Traits

Until recently, the identification of genes linked with detectable traits has relied mainly on a statistical approach called linkage analysis. Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Linkage analysis involves the study of families with multiple affected individuals and is useful in the detection of inherited-traits, which are caused by a single gene, or possibly a very small number of genes. Linkage analysis has been successfully applied to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (the probability that a person with a given genotype will exhibit a trait). About 100 pathological trait-causing genes have been discovered using linkage analysis over the last 10 years. But, linkage studies have proven difficult when applied to complex genetic traits. Most traits of medical relevance do not follow simple Mendelian monogenic inheritance. However, complex diseases often aggregate in families, which suggests that there is a genetic component to be found. Such complex traits are often due to the combined action of multiple genes as well as environmental factors. Such complex trait, include susceptibilities to heart disease, hypertension,

diabetes, cancer and inflammatory diseases. Drug efficacy, response and tolerance/toxicity can also be considered as multifactorial traits involving a genetic component in the same way as complex diseases. Linkage analysis cannot be applied to the study of such traits for which no large informative families are available. Moreover, because of their low penetrance, such  
5 complex traits do not segregate in a clear-cut Mendelian manner as they are passed from one generation to the next. Attempts to map such diseases have been plagued by inconclusive results, demonstrating the need for more sophisticated genetic tools.

Knowledge of genetic variation in the neuronal and endocrine systems is important for understanding why some people are more susceptible to disease or respond differently to  
10 treatments. Ways to identify genetic polymorphism and to analyze how they impact and predict disease susceptibility and response to treatment are needed.

Although the genes involved in the neuronal and endocrine systems represent major drug targets and are of high relevance to pharmaceutical research, we still have scant knowledge concerning the extent and nature of, sequence variation in these genes and their regulatory  
15 elements. In the case where polymorphisms have been identified the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to disorders of the brain and nervous system.

20 In the cases where polymorphisms have been identified, the relevance of the variation is rarely understood. While polymorphisms hold promise for use as genetic markers in determining which genes contribute to multigenic or quantitative traits, suitable markers and suitable methods for exploiting those markers have not been found and brought to bare on the genes related to central nervous system disorders.

25

#### SUMMARY OF THE INVENTION

The present invention is based on the discovery of a set of novel CNS disorder-related biallelic markers. See Table 7. These markers are located in the coding regions as well as non-coding regions adjacent to genes which express proteins associated with CNS disorders. The  
30 position of these markers and knowledge of the surrounding sequence has been used to design polynucleotide compositions which are useful in determining the identity of nucleotides at the marker position, as well as more complex association and haplotyping studies which are useful in determining the genetic basis for disease states involving the neuronal and endocrine systems. In addition, the compositions and methods of the invention find use in the identification of the  
35 targets for the development of pharmaceutical agents and diagnostic methods, as well as the characterization of the differential efficacious responses to and side effects from pharmaceutical agents acting on CNS disorders. Further, the compositions and methods of the invention may be



employed in a process for screening for antagonists and/or agonists for the polypeptides of the invention. Such molecules may prove useful as therapeutics in the diagnosis and/or treatment of CNS disorders, particularly depression.

A first embodiment of the invention encompasses polynucleotides consisting of,  
 5 consisting essentially of, or comprising a contiguous span of nucleotides of a sequence selected as an individual or in any combination from the group consisting of SEQ ID NO: 1-542, the complements thereof, the sequences described in any one or more of Tables 8, 9, 10, 11, 12, 13 and 14 and the complements thereof, wherein said contiguous span is at least 6, 8, 10, 12, 15, 20, 25, 30, 35, 40, 50, 75, 100, 200, 500 or 1000 nucleotides in length, to the extent that such a  
 10 length is consistent with the lengths of the particular Sequence ID. The present invention also relates to polynucleotides hybridizing under stringent or intermediate conditions to a sequence selected from the group consisting of SEQ ID NO: 1-542; and the complements thereof. In addition, the polynucleotides of the invention encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination:  
 15 Said contiguous span may optionally include the CNS disorder-related biallelic marker in said sequence; Optionally either the original or the alternative allele of Table 9 may be specified as being present at said CNS disorder-related biallelic marker; Optionally either the first or the second allele of Tables 8 or 10 may be specified as being present at said CNS disorder-related biallelic marker; Optionally, said polynucleotide may consists of, or consist essentially of a  
 20 contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence, and optionally the original allele of Table 9 is present at said biallelic marker; Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of said polynucleotide or at the center of said  
 25 polynucleotide; Optionally, the 3' end of said contiguous span may be present at the 3' end of said polynucleotide; Optionally, biallelic marker may be present at the 3' end of said polynucleotide; Optionally, the 3' end of said polynucleotide may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500 or 1000 nucleotides upstream of a CNS disorder-related biallelic marker in said sequence, to the extent that such a distance is consistent with the  
 30 lengths of the particular Sequence ID; Optionally, the 3' end of said polynucleotide may be located 1 nucleotide upstream of a CNS disorder-related biallelic marker in said sequence; and Optionally, said polynucleotide may further comprise a label.

A second embodiment of the invention encompasses any polynucleotide of the invention attached to a solid support. In addition, the polynucleotides of the invention which are attached  
 35 to a solid support encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said polynucleotides may be specified as attached individually or in groups of at least 2, 5, 8, 10, 12,

15, 20, or 25 distinct polynucleotides of the inventions to a single solid support; Optionally, polynucleotides other than those of the invention may be attached to the same solid support as polynucleotides of the invention; Optionally, when multiple polynucleotides are attached to a solid support they may be attached at random locations, or in an ordered array; Optionally, said  
 5 ordered array may be addressable.

A third embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, determining the identity of one or more nucleotides at a CNS disorder-related biallelic marker. Microsequencing primers are provided in Table 12. In addition, the polynucleotides of the invention for use in determining the identity of one or more  
 10 nucleotides at a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation described in this disclosure, or those following, specified alone or in any combination. Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542; and the complements thereof; Optionally, said polynucleotide may comprise a sequence disclosed in  
 15 the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said determining may be performed in a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay; Optionally, said polynucleotide may be attached to a solid support, array, or addressable array; Optionally, said polynucleotide may be labeled.

20 A fourth embodiment of the invention encompasses the use of any polynucleotide for, or any polynucleotide for use in, amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker. Amplification primers are provided in Table 13. In addition, the polynucleotides of the invention for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker encompass polynucleotides with any further limitation  
 25 described in this disclosure, or those following, specified alone or in any combination:

Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID 1-130; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-  
 30 related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-  
 35 185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-

298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said polynucleotide may comprise a sequence disclosed in the present specification; Optionally, said polynucleotide may consist of, or consist essentially of any polynucleotide described in the present specification; Optionally, said amplifying may be performed by a PCR or LCR. Optionally, said polynucleotide may be attached to a solid support, array, or addressable array. Optionally, said polynucleotide may be labeled.

- 10 A fifth embodiment of the invention encompasses methods of genotyping a biological sample comprising determining the identity of a nucleotide at a CNS disorder-related biallelic marker. In addition, the genotyping methods of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence
- 15 selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-
- 20 20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-
- 25 88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174;
- 30 Optionally, said method further comprises determining the identity of a second nucleotide at said biallelic marker, wherein said first nucleotide and second nucleotide are not base paired (by Watson & Crick base pairing) to one another; Optionally, said biological sample is derived from a single individual or subject; Optionally, said method is performed *in vitro*; Optionally, said biallelic marker is determined for both copies of said biallelic marker present in said individual's
- 35 genome; Optionally, said biological sample is derived from multiple subjects or individuals; Optionally, said method further comprises amplifying a portion of said sequence comprising the biallelic marker prior to said determining step; Optionally, wherein said amplifying is performed

by PCR, LCR, or replication of a recombinant vector comprising an origin of replication and said portion in a host cell; Optionally, wherein said determining is performed by a hybridization assay, sequencing assay, microsequencing assay, or an enzyme-based mismatch detection assay.

A sixth embodiment of the invention comprises methods of estimating the frequency of an allele in a population comprising genotyping individuals from said population for a CNS disorder-related biallelic marker and determining the proportional representation of said biallelic marker in said population. In addition, the methods of estimating the frequency of an allele in a population of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ NO: 1-542; and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, determining the frequency of a biallelic marker allele in a population may be accomplished by determining the identity of the nucleotides for both copies of said biallelic marker present in the genome of each individual in said population and calculating the proportional representation of said nucleotide at said CNS disorder-related biallelic marker for the population; Optionally, determining the frequency of a biallelic marker allele in a population may be accomplished by performing a genotyping method on a pooled biological sample derived from a representative number of individuals, or each individual, in said population, and calculating the proportional amount of said nucleotide compared with the total.

A seventh embodiment of the invention comprises methods of detecting an association between an allele and a phenotype, comprising the steps of a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population, b) determining the frequency of said CNS disorder-related biallelic marker allele in a control

population and; c) determining whether a statistically significant association exists between said genotype and said phenotype. In addition, the methods of detecting an association between an allele and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said

5 CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic marker may be selected from the biallelic markers described in Table 7; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting

10 on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is determined in steps a) and b).

An eighth embodiment of the present invention encompasses methods of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising the steps of: a)

15 genotyping each individual in said population for at least one CNS disorder-related biallelic marker, b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said

20 frequency. In addition, the methods of estimating the frequency of a haplotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm; Optionally, said

25 second biallelic marker is a CNS disorder-related biallelic marker in a sequence selected from the group consisting of the biallelic markers of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-27207-117, 99-

30 28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-

35 32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-4097; Optionally, said CNS disorder-related biallelic marker

may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the sequences of SEQ ID NO:

5 1-542 is determined in steps a) and b).

A ninth embodiment of the present invention encompasses methods of detecting an association between a haplotype and a phenotype, comprising the steps of: a) estimating the frequency of at least one haplotype in a trait positive population according to a method of estimating the frequency of a haplotype of the invention; b) estimating the frequency of said  
10 haplotype in a control population according to the method of estimating the frequency of a haplotype of the invention; and c) determining whether a statistically significant association exists between said haplotype and said phenotype. In addition, the methods of detecting an association between a haplotype and a phenotype of the invention encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any  
15 combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ ID NO: 1-542, and the complements thereof; Optionally, said CNS disorder-related biallelic markers may be selected individually or in any combination from the biallelic markers described in Table 7; Optionally, said CNS disorder-related biallelic marker may be selected from the following  
20 biallelic markers: 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315,  
25 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409; Optionally, said CNS disorder-related biallelic marker may be selected from the following biallelic markers: 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-  
30 205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174; Optionally, said control population may be a trait negative population, or a random population; Optionally, said phenotype is a CNS disorder, a response to an agent acting on a CNS disorder, or side effect to an agent acting on a CNS disorder; Optionally, the identity of the nucleotides at the biallelic markers in everyone of the following sequences: SEQ ID NO: 1-542 is  
35 included in the estimating steps a) and b).

A tenth embodiment of the present invention encompasses polypeptides encoded by SEQ ID NO: 543 or 544, as well as antisense analogs thereof and biologically active and

diagnostically or therapeutically useful fragments and derivatives thereof. The polypeptides of the present invention are of human origin. In accordance with a further aspect of the present invention, there is provided a method for producing such polypeptides by recombinant techniques which comprises culturing recombinant prokaryotic and/or eukaryotic host cells, containing a nucleic acid sequence encoding a polypeptide of the present invention, under conditions promoting expression of said protein and subsequent recovery of said protein. A further embodiment of the present invention encompasses antibodies against such polypeptides.

An eleventh embodiment of the present invention is a method for using one or more of the polypeptides according to the invention to screen for polypeptide antagonists and/or agonists and/or receptor ligands. A further embodiment of the present invention is a method of using such agonists to activate the polypeptides of the present invention for the treatment of conditions related to the underexpression of the polypeptide of the present invention, preferably depression. In accordance with another aspect of the present invention there is provided a method of using such antagonists for inhibiting the polypeptide of the present invention for treating conditions associated with overexpression of the polypeptides of the present invention.

A twelfth embodiment of the present invention encompasses non-naturally occurring synthetic, isolated and/or recombinant polypeptides which are fragments, consensus fragments and/or sequences having conservative amino acid substitutions, of at least one transmembrane domain, such that the polypeptides of the present invention may bind ligands, or which may also modulate, quantitatively or qualitatively, ligand binding to the polypeptides of the present invention. A further embodiment of the present invention encompasses synthetic or recombinant polypeptides, conservative substitution derivatives thereof, antibodies, anti-idiotypic antibodies, compositions and methods that can be useful as potential modulators of CNS-related protein function, by binding to ligands or modulating ligand binding, due to their expected biological properties, which may be used in diagnostic, therapeutic and/or research applications relating to CNS disorders. In yet a further embodiment of the present invention, there is provided synthetic, isolated or recombinant polypeptides which are designed to inhibit or mimic various polypeptides of the invention or fragments thereof, as receptor types and subtypes.

A thirteenth embodiment of the present invention encompasses a diagnostic assay for detecting a disease or susceptibility to a disease related to a mutation in a nucleic acid sequence encoding a polypeptide of the present invention. Preferably said disease is depression.

A fourteenth embodiment of the present invention is a method of administering a drug or a treatment comprising the steps of: a) obtaining a nucleic acid sample from an individual; b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker which is associated with a positive response to the treatment or the drug; or at least one biallelic CNS disorder-related marker which is associated with a negative response to the treatment or the drug; and c) administering the treatment or the drug to the individual if the

nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for administering a drug or a treatment encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof-, or optionally, the administering step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

A fifteenth embodiment of the present invention is a method of selecting an individual for inclusion in a clinical trial of a treatment or drug comprising the steps of: a) obtaining a nucleic acid sample from an individual; b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker which is associated with a positive response to the treatment or the drug, or at least one CNS disorder-related biallelic marker which is associated with a negative response to the treatment or the drug in the nucleic acid sample, and c) including the individual in the clinical trial if the nucleic acid sample contains said CNS disorder-related biallelic marker associated with a positive response to the treatment or the drug or if the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug. In addition, the methods of the present invention for selecting an individual for inclusion in a clinical trial of a treatment or drug encompass methods with any further limitation described in this disclosure, or those following, specified alone or in any combination: Optionally, said CNS disorder-related biallelic marker may be in a sequence selected individually or in any combination from the group consisting of SEQ. ID. NO: 1-542 and the complements thereof, optionally, the including step comprises administering the drug or the treatment to the individual if the nucleic acid sample contains said biallelic marker associated with a positive response to the treatment or the drug and the nucleic acid sample lacks said biallelic marker associated with a negative response to the treatment or the drug.

Additional embodiments are set forth in the Detailed Description of the Invention and in the Examples.

#### BRIEF DESCRIPTION OF THE TABLES

Tables 7A and 7C are charts containing a list of all of the CNS-related biallelic markers for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it



has not), and an indication of the identity and frequency of the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers).

Tables 7B and 7D contain all of the CNS-related biallelic markers provided in Tables 7A and 7C; however, they are provided in shorter, easier to search sequences of 47 nucleotides. Accordingly, Table 7A begins with SEQ ID NO: 1 and ends with SEQ ID NO: 130, while corresponding Table 7B begins with SEQ ID NO: 131 and ends with SEQ ID NO: 260. Also Table 7C begins with SEQ ID NO: 261 and ends with SEQ ID NO: 401, while corresponding Table 7D begins with SEQ ID NO: 402 and ends with SEQ ID NO: 542. Table 1 contains the first five markers listed in the sequence listing and their corresponding SEQ ID numbers in Tables 7A and 7C to illustrate the relationship between Tables 7A and 7B:

Table 1

<b>BIALLELIC MARKER ID</b>	<b>SEQ ID NO. IN TABLE 7A</b>	<b>BIALLELIC MARKER POSITION IN SEQ ID NO.</b>	<b>SEQ ID NO. IN TABLE 7B</b>	<b>BIALLELIC MARKER POSITION IN SEQ ID NO.</b>
99-27199-207	1	207	131	24
99-27207-117	2	117	132	24
99-27213-53	3	53	133	24
99-27218-333	4	333	134	24
99-28108-233	5	233	135	24

Tables 7B and 7D are the same as Tables 7A and 7C, respectively, in that they are a list of all of the CNS-related biallelic markers for each gene with an indication of the gene for which the marker is in closest physical proximity, an indication of whether the markers have been validated by microsequencing (with a Y indicating that the markers have been validated by microsequencing and an N indicating that it has not), and an indication of the identity and frequency of the least common allele determined by genotyping (with a blank left to indicate that the frequency has not yet been reported for some markers). However, the "Biallelic Marker Position in SEQ ID No." for all of the CNS-related biallelic markers provided in Tables 7B and 7D is position 24 (representing the midpoint of the 47mers that make up Tables 7B and 7D).

Tables 8, 9, and 10 are charts containing lists of the CNS disorder-related biallelic markers. Each marker is described by indicating its SEQ ID, the biallelic marker ID, and the two most common alleles. Table 8 is a chart containing a list of biallelic markers surrounded by preferred sequences. In the column labeled, "POSITION RANGE OF PREFERRED SEQUENCE" of Table 8 regions of particularly preferred sequences are listed for each SEQ ID, which contain a CNS disorder-related biallelic marker, as well as particularly preferred regions

of sequences that do not contain a CNS disorder-related biallelic marker but, which are in sufficiently close proximity to a CNS disorder-related biallelic marker to be useful as amplification or sequencing primers.

Table 11 is a chart listing particular sequences that are useful for designing some of the primers and probes of the invention. Each sequence is described by indicating its Sequence ID and the positions of the first and last nucleotides (position range) of the particular sequence in the Sequence ID.

Table 12 is a chart listing microsequencing primers which have been used to genotype CNS disorder-related biallelic markers (indicated by an \*) and other preferred microsequencing primers for use in genotyping CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible microsequencing primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are described by indicating their SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

Table 13 is a chart listing amplification primers which have been used to amplify polynucleotides containing one or more CNS disorder-related biallelic markers. Each of the primers which falls within the strand of nucleotides included in the Sequence Listing are described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the primers in the Sequence ID. Since the sequences in the Sequence Listing are single stranded and half the possible amplification primers are composed of nucleotide sequences from the complementary strand, the primers that are composed of nucleotides in the complementary strand are defined by the SEQ ID numbers and the positions of the first and last nucleotides to which they are complementary (complementary position range) in the Sequence ID.

Table 14 is a chart listing preferred probes useful in genotyping CNS disorder-related biallelic markers by hybridization assays. The probes are 25-mers with a CNS disorder-related biallelic markers in the center position, and described by indicating their Sequence ID number and the positions of the first and last nucleotides (position range) of the probes in the Sequence ID. The probes complementary to the sequences in each position range in each Sequence ID are also understood to be a part of this preferred list even though they are not specified separately.

Table 15 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression.

Table 16 is a table showing the results of the LR rank of haplotypes using combinations of 2, 3 and 4 biallelic markers from each gene.

Table 17 is a table showing the rank of permutation tests for individual haplotypes confirming the statistical significance of the association between biallelic marker haplotypes from the candidate genes and major depression.

Table 18 is a table showing the results of single marker association tests between both biallelic marker alleles and genotypes of candidate genes and major depression using additional markers and a new population set as described in Example 4.

Table 19 is a table showing the results of the LR rank of haplotypes using combinations of 2, 3 and 4 biallelic markers from additional candidate genes and using data from a new population set as described in Example 4.

Table 20 is a table showing the rank of permutation tests for individual haplotypes from Table 19 confirming the statistical significance of the association between biallelic marker haplotypes from additional candidate genes and major depression.

## DETAILED DESCRIPTION OF THE INVENTION

### I. Candidate Genes of the Present Invention

Different approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies. Genome-wide association studies rely on the screening of genetic markers evenly spaced and covering the entire genome. Candidate region association studies rely on the screening of genetic markers evenly spaced covering a region identified as linked to the trait of interest. The candidate gene approach is based on the study of genetic markers specifically derived from genes potentially involved in the pathophysiology of a disease. In the present invention, genes involved in the central nervous system and/or the endocrine system have been chosen as candidate genes. The candidate genes of the present invention are listed in Table 2.

Table 2

Candidate Gene Name	Gene Symbol	Description
Serotonin receptor 6	5HTR6	A postsynaptic serotonin receptor.
Serotonin receptor 7	5HTR7	A postsynaptic serotonin receptor.
Neuronal nicotinic acid receptor $\alpha 7$	CHRNA7	An ion channel in the reward pathway.
Corticotrophin releasing factor receptor 1	CRFR1	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Mineralocorticoid receptor	MLR	A mineralocorticoid receptor.

Corticotrophin releasing factor receptor 2	CRFR2	A corticotrophin releasing factor receptor in the hypothalamus-pituitary-adrenal axis.
Glucocorticoid receptor	GRL	A glucocorticoid receptor in the hypothalamus-pituitary-adrenal axis.
Monoamine oxidase A	MAOA	Key enzyme in catecholamine metabolism.
Monoamine oxidase B	MAOB	Key enzyme in catecholamine metabolism.
Serotonin receptor 2C	5HTR2c	Postsynaptic receptor for serotonin.
Tyrosine hydroxylase	TH	The rate-limiting enzyme in the synthesis of dopamine and norepinephrine.
Corticotrophin releasing factor	CRF	A hormone released by the hypothalamus that stimulates the release of corticotrophin by the anterior pituitary gland.
Dopamine receptor 4	DRD4	A postsynaptic dopamine receptor.
Serotonin transporter	5HTT	A presynaptic membrane receptor that serves as a reuptake mechanism for serotonin.
Dopamine receptor 3	DRD3	A postsynaptic dopamine receptor.
Cytochrome P450 3A4	CYP3A4	A principal drug metabolizing enzyme.
Norepinephrine transporter	NET	A membrane protein responsible for termination of the action of synaptic norepinephrine.
Neurokinin or tachykinin receptor 1	NK1/TACR1	A receptor for the neuropeptide substance P.
Neuropeptide Y1 receptor	NPY1R	A receptor for the neuropeptide Y1. Belongs to family of g-protein coupled receptors with it highest similarity to tachykinins receptors.
Dopamine receptor 2	DRD2	G protein-coupled dopamine receptor.
Guanine nucleotide binding protein, $\beta 3$	Gbeta3	An important component of cAMP mediated signaling pathways.
Wolfram Syndrome 1 gene	WFS1	A gene that plays a role in the etiology of Wolfram syndrome.
Beta 1 adrenergic receptor	ADRB1R	An important component of the norepinephrine signaling pathway. Antidepressants are known to suppress expression.
Brain derived neurotrophic factor	BDNF	A protein known to affect the differentiation of dopaminergic and serotonergic neurons.

		Increased by antidepressants and electro-convulsive therapy.
Orphan G-protein coupled receptor	HM74	A putative chemokine receptor.
Vasopressin receptor 1A	AVPR1A	A receptor that stimulates adrenocorticotrophic hormone (ACTH) release in the anterior pituitary.
Serotonin receptor 1-A	5HT1A	A receptor that is misregulated in depression, as well as anxiety and stress.
Growth associated protein 43	GAP43	A protein known to play a role in synaptic plasticity. Increased levels in suicide victims.
Guanine nucleotide binding protein, $\alpha$ subunit, olfactory type	GOLF (GNAL)	A protein known to play a role in signaling: possibly in cAMP mediated signaling pathways and norepinephrine-related pathways.
Clock protein	CLOCK	A protein associated with sleeping patterns in humans.
Corticotrophin hormone binding protein	CRHBP	A protein capable of binding to corticotrophin releasing factor.
Dopamine transporter	DAT (SLC6A3)	A protein involved in the re-uptake of dopamine.
Phosphodiesterase type 4b	PDE4b	An enzyme believed to be involved in mediating central nervous system effects of therapeutic agents ranging from antidepressants to anti-inflammatory agents.
Catechol O-methyl transferase	COMT	An enzyme that catalyzes the transfer of a methyl group from s-adenosylmethionine to a catecholamine such as dopamine, epinephrine, or norepinephrine.
Melanin concentrating hormone receptor	SLC1	A transmembrane protein that serves as the functional receptor of melanin concentrating hormone.
Transcription factor	SEF2-1B (TCF4)	A transcription factor that binds to the e-box present in the somatostatin receptor 2 initiator element (sstr2-inr) to activate transcription (by similarity).

Heat shock protein	HSP70	A protein believed to interact with polypeptides during a variety of assembly processes in such a way as to prevent the formation of nonfunctional structures.
GABA-A receptor subunit	GABRG2	A receptor known to mediate inhibitory neurotransmission, complexing with DRD5 and promoting mutually inhibitory functional interactions between these receptor systems, putatively involved in the physiological dependence on alcohol, and in the maintenance of psychomotor disease states.
GABA-A receptor subunit 5	GABRA5	A receptor known to be part of the ligand-gated ionic channels protein family. Associated with bipolar disorder.

Both the central nervous system and the endocrine system play an important role in the pathophysiology of CNS disorders, moreover, these systems contain important drug targets and genetic polymorphisms in these genes are highly relevant in the response to a number of drugs.

- 5 The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular disease when some information concerning the pathophysiology of the disorder is available as is the case for many CNS disorders. However, it should be noted that all of the biallelic markers disclosed in the instant application can be employed as part of genome-wide association studies or as part of candidate region association
- 10 studies and such uses are specifically contemplated in the present invention and claims. All of the markers are known to be in close proximity to the genes with which they are listed in Table 7. For a portion of the markers, the precise position of the marker with respect to the various coding and non-coding elements of the genes has also been determined.

## 15 II. Definitions

Before describing the invention in greater detail, the following definitions are set forth to illustrate and define the meaning and scope of the terms used to describe the invention herein.

- As used interchangeably herein, the terms "nucleic acid molecule", "oligonucleotide", and "polynucleotide", unless specifically stated otherwise, include RNA or, DNA (either single
- 20 or double stranded, coding, complementary or antisense), or RNA/DNA hybrid sequences of more than one nucleotide in either single chain or duplex form (although each of the above species may be particularly specified). The term "nucleotide" as used herein as an adjective to describe molecules comprising RNA, DNA, or RNA/DNA hybrid sequences of any length in

single-stranded or duplex form. More precisely, the expression "nucleotide sequence" encompasses the nucleic material itself and is thus not restricted to the sequence information (i.e. the succession of letters chosen among the four base letters) that biochemically characterizes a specific DNA or RNA molecule. The term "nucleotide" is also used herein as a noun to refer to individual nucleotides or varieties of nucleotides, meaning a molecule, or individual unit in a larger nucleic acid molecule, comprising a purine or pyrimidine, a ribose or deoxyribose sugar moiety, and a phosphate group, or phosphodiester linkage in the case of nucleotides within an oligonucleotide or polynucleotide. Although the term "nucleotide" is also used herein to encompass "modified nucleotides" which comprise at least one modifications (a) an alternative linking group, (b) an analogous form of purine, (c) an analogous form of pyrimidine, or (d) an analogous sugar, for examples of analogous linking groups, purine, pyrimidines, and sugars see for example PCT publication No. WO 95/04064. Preferred modifications of the present invention include, but are not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v) ybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid, 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, and 2,6-diaminopurine. The polynucleotide sequences of the invention may be prepared by any known method, including synthetic, recombinant, *ex vivo* generation, or a combination thereof, as well as utilizing any purification methods known in the art. Methylenemethylimino linked oligonucleosides as well as mixed backbone compounds having, may be prepared as described in U.S. Pat. Nos. 5,378,825; 5,386,023; 5,489,677; 5,602,240; and 5,610,289. Formacetal and thioformacetal linked oligonucleosides may be prepared as described in U.S. Pat. Nos. 5,264,562 and 5,264,564. Ethylene oxide linked oligonucleosides may be prepared as described in U.S. Pat. No. 5,223,618. Phosphinate oligonucleotides may be prepared as described in U.S. Pat. No. 5,508,270.. Alkyl phosphonate oligonucleotides may be prepared as described in U.S. Pat. No. 4,469,863. 3'-Deoxy-3'-methylene phosphonate oligonucleotides may be prepared as described in U.S. Pat. Nos. 5,610,289 or 5,625,050. Phosphoramidite oligonucleotides may be prepared as described in U.S. Pat. No. 5,256,775 or U.S. Pat. No. 5,366,878. Alkylphosphonothioate oligonucleotides may be prepared as described in published PCT applications WO 94/17093 and WO 94/02499. 3'-Deoxy-3'-amino phosphoramidate oligonucleotides may be prepared as described in U.S. Pat. No. 5,476,925. Phosphotriester

oligonucleotides may be prepared as described in U.S. Pat. No. 5,023,243. Borano phosphate oligonucleotides may be prepared as described in U.S. Pat. Nos. 5,130,302 and 5,177,198. The polynucleotide sequences of the invention may be prepared by any known method, including synthetic, recombinant, *ex vivo* generation, or a combination thereof, as well as utilizing any purification methods known in the art.

The term "isolated" further requires that the material be removed from its original environment (e.g., the natural environment if it is naturally occurring). For example, a naturally-occurring polynucleotide present in a living animal is not isolated, but the same polynucleotide, separated from some or all of the coexisting materials in the natural system, is isolated.

Specifically excluded from the definition of "isolated" are: naturally-occurring chromosomes (such as chromosome spreads), artificial chromosome libraries, genomic libraries, and cDNA libraries that exist either as an *in vitro* nucleic acid molecule preparation or as a transfected/transformed host cell preparation, wherein the host cells are either an *in vitro* heterogeneous preparation or plated as a heterogeneous population of single colonies. Also specifically excluded are the above libraries wherein a specified polynucleotide of the present invention makes up less than 5% of the number of nucleic acid molecule inserts in the vector molecules. Further specifically excluded are whole cell genomic DNA or whole cell RNA or mRNA preparations (including said whole cell preparations which are mechanically sheared or enzymatically digested). Further specifically excluded are the above whole cell preparations as either an *in vitro* preparation or as a heterogeneous mixture separated by electrophoresis (including blot transfers of the same) wherein the polynucleotide of the invention has not further been separated from the heterologous polynucleotides in the electrophoresis medium (e.g., further separating by excising a single band from a heterogeneous band population in an agarose gel or nylon blot).

As used herein, the term "purified" does not require absolute purity; rather, it is intended as a relative definition. Individual 5' EST clones isolated from a cDNA library have been conventionally purified to electrophoretic homogeneity. The sequences obtained from these clones could not be obtained directly either from the library or from total human DNA. The cDNA clones are not naturally occurring as such, but rather are obtained via manipulation of a partially purified naturally occurring substance (messenger RNA). The conversion of mRNA into a cDNA library involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be isolated from the synthetic library by clonal selection. Thus, creating a cDNA library from messenger RNA and subsequently isolating individual clones from that library results in an approximately  $10^4$ - $10^6$  fold purification of the native message. Purification of starting material or natural material to at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated. Alternatively, purification may be expressed as "at least" a percent purity relative to heterologous polynucleotides (DNA, RNA



or both). As a preferred embodiment, the polynucleotides of the present invention are at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 96%, 96%, 98%, 99%, or 100% pure relative to heterologous polynucleotides. As a further preferred embodiment the polynucleotides have an "at least" purity ranging from any number, to the thousandth position, between 90% and 100% (e.g.,  
5 5' EST at least 99.995% pure) relative to heterologous polynucleotides. Additionally, purity of the polynucleotides may be expressed as a percentage (as described above) relative to all materials and compounds other than the carrier solution. Each number, to the thousandth position, may be claimed as individual species of purity.

The term "primer" denotes a specific oligonucleotide sequence which is complementary  
10 to a target nucleotide sequence and used to hybridize to the target nucleotide sequence. A primer serves as an initiation point for nucleotide polymerization catalyzed by DNA polymerase, RNA polymerase or reverse transcriptase.

The term "probe" denotes a defined nucleic acid segment (or nucleotide analog segment, e.g., polynucleotide as defined herein) which can be used to identify a specific polynucleotide  
15 sequence present in samples, said nucleic acid segment comprising a nucleotide sequence complementary of the specific polynucleotide sequence to be identified.

The term "CNS disorder" refers to any condition linked to dysfunction of the central nervous system which is known in the art. A CNS disorder includes dysfunction of one or several physiological systems contributing to the function of the central nervous system, which  
20 includes the endocrine system and the peripheral nervous system. A CNS disorder further refers to disorders in neurotransmitter synthesis and degradation, neurotransmitter function, neurotransmitter receptor function, neurotransmitter signal transduction, neurotransmitter transporter function, motor neuron function, hormone synthesis and degradation, hormone function, hormone receptor function and hormone signal transduction. "CNS disorders" include  
25 mood disorders such as depression, bipolar disorder, anxiety, attention deficit disorder and schizophrenia. "CNS disorders" also include neurodegenerative disorders such as Parkinson's disease, Huntington's disease, Pick's disease, progressive supranuclear palsy, Lewy body dementia and Wolfram syndrome (diabetes insipidus, diabetes mellitus, optic atrophy and deafness). "CNS disorders" also include disorders of movement such as motor neuron disease as  
30 well as diseases involving the intellect such as Alzheimer's disease, Wernicke's encephalopathy and Jakob-Creutzfeldt disease. "CNS disorders" further include other disorders such as coma, head injury, cerebral infarction, epilepsy, alcoholism and states of mental retardation. All of the possible CNS disorders listed herein are included in, or may be excluded from, the present invention as individual species.

35 The term "depression" as used herein refers to both unipolar major depression (or major depressive disorder) and bipolar disorder.

An "agent acting on a CNS disorder" includes any drug or compound known in the art that addresses, reduces or alleviates one or more symptoms of a CNS disorder. "Agents acting on a CNS disorder" includes any drug or a compound modulating the activity or concentration of an enzyme or regulatory molecule involved in a CNS disorder that is known in the art. An agent acting on a CNS disorder includes but is not limited to tyrosine hydroxylase, monoamine oxidase A/B, dopamine  $\beta$ -hydroxylase, aldehyde dehydrogenase, phenylethanolamine N-methyltransferase, catechol o-methyltransferase, tryptophan hydroxylase, acetyl coenzyme A, proteinases, oestrogens, glucocorticoids, mineralocorticoids, nicotine, substance P and precursors to neurotransmitters such as tryptophan. "Agent acting on a CNS disorder" further refers to compounds modulating the synthesis, degradation, reuptake and action of neurotransmitters and hormones such as tricyclic antidepressants (TCAs), monoamine oxidase inhibitors (MAOIs), serotonin selective reuptake inhibitors (SSRIs), selective norepinephrine reuptake inhibitor (NRI) such as reboxetine, dual serotonin and norepinephrine reuptake inhibitor (SNRI), serotonin-2 antagonist/reuptake inhibitors (SARIs), noradrenergic and specific serotonergic antidepressants (NaSSAs), drugs that cause increased dopamine release in the brain such as levodopa, dopamine receptor agonists such as bromocriptine, dopamine antagonists such as metoclopramide, neuroleptic drugs such as phenothiazines, adrenergic agonists such as clonidine, N-methyl-D-aspartate antagonists such as phencyclidine, anticholinergic compounds, benzodiazepine drugs and anxiolytic compounds. Preferably, "agent acting on a CNS disorder" refers to the antidepressant drug Reboxetine.

The terms "response to an agent acting on a CNS disorder" refer to drug efficacy, including but not limited to the ability to metabolize a compound, the ability to convert a pro-drug to an active drug, and to the pharmacokinetics (absorption, distribution, elimination) and the pharmacodynamics (receptor-related) of a drug in an individual.

The terms "side effects to an agent acting on a CNS disorder" refer to adverse effects of therapy resulting from extensions of the principal pharmacological action of the drug or to idiosyncratic adverse reactions resulting from an interaction of the drug with unique host factors. "Side effects to an agent acting on a CNS disorder" include, but are not limited to autonomic side effects such as orthostatic hypotension, blurred vision, dry mouth, nasal congestion and constipation. "Side effects to an agent acting on a CNS disorder" also include anxiety, sleep disturbances, sexual dysfunction, gastrointestinal disturbances, nausea, diarrhea, orthostasis, dizziness, sedation, hypertension and shock.

The terms "trait" and "phenotype" are used interchangeably herein and refer to any visible, detectable or otherwise measurable property of an organism such as symptoms of, or susceptibility to a disease for example. Typically the terms "trait" or "phenotype" are used herein to refer to symptoms of, or susceptibility to a CNS disorder; or to refer to an individual's

response to an agent acting on a CNS disorder; or to refer to symptoms of, or susceptibility to side effects to an agent acting on a CNS disorder.

The term "allele" is used herein to refer to variants of a nucleotide sequence. A biallelic polymorphism has two forms. Typically the first identified allele is designated as the original allele whereas other alleles are designated as alternative alleles. Diploid organisms may be homozygous or heterozygous for an allelic form.

The term "heterozygosity rate" is used herein to refer to the incidence of individuals in a population, which are heterozygous at a particular allele. In a biallelic system the heterozygosity rate is on average equal to  $2P_a(1-P_a)$ , where  $P_a$  is the frequency of the least common allele. In order to be useful in genetic studies a genetic marker should have an adequate level of heterozygosity to allow a reasonable probability that a randomly selected person will be heterozygous.

The term "genotype" as used herein refers to the identity of the alleles present in an individual or a sample. In the context of the present invention a genotype preferably refers to the description of the biallelic marker alleles present in an individual or a sample. The term "genotyping" a sample or an individual for a biallelic marker consists of determining the specific allele or the specific nucleotide carried by an individual at a biallelic marker.

The term "mutation" as used herein refers to a difference in DNA sequence between or among different genomes or individuals which has a frequency below 1%.

The term "haplotype" refers to a combination of alleles present in an individual or a sample. In the context of the present invention a haplotype preferably refers to a combination of biallelic marker alleles found in a given individual and which may be associated with a phenotype.

The term "polymorphism" as used herein refers to the occurrence of two or more alternative genomic sequences or alleles between or among different genomes or individuals. "Polymorphic" refers to the condition in which two or more variants of a specific genomic sequence can be found in a population. A "polymorphic site" is the locus at which the variation occurs. A single nucleotide polymorphism is a single base pair change. Typically a single nucleotide polymorphism is the replacement of one nucleotide by another nucleotide at the polymorphic site. Deletion of a single nucleotide or insertion of a single nucleotide, also give rise to single nucleotide polymorphisms. In the context of the present invention "single nucleotide polymorphism" preferably refers to a single nucleotide substitution. Typically, between different genomes or between different individuals, the polymorphic site may be occupied by two different nucleotides.

The terms "biallelic polymorphism" and "biallelic marker" are used interchangeably herein to refer to a polymorphism having two alleles at a fairly high frequency in the population, preferably a single nucleotide polymorphism. A "biallelic marker allele" refers to the nucleotide

variants present at a biallelic marker site. Typically the frequency of the less common allele of the biallelic markers of the present invention has been validated to be greater than 1%, preferably the frequency is greater than 10%, more preferably the frequency is at least 20% (i.e. heterozygosity rate of at least 0.32), even more preferably the frequency is at least 30% (i.e. heterozygosity rate of at least 0.42). A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker."

The location of nucleotides in a polynucleotide with respect to the center of the polynucleotide are described herein in the following manner. When a polynucleotide has an odd number of nucleotides, the nucleotide at an equal distance from the 3' and 5' ends of the polynucleotide is considered to be "at the center" of the polynucleotide, and any nucleotide immediately adjacent to the nucleotide at the center, or the nucleotide at the center itself is considered to be "within 1 nucleotide of the center." With an odd number of nucleotides in a polynucleotide any of the five nucleotide positions in the middle of the polynucleotide would be considered to be within 2 nucleotides of the center, and so on. When a polynucleotide has an even number of nucleotides, there would be a bond and not a nucleotide at the center of the polynucleotide. Thus, either of the two central nucleotides would be considered to be "within 1 nucleotide of the center" and any of the four nucleotides in the middle of the polynucleotide would be considered to be "within 2 nucleotides of the center", and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism, allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1 nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on. For polymorphisms which involve the substitution, insertion or deletion of 1 or more nucleotides, the polymorphism, allele or biallelic marker is "at the center" of a polynucleotide if the difference between the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 3' end of the polynucleotide, and the distance from the substituted, inserted, or deleted polynucleotides of the polymorphism and the 5' end of the polynucleotide is zero or one nucleotide. If this difference is 0 to 3, then the polymorphism is considered to be "within 1 nucleotide of the center." If the difference is 0 to 5, the polymorphism is considered to be "within 2 nucleotides of the center." If the difference is 0 to 7, the polymorphism is considered to be "within 3 nucleotides of the center," and so on.

The term "upstream" is used herein to refer to a location which is toward the 5' end of the polynucleotide from a specific reference point.

The terms "base paired" and "Watson & Crick base paired" are used interchangeably herein to refer to nucleotides which can be hydrogen bonded to one another by virtue of their sequence identities in a manner like that found in double-helical DNA with thymine or uracil residues linked to adenine residues by two hydrogen bonds and cytosine and guanine residues linked by three hydrogen bonds (See Stryer, L., *Biochemistry*, 4th edition, 1995).

The terms "complementary" or "complement thereof" are used herein to refer to the sequences of polynucleotides which is capable of forming Watson & Crick base pairing with another specified polynucleotide throughout the entirety of the complementary region. This term is applied to pairs of polynucleotides based solely upon their sequences and not any particular set of conditions under which the two polynucleotides would actually bind.

As used herein the term "CNS disorder-related biallelic marker" relates to a set of biallelic markers in linkage disequilibrium with genes disclosed in Tables 7(A-D) which express proteins that are involved in the pathophysiology CNS disorders. The term CNS disorder-related biallelic marker encompasses all of the biallelic markers disclosed in Tables 7(A-D). The preferred CNS disorder-related biallelic marker alleles of the present invention include each one of the alleles described in Tables 7, 8, 9, and 10 individually or in groups consisting of all the possible combinations of the alleles included in Tables 7, 8, 9, and 10. In addition, Table 7 may include Tables 7A-7D, or Tables 7A, 7B, 7C or 7D as individual embodiments of the present invention or in any combination of the four.

The term "sequence described in Table 8" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 8. The SEQ ID that contains each "sequence described in Table 8" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 8." Unless otherwise noted the term "sequence described in Table 8" is to be construed as encompassing sequences that contain either of the two alleles listed in the columns labeled, "1<sup>ST</sup> ALLELE" and "2<sup>ND</sup> ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 8.

The term "sequence described in Table 9" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 9. Unless otherwise noted, the "sequences described in Table 9" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 9" is to be construed as encompassing sequences that contain either of the two

alleles listed in the columns labeled, "ORIGINAL ALLELE" and "ALTERNATIVE ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 9.

The term "sequence described in Table 10" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 10. Unless otherwise noted, the "sequences described in Table 10" consist of the entire sequence of each Sequence ID provided in the column labeled, "SEQ ID NO." Also unless otherwise noted the term "sequence described in Table 10" is to be construed as encompassing sequences that contain either of the two alleles listed in the columns labeled, "1<sup>ST</sup> ALLELE" and "2<sup>ND</sup> ALLELE" at the position identified in field <222> of the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 10:

The term "sequence described in Table 11" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 11. The SEQ ID that contains each "sequence described in Table 11" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PREFERRED SEQUENCE". It should be noted that some of the Sequence ID numbers have multiple sequence ranges listed, because they contain multiple "sequences described in Table 11."

The term "sequence described in Table 12" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 12. The SEQ ID that contains each "sequence described in Table 12" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF MICROSEQUENCING PRIMERS". The remaining half of the sequences described in Table 12 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS".

The term "sequence described in Table 13" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 13. The SEQ ID that contains each "sequence described in Table 13" is provided in the column labeled, "SEQ ID NO." The range of nucleotide positions within the Sequence ID of which half of the sequences consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF AMPLIFICATION PRIMERS". The remaining half of the sequences described in Table 13 are complementary to the range of nucleotide positions within the Sequence ID provided in the same row as the Sequence ID in a column labeled, "COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS".

The term "sequence described in Table 14" is used herein to refer to the entire collection of nucleotide sequences or any individual sequence defined in Table 14. The SEQ ID that contains each "sequence described in Table 14" is provided in the column labeled, "SEQ ID NO.". The range of nucleotide positions within the Sequence ID of which each sequence consists is provided in the same row as the Sequence ID in a column labeled, "POSITION RANGE OF PROBES". The sequences which are complementary to the ranges listed in the column labeled, "POSITION RANGE OF PROBES" are also encompassed by the term, "sequence described in Table 14." Unless otherwise noted the term "sequence described in Table 14" is to be construed as encompassing sequences that contain either of the two alleles listed in the allele feature in the appended Sequence Listing for each Sequence ID number referenced in Table 14.

The terms "biallelic marker described in Table" and "allele described in Table" are used herein to refer to any or all alleles which are listed in the allele feature in the appended Sequence Listing for each Sequence ID number referenced in the particular Table being mentioned.

The following abbreviations are used in this disclosure: serotonin receptor 6 gene is abbreviated 5HTR6; serotonin receptor 7 gene is abbreviated 5HTR7; neuronal nicotinic acid receptor  $\alpha 7$  gene is abbreviated CHRNA7; corticotrophin releasing factor receptor 1 gene is abbreviated CRFR1; mineralocorticoid receptor gene is abbreviated MLR; corticotrophin releasing factor receptor 2 gene is abbreviated CRFR2; glucocorticoid receptor gene is abbreviated GRL; monoamine oxidases A and B genes are abbreviated MAOA/B; serotonin receptor 2C gene is abbreviated 5HTR2c; tyrosine hydroxylase gene is abbreviated TH; corticotrophin releasing factor gene is abbreviated CRF; dopamine receptor 4 gene is abbreviated DRD4; serotonin transporter gene is abbreviated 5HTT; dopamine receptor 3 gene is abbreviated DRD3; cytochrome P450 3A4 gene is abbreviated CYP3A4; norepinephrine transporter gene is abbreviated NET; neurokinin or tachykinin receptor 1 gene is abbreviated NK1/TACR1; dopamine receptor 4 gene is abbreviated DRD2; guanine nucleotide binding protein,  $\beta 3$  gene is abbreviated Gbeta3; Wolfram Syndrome 1 gene is abbreviated WFS1; Beta 1 adrenergic receptor gene is abbreviated ADRB1R; Brain derived neurotrophic factor gene is abbreviated BDNF; Orphan G-protein coupled receptor gene is abbreviated HM74; Vasopressin receptor 1A gene is abbreviated AVPR1A; Serotonin receptor 1-A gene is abbreviated 5HT1A; Growth associated protein 43 gene is abbreviated GAP43; Guanine nucleotide binding protein,  $\alpha$  subunit, olfactory type gene is abbreviated GOLF (GNAL); Clock protein gene is abbreviated CLOCK; Corticotrophin hormone binding protein gene is abbreviated CRHBP; Dopamine transporter gene is abbreviated DAT (SLC6A3); Phosphodiesterase type 4b gene is abbreviated PDE4b; Catechol O-methyl transferase gene is abbreviated COMT; Melanin concentrating hormone receptor gene is abbreviated SLC1; Transcription factor gene is abbreviated SEF2-1B (TCF4); Heat shock protein gene is abbreviated HSP70; GABA-A receptor subunit gene is abbreviated GABRG2; and GABA-A receptor subunit 5 gene is abbreviated GABRA5.

### III. Biallelic Markers and Polynucleotides Comprising Biallelic Markers

#### A. Advantages of the Biallelic Markers of the Present Invention

5 The CNS disorder-related biallelic markers of the present invention offer a number of important advantages over other genetic markers such as RFLP (Restriction fragment length polymorphism) and VNTR (Variable Number of Tandem Repeats) markers.

The first generation of markers, were RFLPs, which are variations that modify the length of a restriction fragment. But methods used to identify and to type RFLPs are relatively wasteful of materials, effort, and time. The second generation of genetic markers were VNTRs, which can  
10 be categorized as either minisatellites or microsatellites. Minisatellites are tandemly repeated DNA sequences present in units of 5-50 repeats which are distributed along regions of the human chromosomes ranging from 0.1 to 20 kilobases in length. Since they present many possible alleles, their informative content is very high. Minisatellites are scored by performing Southern blots to identify the number of tandem repeats present in a nucleic acid sample from the  
15 individual being tested. However, there are only  $10^4$  potential VNTRs that can be typed by Southern blotting. Moreover, both RFLP and VNTR markers are costly and time-consuming to develop and assay in large numbers.

Single nucleotide polymorphism or biallelic markers can be used in the same manner as RFLPs and VNTRs but offer several advantages. Single nucleotide polymorphisms are densely  
20 spaced in the human genome and represent the most frequent type of variation. An estimated number of more than  $10^7$  sites are scattered along the  $3 \times 10^9$  base pairs of the human genome. Therefore, single nucleotide polymorphism occur at a greater frequency and with greater uniformity than RFLP or VNTR markers which means that there is a greater probability that such a marker will be found in close proximity to a genetic locus of interest. Single nucleotide  
25 polymorphisms are less variable than VNTR markers but are mutationally more stable.

Also, the different forms of a characterized single nucleotide polymorphism, such as the biallelic markers of the present invention, are often easier to distinguish and can therefore be typed easily on a routine basis. Biallelic markers have single nucleotide based alleles and they have only two common alleles, which allows highly parallel detection and automated scoring.  
30 The biallelic markers of the present invention offer the possibility of rapid, high-throughput genotyping of a large number of individuals.

Biallelic markers are densely spaced in the genome, sufficiently informative and can be assayed in large numbers. The combined effects of these advantages make biallelic markers extremely valuable in genetic studies. Biallelic markers can be used in linkage studies in  
35 families, in allele sharing methods, in linkage disequilibrium studies in populations, in association studies of case-control populations. An important aspect of the present invention is that biallelic markers allow association studies to be performed to identify genes involved in



complex traits. Association studies examine the frequency of marker alleles in unrelated case- and control-populations and are generally employed in the detection of polygenic or sporadic traits. Association studies may be conducted within the general population and are not limited to studies performed on related individuals in affected families (linkage studies). Biallelic markers  
5 in different genes can be screened in parallel for direct association with disease or response to a treatment. This multiple gene approach is a powerful tool for a variety of human genetic studies as it provides the necessary statistical power to examine the synergistic effect of multiple genetic factors on a particular phenotype, drug response, sporadic trait, or disease state with a complex genetic etiology.

#### 10 B. Polynucleotides of the Present Invention

The present invention encompasses polynucleotides for use as primers and probes in the methods of the invention. These polynucleotides may consist of, consist essentially of, or comprise a contiguous span of nucleotides of a sequence from any sequence in the Sequence Listing as well as sequences which are complementary thereto ("complements thereof"). The  
15 "contiguous span" may be at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that a contiguous span of these lengths is consistent with the lengths of the particular Sequence ID. It should be noted that the polynucleotides of the present invention are not limited to having the exact flanking sequences surrounding the polymorphic bases which, are enumerated in the Sequence Listing. Rather, it  
20 will be appreciated that the flanking sequences surrounding the biallelic markers, or any of the primers of probes of the invention which, are more distant from the markers, may be lengthened or shortened to any extent compatible with their intended use and the present invention specifically contemplates such sequences. It will be appreciated that the polynucleotides referred to in the Sequence Listing may be of any length compatible with their intended use. Also the  
25 flanking regions outside of the contiguous span need not be homologous to native flanking sequences which actually occur in human subjects. The addition of any nucleotide sequence, which is compatible with the nucleotides intended use is specifically contemplated. The contiguous span may optionally include the CNS disorder-related biallelic marker in said sequence. Biallelic markers generally consist of a polymorphism at one single base position.  
30 Each biallelic marker therefore corresponds to two forms of a polynucleotide sequence which, when compared with one another, present a nucleotide modification at one position. Usually, the nucleotide modification involves the substitution of one nucleotide for another. Optionally either the original or the alternative allele of the biallelic markers disclosed in Table 9, or the first or second allele disclosed in Table 8 and 10 may be specified as being present at the CNS disorder-  
35 related biallelic marker.

The invention also relates to polynucleotides that hybridize, under conditions of high or intermediate stringency, to a polynucleotide of a sequence from any sequence in the Sequence

Listing as well as sequences, which are complementary thereto. Preferably such polynucleotides are at least 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that a polynucleotide of these lengths is consistent with the lengths of the particular Sequence ID. Preferred polynucleotides comprise a CNS disorder-related biallelic marker.

- 5 Optionally either the original or the alternative allele of the biallelic markers disclosed in Table 9 may be specified as being present at the CNS disorder-related biallelic marker. Conditions of high and intermediate stringency are further described herein.

The preferred polynucleotides of the invention include the sequence ranges included in any one the sequence ranges of Tables 8 and 11 to 14 individually or in groups consisting of all  
 10 the possible combinations of the ranges of included in Tables 8, and 11 to 14. The preferred polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence ranges included in any one of the sequence ranges of Tables 9, and 12 to 15 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range. The preferred  
 15 polynucleotides of the invention also include fragments of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides of the sequence complementary to the sequence ranges included in any one of the sequence ranges of Tables 8 and 11 to 14 to the extent that fragments of these lengths are consistent with the lengths of the particular sequence range.

20 The primers of the present invention may be designed from the disclosed sequences for any method known in the art. A preferred set of primers is fashioned such that the 3' end of the contiguous span of identity with the sequences of the Sequence Listing is present at the 3' end of the primer. Such a configuration allows the 3' end of the primer to hybridize to a selected nucleic acid sequence and dramatically increases the efficiency of the primer for amplification or  
 25 sequencing reactions. In a preferred set of primers the contiguous span is found in one of the sequences described in Table 11. Allele specific primers may be designed such that a biallelic marker is at the 3' end of the contiguous span and the contiguous span is present at the 3' end of the primer. Such allele specific primers tend to selectively prime an amplification or sequencing reaction so long as they are used with a nucleic acid sample that contains one of the two alleles  
 30 present at a biallelic marker. The 3' end of primer of the invention may be located within or at least 2, 4, 6, 8, 10, 12, 15, 18, 20, 25, 50, 100, 250, 500, 1000, 2000 or 3000 to the extent that this distance is consistent with the particular Sequence ID, nucleotides upstream of a CNS disorder-related biallelic marker in said sequence or at any other location which is appropriate for their intended use in sequencing, amplification or the location of novel sequences or markers. A list  
 35 of preferred amplification primers is disclosed in Table 13. Primers with their 3' ends located 1 nucleotide upstream of a CNS disorder-related biallelic marker have a special utility as microsequencing assays. Preferred microsequencing primers are described in Tables 12.

The probes of the present invention may be designed from the disclosed sequences for any method known in the art, particularly methods which allow for testing if a particular sequence or marker disclosed herein is present. A preferred set of probes may be designed for use in the hybridization assays of the invention in any manner known in the art such that they  
5 selectively bind to one allele of a biallelic marker, but not the other under any particular set of assay conditions. Preferred hybridization probes may consist of, consist essentially of, or comprise a contiguous span which ranges in length from 8, 10, 12, 15, 18 or 20 to 25, 35, 40, 50, 60, 70, or 80 nucleotides, or be specified as being 12, 15, 18, 20, 25, 35, 40, or 50 nucleotides in length and including a CNS disorder-related biallelic marker of said sequence. Optionally the  
10 original allele or alternative allele disclosed in Table 9 and the first or second allele disclosed in Tables 8 and 10 may be specified as being present at the biallelic marker site. Optionally, said biallelic marker may be within 6, 5, 4, 3, 2, or 1 nucleotides of the center of the hybridization probe or at the center of said probe. A particularly preferred set of hybridization probes is disclosed in Table 14 or a sequence complementary thereto.

Any of the polynucleotides of the present invention can be labeled, if desired, by incorporating a label detectable by spectroscopic, photochemical, biochemical, immunochemical, or chemical means. For example, useful labels include radioactive substances, fluorescent dyes or biotin. Preferably, polynucleotides are labeled at their 3' and 5' ends. A label can also be used to capture the primer, so as to facilitate the immobilization of either the primer or a primer  
20 extension product, such as amplified DNA, on a solid support. A capture label is attached to the primers or probes and can be a specific binding member which forms a binding pair with the solid's phase reagent's specific binding member (e.g. biotin and streptavidin). Therefore depending upon the type of label carried by a polynucleotide or a probe, it may be employed to capture or to detect the target DNA. Further, it will be understood that the polynucleotides,  
25 primers or probes provided herein, may, themselves, serve as the capture label. For example, in the case where a solid phase reagent's binding member is a nucleic acid sequence, it may be selected such that it binds a complementary portion of a primer or probe to thereby immobilize the primer or probe to the solid phase. In cases where a polynucleotide probe itself serves as the binding member, those skilled in the art will recognize that the probe will contain a sequence or  
30 "tail" that is not complementary to the target. In the case where a polynucleotide primer itself serves as the capture label, at least a portion of the primer will be free to hybridize with a nucleic acid on a solid phase. DNA Labeling techniques are well known to the skilled technician.

Any of the polynucleotides, primers and probes of the present invention can be conveniently immobilized on a solid support. Solid supports are known to those skilled in the art  
35 and include the walls of wells of a reaction tray, test tubes, polystyrene beads, magnetic beads, nitrocellulose strips, membranes, microparticles such as latex particles, sheep (or other animal) red blood cells, duracytes® and others. The solid support is not critical and can be selected by

one skilled in the art. Thus, latex particles, microparticles, magnetic or non-magnetic beads, membranes, plastic tubes, walls of microtiter wells, glass or silicon chips, sheep (or other suitable animal's) red blood cells and duracytes are all suitable examples. Suitable methods for immobilizing nucleic acids on solid phases include ionic, hydrophobic, covalent interactions and the like. A solid support, as used herein, refers to any material which is insoluble, or can be made insoluble by a subsequent reaction. The solid support can be chosen for its intrinsic ability to attract and immobilize the capture reagent. Alternatively, the solid phase can retain an additional receptor which has the ability to attract and immobilize the capture reagent. The additional receptor can include a charged substance that is oppositely charged with respect to the capture reagent itself or to a charged substance conjugated to the capture reagent. As yet another alternative, the receptor molecule can be any specific binding member which is immobilized upon (attached to) the solid support and which has the ability to immobilize the capture reagent through a specific binding reaction. The receptor molecule enables the indirect binding of the capture reagent to a solid support material before the performance of the assay or during the performance of the assay. The solid phase thus can be a plastic, derivatized plastic, magnetic or non-magnetic metal, glass or silicon surface of a test tube, microtiter well, sheet, bead, microparticle, chip, sheep (or other suitable animal's) red blood cells, duracytes® and other configurations known to those of ordinary skill in the art. The polynucleotides of the invention can be attached to or immobilized on a solid support individually or in groups of at least 2, 5, 8, 10, 12, 15, 20, or 25 distinct polynucleotides of the inventions to a single solid support. In addition, polynucleotides other than those of the invention may be attached to the same solid support as one or more polynucleotides of the invention.

Any polynucleotide provided herein may be attached in overlapping areas or at random locations on the solid support. Alternatively the polynucleotides of the invention may be attached in an ordered array wherein each polynucleotide is attached to a distinct region of the solid support which does not overlap with the attachment site of any other polynucleotide. Preferably, such an ordered array of polynucleotides is designed to be "addressable" where the distinct locations are recorded and can be accessed as part of an assay procedure. Addressable polynucleotide arrays typically comprise a plurality of different oligonucleotide probes that are coupled to a surface of a substrate in different known locations. The knowledge of the precise location of each polynucleotides location makes these "addressable" arrays particularly useful in hybridization assays. Any addressable array technology known in the art can be employed with the polynucleotides of the invention. One particular embodiment of these polynucleotide arrays is known as the Genechips™, and has been generally described in US Patent 5,143,854; PCT publications WO 90/15070 and 92/10092. These arrays may generally be produced using mechanical synthesis methods or light directed synthesis methods, which incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis (Fodor et

al., Science, 251:767-777, 1991). The immobilization of arrays of oligonucleotides on solid supports has been rendered possible by the development of a technology generally identified as "Very Large Scale Immobilized Polymer Synthesis" (VLSIPS™) in which, typically, probes are immobilized in a high density array on a solid surface of a chip. Examples of VLSIPS™ technologies are provided in US Patents 5,143,854 and 5,412,087 and in PCT Publications WO 90/15070, WO 92/10092 and WO 95/11995, which describe methods for forming oligonucleotide arrays through techniques such as light-directed synthesis techniques. In designing strategies aimed at providing arrays of nucleotides immobilized on solid supports, further presentation strategies were developed to order and display the oligonucleotide arrays on the chips in an attempt to maximize hybridization patterns and sequence information. Examples of such presentation strategies are disclosed in PCT Publications WO 94/12305, WO 94/11530, WO 97/29212 and WO 97/31256.

Oligonucleotide arrays may comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for determining whether a sample contains one or more alleles of the biallelic markers of the present invention. Oligonucleotide arrays may also comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for amplifying one or more alleles of the biallelic markers of Table 7. In other embodiments, arrays may also comprise at least one of the sequences selected from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 consecutive nucleotides, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for conducting microsequencing analyses to determine whether a sample contains one or more alleles of the biallelic markers of the invention. In still further embodiments, the oligonucleotide array may comprise at least one of the sequences selecting from the group consisting of SEQ ID No. 1-130; and the sequences complementary thereto or a fragment thereof of at least 8, 10, 12, 15, 18, 20, 25, 35, 40, 50, 70, 80, 100, 250, 500, 1000, 2000 or 3000 nucleotides in length, to the extent that fragments of these lengths is consistent with the lengths of the particular Sequence ID, for determining whether a sample contains one or more alleles of the biallelic markers of the present invention. In still further embodiments, the oligonucleotide array may comprise at least one of the novel sequences listed in the fifth column of Table 8 or the sequences complementary thereto or a fragment comprising at least 8, 10, 12, 15, 18, 20, 25, 35,

40, 50, 70, 80, 100, 250, 500 or 1000 consecutive nucleotides thereof to the extent that fragments of these lengths are consistent with the lengths of the particular novel sequences.

The present invention also encompasses diagnostic kits comprising one or more polynucleotides of the invention, optionally with a portion or all of the necessary reagents and instructions for genotyping a test subject by determining the identity of a nucleotide at a CNS disorder-related biallelic marker. The determining of the identity may optionally be at a CNS disorder-related biallelic marker that predicts the response of a therapeutic agent, preferably Reboxetine, when administered to a patient suffering from depression. The polynucleotides of a kit may optionally be attached to a solid support, or be part of an array or addressable array of polynucleotides. The kit may provide for the determination of the identity of the nucleotide at a marker position by any method known in the art including, but not limited to, a sequencing assay method, a microsequencing assay method, a hybridization assay method, or an allele specific amplification method. Optionally such a kit may include instructions for scoring the results of the determination with respect to the test subjects' risk of contracting a CNS disorder, or likely response to an agent acting on CNS disorders, or chances of suffering from side effects to an agent acting on CNS disorders.

#### C. Polypeptides of the Invention

The polynucleotides which encode the WFS1 and the NET polypeptide may include: only the coding sequence for the mature polypeptide; the coding sequence for the polypeptide and additional coding sequence such as a leader or secretory sequence or a proprotein sequence; the coding sequence for the polypeptide (and optionally additional coding sequence) and non-coding sequence, such as introns or non-coding sequence 5' and/or 3' of the coding sequence for the mature polypeptide.

Thus, the term "polynucleotide encoding a polypeptide" encompasses a polynucleotide which includes only coding sequence for the polypeptide as well as a polynucleotide which includes additional coding and/or non-coding sequence.

As hereinabove indicated, the polynucleotides may have a coding sequence which is a naturally occurring allelic variant of the coding sequence of SEQ ID NO: 543 or 544. As known in the art, an allelic variant is an alternate form of a polynucleotide sequence which may have a substitution, deletion or addition of one or more nucleotides, which does not substantially alter the function of the encoded polypeptide.

#### D. Host Cells

Host cells are genetically engineered (transduced or transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the WFS1 or NET gene. The culture

conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to the ordinarily skilled artisan.

The polynucleotides of the present invention may be employed for producing polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included  
5 in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the  
10 host.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

15 The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the E. coli. lac or trp, the phage lambda P.sub.L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome  
20 binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin  
25 resistance in E. coli.

The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

As representative examples of appropriate hosts, there may be mentioned: bacterial cells,  
30 such as E. coli, Streptomyces, Salmonella typhimurium; fungal cells, such as yeast; insect cells such as Drosophila S2 and Spodoptera Sf9; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

#### E. Screening Assays

35 The polynucleotides of the present invention may be employed for producing polypeptides by recombinant techniques. Thus, for example, the polynucleotide may be included in any one of a variety of expression vectors for expressing a polypeptide. Such vectors include

chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the *E. coli* lac or trp, the phage lambda P.sub.L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in *E. coli*.

The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

As representative examples of appropriate hosts, there may be mentioned: bacterial cells, such as *E. coli*, *Streptomyces*, *Salmonella typhimurium*; fungal cells, such as yeast; insect cells such as *Drosophila* S2 and *Spodoptera Sf9*; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

More particularly, the present invention also includes recombinant constructs comprising one or more of the sequences as broadly described above. The constructs comprise a vector, such as a plasmid or viral vector, into which a sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available. The following vectors are provided by way of example.

Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pbs, pD10, phagescript, psiX174, pbluescript SK, pbsks, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene); ptrc99a, pKK223-3, pKK233-3,



pDR540, pRIT5 (Pharmacia). Eukaryotic: pWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene) pSVK3, pBPV, pMSG, PSVL (Pharmacia). However, any other plasmid or vector may be used as long as they are replicable and viable in the host.

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are  
5 PKK232-8 and PCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda P.sub.R, P.sub.L and trp. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the  
10 art.

In a further embodiment, the present invention relates to host cells containing the above-described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the construct into the host cell can be effected by calcium  
15 phosphate transfection, DEAE-Dextran mediated transfection, or electroporation: (Davis, L., Dibner, M., Battey, I., Basic Methods in Molecular Biology, (1986)).

The constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Alternatively, the polypeptides of the invention can be synthetically produced by conventional peptide synthesizers.

20 Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold  
25 Spring Harbor, N.Y., (1989), the disclosure of which is hereby incorporated by reference.

Transcription of the DNA encoding the polypeptides of the present invention by higher eukaryotes is increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp that act on a promoter to increase its transcription. Examples including the SV40 enhancer on the late side of the replication origin bp  
30 100 to 270, a cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers.

Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, e.g., the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly-expressed gene to  
35 direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK),  $\alpha$ -factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is

assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an N-terminal identification peptide imparting desired characteristics, e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include *E. coli*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*, although others may also be employed as a matter of choice.

As a representative but nonlimiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM1 (Promega Biotec, Madison, Wis., USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period.

Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, such methods are well known to those skilled in the art.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, *Cell*, 23:175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines. Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

The WFS1 and NET polypeptides can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

The polypeptides of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial, yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. Polypeptides of the invention may also include an initial methionine amino acid residue.

#### F. Screening Assays

The WFS1 protein receptor of the present invention may be employed in a process for screening for antagonists and/or agonists for the receptor.

In general, such screening procedures involve providing appropriate cells which express the receptor on the surface thereof. In particular, a polynucleotide encoding the receptor of the present invention is employed to transfect cells to thereby express the WFS1 receptor. Such transfection may be accomplished by procedures as hereinabove described.

One such screening procedure involves the use of the melanophores which are transfected to express the WFS1 receptor of the present invention. Such a screening technique is described in PCT WO 92/01810 published Feb. 6, 1992.

Thus, for example, such assay may be employed for screening for a receptor antagonist by contacting the melanophore cells which encode the WFS1 receptor with both the receptor ligand and a compound to be screened. Inhibition of the signal generated by the ligand indicates that a compound is a potential antagonist for the receptor, i.e., inhibits activation of the receptor.

The screen may be employed for determining an agonist by contacting such cells with compounds to be screened and determining whether such compound generates a signal, i.e., activates the receptor.

Other screening techniques include the use of cells which express WFS1 receptor (for example, transfected CHO cells) in a system which measures extracellular pH changes caused by receptor activation, for example, as described in Science, volume 246, pages 181-296 (October 1989). For example, potential agonists or antagonists may be contacted with a cell which expresses the WFS1 receptor and a second messenger response, e.g. signal transduction or pH changes, may be measured to determine whether the potential agonist or antagonist is effective.

Another such screening technique involves introducing RNA encoding the WFS1 receptor into xenopus oocytes to transiently express the receptor. The receptor oocytes may then be contacted in the case of antagonist screening with the receptor ligand and a compound to be screened, followed by detection of inhibition of a calcium signal.

5 Another screening technique involves expressing the WFS1 receptor in which the receptor is linked to a phospholipase C or D. As representative examples of such cells, there may be mentioned endothelial cells, smooth muscle cells, embryonic kidney cells, etc. The screening for an antagonist or agonist may be accomplished as hereinabove described by detecting activation of the receptor or inhibition of activation of the receptor from the phospholipase  
10 second signal.

Another method involves screening for antagonists by determining inhibition of binding of labeled ligand to cells which have the receptor on the surface thereof. Such a method involves transfecting a eukaryotic cell with DNA encoding the WFS1 receptor such that the cell expresses the receptor on its surface and contacting the cell with a potential antagonist in the presence of a  
15 labeled form of a known ligand. The ligand can be labeled, e.g., by radioactivity. The amount of labeled ligand bound to the receptors is measured, e.g., by measuring radioactivity of the receptors. If the potential antagonist binds to the receptor as determined by a reduction of labeled ligand which binds to the receptors, the binding of labeled ligand to the receptor is inhibited.

The present invention also provides a method for determining whether a ligand not  
20 known to be capable of binding to a WFS1 receptor can bind to such receptor which comprises contacting a mammalian cell which expresses a WFS1 receptor with the ligand under conditions permitting binding of ligands to the WFS1 receptor, detecting the presence of a ligand which binds to the receptor and thereby determining whether the ligand binds to the WFS1 receptor. The systems hereinabove described for determining agonists and/or antagonists may also be  
25 employed for determining ligands which bind to the receptor.

In general, antagonists for WFS1 receptors which are determined by screening procedures may be employed for a variety of therapeutic purposes. For example, such antagonists have been employed for treatment of hypertension, angina pectoris, myocardial infarction, ulcers, asthma, allergies, psychoses, depression, migraine, vomiting, stroke, eating disorders, migraine  
30 headaches, cancer and benign prostatic hypertrophy.

Agonists for WFS1 receptors are also useful for therapeutic purposes, such as the treatment of Wolfram syndrome and/or depression.

Examples of WFS1 receptor antagonists include an antibody, or in some cases an oligonucleotide, which binds to the WFS1 receptor but does not elicit a second messenger  
35 response such that the activity of the WFS1 receptor is prevented. Antibodies include anti-idiotypic antibodies which recognize unique determinants generally associated with the antigen-binding site of an antibody.

Potential antagonists also include proteins which are closely related to the ligand of the WFS1 receptor, i.e. a fragment of the ligand, which have lost biological function and when binding to the WFS1 receptor, elicit no response.

A potential antagonist also includes an antisense construct prepared through the use of antisense technology. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes for the mature polypeptides of the present invention, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix -see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al, Science, 241:456 (1988); and Dervan et al., Science, 251: 1360 (1991)), thereby preventing transcription and the production of WFS1 receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into the WFS1 receptor (antisense-Okano, J. Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, Fla. (1988)). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of WFS1 receptor.

Another potential antagonist is a small molecule which binds to the WFS1 receptor, making it inaccessible to ligands such that normal biological activity is prevented. Examples of small molecules include but are not limited to small peptides or peptide-like molecules.

Potential antagonists also include a soluble form of a WFS1 receptor, e.g. a fragment of the receptor, which binds to the ligand and prevents the ligand from interacting with membrane bound WFS1 receptors.

The WFS1 receptor and antagonists or agonists may be employed in combination with a suitable pharmaceutical carrier. Such compositions comprise a therapeutically effective amount of the polypeptide, and a pharmaceutically acceptable carrier or excipient. Such a carrier includes but is not limited to saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The formulation should suit the mode of administration.

#### G. Antibodies

The polypeptides, their fragments or other derivatives, or analogs thereof, or cells expressing them can be used as an immunogen to produce antibodies thereto. These antibodies can be, for example, polyclonal or monoclonal antibodies. The present invention also includes chimeric, single chain, and humanized antibodies, as well as Fab fragments, or the product of an Fab expression library. Various procedures known in the art may be used for the production of such antibodies and fragments.

Antibodies generated against the polypeptides corresponding to a sequence of the present invention can be obtained by direct injection of the polypeptides into an animal or by administering the polypeptides to an animal, preferably a nonhuman. The antibody so obtained will then bind the polypeptides itself. In this manner, even a sequence encoding only a fragment  
5 of the polypeptides can be used to generate antibodies binding the whole native polypeptides. Such antibodies can then be used to isolate the polypeptide from tissue expressing that polypeptide.

#### IV. Methods for *De Novo* Identification of Biallelic Markers

10 Large fragments of human DNA, carrying genes of interest involved in CNS disorders; were cloned, sequenced and screened for biallelic markers. Biallelic markers within the candidate genes themselves as well as markers located on the same genomic fragment were identified. It will be clear to one of skill in the art that large fragments of human genomic DNA may be obtained from any appropriate source and may be cloned into a number of suitable  
15 vectors.

In a preferred embodiment of the invention, BAC (Bacterial Artificial Chromosomes) vectors were used to construct DNA libraries covering the entire human genome. Specific amplification primers were designed for each candidate gene and the BAC library was screened by PCR until there was at least one positive BAC clone per candidate gene. Genomic sequence,  
20 screened for biallelic markers, was generated by sequencing ends of BAC subclones. Details of a preferred embodiment are provided in Example 1. As a preferred alternative to sequencing the ends of an adequate number of BAC subclones, high throughput deletion-based sequencing vectors, which allow the generation of a high quality sequence information covering fragments of about 6kb, may be used. Having sequence fragments longer than 2.5 or 3kb enhances the  
25 chances of identifying biallelic markers therein. Methods of constructing and sequencing a nested set of deletions are disclosed in the related U.S. Patent Application entitled "High Throughput DNA Sequencing Vector" (Serial No. 09/058,746).

In another embodiment of the invention, genomic sequences of candidate genes were available in public databases allowing direct screening for biallelic markers.

30 Any of a variety of methods can be used to screen a genomic fragment for single nucleotide polymorphisms such as differential hybridization with oligonucleotide probes, detection of changes in the mobility measured by gel electrophoresis or direct sequencing of the amplified nucleic acid. A preferred method for identifying biallelic markers involves comparative sequencing of genomic DNA fragments from an appropriate number of unrelated individuals.

35 In a first embodiment, DNA samples from unrelated individuals are pooled together, following which the genomic DNA of interest is amplified and sequenced. The nucleotide sequences thus obtained are then analyzed to identify significant polymorphisms. One of the

major advantages of this method resides in the fact that the pooling of the DNA samples substantially reduces the number of DNA amplification reactions and sequencing reactions, which must be carried out. Moreover, this method is sufficiently sensitive so that a biallelic marker obtained thereby usually demonstrates a sufficient frequency of its less common allele to be useful in conducting association studies. Usually, the frequency of the least common allele of a biallelic marker identified by this method is at least 10%.

In a second embodiment, the DNA samples are not pooled and are therefore amplified and sequenced individually. This method is usually preferred when biallelic markers need to be identified in order to perform association studies within candidate genes. Preferably, highly relevant gene regions such as promoter regions or exon regions may be screened for biallelic markers. A biallelic marker obtained using this method may show a lower degree of informativeness for conducting association studies, e.g. if the frequency of its less frequent allele may be less than about 10%. Such a biallelic marker will however be sufficiently informative to conduct association studies and it will further be appreciated that including less informative biallelic markers in the genetic analysis studies of the present invention, may allow in some cases the direct identification of causal mutations, which may, depending on their penetrance, be rare mutations.

The following is a description of the various parameters of a preferred method used by the inventors for the identification of the biallelic markers of the present invention.

#### A. Genomic DNA Samples

The genomic DNA samples from which the biallelic markers of the present invention are generated are preferably obtained from unrelated individuals corresponding to a heterogeneous population of known ethnic background. The number of individuals from whom DNA samples are obtained can vary substantially, preferably from about 10 to about 1000, more preferably from about 50 to about 200 individuals. Usually, DNA samples are collected from at least about 100 individuals in order to have sufficient polymorphic diversity in a given population to identify as many markers as possible and to generate statistically significant results.

As for the source of the genomic DNA to be subjected to analysis, any test sample can be foreseen without any particular limitation. These test samples include biological samples, which can be tested by the methods of the present invention described herein, and include human and animal body fluids such as whole blood, serum, plasma, cerebrospinal fluid, urine, lymph fluids, and various external secretions of the respiratory, intestinal and genitourinary tracts, tears, saliva, milk, white blood cells, myelomas and the like; biological fluids such as cell culture supernatants; fixed tissue specimens including tumor and non-tumor tissue and lymph node tissues; bone marrow aspirates and fixed cell specimens. The preferred source of genomic DNA used in the present invention is from peripheral venous blood of each donor. Techniques to prepare genomic DNA from biological samples are well known to the skilled technician. Details

of a preferred embodiment are provided in Example 1. The person skilled in the art can choose to amplify pooled or unpooled DNA samples.

#### B. DNA Amplification

The identification of biallelic markers in a sample of genomic DNA may be facilitated through the use of DNA amplification methods. DNA samples can be pooled or unpooled for the amplification step. DNA amplification techniques are well known to those skilled in the art. Various methods to amplify DNA fragments carrying biallelic markers are further described herein. The PCR technology is the preferred amplification technique used to identify new biallelic markers.

In a first embodiment, biallelic markers are identified using genomic sequence information generated by the inventors. Genomic DNA fragments, such as the inserts of the BAC clones described above, are sequenced and used to design primers for the amplification of 500 bp fragments. These 500 bp fragments are amplified from genomic DNA and are scanned for biallelic markers. Primers may be designed using the OSP software (Hillier L. and Green P., 1991). All primers may contain, upstream of the specific target bases, a common oligonucleotide tail that serves as a sequencing primer. Those skilled in the art are familiar with primer extensions, which can be used for these purposes.

In another embodiment of the invention, genomic sequences of candidate genes are available in public databases allowing direct screening for biallelic markers. Preferred primers, useful for the amplification of genomic sequences encoding the candidate genes, focus on promoters, exons and splice sites of the genes. A biallelic marker present in these functional regions of the gene has a higher probability to be a causal mutation.

Preferred primers include those disclosed in Table 13.

#### C. Sequencing of Amplified Genomic DNA and Identification of Single Nucleotide Polymorphisms

The amplification products generated as described above, are then sequenced using any method known and available to the skilled technician. Methods for sequencing DNA using either the dideoxy-mediated method (Sanger method) or the Maxam-Gilbert method are widely known to those of ordinary skill in the art. Such methods are for example disclosed in Maniatis et al. (Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Second Edition, 1989). Alternative approaches include hybridization to high-density DNA probe arrays as described in Chee et al. (Science 274, 610, 1996).

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing reactions using a dye-primer cycle sequencing protocol. The products of the sequencing reactions are run on sequencing gels and the sequences are determined using gel image analysis. The polymorphism search is based on the presence of superimposed peaks in the electrophoresis pattern resulting from different bases occurring at the same position. Because each dideoxy



terminator is labeled with a different fluorescent molecule, the two peaks corresponding to a biallelic site present distinct colors corresponding to two different nucleotides at the same position on the sequence. However, the presence of two peaks can be an artifact due to background noise. To exclude such an artifact, the two DNA strands are sequenced and a comparison between the peaks is carried out. In order to be registered as a polymorphic sequence, the polymorphism has to be detected on both strands.

The above procedure permits those amplification products, which contain biallelic markers to be identified. The detection limit for the frequency of biallelic polymorphisms detected by sequencing pools of 100 individuals is approximately 0.1 for the minor allele, as verified by sequencing pools of known allelic frequencies. However, more than 90% of the biallelic polymorphisms detected by the pooling method have a frequency for the minor allele higher than 0.25. Therefore, the biallelic markers selected by this method have a frequency of at least 0.1 for the minor allele and less than 0.9 for the major allele. Preferably at least 0.2 for the minor allele and less than 0.8 for the major allele, more preferably at least 0.3 for the minor allele and less than 0.7 for the major allele, thus a heterozygosity rate higher than 0.18, preferably higher than 0.32, more preferably higher than 0.42.

In another embodiment, biallelic markers are detected by sequencing individual DNA samples; the frequency of the minor allele of such a biallelic marker may be less than 0.1.

The markers carried by the same fragment of genomic DNA, such as the insert in a BAC clone, need not necessarily be ordered with respect to one another within the genomic fragment to conduct association studies. However, in some embodiments of the present invention, the order of biallelic markers carried by the same fragment of genomic DNA are determined.

#### D. Validation of the Biallelic Markers of the Present Invention

The polymorphisms are evaluated for their usefulness as genetic markers by validating that both alleles are present in a population. Validation of the biallelic markers is accomplished by genotyping a group of individuals by a method of the invention and demonstrating that both alleles are present. Microsequencing is a preferred method of genotyping alleles. The validation by genotyping step may be performed on individual samples derived from each individual in the group or by genotyping a pooled sample derived from more than one individual. The group can be as small as one individual if that individual is heterozygous for the allele in question. Preferably the group contains at least three individuals, more preferably the group contains five or six individuals, so that a single validation test will be more likely to result in the validation of more of the biallelic markers that are being tested. It should be noted, however, that when the validation test is performed on a small group it may result in a false negative result if as a result of sampling error none of the individuals tested carries one of the two alleles. Thus, the validation process is less useful in demonstrating that a particular initial result is an artifact, than it is at demonstrating that there is a *bona fide* biallelic marker at a particular position in a

sequence. For an indication of whether a particular biallelic marker has been validated see Table 7. All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with validated biallelic markers.

#### E. Evaluation of the Frequency of the Biallelic Markers of the Present Invention

5       The validated biallelic markers are further evaluated for their usefulness as genetic markers by determining the frequency of the least common allele at the biallelic marker site. The determination of the least common allele is accomplished by genotyping a group of individuals by a method of the invention and demonstrating that both alleles are present. This determination of frequency by genotyping step may be performed on individual samples derived from each individual in the group or by genotyping a pooled sample derived from more than one individual. The group must be large enough to be representative of the population as a whole. Preferably the group contains at least 20 individuals, more preferably the group contains at least 50 individuals, most preferably the group contains at least 100 individuals. Of course the larger the group the greater the accuracy of the frequency determination because of reduced sampling error. For an indication of the frequency for the less common allele of a particular biallelic marker of the invention see Table 7. A biallelic marker wherein the frequency of the less common allele is 30% or more is termed a "high quality biallelic marker." All of the genotyping, haplotyping, association, and interaction study methods of the invention may optionally be performed solely with high quality biallelic markers.

#### V. Methods of Genotyping an Individual for Biallelic Markers

Methods are provided to genotype a biological sample for one or more biallelic markers of the present invention, all of which may be performed *in vitro*. Such methods of genotyping comprise determining the identity of a nucleotide at a CNS disorder-related biallelic marker by any method known in the art. These methods find use in genotyping case-control populations in association studies as well as individuals in the context of detection of alleles of biallelic markers which, are known to be associated with a given trait, in which case both copies of the biallelic marker present in individual's genome are determined so that an individual may be classified as homozygous or heterozygous for a particular allele.

30       These genotyping methods can be performed nucleic acid samples derived from a single individual or pooled DNA samples.

Genotyping can be performed using similar methods as those described above for the identification of the biallelic markers, or using other genotyping methods such as those further described below. In preferred embodiments, the comparison of sequences of amplified genomic fragments from different individuals is used to identify new biallelic markers whereas microsequencing is used for genotyping known biallelic markers in diagnostic and association study applications.

### A. Source of DNA for Genotyping

Any source of nucleic acids, in purified or non-purified form, can be utilized as the starting nucleic acid, provided it contains or is suspected of containing the specific nucleic acid sequence desired. DNA or RNA may be extracted from cells, tissues, body fluids and the like as described herein. While nucleic acids for use in the genotyping methods of the invention can be derived from any mammalian source, the test subjects and individuals from which nucleic acid samples are taken are generally understood to be human.

### B. Amplification of DNA Fragments Comprising Biallelic Markers

Methods and polynucleotides are provided to amplify a segment of nucleotides comprising one or more biallelic marker of the present invention. It will be appreciated that amplification of DNA fragments comprising biallelic markers may be used in various methods and for various purposes and is not restricted to genotyping. Nevertheless, many genotyping methods, although not all, require the previous amplification of the DNA region carrying the biallelic marker of interest. Such methods specifically increase the concentration or total number of sequences that span the biallelic marker or include that site and sequences located either distal or proximal to it. Diagnostic assays may also rely on amplification of DNA segments carrying a biallelic marker of the present invention.

Amplification of DNA may be achieved by any method known in the art. The established PCR (polymerase chain reaction) method or by developments thereof or alternatives. Amplification methods which can be utilized herein include but are not limited to Ligase Chain Reaction (LCR) as described in EP A 320 308 and EP A 439 182, Gap LCR (Wolcott, M.J., *Clin. Microbiol. Rev.* 5:370-386), the so-called "NASBA" or "3SR" technique described in Guatelli J.C. et al. (*Proc. Natl. Acad. Sci. USA* 87:1874-1878, 1990) and in Compton J. (*Nature* 350:91-92, 1991), Q-beta amplification as described in European Patent Application no 4544610, strand displacement amplification as described in Walker et al. (*Clin. Chem.* 42:9-13, 1996) and EP A 684 315 and, target mediated amplification as described in PCT Publication WO 9322461.

LCR and Gap LCR are exponential amplification techniques, both depend on DNA ligase to join adjacent primers annealed to a DNA molecule. In Ligase Chain Reaction (LCR); probe pairs are used which include two primary (first and second) and two secondary (third and fourth) probes, all of which are employed in molar excess to target. The first probe hybridizes to a first segment of the target strand and the second probe hybridizes to a second segment of the target strand, the first and second segments being contiguous so that the primary probes abut one another in 5' phosphate-3'hydroxyl relationship, and so that a ligase can covalently fuse or ligate the two probes into a fused product. In addition, a third (secondary) probe can hybridize to a portion of the first probe and a fourth (secondary) probe can hybridize to a portion of the second probe in a similar abutting fashion. Of course, if the target is initially double stranded, the secondary probes also will hybridize to the target complement in the first instance. Once the

ligated strand of primary probes is separated from the target strand, it will hybridize with the third and fourth probes which can be ligated to form a complementary, secondary ligated product. It is important to realize that the ligated products are functionally equivalent to either the target or its complement. By repeated cycles of hybridization and ligation, amplification of the target sequence is achieved. A method for multiplex LCR has also been described (WO 9320227). Gap LCR (GLCR) is a version of LCR where the probes are not adjacent but are separated by 2 to 3 bases.

For amplification of mRNAs, it is within the scope of the present invention to reverse transcribe mRNA into cDNA followed by polymerase chain reaction (RT-PCR); or, to use a single enzyme for both steps as described in U.S. Patent No. 5,322,770 or, to use Asymmetric Gap LCR (RT-AGLCR) as described by Marshall R.L. et al. (*PCR Methods and Applications* 4:80-84, 1994). AGLCR is a modification of GLCR that allows the amplification of RNA.

Some of these amplification methods are particularly suited for the detection of single nucleotide polymorphisms and allow the simultaneous amplification of a target sequence and the identification of the polymorphic nucleotide as it is further described herein.

The PCR technology is the preferred amplification technique used in the present invention. A variety of PCR techniques are familiar to those skilled in the art. For a review of PCR technology, see Molecular Cloning to Genetic Engineering White, B.A. Ed. in *Methods in Molecular Biology* 67: Humana Press, Totowa (1997) and the publication entitled "PCR Methods and Applications" (1991, Cold Spring Harbor Laboratory Press). In each of these PCR procedures, PCR primers on either side of the nucleic acid sequences to be amplified are added to a suitably prepared nucleic acid sample along with dNTPs and a thermostable polymerase such as Taq polymerase, Pfu polymerase, or Vent polymerase. The nucleic acid in the sample is denatured and the PCR primers are specifically hybridized to complementary nucleic acid sequences in the sample. The hybridized primers are extended. Thereafter, another cycle of denaturation, hybridization, and extension is initiated. The cycles are repeated multiple times to produce an amplified fragment containing the nucleic acid sequence between the primer sites. PCR has further been described in several patents including US Patents 4,683,195, 4,683,202 and 4,965,188.

The identification of biallelic markers as described above allows the design of appropriate oligonucleotides, which can be used as primers to amplify DNA fragments comprising the biallelic markers of the present invention. Amplification can be performed using the primers initially used to discover new biallelic markers which are described herein or any set of primers allowing the amplification of a DNA fragment comprising a biallelic marker of the present invention. Primers can be prepared by any suitable method. As for example, direct chemical synthesis by a method such as the phosphodiester method of Narang S.A. et al. (*Methods Enzymol.* 68:90-98, 1979), the phosphodiester method of Brown E.L. et al. (*Methods*

*Enzymol.* 68:109-151, 1979), the diethylphosphoramidite method of Beaucage et al. (*Tetrahedron Lett.* 22:1859-1862, 1981) and the solid support method described in EP 0 707 592.

In some embodiments the present invention provides primers for amplifying a DNA fragment containing one or more biallelic markers of the present invention. Preferred  
5 amplification primers are listed in Table 13. It will be appreciated that the primers listed are merely exemplary and that any other set of primers which produce amplification products containing one or more biallelic markers of the present invention.

The primers are selected to be substantially complementary to the different strands of each specific sequence to be amplified. The length of the primers of the present invention can  
10 range from 8 to 100 nucleotides, preferably from 8 to 50, 8 to 30 or more preferably 8 to 25 nucleotides. Shorter primers tend to lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer primers are expensive to produce and can sometimes self-hybridize to form hairpin structures. The formation of stable hybrids depends on the melting temperature ( $T_m$ ) of  
15 the DNA. The  $T_m$  depends on the length of the primer, the ionic strength of the solution and the G+C content. The higher the G+C content of the primer, the higher is the melting temperature because G:C pairs are held by three H bonds whereas A:T pairs have only two. The G+C content of the amplification primers of the present invention preferably ranges between 10 and 75 %, more preferably between 35 and 60 %, and most preferably between 40 and 55 %. The  
20 appropriate length for primers under a particular set of assay conditions may be empirically determined by one of skill in the art.

The spacing of the primers determines the length of the segment to be amplified. In the context of the present invention amplified segments carrying biallelic markers can range in size from at least about 25 bp to 35 kbp. Amplification fragments from 25-3000 bp are typical,  
25 fragments from 50-1000 bp are preferred and fragments from 100-600 bp are highly preferred. It will be appreciated that amplification primers for the biallelic markers may be any sequence which allow the specific amplification of any DNA fragment carrying the markers. Amplification primers may be labeled or immobilized on a solid support as described in I.

#### C. Methods of Genotyping DNA samples for Biallelic Markers

30 Any method known in the art can be used to identify the nucleotide present at a biallelic marker site. Since the biallelic marker allele to be detected has been identified and specified in the present invention, detection will prove simple for one of ordinary skill in the art by employing any of a number of techniques. Many genotyping methods require the previous amplification of the DNA region carrying the biallelic marker of interest. While the  
35 amplification of target or signal is often preferred at present, ultrasensitive detection methods which do not require amplification are also encompassed by the present genotyping methods. Methods well-known to those skilled in the art that can be used to detect biallelic polymorphisms

include methods such as, conventional dot blot analyzes, single strand conformational polymorphism analysis (SSCP) described by Orita et al. (*Proc. Natl. Acad. Sci. U.S.A* 86:27776-2770, 1989), denaturing gradient gel electrophoresis (DGGE), heteroduplex analysis, mismatch cleavage detection, and other conventional techniques as described in Sheffield, V.C. et al. (*Proc. Natl. Acad. Sci. USA* 49:699-706, 1991), White et al. (*Genomics* 12:301-306, 1992), Grompe, M. et al. (*Proc. Natl. Acad. Sci. USA* 86:5855-5892, 1989) and Grompe, M. (*Nature Genetics* 5:111-117, 1993). Another method for determining the identity of the nucleotide present at a particular polymorphic site employs a specialized exonuclease-resistant nucleotide derivative as described in US patent 4,656,127.

Preferred methods involve directly determining the identity of the nucleotide present at a biallelic marker site by sequencing assay, enzyme-based mismatch detection assay, or hybridization assay. The following is a description of some preferred methods. A highly preferred method is the microsequencing technique. The term "sequencing assay" is used herein to refer to polymerase extension of duplex primer/template complexes and includes both traditional sequencing and microsequencing.

i) Sequencing assays

The nucleotide present at a polymorphic site can be determined by sequencing methods. In a preferred embodiment, DNA samples are subjected to PCR amplification before sequencing as described above. DNA sequencing methods are described herein.

Preferably, the amplified DNA is subjected to automated dideoxy terminator sequencing reactions using a dye-primer cycle sequencing protocol. Sequence analysis allows the identification of the base present at the biallelic marker site.

ii) Microsequencing assays

In microsequencing methods, a nucleotide at the polymorphic site that is unique to one of the alleles in a target DNA is detected by a single nucleotide primer extension reaction. This method involves appropriate microsequencing primers which, hybridize just upstream of a polymorphic base of interest in the target nucleic acid. A polymerase is used to specifically extend the 3' end of the primer with one single ddNTP (chain terminator) complementary to the selected nucleotide at the polymorphic site. Next the identity of the incorporated nucleotide is determined in any suitable way.

Typically, microsequencing reactions are carried out using fluorescent ddNTPs and the extended microsequencing primers are analyzed by electrophoresis on ABI 377 sequencing machines to determine the identity of the incorporated nucleotide as described in EP 412 883. Alternatively capillary electrophoresis can be used in order to process a higher number of assays simultaneously. An example of a typical microsequencing procedure that can be used in the context of the present invention is provided in Example 2.

Different approaches can be used to detect the nucleotide added to the microsequencing primer. A homogeneous phase detection method based on fluorescence resonance energy transfer has been described by Chen and Kwok (*Nucleic Acids Research* 25:347-353 1997) and Chen et al. (*Proc. Natl. Acad. Sci. USA* 94/20 10756-10761, 1997). In this method amplified genomic

5 DNA fragments containing polymorphic sites are incubated with a 5'-fluorescein-labeled primer in the presence of allelic dye-labeled dideoxyribonucleoside triphosphates and a modified Taq polymerase. The dye-labeled primer is extended one base by the dye-terminator specific for the allele present on the template. At the end of the genotyping reaction, the fluorescence intensities of the two dyes in the reaction mixture are analyzed directly without separation or purification.

10 All these steps can be performed in the same tube and the fluorescence changes can be monitored in real time. Alternatively, the extended primer may be analyzed by MALDI-TOF Mass Spectrometry. The base at the polymorphic site is identified by the mass added onto the microsequencing primer (see Haff L.A. and Smirnov L.P., *Genome Research*, 7:378-388, 1997).

Microsequencing may be achieved by the established microsequencing method or by

15 developments or derivatives thereof. Alternative methods include several solid-phase microsequencing techniques. The basic microsequencing protocol is the same as described previously, except that the method is conducted as a heterogenous phase assay, in which the primer or the target molecule is immobilized or captured onto a solid support. To simplify the primer separation and the terminal nucleotide addition analysis, oligonucleotides are attached to

20 solid supports or are modified in such ways that permit affinity separation as well as polymerase extension. The 5' ends and internal nucleotides of synthetic oligonucleotides can be modified in a number of different ways to permit different affinity separation approaches, e.g., biotinylation. If a single affinity group is used on the oligonucleotides, the oligonucleotides can be separated from the incorporated terminator reagent. This eliminates the need of physical or size separation.

25 More than one oligonucleotide can be separated from the terminator reagent and analyzed simultaneously if more than one affinity group is used. This permits the analysis of several nucleic acid species or more nucleic acid sequence information per extension reaction. The affinity group need not be on the priming oligonucleotide but could alternatively be present on the template. For example, immobilization can be carried out via an interaction between

30 biotinylated DNA and streptavidin-coated microtitration wells or avidin-coated polystyrene particles. In the same manner oligonucleotides or templates may be attached to a solid support in a high-density format. In such solid phase microsequencing reactions, incorporated ddNTPs can be radiolabeled (Syvänen, *Clinica Chimica Acta* 226:225-236, 1994) or linked to fluorescein (Livak and Hainer, *Human Mutation* 3:379-385, 1994). The detection of radiolabeled ddNTPs

35 can be achieved through scintillation-based techniques. The detection of fluorescein-linked ddNTPs can be based on the binding of anti fluorescein antibody conjugated with alkaline phosphatase, followed by incubation with a chromogenic substrate (such as *p*-nitrophenyl

phosphate). Other possible reporter-detection pairs include: ddNTP linked to dinitrophenyl (DNP) and anti-DNP alkaline phosphatase conjugate (Harju et al., *Clin. Chem.* 39/11 2282-2287, 1993) or biotinylated ddNTP and horseradish peroxidase-conjugated streptavidin with *o*-phenylenediamine as a substrate (WO 92/15712). As yet another alternative solid-phase microsequencing procedure, Nyren et al. (*Analytical Biochemistry* 208:171-175, 1993) described a method relying on the detection of DNA polymerase activity by an enzymatic luminometric inorganic pyrophosphate detection assay (ELIDA).

Pastinen et al. (*Genome research* 7:606-614, 1997) describe a method for multiplex detection of single nucleotide polymorphism in which the solid phase minisequencing principle is applied to an oligonucleotide array format. High-density arrays of DNA probes attached to a solid support (DNA chips) are further described herein.

In one aspect the present invention provides polynucleotides and methods to genotype one or more biallelic markers of the present invention by performing a microsequencing assay. Preferred microsequencing primers include those being featured in Table 12. It will be appreciated that the microsequencing primers listed in Table 12 are merely exemplary and that, any primer having a 3' end immediately adjacent to a polymorphic nucleotide may be used. Similarly, it will be appreciated that microsequencing analysis may be performed for any biallelic marker or any combination of biallelic markers of the present invention. One aspect of the present invention is a solid support which includes one or more microsequencing primers listed in Table 12, or fragments comprising at least 8, at least 12, at least 15, or at least 20 consecutive nucleotides thereof and having a 3' terminus immediately upstream of the corresponding biallelic marker, for determining the identity of a nucleotide at a biallelic marker site.

### iii) Mismatch detection assays based on polymerases and ligases

In one aspect the present invention provides polynucleotides and methods to determine the allele of one or more biallelic markers of the present invention in a biological sample, by mismatch detection assays based on polymerases and/or ligases. These assays are based on the specificity of polymerases and ligases. Polymerization reactions places particularly stringent requirements on correct base pairing of the 3' end of the amplification primer and the joining of two oligonucleotides hybridized to a target DNA sequence is quite sensitive to mismatches close to the ligation site, especially at the 3' end. The terms "enzyme based mismatch detection assay" are used herein to refer to any method of determining the allele of a biallelic marker based on the specificity of ligases and polymerases. Preferred methods are described below. Methods, primers and various parameters to amplify DNA fragments comprising biallelic markers of the present invention are further described herein.

#### 1. Allele specific amplification



Discrimination between the two alleles of a biallelic marker can also be achieved by allele specific amplification, a selective strategy, whereby one of the alleles is amplified without amplification of the other allele. This is accomplished by placing a polymorphic base at the 3' end of one of the amplification primers. Because the extension forms from the 3' end of the primer, a mismatch at or near this position has an inhibitory effect on amplification. Therefore, under appropriate amplification conditions, these primers only direct amplification on their complementary allele. Designing the appropriate allele-specific primer and the corresponding assay conditions are well within the ordinary skill in the art.

## 2. Ligation/amplification based methods

The "Oligonucleotide Ligation Assay" (OLA) uses two oligonucleotides which are designed to be capable of hybridizing to abutting sequences of a single strand of target molecules. One of the oligonucleotides is biotinylated, and the other is detectably labeled. If the precise complementary sequence is found in a target molecule, the oligonucleotides will hybridize such that their termini abut, and create a ligation substrate that can be captured and detected. OLA is capable of detecting biallelic markers and may be advantageously combined with PCR as described by Nickerson D.A. et al. (*Proc. Natl. Acad. Sci. U.S.A.* 87:8923-8927, 1990). In this method, PCR is used to achieve the exponential amplification of target DNA, which is then detected using OLA.

Other methods which are particularly suited for the detection of biallelic markers include LCR (ligase chain reaction), Gap LCR (GLCR) which are described herein. As mentioned above LCR uses two pairs of probes to exponentially amplify a specific target. The sequences of each pair of oligonucleotides, is selected to permit the pair to hybridize to abutting sequences of the same strand of the target. Such hybridization forms a substrate for a template-dependant ligase. In accordance with the present invention, LCR can be performed with oligonucleotides having the proximal and distal sequences of the same strand of a biallelic marker site. In one embodiment, either oligonucleotide will be designed to include the biallelic marker site. In such an embodiment, the reaction conditions are selected such that the oligonucleotides can be ligated together only if the target molecule either contains or lacks the specific nucleotide(s) that is complementary to the biallelic marker on the oligonucleotide. In an alternative embodiment, the oligonucleotides will not include the biallelic marker, such that when they hybridize to the target molecule, a "gap" is created as described in WO 90/01069. This gap is then "filled" with complementary dNTPs (as mediated by DNA polymerase), or by an additional pair of oligonucleotides. Thus at the end of each cycle, each single strand has a complement capable of serving as a target during the next cycle and exponential allele-specific amplification of the desired sequence is obtained.

Ligase/Polymerase-mediated Genetic Bit Analysis<sup>TM</sup> is another method for determining the identity of a nucleotide at a preselected site in a nucleic acid molecule (WO 95/21271). This

method involves the incorporation of a nucleoside triphosphate that is complementary to the nucleotide present at the preselected site onto the terminus of a primer molecule, and their subsequent ligation to a second olig nucleotide. The reaction is monitored by detecting a specific label attached to the reaction's solid phase or by detection in solution.

5            iv) Hybridization assay methods

A preferred method of determining the identity of the nucleotide present at a biallelic marker site involves nucleic acid hybridization. The hybridization probes, which can be conveniently used in such reactions, preferably include the probes defined herein. Any hybridization assay may be used including Southern hybridization, Northern hybridization, dot blot hybridization and solid-phase hybridization (see Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

Hybridization refers to the formation of a duplex structure by two single stranded nucleic acids due to complementary base pairing. Hybridization can occur between exactly complementary nucleic acid strands or between nucleic acid strands that contain minor regions of mismatch. Specific probes can be designed that hybridize to one form of a biallelic marker and not to the other and therefore are able to discriminate between different allelic forms. Allele-specific probes are often used in pairs, one member of a pair showing perfect match to a target sequence containing the original allele and the other showing a perfect match to the target sequence containing the alternative allele. Hybridization conditions should be sufficiently stringent that there is a significant difference in hybridization intensity between alleles, and preferably an essentially binary response, whereby a probe hybridizes to only one of the alleles. Stringent, sequence specific hybridization conditions, under which a probe will hybridize only to the exactly complementary target sequence are well known in the art (Sambrook et al., Molecular Cloning – A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y., 1989).

Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (T<sub>m</sub>) for the specific sequence at a defined ionic strength and pH. By way of example and not limitation, procedures using conditions of high stringency are as follows: Prehybridization of filters containing DNA is carried out for 8 h to overnight at 65°C in buffer composed of 6X SSC, 50 mM Tris-HCl (pH 7.5), 1 mM EDTA, 0.02% PVP, 0.02% Ficoll, 0.02% BSA, and 500 µg/ml denatured salmon sperm DNA. Filters are hybridized for 48 h at 65°C, the preferred hybridization temperature, in prehybridization mixture containing 100 µg/ml denatured salmon sperm DNA and 5-20 X 10<sup>6</sup> cpm of <sup>32</sup>P-labeled probe. Alternatively, the hybridization step can be performed at 65°C in the presence of SSC buffer, 1 x SSC corresponding to 0.15M NaCl and 0.05 M Sodium citrate. Subsequently, filter washes can be done at 37°C for 1 h in a solution containing 2X SSC, 0.01% PVP, 0.01% Ficoll, and 0.01% BSA, followed by a wash in 0.1X SSC at 50°C for 45 min. Alternatively, filter washes can be performed in a solution containing 2

x SSC and 0.1% SDS, or 0.5 x SSC and 0.1% SDS, or 0.1 x SSC and 0.1% SDS at 68°C for 15 minute intervals. Following the wash steps, the hybridized probes are detectable by autoradiography. By way of example and not limitation, procedures using conditions of intermediate stringency are as follows: Filters containing DNA are prehybridized, and then  
5 hybridized at a temperature of 60°C in the presence of a 5 x SSC buffer and labeled probe. Subsequently, filters washes are performed in a solution containing 2x SSC at 50°C and the hybridized probes are detectable by autoradiography. Other conditions of high and intermediate stringency which may be used are well known in the art and as cited in Sambrook et al. (Molecular Cloning - A Laboratory Manual, Second Edition, Cold Spring Harbor Press, N.Y.,  
10 1989) and Ausubel et al. (Current Protocols in Molecular Biology, Green Publishing Associates and Wiley-Interscience, N.Y., 1989).

Although such hybridizations can be performed in solution, it is preferred to employ a solid-phase hybridization assay. The target DNA comprising a biallelic marker of the present invention may be amplified prior to the hybridization reaction. The presence of a specific allele  
15 in the sample is determined by detecting the presence or the absence of stable hybrid duplexes formed between the probe and the target DNA. The detection of hybrid duplexes can be carried out by a number of methods. Various detection assay formats are well known which utilize detectable labels bound to either the target or the probe to enable detection of the hybrid duplexes. Typically, hybridization duplexes are separated from unhybridized nucleic acids and  
20 the labels bound to the duplexes are then detected. Those skilled in the art will recognize that wash steps may be employed to wash away excess target DNA or probe. Standard heterogeneous assay formats are suitable for detecting the hybrids using the labels present on the primers and probes.

Two recently developed assays allow hybridization-based allele discrimination with no  
25 need for separations or washes (see Landegren U. et al., *Genome Research*, 8:769-776, 1998). The TaqMan assay takes advantage of the 5' nuclease activity of Taq DNA polymerase to digest a DNA probe annealed specifically to the accumulating amplification product. TaqMan probes are labeled with a donor-acceptor dye pair that interacts via fluorescence energy transfer. Cleavage of the TaqMan probe by the advancing polymerase during amplification dissociates the  
30 donor dye from the quenching acceptor dye, greatly increasing the donor fluorescence. All reagents necessary to detect two allelic variants can be assembled at the beginning of the reaction and the results are monitored in real time (see Livak et al., *Nature Genetics*, 9:341-342, 1995). In an alternative homogeneous hybridization-based procedure, molecular beacons are used for allele discriminations. Molecular beacons are hairpin-shaped oligonucleotide probes that report  
35 the presence of specific nucleic acids in homogeneous solutions. When they bind to their targets they undergo a conformational reorganization that restores the fluorescence of an internally quenched fluorophore (Tyagi et al., *Nature Biotechnology*, 16:49-53, 1998).

The polynucleotides provided herein can be used in hybridization assays for the detection of biallelic marker alleles in biological samples. These probes are characterized in that they preferably comprise between 8 and 50 nucleotides, and in that they are sufficiently complementary to a sequence comprising a biallelic marker of the present invention to hybridize thereto and preferably sufficiently specific to be able to discriminate the targeted sequence for only one nucleotide variation. The GC content in the probes of the invention usually ranges between 10 and 75 %, preferably between 35 and 60 %, and more preferably between 40 and 55 %. The length of these probes can range from 10, 15, 20, or 30 to at least 100 nucleotides, preferably from 10 to 50, more preferably from 18 to 35 nucleotides. A particularly preferred probe is 25 nucleotides in length. Preferably the biallelic marker is within 4 nucleotides of the center of the polynucleotide probe. In particularly preferred probes the biallelic marker is at the center of said polynucleotide. Shorter probes may lack specificity for a target nucleic acid sequence and generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. Longer probes are expensive to produce and can sometimes self-hybridize to form hairpin structures. Methods for the synthesis of oligonucleotide probes have been described above and can be applied to the probes of the present invention.

Preferably the probes of the present invention are labeled or immobilized on a solid support. Labels and solid supports are further described in I. Detection probes are generally nucleic acid sequences or uncharged nucleic acid analogs such as, for example peptide nucleic acids which are disclosed in International Patent Application WO 92/20702, morpholino analogs which are described in U.S. Patents Numbered 5,185,444; 5,034,506 and 5,142,047. The probe may have to be rendered "non-extendable" in that additional dNTPs cannot be added to the probe. In and of themselves analogs usually are non-extendable and nucleic acid probes can be rendered non-extendable by modifying the 3' end of the probe such that the hydroxyl group is no longer capable of participating in elongation. For example, the 3' end of the probe can be functionalized with the capture or detection label to thereby consume or otherwise block the hydroxyl group. Alternatively, the 3' hydroxyl group simply can be cleaved, replaced or modified, U.S. Patent Application Serial No. 07/049,061 filed April 19, 1993 describes modifications, which can be used to render a probe non-extendable.

The probes of the present invention are useful for a number of purposes. They can be used in Southern hybridization to genomic DNA or Northern hybridization to mRNA. The probes can also be used to detect PCR amplification products. By assaying the hybridization to an allele specific probe, one can detect the presence or absence of a biallelic marker allele in a given sample.

High-Throughput parallel hybridizations in array format are specifically encompassed within "hybridization assays" and are described below.

i. Hybridization to addressable arrays of oligonucleotides

Hybridization assays based on oligonucleotide arrays rely on the differences in hybridization stability of short oligonucleotides to perfectly matched and mismatched target sequence variants. Efficient access to polymorphism information is obtained through a basic structure comprising high-density arrays of oligonucleotide probes attached to a solid support (the chip) at selected positions. Each DNA chip can contain thousands to millions of individual synthetic DNA probes arranged in a grid-like pattern and miniaturized to the size of a dime.

The chip technology has already been applied with success in numerous cases. For example, the screening of mutations has been undertaken in the BRCA1 gene, in *S. cerevisiae* mutant strains, and in the protease gene of HIV-1 virus (Hacia et al., *Nature Genetics*, 14(4):441-447, 1996; Shoemaker et al., *Nature Genetics*, 14(4):450-456, 1996 ; Kozal et al., *Nature Medicine*, 2:753-759, 1996). Chips of various formats for use in detecting biallelic polymorphisms can be produced on a customized basis by Affymetrix (GeneChip™), Hyseq (HyChip and HyGnostics), and Protogene Laboratories.

In general, these methods employ arrays of oligonucleotide probes that are complementary to target nucleic acid sequence segments from an individual which, target sequences include a polymorphic marker. EP785280 describes a tiling strategy for the detection of single nucleotide polymorphisms. Briefly, arrays may generally be "tiled" for a large number of specific polymorphisms. By "tiling" is generally meant the synthesis of a defined set of oligonucleotide probes which is made up of a sequence complementary to the target sequence of interest, as well as preselected variations of that sequence, e.g., substitution of one or more given positions with one or more members of the basis set of monomers, i.e. nucleotides. Tiling strategies are further described in PCT application No. WO 95/11995. In a particular aspect, arrays are tiled for a number of specific, identified biallelic marker sequences. In particular the array is tiled to include a number of detection blocks, each detection block being specific for a specific biallelic marker or a set of biallelic markers. For example, a detection block may be tiled to include a number of probes, which span the sequence segment that includes a specific polymorphism. To ensure probes that are complementary to each allele, the probes are synthesized in pairs differing at the biallelic marker. In addition to the probes differing at the polymorphic base, monosubstituted probes are also generally tiled within the detection block. These monosubstituted probes have bases at and up to a certain number of bases in either direction from the polymorphism, substituted with the remaining nucleotides (selected from A, T, G, C and U). Typically the probes in a tiled detection block will include substitutions of the sequence positions up to and including those that are 5 bases away from the biallelic marker. The monosubstituted probes provide internal controls for the tiled array, to distinguish actual hybridization from artefactual cross-hybridization. Upon completion of hybridization with the target sequence and washing of the array, the array is scanned to determine the position on the array to which the target sequence hybridizes. The hybridization data from the scanned array is

then analyzed to identify which allele or alleles of the biallelic marker are present in the sample. Hybridization and scanning may be carried out as described in PCT application No. WO 92/10092 and WO 95/11995 and US patent No. 5,424,186.

Thus, in some embodiments, the chips may comprise an array of nucleic acid sequences of fragments of about 15 nucleotides in length. In further embodiments, the chip may comprise an array including at least one of the sequences selected from the group consisting of SEQ ID No. 1-130 and the sequences complementary thereto, or a fragment thereof at least about 8 consecutive nucleotides, preferably 10, 15, 20, more preferably 25, 30, 40, 47, or 50 consecutive nucleotides. In some embodiments, the chip may comprise an array of at least 2, 3, 4, 5, 6, 7, 8 or more of these polynucleotides of the invention. Solid supports and polynucleotides of the present invention attached to solid supports are further described in I.

#### v) Integrated systems

Another technique, which may be used to analyze polymorphisms, includes multicomponent integrated systems, which miniaturize and compartmentalize processes such as PCR and capillary electrophoresis reactions in a single functional device. An example of such technique is disclosed in US patent 5,589,136, which describes the integration of PCR amplification and capillary electrophoresis in chips.

Integrated systems can be envisaged mainly when microfluidic systems are used. These systems comprise a pattern of microchannels designed onto a glass, silicon, quartz, or plastic wafer included on a microchip. The movements of the samples are controlled by electric, electroosmotic or hydrostatic forces applied across different areas of the microchip. For genotyping biallelic markers, the microfluidic system may integrate nucleic acid amplification, microsequencing, capillary electrophoresis and a detection method such as laser-induced fluorescence detection.

25

#### VI. Methods of Genetic Analysis Using the Biallelic Markers of the Present Invention

Different methods are available for the genetic analysis of complex traits (see Lander and Schork, *Science*, 265, 2037-2048, 1994). The search for disease-susceptibility genes is conducted using two main methods: the linkage approach in which evidence is sought for cosegregation between a locus and a putative trait locus using family studies, and the association approach in which evidence is sought for a statistically significant association between an allele and a trait or a trait causing allele (Khoury J. et al., *Fundamentals of Genetic Epidemiology*, Oxford University Press, NY, 1993). In general, the biallelic markers of the present invention find use in any method known in the art to demonstrate a statistically significant correlation between a genotype and a phenotype. The biallelic markers may be used in parametric and non-parametric linkage analysis methods. Preferably, the biallelic markers of the present invention are used to identify genes associated with detectable traits using association studies, an approach

35

which does not require the use of affected families and which permits the identification of genes associated with complex and sporadic traits.

The genetic analysis using the biallelic markers of the present invention may be conducted on any scale. The whole set of biallelic markers of the present invention or any subset  
5 of biallelic markers of the present invention may be used. In some embodiments a subset of biallelic markers corresponding to one or several candidate genes of the present invention may be used. In other embodiments a subset of biallelic markers corresponding to CNS disorder candidate genes may be used. Alternatively, a subset of biallelic markers of the present invention localised on a specific chromosome segment may be used. Further, any set of genetic markers  
10 including a biallelic marker of the present invention may be used. A set of biallelic polymorphisms that, could be used as genetic markers in combination with the biallelic markers of the present invention, has been described in WO 98/20165. As mentioned above, it should be noted that the biallelic markers of the present invention may be included in any complete or partial genetic map of the human genome. These different uses are specifically contemplated in  
15 the present invention and claims.

#### A. Linkage Analysis

Linkage analysis is based upon establishing a correlation between the transmission of genetic markers and that of a specific trait throughout generations within a family. Thus, the aim of linkage analysis is to detect marker loci that show cosegregation with a trait of interest in  
20 pedigrees.

##### i. Parametric methods

When data are available from successive generations there is the opportunity to study the degree of linkage between pairs of loci. Estimates of the recombination fraction enable loci to be ordered and placed onto a genetic map. With loci that are genetic markers, a genetic map can be  
25 established, and then the strength of linkage between markers and traits can be calculated and used to indicate the relative positions of markers and genes affecting those traits (Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer Assoc., Inc., Sunderland, MA, USA, 1996). The classical method for linkage analysis is the logarithm of odds (lod) score method (see Morton N.E., *Am.J. Hum. Genet.*, 7:277-318, 1955; Ott J., *Analysis of*  
30 *Human Genetic Linkage*, John Hopkins University Press, Baltimore, 1991). Calculation of lod scores requires specification of the mode of inheritance for the disease (parametric method). Generally, the length of the candidate region identified using linkage analysis is between 2 and 20Mb. Once a candidate region is identified as described above, analysis of recombinant individuals using additional markers allows further delineation of the candidate region. Linkage  
35 analysis studies have generally relied on the use of a maximum of 5,000 microsatellite markers, thus limiting the maximum theoretical attainable resolution of linkage analysis to about 600 kb on average.

Linkage analysis has been successfully applied to map simple genetic traits that show clear Mendelian inheritance patterns and which have a high penetrance (i.e., the ratio between the number of trait positive carriers of allele  $a$  and the total number of  $a$  carriers in the population). However, parametric linkage analysis suffers from a variety of drawbacks. First, it is limited by its reliance on the choice of a genetic model suitable for each studied trait. Furthermore, as already mentioned, the resolution attainable using linkage analysis is limited, and complementary studies are required to refine the analysis of the typical 2Mb to 20Mb regions initially identified through linkage analysis. In addition, parametric linkage analysis approaches have proven difficult when applied to complex genetic traits, such as those due to the combined action of multiple genes and/or environmental factors. It is very difficult to model these factors adequately in a lod score analysis. In such cases, too large an effort and cost are needed to recruit the adequate number of affected families required for applying linkage analysis to these situations, as recently discussed by Risch, N. and Merikangas, K. (*Science*, 273:1516-1517, 1996).

#### ii. Non-parametric methods

The advantage of the so-called non-parametric methods for linkage analysis is that they do not require specification of the mode of inheritance for the disease, they tend to be more useful for the analysis of complex traits. In non-parametric methods, one tries to prove that the inheritance pattern of a chromosomal region is not consistent with random Mendelian segregation by showing that affected relatives inherit identical copies of the region more often than expected by chance. Affected relatives should show excess "allele sharing" even in the presence of incomplete penetrance and polygenic inheritance. In non-parametric linkage analysis the degree of agreement at a marker locus in two individuals can be measured either by the number of alleles identical by state (IBS) or by the number of alleles identical by descent (IBD). Affected sib pair analysis is a well-known special case and is the simplest form of these methods.

The biallelic markers of the present invention may be used in both parametric and non-parametric linkage analysis. Preferably biallelic markers may be used in non-parametric methods which allow the mapping of genes involved in complex traits. The biallelic markers of the present invention may be used in both IBD- and IBS- methods to map genes affecting a complex trait. In such studies, taking advantage of the high density of biallelic markers, several adjacent biallelic marker loci may be pooled to achieve the efficiency attained by multi-allelic markers (Zhao et al., *Am. J. Hum. Genet.*, 63:225-240, 1998).

However, both parametric and non-parametric linkage analysis methods analyse affected relatives, they tend to be of limited value in the genetic analysis of drug responses or in the analysis of side effects to treatments. This type of analysis is impractical in such cases due to the lack of availability of familial cases. In fact, the likelihood of having more than one individual in a family being exposed to the same drug at the same time is extremely low.

#### B. Population Association Studies



The present invention comprises methods for identifying one or several genes among a set of candidate genes that are associated with a detectable trait using the biallelic markers of the present invention. In one embodiment the present invention comprises methods to detect an association between a biallelic marker allele or a biallelic marker haplotype and a trait. Further, the invention comprises methods to identify a trait causing allele in linkage disequilibrium with any biallelic marker allele of the present invention.

As described above, alternative approaches can be employed to perform association studies: genome-wide association studies, candidate region association studies and candidate gene association studies. In a preferred embodiment, the biallelic markers of the present invention are used to perform candidate gene association studies. The candidate gene analysis clearly provides a short-cut approach to the identification of genes and gene polymorphisms related to a particular trait when some information concerning the biology of the trait is available. Further, the biallelic markers of the present invention may be incorporated in any map of genetic markers of the human genome in order to perform genome-wide association studies. Methods to generate a high-density map of biallelic markers has been described in US Provisional Patent application serial number 60/082,614. The biallelic markers of the present invention may further be incorporated in any map of a specific candidate region of the genome (a specific chromosome or a specific chromosomal segment for example).

As mentioned above, association studies may be conducted within the general population and are not limited to studies performed on related individuals in affected families. Association studies are extremely valuable as they permit the analysis of sporadic or multifactor traits. Moreover, association studies represent a powerful method for fine-scale mapping enabling much finer mapping of trait causing alleles than linkage studies. Studies based on pedigrees often only narrow the location of the trait causing allele. Association studies using the biallelic markers of the present invention can therefore be used to refine the location of a trait causing allele in a candidate region identified by Linkage Analysis methods. Moreover, once a chromosome segment of interest has been identified, the presence of a candidate gene such as a candidate gene of the present invention, in the region of interest can provide a shortcut to the identification of the trait causing allele. Biallelic markers of the present invention can be used to demonstrate that a candidate gene is associated with a trait. Such uses are specifically contemplated in the present invention and claims.

i. Determining the frequency of a biallelic marker allele or of a biallelic marker haplotype in a population

Association studies explore the relationships among frequencies for sets of alleles between loci.

1) Determining the frequency of an allele in a population

Allelic frequencies of the biallelic markers in a population can be determined using one of the methods described above under the heading "Methods for genotyping an individual for biallelic markers", or any genotyping procedure suitable for this intended purpose. Genotyping pooled samples or individual samples can determine the frequency of a biallelic marker allele in a population. One way to reduce the number of genotypings required is to use pooled samples. A major obstacle in using pooled samples is in terms of accuracy and reproducibility for determining accurate DNA concentrations in setting up the pools. Genotyping individual samples provides higher sensitivity, reproducibility and accuracy and; is the preferred method used in the present invention. Preferably, each individual is genotyped separately and simple gene counting is applied to determine the frequency of an allele of a biallelic marker or of a genotype in a given population.

## 2) Determining the frequency of a haplotype in a population

The gametic phase of haplotypes is unknown when diploid individuals are heterozygous at more than one locus. Using genealogical information in families gametic phase can sometimes be inferred (Perlin et al., *Am. J. Hum. Genet.*, 55:777-787, 1994). When no genealogical information is available different strategies may be used. One possibility is that the multiple-site heterozygous diploids can be eliminated from the analysis, keeping only the homozygotes and the single-site heterozygote individuals, but this approach might lead to a possible bias in the sample composition and the underestimation of low-frequency haplotypes. Another possibility is that single chromosomes can be studied independently, for example, by asymmetric PCR amplification (see Newton et al., *Nucleic Acids Res.*, 17:2503-2516, 1989; Wu et al., *Proc. Natl. Acad. Sci. USA*, 86:2757, 1989) or by isolation of single chromosome by limit dilution followed by PCR amplification (see Ruano et al., *Proc. Natl. Acad. Sci. USA*, 87:6296-6300, 1990). Further, a sample may be haplotyped for sufficiently close biallelic markers by double PCR amplification of specific alleles (Sarkar, G. and Sommer S.S., *Biotechniques*, 1991). These approaches are not entirely satisfying either because of their technical complexity, the additional cost they entail, their lack of generalisation at a large scale, or the possible biases they introduce. To overcome these difficulties, an algorithm to infer the phase of PCR-amplified DNA genotypes introduced by Clark A.G. (*Mol. Biol. Evol.*, 7:111-122, 1990) may be used. Briefly, the principle is to start filling a preliminary list of haplotypes present in the sample by examining unambiguous individuals, that is, the complete homozygotes and the single-site heterozygotes. Then other individuals in the same sample are screened for the possible occurrence of previously recognized haplotypes. For each positive identification, the complementary haplotype is added to the list of recognized haplotypes, until the phase information for all individuals is either resolved or identified as unresolved. This method assigns a single haplotype to each multiheterozygous individual, whereas several haplotypes are possible when there are more than one heterozygous site. Alternatively, one can use methods estimating haplotype frequencies in a population without

assigning haplotypes to each individual. Preferably, a method based on an expectation-maximization (EM) algorithm (Dempster et al., *J. R. Stat. Soc.*, 39B: 1-38, 1977) leading to maximum-likelihood estimates of haplotype frequencies under the assumption of Hardy-Weinberg proportions (random mating) is used (see Excoffier L. and Slatkin M., *Mol. Biol. Evol.*, 12(5): 921-927, 1995). The EM algorithm is a generalized iterative maximum-likelihood approach to estimation that is useful when data are ambiguous and/or incomplete. The EM algorithm is used to resolve heterozygotes into haplotypes. Haplotype estimations are further described below under the heading "Statistical methods". Any other method known in the art to determine or to estimate the frequency of a haplotype in a population may also be used.

10        ii. Linkage disequilibrium analysis

Linkage disequilibrium is the non-random association of alleles at two or more loci and represents a powerful tool for mapping genes involved in disease traits (see Ajioka R.S. et al., *Am. J. Hum. Genet.*, 60:1439-1447, 1997). Biallelic markers, because they are densely spaced in the human genome and can be genotyped in more numerous numbers than other types of genetic markers (such as RFLP or VNTR markers), are particularly useful in genetic analysis based on linkage disequilibrium. The biallelic markers of the present invention may be used in any linkage disequilibrium analysis method known in the art.

Briefly, when a disease mutation is first introduced into a population (by a new mutation or the immigration of a mutation carrier), it necessarily resides on a single chromosome and thus on a single "background" or "ancestral" haplotype of linked markers. Consequently, there is complete disequilibrium between these markers and the disease mutation: one finds the disease mutation only in the presence of a specific set of marker alleles. Through subsequent generations recombinations occur between the disease mutation and these marker polymorphisms, and the disequilibrium gradually dissipates. The pace of this dissipation is a function of the recombination frequency, so the markers closest to the disease gene will manifest higher levels of disequilibrium than those further away. When not broken up by recombination, "ancestral" haplotypes and linkage disequilibrium between marker alleles at different loci can be tracked not only through pedigrees but also through populations. Linkage disequilibrium is usually seen as an association between one specific allele at one locus and another specific allele at a second locus.

The pattern or curve of disequilibrium between disease and marker loci is expected to exhibit a maximum that occurs at the disease locus. Consequently, the amount of linkage disequilibrium between a disease allele and closely linked genetic markers may yield valuable information regarding the location of the disease gene. For fine-scale mapping of a disease locus, it is useful to have some knowledge of the patterns of linkage disequilibrium that exist between markers in the studied region. As mentioned above the mapping resolution achieved through the analysis of linkage disequilibrium is much higher than that of linkage studies. The

high density of biallelic markers combined with linkage disequilibrium analysis provides powerful tools for fine-scale mapping. Different methods to calculate linkage disequilibrium are described below under the heading "Statistical Methods".

### iii. Population-based case-control studies of trait-marker associations

5 As mentioned above, the occurrence of pairs of specific alleles at different loci on the same chromosome is not random and the deviation from random is called linkage disequilibrium. Association studies focus on population frequencies and rely on the phenomenon of linkage disequilibrium. If a specific allele in a given gene is directly involved in causing a particular trait, its frequency will be statistically increased in an affected (trait positive) population, when  
10 compared to the frequency in a trait negative population or in a random control population. As a consequence of the existence of linkage disequilibrium, the frequency of all other alleles present in the haplotype carrying the trait-causing allele will also be increased in trait positive individuals compared to trait negative individuals or random controls. Therefore, association between the trait and any allele (specifically a biallelic marker allele) in linkage disequilibrium with the trait-  
15 causing allele will suffice to suggest the presence of a trait-related gene in that particular region. Case-control populations can be genotyped for biallelic markers to identify associations that narrowly locate a trait causing allele. As any marker in linkage disequilibrium with one given marker associated with a trait will be associated with the trait. Linkage disequilibrium allows the relative frequencies in case-control populations of a limited number of genetic polymorphisms  
20 (specifically biallelic markers) to be analyzed as an alternative to screening all possible functional polymorphisms in order to find trait-causing alleles. Association studies compare the frequency of marker alleles in unrelated case-control populations, and represent powerful tools for the dissection of complex traits.

#### 1) Case-control populations (inclusion criteria)

25 Population-based association studies do not concern familial inheritance but compare the prevalence of a particular genetic marker, or a set of markers, in case-control populations. They are case-control studies based on comparison of unrelated case (affected or trait positive) individuals and unrelated control (unaffected or trait negative or random) individuals. Preferably the control group is composed of unaffected or trait negative individuals. Further, the  
30 control group is ethnically matched to the case population. Moreover, the control group is preferably matched to the case-population for the main known confusion factor for the trait under study (for example age-matched for an age-dependent trait). Ideally, individuals in the two samples are paired in such a way that they are expected to differ only in their disease status. In the following "trait positive population", "case population" and "affected population" are used  
35 interchangeably.

An important step in the dissection of complex traits using association studies is the choice of case-control populations (see Lander and Schork, *Science*, 265, 2037-2048, 1994). A

major step in the choice of case-control populations is the clinical definition of a given trait or phenotype. Any genetic trait may be analyzed by the association method proposed here by carefully selecting the individuals to be included in the trait positive and trait negative phenotypic groups. Four criteria are often useful: clinical phenotype, age at onset, family history and severity. The selection procedure for continuous or quantitative traits (such as blood pressure for example) involves selecting individuals at opposite ends of the phenotype distribution of the trait under study, so as to include in these trait positive and trait negative populations individuals with non-overlapping phenotypes. Preferably, case-control populations consist of phenotypically homogeneous populations. Trait positive and trait negative populations consist of phenotypically uniform populations of individuals representing each between 1 and 98%, preferably between 1 and 80%, more preferably between 1 and 50%, and more preferably between 1 and 30%, most preferably between 1 and 20% of the total population under study, and selected among individuals exhibiting non-overlapping phenotypes. The clearer the difference between the two trait phenotypes, the greater the probability of detecting an association with biallelic markers. The selection of those drastically different but relatively uniform phenotypes enables efficient comparisons in association studies and the possible detection of marked differences at the genetic level, provided that the sample sizes of the populations under study are significant enough.

In preferred embodiments, a first group of between 50 and 300 trait positive individuals, preferably about 100 individuals, are recruited according to their phenotypes. A similar number of trait negative individuals are included in such studies.

In the present invention, typical examples of inclusion criteria include a CNS disorder or the evaluation of the response to a drug acting on a CNS disorder or side effects to treatment with drugs acting on a CNS disorder.

Suitable examples of association studies using biallelic markers including the biallelic markers of the present invention, are studies involving the following populations:

a case population suffering from a CNS disorder and a healthy unaffected control population, or

a case population treated with agents acting on a CNS disorder suffering from side-effects resulting from the treatment and a control population treated with the same agents showing no side-effects, or

a case population treated with agents acting on a CNS disorder showing a beneficial response and a control population treated with same agents showing no beneficial response.

## 2) Association analysis

The general strategy to perform association studies using biallelic markers derived from a region carrying a candidate gene is to scan two groups of individuals (case-control populations)

in order to measure and statistically compare the allele frequencies of the biallelic markers of the present invention in both groups.

If a statistically significant association with a trait is identified for at least one or more of the analyzed biallelic markers, one can assume that: either the associated allele is directly responsible for causing the trait (the associated allele is the trait causing allele), or more likely the associated allele is in linkage disequilibrium with the trait causing allele. The specific characteristics of the associated allele with respect to the candidate gene function usually gives further insight into the relationship between the associated allele and the trait (causal or in linkage disequilibrium). If the evidence indicates that the associated allele within the candidate gene is most probably not the trait causing allele but is in linkage disequilibrium with the real trait causing allele, then the trait causing allele can be found by sequencing the vicinity of the associated marker.

Association studies are usually run in two successive steps. In a first phase, the frequencies of a reduced number of biallelic markers from one or several candidate genes are determined in the trait positive and trait negative populations. In a second phase of the analysis, the identity of the candidate gene and the position of the genetic loci responsible for the given trait is further refined using a higher density of markers from the relevant region. However, if the candidate gene under study is relatively small in length, as it is the case for many of the candidate genes analyzed included in the present invention, a single phase may be sufficient to establish significant associations.

### 3) Haplotype analysis

As described above, when a chromosome carrying a disease allele first appears in a population as a result of either mutation or migration, the mutant allele necessarily resides on a chromosome having a set of linked markers: the ancestral haplotype. This haplotype can be tracked through populations and its statistical association with a given trait can be analyzed. Complementing single point (allelic) association studies with multi-point association studies also called haplotype studies increases the statistical power of association studies. Thus, a haplotype association study allows one to define the frequency and the type of the ancestral carrier haplotype. A haplotype analysis is important in that it increases the statistical power of an analysis involving individual markers.

In a first stage of a haplotype frequency analysis, the frequency of the possible haplotypes based on various combinations of the identified biallelic markers of the invention is determined. The haplotype frequency is then compared for distinct populations of trait positive and control individuals. The number of trait positive individuals, which should be, subjected to this analysis to obtain statistically significant results usually ranges between 30 and 300, with a preferred number of individuals ranging between 50 and 150. The same considerations apply to the number of unaffected individuals (or random control) used in the study. The results of this

first analysis provide haplotype frequencies in case-control populations, for each evaluated haplotype frequency a p-value and an odd ratio are calculated. If a statistically significant association is found the relative risk for an individual carrying the given haplotype of being affected with the trait under study can be approximated.

5           4) Interaction analysis

The biallelic markers of the present invention may also be used to identify patterns of biallelic markers associated with detectable traits resulting from polygenic interactions. The analysis of genetic interaction between alleles at unlinked loci requires individual genotyping using the techniques described herein. The analysis of allelic interaction among a selected set of  
10 biallelic markers with appropriate level of statistical significance can be considered as a haplotype analysis. Interaction analysis consists in stratifying the case-control populations with respect to a given haplotype for the first loci and performing a haplotype analysis with the second loci with each subpopulation.

Statistical methods used in association studies are further described below in IV.C.

15           iv. Testing for linkage in the presence of association

The biallelic markers of the present invention may further be used in TDT (transmission/disequilibrium test). TDT tests for both linkage and association and is not affected by population stratification. TDT requires data from affected individuals and their parents or data from unaffected sibs instead of from parents (see Spielmann S. et al., *Am. J. Hum. Genet.*,  
20 52:506-516, 1993; Schaid D.J. et al., *Genet. Epidemiol.*, 13:423-450, 1996; Spielmann S. and Ewens W.J., *Am. J. Hum. Genet.*, 62:450-458, 1998). Such combined tests generally reduce the false – positive errors produced by separate analyses.

C. Statistical Methods

In general, any method known in the art to test whether a trait and a genotype show a  
25 statistically significant correlation may be used.

i. Methods in linkage analysis

Statistical methods and computer programs useful for linkage analysis are well-known to those skilled in the art (see Terwilliger J.D. and Ott J., *Handbook of Human Genetic Linkage*, John Hopkins University Press, London, 1994; Ott J., *Analysis of Human Genetic Linkage*, John  
30 Hopkins University Press, Baltimore, 1991).

ii. Methods to estimate haplotype frequencies in a population

As described above, when genotypes are scored, it is often not possible to distinguish heterozygotes so that haplotype frequencies cannot be easily inferred. When the gametic phase is not known, haplotype frequencies can be estimated from the multilocus genotypic data. Any  
35 method known to person skilled in the art can be used to estimate haplotype frequencies (see Lange K., *Mathematical and Statistical Methods for Genetic Analysis*, Springer, New York, 1997; Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer

*Assoc., Inc., Sunderland, MA, USA, 1996*). Preferably, maximum-likelihood haplotype frequencies are computed using an Expectation- Maximization (EM) algorithm (see Dempster et al., *J. R. Stat. Soc.*, 39B:1-38, 1977; Excoffier L. and Slatkin M., *Mol. Biol. Evol.*, 12(5): 921-927, 1995). This procedure is an iterative process aiming at obtaining maximum-likelihood estimates of haplotype frequencies from multi-locus genotype data when the gametic phase is unknown. Haplotype estimations are usually performed by applying the EM algorithm using for example the EM-HAPLO program (Hawley M.E. et al., *Am. J. Phys. Anthropol.*, 18:104, 1994) or the Arlequin program (Schneider et al., *Arlequin: a software for population genetics data analysis*, University of Geneva, 1997). The EM algorithm is a generalized iterative maximum likelihood approach to estimation and is briefly described below.

In what follows, phenotypes will refer to multi-locus genotypes with unknown haplotypic phase. Genotypes will refer to mutli-locus genotypes with known haplotypic phase.

Suppose one has a sample of  $N$  unrelated individuals typed for  $K$  markers. The data observed are the unknown-phase  $K$ -locus phenotypes that can be categorized with  $F$  different phenotypes. Further, suppose that we have  $H$  possible haplotypes (in the case of  $K$  biallelic markers, we have for the maximum number of possible haplotypes  $H=2^K$ ).

For phenotype  $j$  with  $c_j$  possible genotypes, we have:

$$P_j = \sum_{i=1}^{c_j} P(\text{genotype}(i)) = \sum_{i=1}^{c_j} P(h_k, h_l). \quad \text{Equation 1}$$

Here,  $P_j$  is the probability of the  $j^{\text{th}}$  phenotype, and  $P(h_k, h_l)$  is the probability of the  $i^{\text{th}}$  genotype composed of haplotypes  $h_k$  and  $h_l$ . Under random mating (*i.e.* Hardy-Weinberg Equilibrium),  $P(h_k, h_l)$  is expressed as:

$$\begin{aligned} P(h_k, h_l) &= P(h_k)^2 \text{ for } h_k = h_l, \text{ and} \\ P(h_k, h_l) &= 2P(h_k)P(h_l) \text{ for } h_k \neq h_l. \end{aligned} \quad \text{Equation 2}$$

The E-M algorithm is composed of the following steps: First, the genotype frequencies are estimated from a set of initial values of haplotype frequencies. These haplotype frequencies are denoted  $P_1^{(0)}, P_2^{(0)}, P_3^{(0)}, \dots, P_H^{(0)}$ . The initial values for the haplotype frequencies may be obtained from a random number generator or in some other way well known in the art. This step is referred to the Expectation step. The next step in the method, called the Maximization step, consists of using the estimates for the genotype frequencies to re-calculate the haplotype frequencies. The first iteration haplotype frequency estimates are denoted by  $P_1^{(1)}, P_2^{(1)}, P_3^{(1)}, \dots, P_H^{(1)}$ . In general, the Expectation step at the  $s^{\text{th}}$  iteration consists of calculating the probability of placing each phenotype into the different possible genotypes based on the haplotype frequencies of the previous iteration:



$$P(h_k, h_l)^{(s)} = \frac{n_j}{N} \left[ \frac{P_j(h_k, h_l)^{(s)}}{P_j} \right], \quad \text{Equation 3}$$

where  $n_j$  is the number of individuals with the  $j^{\text{th}}$  phenotype and  $P_j(h_k, h_l)^{(s)}$  is the probability of genotype  $h_k, h_l$  in phenotype  $j$ . In the Maximization step, which is equivalent to the gene-counting method (Smith, *Ann. Hum. Genet.*, 21:254-276, 1957), the haplotype frequencies are re-estimated based on the genotype estimates:

$$P_i^{(s+1)} = \frac{1}{2} \sum_{j=1}^F \sum_{l=1}^{c_j} \delta_{il} P_j(h_k, h_l)^{(s)}. \quad \text{Equation 4}$$

Here,  $\delta_{il}$  is an indicator variable which counts the number of occurrences that haplotype  $i$  is present in  $l^{\text{th}}$  genotype; it takes on values 0, 1, and 2.

The E-M iterations cease when the following criterion has been reached. Using Maximum Likelihood Estimation (MLE) theory, one assumes that the phenotypes  $j$  are distributed multinomially. At each iteration  $s$ , one can compute the likelihood function  $L$ . Convergence is achieved when the difference of the log-likelihood between two consecutive iterations is less than some small number, preferably  $10^{-7}$ .

### iii. Methods to calculate linkage disequilibrium between markers

A number of methods can be used to calculate linkage disequilibrium between any two genetic positions, in practice linkage disequilibrium is measured by applying a statistical association test to haplotype data taken from a population.

Linkage disequilibrium between any pair of biallelic markers comprising at least one of the biallelic markers of the present invention ( $M_i, M_j$ ) having alleles ( $a_i/b_i$ ) at marker  $M_i$  and alleles ( $a_j/b_j$ ) at marker  $M_j$  can be calculated for every allele combination ( $a_i, a_j; a_i, b_j; b_i, a_j$  and  $b_i, b_j$ ), according to the Piazza formula :

$$\Delta_{aiaj} = \sqrt{\theta 4} - \sqrt{(\theta 4 + \theta 3)(\theta 4 + \theta 2)}, \text{ where :}$$

$\theta 4 = --$  = frequency of genotypes not having allele  $a_i$  at  $M_i$  and not having allele  $a_j$  at  $M_j$

$\theta 3 = - +$  = frequency of genotypes not having allele  $a_i$  at  $M_i$  and having allele  $a_j$  at  $M_j$

$\theta 2 = + -$  = frequency of genotypes having allele  $a_i$  at  $M_i$  and not having allele  $a_j$  at  $M_j$

Linkage disequilibrium (LD) between pairs of biallelic markers ( $M_i, M_j$ ) can also be calculated for every allele combination ( $a_i, a_j; a_i, b_j; b_i, a_j$  and  $b_i, b_j$ ), according to the maximum-likelihood estimate (MLE) for delta (the composite genotypic disequilibrium coefficient), as described by Weir (Weir B.S., *Genetic Data Analysis*, Sinauer Ass. Eds, 1996). The MLE for the composite linkage disequilibrium is:

$$D_{aiaj} = (2n_1 + n_2 + n_3 + n_4/2)/N - 2(\text{pr}(a_i) \cdot \text{pr}(a_j))$$

Where  $n_1 = \Sigma$  phenotype ( $a_i/a_i, a_j/a_j$ ),  $n_2 = \Sigma$  phenotype ( $a_i/a_i, a_j/b_j$ ),  $n_3 = \Sigma$  phenotype ( $a_i/b_i, a_j/a_j$ ),  $n_4 = \Sigma$  phenotype ( $a_i/b_i, a_j/b_j$ ) and  $N$  is the number of individuals in the sample.

This formula allows linkage disequilibrium between alleles to be estimated when only genotype, and not haplotype, data are available.

Another means of calculating the linkage disequilibrium between markers is as follows. For a couple of biallelic markers,  $M_i (a_i/b_i)$  and  $M_j (a_j/b_j)$ , fitting the Hardy-Weinberg equilibrium, one can estimate the four possible haplotype frequencies in a given population according to the approach described above.

The estimation of gametic disequilibrium between  $a_i$  and  $a_j$  is simply:

$$D_{aiaj} = pr(haplotype(a_i, a_j)) - pr(a_i).pr(a_j).$$

Where  $pr(a_i)$  is the probability of allele  $a_i$  and  $pr(a_j)$  is the probability of allele  $a_j$  and where  $pr(haplotype(a_i, a_j))$  is estimated as in Equation 3 above.

For a couple of biallelic marker only one measure of disequilibrium is necessary to describe the association between  $M_i$  and  $M_j$ .

Then a normalised value of the above is calculated as follows:

$$D'_{aiaj} = D_{aiaj} / \max(-pr(a_i).pr(a_j), -pr(b_i).pr(b_j)) \text{ with } D_{aiaj} < 0$$

$$D'_{aiaj} = D_{aiaj} / \max(pr(b_i).pr(a_j), pr(a_i).pr(b_j)) \text{ with } D_{aiaj} > 0$$

The skilled person will readily appreciate that other LD calculation methods can be used without undue experimentation.

Linkage disequilibrium among a set of biallelic markers having an adequate heterozygosity rate can be determined by genotyping between 50 and 1000 unrelated individuals, preferably between 75 and 200, more preferably around 100.

#### iv. Testing for association

Methods for determining the statistical significance of a correlation between a phenotype and a genotype, in this case an allele at a biallelic marker or a haplotype made up of such alleles, may be determined by any statistical test known in the art and with any accepted threshold of statistical significance being required. The application of particular methods and thresholds of significance are well within the skill of the ordinary practitioner of the art.

Testing for association is performed by determining the frequency of a biallelic marker allele in case and control populations and comparing these frequencies with a statistical test to determine if there is a statistically significant difference in frequency which would indicate a correlation between the trait and the biallelic marker allele under study. Similarly, a haplotype analysis is performed by estimating the frequencies of all possible haplotypes for a given set of biallelic markers in case and control populations, and comparing these frequencies with a statistical test to determine if there is a statistically significant correlation between the haplotype and the phenotype (trait) under study. Any statistical tool useful to test for a statistically significant association between a genotype and a phenotype may be used. Preferably the statistical test employed is a chi-square test with one degree of freedom. A p-value is then

determined (the P-value is the probability that a statistic as large or larger than the observed one would occur by chance).

#### 1) Statistical significance

In preferred embodiments, significance for diagnostic purposes, either as a positive basis for further diagnostic tests or as a preliminary starting point for early preventive therapy, the p value related to a biallelic marker association is preferably about  $1 \times 10^{-2}$  or less, more preferably about  $1 \times 10^{-4}$  or less, for a single biallelic marker analysis and about  $1 \times 10^{-3}$  or less, still more preferably  $1 \times 10^{-6}$  or less and most preferably of about  $1 \times 10^{-8}$  or less, for a haplotype analysis involving several markers. These values are believed to be applicable to any association studies involving single or multiple marker combinations.

The skilled person can use the range of values set forth above as a starting point in order to carry out association studies with biallelic markers of the present invention. In doing so, significant associations between the biallelic markers of the present invention and CNS disorders can be revealed and used for diagnosis and drug screening purposes.

#### 2) Phenotypic permutation

In order to confirm the statistical significance of the first stage haplotype analysis described above, it might be suitable to perform further analyses in which genotyping data from case-control individuals are pooled and randomized with respect to the trait phenotype. Each individual genotyping data is randomly allocated to two groups, which contain the same number of individuals as the case-control populations used to compile the data obtained in the first stage. A second stage haplotype analysis is preferably run on these artificial groups, preferably for the markers included in the haplotype of the first stage analysis showing the highest relative risk coefficient. This experiment is re-iterated preferably at least between 100 and 10000 times. The repeated iterations allow the determination of the percentage of obtained haplotypes with a significant p-value level.

#### 3) Assessment of statistical association

To address the problem of false positives similar analysis may be performed with the same case-control populations in random genomic regions. Results in random regions and the candidate region are compared as described in US Provisional Patent Application entitled "Methods, software and apparatus for identifying genomic regions harbouring a gene associated with a detectable trait".

#### v. Evaluation of risk factors

The association between a risk factor (in genetic epidemiology the risk factor is the presence or the absence of a certain allele or haplotype at marker loci) and a disease is measured by the odds ratio (OR) and by the relative risk (RR). If  $P(R^+)$  is the probability of developing the disease for individuals with risk factor R and  $P(R^-)$  is the probability for individuals without the risk factor, then the relative risk is simply the ratio of the two probabilities, that is:

$$RR = P(R^+)/P(R^-)$$

In case-control studies, direct measures of the relative risk cannot be obtained because of the sampling design. However, the odds ratio allows a good approximation of the relative risk for low-incidence diseases and can be calculated:

$$OR = \left[ \frac{F^+}{1-F^+} \right] / \left[ \frac{F^-}{1-F^-} \right]$$

$$5 \quad OR = [F^+/(1-F^+)] / [F^-/(1-F^-)]$$

$F^+$  is the frequency of the exposure to the risk factor in cases and  $F^-$  is the frequency of the exposure to the risk factor in controls.  $F^+$  and  $F^-$  are calculated using the allelic or haplotype frequencies of the study and further depend on the underlying genetic model (dominant, recessive, additive...).

10 One can further estimate the attributable risk (AR) which describes the proportion of individuals in a population exhibiting a trait due to a given risk factor. This measure is important in quantitating the role of a specific factor in disease etiology and in terms of the public health impact of a risk factor. The public health relevance of this measure lies in estimating the proportion of cases of disease in the population that could be prevented if the exposure of interest  
15 were absent. AR is determined as follows:

$$AR = P_E (RR-1) / (P_E (RR-1)+1)$$

AR is the risk attributable to a biallelic marker allele or a biallelic marker haplotype.  $P_E$  is the frequency of exposure to an allele or a haplotype within the population at large; and RR is the relative risk which is approximated with the odds ratio when the trait under study has a relatively  
20 low incidence in the general population.

#### D. Association of Biallelic Markers of the Invention with Major Depression

In the context of the present invention, an association between biallelic marker alleles from candidate genes of the present invention and a CNS disorder was demonstrated. The considered CNS disorder was major depression.

25 Depression is a serious medical illness that affects 340 million people worldwide. In contrast to the normal emotional experiences of sadness, loss, or passing mood states, clinical depression is persistent and can interfere significantly with an individual's ability to function. Many neurochemical findings are coming to light implicating a biological basis for the depression, at least for certain subtypes. Abnormalities of monoamine function as well as over  
30 stimulation of the HPA axis have been recognized in depression for many years. Patterns of clustering and segregation in depressive families have suggested a genetic component to depression. However, the lack of a defined and specific depression phenotype and of suitable markers for genetic analysis is proving to be a major hurdle for reliably identifying genes associated with depression. As a result, psychiatrists today have to choose antidepressant

medications by intuition and trial and error, a situation that can put suicidal patients in jeopardy for weeks or months until the right compound is selected. Clearly, there is a strong need to successfully identify genes involved in depression; thus allowing researchers to understand the etiology of depression and address its cause, rather than symptoms.

5 As mentioned above, both the nervous system and endocrine system play a major role in the etiology of depression. More specifically, the neurotransmitters dopamine, norepinephrine and serotonin as well as the hormones corticotrophin releasing factor, glucocorticoids, mineralocorticoids and various neuropeptides are thought to play a major role in the pathophysiology of depression.

10 In order to investigate and identify a genetic origin of depression, a candidate gene scan for depression was conducted. The rational of this approach was to: 1) select candidate genes potentially involved in the pathophysiology of interest, in this case major depression, 2) to identify biallelic markers in those genes and finally 3) to measure the frequency of biallelic marker alleles in order to determine if some alleles are more frequent in depressed populations  
15 than in non-affected populations. Results were further validated by haplotype studies. Significant associations between biallelic marker alleles from the serotonin receptor 6 (5HTR6), serotonin 7 (5HTR7), serotonin transporter (5HTT), dopamine receptor 3 (DRD3), norepinephrine transporter (NET), guanine nucleotide binding protein,  $\beta 3$  (Gbeta3), glucocorticoid receptor (GRL), drug metabolizing enzyme cytochrome P450 3A4 (CYP3A4) and  
20 Wolfram Syndrome 1 (WFS1) genes and depression were demonstrated in the context of the present invention. Association studies are further described in Examples 3, 4 and 5.

This information is extremely valuable. The knowledge of a potential genetic predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy of depressed patients and to the development of diagnostic tools.

25 E. Identification of Biallelic Markers in Linkage Disequilibrium with the Biallelic Markers of the Invention

Once a first biallelic marker has been identified in a genomic region of interest, the practitioner of ordinary skill in the art, using the teachings of the present invention, can easily identify additional biallelic markers in linkage disequilibrium with this first marker. As  
30 mentioned before any marker in linkage disequilibrium with a first marker associated with a trait will be associated with the trait. Therefore, once an association has been demonstrated between a given biallelic marker and a trait, the discovery of additional biallelic markers associated with this trait is of great interest in order to increase the density of biallelic markers in this particular region. The causal gene or mutation will be found in the vicinity of the marker or set of markers  
35 showing the highest correlation with the trait.

Identification of additional markers in linkage disequilibrium with a given marker involves: (a) amplifying a genomic fragment comprising a first biallelic marker from a plurality

of individuals; (b) identifying of second biallelic markers in the genomic region harboring said first biallelic marker; (c) conducting a linkage disequilibrium analysis between said first biallelic marker and second biallelic markers; and (d) selecting said second biallelic markers as being in linkage disequilibrium with said first marker. Subcombinations comprising steps (b) and (c) are  
5 also contemplated.

Methods to identify biallelic markers and to conduct linkage disequilibrium analysis are described herein and can be carried out by the skilled person without undue experimentation. The present invention then also concerns biallelic markers which are in linkage disequilibrium with the specific biallelic markers shown in Table 7 and which are expected to present similar  
10 characteristics in terms of their respective association with a given trait.

#### F. Identification of Functional Mutations

Once a positive association is confirmed with a biallelic marker of the present invention, the associated candidate gene can be scanned for mutations by comparing the sequences of a selected number of trait positive and trait negative individuals. In a preferred embodiment,  
15 functional regions such as exons and splice sites, promoters and other regulatory regions of the candidate gene are scanned for mutations. Preferably, trait positive individuals carry the haplotype shown to be associated with the trait and trait negative individuals do not carry the haplotype or allele associated with the trait. The mutation detection procedure is essentially similar to that used for biallelic site identification.

20 The method used to detect such mutations generally comprises the following steps: (a) amplification of a region of the candidate gene comprising a biallelic marker or a group of biallelic markers associated with the trait from DNA samples of trait positive patients and trait negative controls; (b) sequencing of the amplified region; (c) comparison of DNA sequences from trait-positive patients and trait-negative controls; and (d) determination of mutations  
25 specific to trait-positive patients. Subcombinations which comprise steps (b) and (c) are specifically contemplated.

It is preferred that candidate polymorphisms be then verified by screening a larger population of cases and controls by means of any genotyping procedure such as those described herein, preferably using a microsequencing technique in an individual test format.

30 Polymorphisms are considered as candidate mutations when present in cases and controls at frequencies compatible with the expected association results.

#### VII. Biallelic Markers of the Invention in Methods of Genetic Diagnostics

The biallelic markers of the present invention can also be used to develop diagnostics  
35 tests capable of identifying individuals who express a detectable trait as the result of a specific genotype or individuals whose genotype places them at risk of developing a detectable trait at a subsequent time. The trait analyzed using the present diagnostics may be any detectable trait,

including a CNS disorder, a response to an agent acting on a CNS disorder or side effects to an agent acting on a CNS disorder.

The diagnostic techniques of the present invention may employ a variety of methodologies to determine whether a test subject has a biallelic marker pattern associated with an increased risk of developing a detectable trait or whether the individual suffers from a detectable trait as a result of a particular mutation, including methods which enable the analysis of individual chromosomes for haplotyping, such as family studies, single sperm DNA analysis or somatic hybrids.

The present invention provides diagnostic methods to determine whether an individual is at risk of developing a disease or suffers from a disease resulting from a mutation or a polymorphism in a candidate gene of the present invention. The present invention also provides methods to determine whether an individual is likely to respond positively to an agent acting on a CNS disorder or whether an individual is at risk of developing an adverse side effect to an agent acting on a CNS disorder.

These methods involve obtaining a nucleic acid sample from the individual and, determining, whether the nucleic acid sample contains at least one allele or at least one biallelic marker haplotype, indicative of a risk of developing the trait or indicative that the individual expresses the trait as a result of possessing a particular candidate gene polymorphism or mutation (trait-causing allele).

Preferably, in such diagnostic methods, a nucleic acid sample is obtained from the individual and this sample is genotyped using methods described herein. The diagnostics may be based on a single biallelic marker or on a group of biallelic markers.

In each of these methods, a nucleic acid sample is obtained from the test subject and the biallelic marker pattern of one or more of the biallelic markers listed in Table 7 is determined.

In one embodiment, PCR amplification is conducted on the nucleic acid sample to amplify regions in which polymorphisms associated with a detectable phenotype have been identified. The amplification products are sequenced to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype. The primers used to generate amplification products may comprise the primers listed in Table 13. Alternatively, the nucleic acid sample is subjected to microsequencing reactions as described above to determine whether the individual possesses one or more polymorphisms associated with a detectable phenotype resulting from a mutation or a polymorphism in a candidate gene. The primers used in the microsequencing reactions may include the primers listed in Table 12. In another embodiment, the nucleic acid sample is contacted with one or more allele specific oligonucleotide probes which, specifically hybridize to one or more candidate gene alleles associated with a detectable phenotype. The probes used in the hybridization assay may include the probes listed in Table 14.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR6 related biallelic marker selected from the group consisting of 99-27207-117, 99-28110-75, and 99-28134-215, is determined and the detectable trait is depression.

5 In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTR7 related biallelic marker selected from the group consisting of 99-32181-192 and 99-28106-185, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, GRL related biallelic marker selected from the group consisting of 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, and 99-30853-364, is determined and the detectable trait is  
10 depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, NET related biallelic marker selected from the group consisting of 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, and 16-50-196, is determined and the detectable trait is depression.

15 In a preferred embodiment the identity of the nucleotide present at, at least one, DRD3 related biallelic marker selected from the group consisting of 8-19-372, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, CYP3A4 related biallelic marker selected from the group consisting of 12-254-180, 10-214-279, and 10-20 217-91, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, 5HTT related biallelic marker selected from the group consisting of 18-194-130, 18-186-391, 18-198-252, and 18-242-300, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, Gbeta3 related  
25 biallelic marker selected from the group consisting of 20-205-302, 19-58-162, 19-9-45, 19-22-74, and 19-88-185, is determined and the detectable trait is depression.

In a preferred embodiment the identity of the nucleotide present at, at least one, WFS1 related biallelic marker selected from the group consisting of 19-18-310, 19-19-174, 19-17-188, and 19-16-127, is determined and the detectable trait is depression.

30 Diagnostic kits comprising polynucleotides of the present invention are further described in section I.

These diagnostic methods are extremely valuable as they can, in certain circumstances, be used to initiate preventive treatments or to allow an individual carrying a significant haplotype to foresee warning signs such as minor symptoms. In diseases in which attacks may be  
35 extremely violent and sometimes fatal if not treated on time, such as asthma, the knowledge of a potential predisposition, even if this predisposition is not absolute, might contribute in a very significant manner to treatment efficacy. Similarly, a diagnosed predisposition to a potential side



effect could immediately direct the physician toward a treatment for which such side effects have not been observed during clinical trials.

Diagnostics, which analyze and predict response to a drug or side effects to a drug, may be used to determine whether an individual should be treated with a particular drug. For example, if the diagnostic indicates a likelihood that an individual will respond positively to treatment with a particular drug, the drug may be administered to the individual. Conversely, if the diagnostic indicates that an individual is likely to respond negatively to treatment with a particular drug, an alternative course of treatment may be prescribed. A negative response may be defined as either the absence of an efficacious response or the presence of toxic side effects.

Clinical drug trials represent another application for the markers of the present invention. One or more markers indicative of response to an agent acting on a CNS disorder or to side effects to an agent acting on a CNS disorder may be identified using the methods described above. Thereafter, potential participants in clinical trials of such an agent may be screened to identify those individuals most likely to respond favorably to the drug and exclude those likely to experience side effects. In that way, the effectiveness of drug treatment may be measured in individuals who respond positively to the drug, without lowering the measurement as a result of the inclusion of individuals who are unlikely to respond positively in the study and without risking undesirable safety problems.

#### VIII. DNA Typing Methods and Systems

The present invention also encompasses a DNA typing system having a much higher discriminatory power than currently available typing systems. The systems and associated methods are particularly applicable in the identification of individuals for forensic science and paternity determinations. These applications have become increasingly important; in forensic science, for example, the identification of individuals by polymorphism analysis has become widely accepted by courts as evidence.

While forensic geneticists have developed many techniques to compare homologous segments of DNA to determine if the segments are identical or if they differ in one or more nucleotides, each technique still has certain disadvantages. In particular, the techniques vary widely in terms of expense of analysis, time required to carry out an analysis and statistical power.

##### RFLP analysis methods

The best known and most widespread method in forensic DNA typing is the restriction fragment length polymorphism (RFLP) analysis. In RFLP testing, a repetitive DNA sequence referred to as a variable number tandem repeat (VNTR) which varies between individuals is analyzed. The core repeat is typically a sequence of about 15 base pairs in length; and highly polymorphic VNTR loci can have an average of about 20 alleles. DNA restriction sites located

on either site of the VNTR are exploited to create DNA fragments from about 0.5Kb to less than 10Kb which are then separated by electrophoresis, indicating the number of repeats found in the individual at the particular loci. RFLP methods generally consist of (1) extraction and isolation of DNA, (2) restriction endonuclease digestion; (3) separation of DNA fragments by electrophoresis; (4) capillary transfer; (5) hybridization with radiolabelled probes; (6) autoradiography; and (7) interpretation of results (Lee, H.C. et al., Am. J. Forensic. Med. Pathol. 15(4): 269-282 (1994)). RFLP methods generally combine analysis at about 5 loci and have much higher discriminate potential than other available test due the highly polymorphic nature of the VNTRs. However, autoradiography is costly and time consuming and an analysis generally takes weeks or months for turnaround. Additionally, a large amount of sample DNA is required, which is often not available at a crime scene. Furthermore, the reliability of the system and its credibility as evidence is decreased because the analysis of tightly spaced bands on electrophoresis results in a high rate of error.

#### PCR methods

PCR based methods offer an alternative to RFLP methods. In a first method called AmpFLP, DNA fragments containing VNTRs are amplified and then separated electrophoretically, without the restriction step of RFLP method. While this method allows small quantities of sample DNA to be used, decreases analysis time by avoiding autoradiography, and retains high discriminatory potential, it nevertheless requires electrophoretic separation which takes substantial time and introduces an significant error rate. In another AmpFLP method, short tandem repeats (STRs) of 2 to 8 base pairs are analyzed. STRs are more suitable to analysis of degraded DNA samples since they require smaller amplified fragments but have the disadvantage of requiring separation of the amplified fragments. While STRs are far less informative than longer repeats, similar discriminatory potential can be achieved if enough STRs are used in a single analysis.

Other methods include sequencing of mitochondrial DNA, which is especially suitable for situations where sample DNA is very degraded or in small quantities. However, only a small region of 1Kb of the mitochondrial DNA referred to as the D-Loop locus has been found useful for typing because of its polymorphic nature, resulting in lower discriminatory potential than with RFLP or AmpFLP methods. Furthermore, DNA sequencing is expensive to carry out on a large number of samples.

Further available methods include dot-blot methods, which involve using allele specific oligonucleotide probes which hybridize sequence specifically to one allele of a polymorphic site. Systems include the HLA DQ-alpha kit developed by Cetus Corp. which has a discriminatory value of about 1 in 20, and a dot-blot strip referred to as the Polymarker strip combining five genetic loci for a discriminatory value of about one in a few thousand. (Weedn, V., Clinics in Lab. Med. 16(1): 187-196 (1996)).

In addition to difficulties in analysis and time consuming laboratory procedures, it remains desirable for all DNA typing systems to have a higher discriminatory power. Several applications exist in which even the most discriminating tests need improvement in order to remove the considerable remaining doubt resulting from such analyses. Table 3 below lists characteristics of currently available forensic testing systems (Weedn, (1996)) and compares them with the method of the invention.

Table 3

<i>Test type</i>	<i>Technology</i>	<i>Turnaround time</i>	<i>Discriminatory potential</i>	<i>Sensitivity (amount DNA)</i>	<i>Sample</i>
RFLP	VNTR (autoradiography)	Weeks or months	$10^6$ to $10^9$	10ng	Highly intact DNA
AmpFLP	VNTR (PCR based)	Days	$10^3$ to $10^6$	100pg	Moderate degradation
Dot blot (ex. HLADQA1)	Sequence specific oligonucleotide probes	Days	$10^1$ to $10^3$	1ng	Moderate degradation
Mitochondrial DNA	D-loop sequence (PCR based)	Days	$10^2$	1pg	Severe degradation
Present marker set	Biallelic Markers (set of 13, set of 100, set of 200, set of 270)	Hours to Days (throughput dependent)	$10^6$ , $10^{47}$ , $10^{238}$	100pg	Moderate degradation

#### Applications

As described above, an important application of DNA typing tests is to determine whether a DNA sample (e.g. from a crime scene) originated from an individual suspected of leaving said DNA sample.

There are several applications for DNA typing which require a particularly powerful genotyping system. In a first application, a high powered typing system is advantageous when for example a suspect is identified by searching a DNA profile database such as that maintained by the U.S. Federal Bureau of Investigation. Since databases may contain large numbers of data entries that are expected to increase consistently, currently used forensic systems can be expected to identify several matching DNA profiles due to their relative lack of power. While database searches generally reinforce the evidence by excluding other possible suspects, low powered typing systems resulting in the identification of several individuals may often tend to diminish the overall case against a defendant.

In another application, a target population is systematically tested to identify an individual having the same DNA profile as that of a DNA sample. In such a situation, a defendant is chosen at random based on DNA profile from a large population of innocent individuals. Since the population tested can often be large enough that at least one positive match is identified, and it is usually not possible to exhaustively test a population, the usefulness of the evidence will depend on the level of significance of the forensic test. In order to render such an application useful as a sole or primary source of evidence, DNA typing systems of extremely high discriminatory potential are required.

In yet another application, it is desirable to be able to discriminate between related individuals. Because related individuals will be expected to share a large portion of alleles at polymorphic sites, a very high powered DNA typing assay would be required to discriminate between them. This can have important effects if a sample is found to match the defendant's DNA profile and no evidence that the perpetrator is a relative can be found.

Accordingly, there is a need in this art for a rapid, simple, inexpensive and accurate technique having a very high resolution value to determine relationships between individuals and differences in degree of relationships. Also, there is a need in the art for a very accurate genetic relationship test procedure which uses very small amounts of an original DNA sample, yet produces very accurate results.

The present invention thus involves methods for the identification of individuals comprising determining the identity of the nucleotides at a set of genetic markers in a biological sample, wherein said set of genetic markers comprises at least one CNS disorder-related marker. The present invention provides an extensive set of biallelic markers allowing a higher discriminatory potential than the genetic markers used in current forensic typing systems. Also, biallelic markers can be genotyped in individuals with much higher efficiency and accuracy than the genetic markers used in current forensic typing systems. In preferred embodiments, the invention comprises determining the identity of a nucleotide at a CNS disorder-related marker by single nucleotide primer extension, which does not require electrophoresis as in techniques described above and results in lower rate of experimental error. As shown in Table 3, above, in comparison with PCR based VNTR based methods which allow discriminatory potential of thousands to millions, and RFLP based methods which allow discriminatory potential of merely millions to billions under optimal assumptions, the biallelic marker based method of the present invention provides a radical increase in discriminatory potential.

Any suitable set of genetic markers and biallelic markers of the invention may be used, and may be selected according to the discriminatory power desired. Biallelic markers, sets of biallelic markers, probes, primers, and methods for determining the identity of said biallelic markers are further described herein.

#### Discriminatory potential of biallelic marker typing

### Calculating discriminatory potential

The discriminatory potential of the forensic test can be determined in terms of the profile frequency, also referred to as the random match probability, by applying the product rule. The product rule involves multiplying the allelic frequencies of all the individual alleles tested, and multiplying by an additional factor of 2 for each heterozygous locus.

In one example discussed below, the discriminatory potential of biallelic marker typing can be considered in the context of forensic science. In order to determine the discriminatory potential with respect to the numbers of biallelic markers to be used in a genetic typing system, the formulas and calculations below assume that (1) the population under study is sufficiently large (so that we can assume no consanguinity); (2) all markers chosen are not correlated, so that the product rule (Lander and Budlowle (1992)) can be applied; and (3) the ceiling rule can be applied or that the allelic frequencies of markers in the population under study are known with sufficient accuracy.

As noted in Weir, B.S., *Genetic data Analysis II: Methods for Discrete population genetic Data*, Sinauer Assoc., Inc., Sunderland, MA, USA, 1996, the example assumes a crime has been committed and a sample of DNA from the perpetrator (P) is available for analysis. The genotype of this DNA sample can be determined for several genetic markers, and the profile A of the perpetrator can thereby be determined.

In this example, one suspect (S) is available for typing. The same set of genetic markers, such as the biallelic markers of the invention, are typed and the same profile A is obtained for (S) and (P). Two hypotheses are thus presented as follows:

- (1) either S is P (event C)
- (2) either S is not P (event  $\bar{C}$ ).

The ratio L of both probabilities can then be calculated using the following equation:

$$L = \frac{pr(S = A, P = A / C)}{pr(S = A, P = A / \bar{C})}$$

L can then further be calculated by the following equation:

$$L = \frac{1}{pr(P = A / S = A, \bar{C})} \quad (1) \text{ Equation 1}$$

These probabilities as well as L can be calculated in several settings, notably for different kinship coefficients between P and S for a genetic marker (see Weir, (1996)).

Assuming that all genetic markers chosen are independent of each other, the global ratio L for a set of genetic markers will be the product over each genetic marker of all L.

It is further possible to estimate the mean number of biallelic markers or VNTRs required to have a ratio L equal to  $10^8$  or  $10^6$  by calculating the expectancy of the random variable L using the following equation:

$$E(L) = \prod_{i=1}^N E(L_i) \text{ where } N \text{ is the number of loci}$$

$$E(L_i) = \sum_{j=1}^{G_i} \text{pr}(P = A_{ij} / S = A_{ij}, \bar{C}) \cdot L_{ij}, \text{ where } A_{ij} \text{ is the genotype } j \text{ at the } i\text{th marker,}$$

$L_{ij}$  the ratio associated with such genotype,  $G_i$  being the number of genotypes at locus  $i$ .

From equation 1, it can easily be derived that the expectancy of  $L_i$  is  $G_i$ , the number of possible genotypes of this marker.

The general expectancy for a set of genetic markers can then be expressed by the following equation:

$$E(L) = \prod_{i=1}^N G_i \quad (2) \text{ Equation 2}$$

#### Biallelic marker-based DNA typing systems

Using the equations described above, it is possible to select biallelic marker-based DNA typing systems having a desired discriminatory potential.

Using biallelic markers,  $E(L)$  can thus be expressed as  $3^N$ . When using VNTR-based DNA typing systems, assuming the VNTRs have 10 alleles,  $E(L)$  can be expressed as  $55^N$ . Based on these results, the number of biallelic markers or VNTRs needed to obtain, in mean, a ratio of at least  $10^6$  or  $10^8$  can be calculated, and are set forth below in Table 4.

Table 4

Marker sets	$L=10^6$	$L=10^8$
Biallelic	13	17
5-allele markers (e.g. VNTR)	5	7
10-allele markers (e.g. VNTR)	4	5

Thus, in a first embodiment, DNA typing systems and methods of the invention may comprise genotyping a set of at least 13 or at least 17 biallelic markers to obtain a ratio of at least  $10^6$  or  $10^8$ , assuming a flat distribution of  $L$  across the biallelic markers. In preferred embodiments, a greater number of biallelic markers is genotyped to obtain a higher  $L$  value. Preferably at least 1, 2, 3, 4, 5, 10, 13, 15, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of the CNS disorder-related markers are genotyped. Said DNA typing systems of the invention would result in  $L$  values as listed in Table 5 below as an indication of the discriminate potential of the systems of the invention.

Table 5

Number of biallelic markers	$L$
-----------------------------	-----

50	$7.2 * 10^{23}$
100	$5 * 10^{47}$
271	$3^{271}$

In situations where the distribution of  $L$  is not flat, such as in the worst case when the perpetrator is homozygous for the major allele at each genetic locus and  $L$  thus takes the lowest value, a larger number of biallelic markers is required for the same discriminatory potential.

5 Therefore, in preferred embodiments, DNA typing systems and methods of the invention using a larger number of biallelic markers allow for uneven distributions of  $L$  across the biallelic markers. For example, assuming unrelated individuals, a set of independent markers having an allelic frequency of 0.1/0.9, and the genetic profile of a homozygote at each genetic loci for the major allele, 66 biallelic markers are required to obtain a ratio of  $10^6$ , and 88 biallelic markers are  
 10 required to obtain a ratio of  $10^8$ . Thus, in preferred embodiments based on the use of markers having a major allele of sufficiently high frequency, this is a first estimation of the upper bound of markers required in a DNA typing system.

In further embodiments, it is also desirable to have the ability to discriminate between relatives. Although unrelated individuals have a low probability of sharing genetic profiles, the  
 15 probability is greatly increased for relatives. For example, the DNA profile of a suspect matches the DNA profile of a sample at a crime scene, and the probability of obtaining the same DNA profile if left by an untyped relative is required. Table 6 below (Weir (1996)) lists probabilities for several different types of relationships, assuming alleles  $A_i$  and  $A_j$ , and population  
 frequencies  $p_i$  and  $p_j$ , and lists likelihood ratios assuming genetic loci having allele frequencies  
 20 of 0.1.

Table 6

Genotype	Relationship	$\Pr(p=A S=A)$	$L$
$A_i A_j$	Full brothers	$(1+p_i+p_j+2p_i p_j)/4$	3.3
	Father and son	$(p_i+p_j)/2$	10.0
	Half brothers	$(p_i+p_j+4p_i p_j)/4$	16.7
	Uncle and nephew	$(1+p_i+p_j+2p_i p_j)/4$	16.7
	First cousins	$(1+p_i+p_j+12p_i p_j)/8$	25.0
	Unrelated	$2p_i p_j$	50.0
$A_j A_j$	Full brothers	$(1+p_i)^2/4$	3.3

Father and son	$P_i$	10.0
Half brothers	$P_i (1+P_i)/2$	18.2
Uncle and nephew	$P_i (1+P_i)/2$	18.2
First cousins	$P_i (1+3P_i)/4$	30.8
Unrelated	$P_i^2$	100.0

In one example, where the suspect is the full brother of the perpetrator, the number of required biallelic markers will be 187 assuming the profile is that of a homozygote for the major allele at each biallelic marker.

5 In yet further embodiments, the DNA typing systems and methods of the present invention may further take into account effects of subpopulations on the discriminatory potential. In embodiments described above for example, DNA typing systems consider close familial relationships, but do not take into account membership in the same population. While population membership is expected to have little effect, the invention may further comprise genotyping a  
10 larger set of biallelic markers to achieve higher discriminatory potential. Alternatively, a larger set of biallelic markers may be optimized for typing selected populations; alternatively, the ceiling principle may be used to study allele frequencies from individuals in various populations of interest, taking for any particular genotype the maximum allele frequency found among the populations.

15 The invention thus encompasses methods for genotyping comprising determining the identity of a nucleotide at least 13, 15, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200, or 250, 500, 700, 1000 or 2000 biallelic markers in a biological sample, wherein at least 1, 2, 3, 4, 5, 10, 13, 17, 20, 25, 30, 40, 50, 70, 85, 100, 150, 200, 250 or all of said biallelic markers are CNS disorder-related markers selected from the group consisting of SEQ ID NOS: 1-271.

20 Any markers known in the art may be used with the CNS disorder-related markers of the present invention in the DNA typing methods and systems described herein, for example in anyone of the following web sites offering collections of SNPs and information about those SNPs:

*The Genetic Annotation Initiative* (<http://cgap.nci.nih.gov/GAI/>). An NIH run site  
25 which contains information on candidate SNPs thought to be related to cancer and tumorigenesis generally.

*dbSNP Polymorphism Repository* (<http://www.ncbi.nlm.nih.gov/SNP/>). A more comprehensive NIH-run database containing information on SNPs with broad applicability in biomedical research.

30 *HUGO Mutation Database Initiative*  
(<http://ariel.ucs.unimelb.edu.au:80/~cotton/mdi.htm>). A database meant to provide systematic



access to information about human mutations including SNPs. This site is maintained by the Human Genome Organisation (HUGO).

*Human SNP Database* (<http://www.genome.wi.mit.edu/SNP/human/index.html>).

Managed by the Whitehead Institute for Biomedical Research Genome Institute, this site contains  
5 information about SNPs resulting from the many Whitehead research projects on mapping and sequencing.

*SNPs in the Human-Genome SNP database* (<http://www.ihc.wustl.edu/SNP>). This website provides access to SNPs that have been organized by chromosomes and cytogenetic location. The site is run by Washington University.

10 *HGBase* (<http://hgbase.cgr.ki.se/>). HGBASE is an attempt to summarize all known sequence variations in the human genome, to facilitate research into how genotypes affect common diseases, drug responses, and other complex phenotypes, and is run by the Karolinska Institute of Sweden.

*The SNP Consortium Database* (<http://snp.cshl.org/db/snp/map>). A collection of SNPs  
15 and related information resulting from the collaborative effort of a number of large pharmaceutical and information processing companies.

*GeneSNPs* (<http://www.genome.utah.edu/genesnps/>). Run by the University of Utah, this site contains information about SNPs resulting from the U. S. National Institute of Environmental Health's initiative to understand the relationship between genetic variation and response to  
20 environmental stimuli and xenobiotics.

In addition, biallelic markers provided in the following patents and patent applications may also be used with the map-related biallelic markers of the invention in the DNA typing methods and systems described above: US Serial No. 60/206,615, filed 24 March 2000; US  
25 Serial No. 60/216,745, filed 30 June 2000; WIPO Serial No. PCT/IB00/00184, filed 11 February 2000; WIPO Serial No. PCT/IB98/01193, filed 17 July 1998; PCT Publication No. WO 99/54500, filed 21 April 1999; and WIPO Serial No. PCT/IB00/00403, filed 24 March 2000.

Biallelic markers, sets of biallelic markers, probes, primers, and methods for determining the identity of a nucleotide at said biallelic markers are also encompassed and are further described herein, and may encompass any further limitation described in this disclosure, alone or  
30 in any combination.

Forensic matching by microsequencing is further described in Example 6 below.

Throughout this application, various publications, patents, and published patent applications are cited. The disclosures of the publications, patents, and published patent  
35 specifications referenced in this application are hereby incorporated by reference into the present disclosure to more fully describe the state of the art to which this invention pertains.

### EXAMPLES

Several of the methods of the present invention are described in the following examples, which are offered by way of illustration and not by way of limitation. Many other modifications and variations of the invention as herein set forth can be made without departing from the spirit and scope thereof and therefore only such limitations should be imposed as are indicated by the appended claims.

#### Example 1: *De Novo* Identification of Biallelic Markers

The biallelic markers set forth in this application were isolated from human genomic sequences. To identify biallelic markers, genomic fragments were amplified, sequenced and compared in a plurality of individuals.

#### DNA samples

Donors were unrelated and healthy. They represented a sufficient diversity for being representative of a French heterogeneous population. The DNA from 100 individuals was extracted and tested for the *de novo* identification of biallelic markers.

DNA samples were prepared peripheral venous blood as follows. 30 ml of peripheral venous blood were taken from each donor in the presence of EDTA. Cells (pellet) were collected after centrifugation for 10 minutes at 2000 rpm. Red cells were lysed in a lysis solution (50 ml final volume: 10 mM Tris pH7.6; 5 mM MgCl<sub>2</sub>; 10 mM NaCl). The solution was centrifuged (10 minutes, 2000 rpm) as many times as necessary to eliminate the residual red cells present in the supernatant, after resuspension of the pellet in the lysis solution. The pellet of white cells was lysed overnight at 42°C with 3.7 ml of lysis solution composed of: (a) 3 ml TE 10-2 (Tris-HCl 10 mM, EDTA 2 mM) / NaCl 0.4 M; (b) 200 µl SDS 10%; and (c) 500 µl proteinase K (2 mg proteinase K in TE 10-2 / NaCl 0.4 M).

For the extraction of proteins, 1 ml saturated NaCl (6M) (1/3.5 v/v) was added. After vigorous agitation, the solution was centrifuged for 20 minutes at 10000 rpm. For the precipitation of DNA, 2 to 3 volumes of 100% ethanol were added to the previous supernatant, and the solution was centrifuged for 30 minutes at 2000 rpm. The DNA solution was rinsed three times with 70% ethanol to eliminate salts, and centrifuged for 20 minutes at 2000 rpm. The pellet was dried at 37°C, and resuspended in 1 ml TE 10-1 or 1 ml water. The DNA concentration was evaluated by measuring the optical density (OD) at 260 nm (1 unit OD = 50 µg/ml DNA). To determine the presence of proteins in the DNA solution, the OD 260 / OD 280 ratio was determined. Only DNA preparations having a OD 260 / OD 280 ratio between 1.8 and 2 were used in the subsequent examples described below. DNA pools were constituted by mixing equivalent quantities of DNA from each individual.

Amplification of genomic DNA by PCR

Amplification of specific genomic sequences was carried out on pooled DNA samples obtained as described above.

Amplification primers

5 The primers used for the amplification of human genomic DNA fragments were defined with the OSP software (Hillier & Green, 1991). Preferably, primers included, upstream of the specific bases targeted for amplification, a common oligonucleotide tail useful for sequencing. Primers PU contain the following additional PU 5' sequence : TGTAACGACGGCCAGT; primers RP contain the following RP 5' sequence : CAGGAAACAGCTATGACC. Primers are  
10 listed in Table 12.

Amplification

PCR assays were performed using the following protocol:

	Final volume	25 $\mu$ l
15	DNA	2 ng/ $\mu$ l
	MgCl <sub>2</sub>	2 mM
	dNTP (each)	200 $\mu$ M
	primer (each)	2.9 ng/ $\mu$ l
	Ampli Taq Gold DNA polymerase	0.05 unit/ $\mu$ l
20	PCR buffer (10x = 0.1 M TrisHCl pH8.3 0.5M KCl)	1x

DNA amplification was performed on a Genius II thermocycler. After heating at 94°C for 10 min, 40 cycles were performed. Cycling times and temperatures were: 30 sec at 94°C, 55°C for 1 min and 30 sec at 72°C. Holding for 7 min at 72°C allowed final elongation. The  
25 quantities of the amplification products obtained were determined on 96-well microtiter plates, using a fluorometer and Picogreen as intercalant agent (Molecular Probes).

Sequencing of amplified genomic DNA and identification of biallelic polymorphisms

Sequencing of the amplified DNA was carried out on ABI 377 sequencers. The  
30 sequences of the amplification products were determined using automated dideoxy terminator sequencing reactions with a dye terminator cycle sequencing protocol. The products of the sequencing reactions were run on sequencing gels and the sequences were determined using gel image analysis (ABI Prism DNA Sequencing Analysis software 2.1.2 version).

The sequence data were further evaluated to detect the presence of biallelic markers  
35 within the amplified fragments. The polymorphism search was based on the presence of superimposed peaks in the electrophoresis pattern resulting from different bases occurring at the same position. However, the presence of two peaks can be an artifact due to background noise.

To exclude such an artifact, the two DNA strands were sequenced and a comparison between the two strands was carried out. In order to be registered as a polymorphic sequence, the polymorphism had to be detected on both strands. Further, some biallelic single nucleotide polymorphisms were confirmed by microsequencing as described below.

5 Biallelic markers were identified in the analyzed fragments and are shown in Table 7.

#### Example 2: Genotyping of Biallelic Markers

The biallelic markers identified as described above were further confirmed and their respective frequencies were determined through microsequencing. Microsequencing was carried out on individual DNA samples obtained as described herein.

#### Microsequencing primers

Amplification of genomic DNA fragments from individual DNA samples was performed as described in Example 1 using the same set of PCR primers (Table 12). Microsequencing was carried out on the amplified fragments using specific primers. See Table 13. The preferred primers used in microsequencing had about 19 nucleotides in length and hybridized just upstream of the considered polymorphic base.

The microsequencing reactions were performed as follows: 5 µl of PCR products were added to 5 µl purification mix (2U SAP (Shrimp alkaline phosphate) (Amersham E70092X)); 2U Exonuclease I (Amersham E70073Z); and 1 µl SAP buffer (200 mM Tris-HCl pH8, 100 mM MgCl<sub>2</sub>) in a microtiter plate. The reaction mixture was incubated 30 minutes at 37°C; and denatured 10 minutes at 94°C afterwards. To each well was then added 20 µl of microsequencing reaction mixture containing: 10 pmol microsequencing oligonucleotide (19mers, GENSET, crude synthesis, 5 OD), 1 U Thermosequenase (Amersham E79000G), 1.25 µl Thermosequenase buffer (260 mM Tris HCl pH 9.5, 65 mM MgCl<sub>2</sub>), and the two appropriate fluorescent ddNTPs complementary to the nucleotides at the polymorphic site corresponding to both polymorphic bases (11.25 nM TAMRA-ddTTP ; 16.25 nM ROX-ddCTP ; 1.675 nM REG-ddATP ; 1.25 nM RHO-ddGTP ; Perkin Elmer, Dye Terminator Set 401095). After 4 minutes at 94°C, 20 PCR cycles of 15 sec at 55°C, 5 sec at 72°C, and 10 sec at 94°C were carried out in a Tetrad PTC-225 thermocycler (MJ Research). The microtiter plate was centrifuged 10 sec at 1500 rpm. The unincorporated dye terminators were removed by precipitation with 19 µl MgCl<sub>2</sub> 2mM and 55 µl 100 % ethanol. After 15 minute incubation at room temperature, the microtiter plate was centrifuged at 3300 rpm 15 minutes at 4°C. After discarding the supernatants, the microplate was evaporated to dryness under reduced pressure (Speed Vac). Samples were resuspended in 2.5 µl formamide EDTA loading buffer and heated for 2 min at 95°C. 0.8 µl microsequencing reaction were loaded on a 10 % (19:1) polyacrylamide sequencing gel. The

data were collected by an ABI PRISM 377 DNA sequencer and processed using the GENESCAN software (Perkin Elmer).

#### Frequency of biallelic markers

Frequencies are reported for the less common allele only and are shown in Table 7.

5

#### Example 3: Association Study Between Major Depression and the Biallelic Markers of Candidate Genes

##### Collection of DNA samples from affected and non-affected individuals

- 10 The disease trait followed in this association study was major depression, a complex disorder believed to involve several neurotransmitter pathways including those utilizing norepinephrine and serotonin. The depressed patient population consists of 140 individuals that participated in a clinical study for the evaluation of the anti-depressant compound Reboxetine (Montgomery S.A. and Schatzberg A.F.; *Journal Clin. Psychiatry* 59(suppl 14): 3-7, 1998).
- 15 Approximately 90% of these individuals were from a Caucasian ethnic background. The control population consisted of 94 individuals from a Caucasian population that had been found not to have any personal or family evidence of psychiatric disease.

##### Genotyping of affected and control individuals

- 20 The general strategy was to individually determine allele frequencies of biallelic markers in all individuals from each population described above. Allele frequencies of the biallelic markers were determined by performing microsequencing reactions on amplified DNA fragments obtained from genomic PCR performed on DNA samples from each individual. Genomic PCR and microsequencing were performed as detailed above in Examples 1 and 2.

##### Frequency of the biallelic markers alleles and genotypes of candidate gene and association with major depression

- 25 Frequencies of biallelic marker alleles were compared in the case-control populations described above. The data in Table 15 show the p-value obtained for each marker typed for each candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes
- 30 were significant at the 5% level for allele frequency differences while seven markers from 6 of 19 candidate genes were significant at the 5% level for genotype frequency differences. In 4 cases, the same marker was significant at the 5% level for both allele and genotype frequency differences. This occurred for markers from the genes 5HTR6, 5HTR7, NET, and Gbeta3. These genes all participate in the mechanism of either serotonin or norepinephrine
- 35 neurotransmission.

##### Haplotype frequency analysis

The results of the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 17 and 18. Haplotype analyses for the candidate genes were performed by estimating the frequencies of all 2, 3, and 4 marker haplotypes in the depressed and control populations. Haplotype estimations were performed by applying the Expectation-

5 Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

10 The results of the Omnibus LR test are shown in Table 16. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in a double-line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from

15 the genes NET and Gbeta3 appear as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 17. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration

20 of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, only NET contributes to the top percentiles of each category of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 4,

25 3, and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned Gbeta3 and 5HTR7 as well as WFS1, GRL, 5HTT and DRD3.

Two preferred haplotypes can be constructed from markers derived from the NET gene. One consists of markers 99-28788/300, 99-32061/304, and 99-32121/242 each manifesting the G

30 allele. The GGG haplotype is present in only 1% of depressed cases vs. 7% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is  $2 \times 10^{-4}$  and the p-value for this group of markers is  $2 \times 10^{-3}$  by Omnibus LR test suggesting that the result is highly significant. A second haplotype consists of markers 16-3/199, 16-28/93, and 16-50/196 manifesting alleles TCT respectively. The haplotype TCT is present in only 30% of cases vs.

35 43% of controls. The p-value by permutation test is  $9 \times 10^{-4}$  and the p-value for this group of markers is  $8.9 \times 10^{-4}$  by Omnibus LR test, also indicating a high level of significance.

Another example of a preferred haplotype comes from markers 16-16/285, 16-17/121, and 16-106/364 which are derived from the gene Gbeta3. The haplotype TTC is present in 21% of cases vs. 35% of controls. The p-value by permutation test is  $1 \times 10^{-3}$  and the p-value for this group of markers is  $1 \times 10^{-4}$  by Omnibus LR test, indicating a high level of significance.

5

Example 4: Association Study Between Major Depression and the Biallelic Markers of Candidate Genes

The association analysis of Example 3 was repeated using a different population set as described below. In general, these estimates agreed with the frequencies observed in the first screening within a few percent. Statistical assessments of haplotype frequency differences between depressed cases and controls were made by Omnibus LR tests and individual haplotype tests.

For Omnibus analyses, WFS1 marker combinations showed the most significant ( $p < 0.01$ ) differences between the depressed cases and controls for 2, 3, and 4 locus haplotypes. Strongest among these associations were combinations of markers spanning the core exonic region of the WFS1 gene including 19-17/188, 19-19/174, and 24-243/346. Several NET marker combinations showed significant associations ( $p < 0.05$ ) including those from the 5' flanking region and those from the exonic region. When compared to the distribution of Omnibus p-values observed in the 1<sup>st</sup> screening, 11 WFS1 marker combinations would have been among the top 5% of observed Omnibus p-values whereas 2 NET marker combinations would have been among the top 5%.

For individual haplotypes, haplotype GT from WFS1 markers 19-17/188 and 24-243/346 showed an 11% difference (37% cases vs. 26% controls,  $p < 0.001$ ). A similar difference was observed for haplotype GC from WFS1 markers 19-17/188 and 19-19/174 and GCT from all three markers ( $p < 0.005$ ). Several NET haplotypes showed >10% frequency differences between cases and controls ( $p < 0.01$ ). When compared to the distribution of individual haplotype p-values observed in the first screening, 6 WFS1 marker combinations would have been among the top 1% of observed individual haplotype p-values.

Frequency of the biallelic markers alleles and genotypes of candidate gene and association with major depression

Frequencies of biallelic marker alleles were compared in the case-control populations described above. The data in Table 18 show the p-value obtained for each marker typed for each candidate gene for individual alleles and genotypes. Nine markers from 7 of 19 candidate genes were significant at the 5% level for allele frequency differences while seven markers from 6 of 19 candidate genes were significant at the 5% level for genotype frequency differences. In 4 cases, the same marker was significant at the 5% level for both allele and genotype frequency differences. This occurred for markers from the genes 5HTR6, 5HTR7, and WFS1.

Haplotype frequency analysis

The results of the haplotype analysis using combinations of 2, 3, and 4 biallelic markers from each gene are shown in Tables 19 and 20. Haplotype analyses for the candidate genes were performed by estimating the frequencies of all 2, 3, and 4 marker haplotypes in the depressed and control populations. Haplotype estimations were performed by applying the Expectation-Maximization (EM) algorithm (Excoffier and Slatkin, *Mol. Biol. Evol.*, 12:921-927, 1995). Estimated haplotype frequencies in the depressed and control populations were compared by means of permutation tests based on individual haplotypes (Permutation test) as well as the distribution of frequencies from all possible haplotypes derived from a particular combination of given markers (Omnibus LR test).

The results of the Omnibus LR test are shown in Table 19. Listed are the top 10 marker combinations for each category of 4, 3, and 2 marker combinations and boxed in a double line border are the top 5% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). It is remarkable that several of the same genes identified by single marker association tests also appear in the top 5% of the Omnibus LR test. In particular, markers from the gene WFS1 appears as top 5% in each category of combinations for the Omnibus LR test.

The results of the Permutation test for individual haplotypes are shown in Table 20. Listed are the top 20 haplotypes for each category of 4, 3, and 2 marker haplotypes and boxed in a double line border are the top 1% of each category (by p-value based on phenotypic reiteration of at least 1000 simulations). Again it is remarkable that several of the same genes identified by single marker association tests and Omnibus LR test also contribute haplotypes that appear in the top 1% of the Permutation test for individual haplotypes. Of all genes, WFS1 contributes to the top percentiles of nearly all categories of testing (individual markers for allele and genotype frequencies, Omnibus LR 4,3 and 2 marker combinations, and Permutation test for individual 3 and 2 marker haplotypes). However several other genes contribute to several testing categories including previously mentioned 5HTR7 as well as NET, GRL, 5HTT and DRD3.

A preferred haplotype can be constructed from markers derived from the WFS1 gene. This consists of markers 19-17/188, 19-19/174, and 24-243/176 manifesting alleles GCT respectively. The GCT haplotype is present in 34% of depressed cases vs. 24% of controls. While this haplotype is low in overall frequency, the p-value by permutation test is  $3 \times 10^{-3}$  and the p-value for this group of markers is  $1 \times 10^{-3}$  by Omnibus LR test suggesting that the result is highly significant.

Example 5: Response to Reboxetine in Depressed Patients

Single point analyses were also performed on data from the candidate genes to determine Reboxetine response among depressed patients as compared to controls. Two markers from NET



(99-32061/304 and 99-32121/242) showed allelic and genotypic association ( $p < 0.05$ ). A single marker from Gbeta3 (18-355/67) showed allelic association with drug response ( $p = 0.05$ ).

Multipoint analyses on the data revealed Omnibus LR-based associations to be minimal for these genes with only two marker combinations from NET achieving a level of significance of  $p < 0.05$ . At the individual haplotype level, a number of NET haplotypes achieved this level of significance with 10-15% responder/non-responder differences in haplotype frequencies. Also of note is the observation that a few individual haplotypes from Gbeta3 showed a remarkable level of significance ( $p < 0.0005$ ) corresponding to a nearly infinite relative risk (15-20% in non-responders vs. 0% in responders). This difference in estimated haplotype frequency is based largely on the observation that one particular haplotype cannot be unambiguously detected in the 204 responder haplotypes although there are at least 9 copies in 182 non-responder haplotypes.

In conclusion, modest association is present between NET and drug response. In addition, select individual haplotypes from Gbeta3 show a strong statistical association with drug response.

#### Example 6: Forensic Matching by Microsequencing

DNA samples are isolated from forensic specimens of, for example, hair, semen, blood or skin cells by conventional methods. A panel of PCR primers based on a number of the sequences of SEQ ID NOS: 1 to 542 is then utilized according to the methods described herein to amplify DNA of approximately 500 bases in length from the forensic specimen. The alleles present at each of the selected biallelic markers site according to biallelic markers SEQ ID NOS: 1 to 542 are then identified according Example 2. A simple database comparison of the analysis results determines the differences, if any, between the sequences from a subject individual or from a database and those from the forensic sample. In a preferred method, statistically significant differences between the suspect's DNA sequences and those from the sample conclusively prove a lack of identity. This lack of identity can be proven, for example, with only one sequence. Identity, on the other hand, should be demonstrated with a large number of sequences, all matching. Preferably, a minimum of 13, 17, 20, 25, 30, 40, 50, 66, 70, 85, 88, 100, 187, 200 or 250 biallelic markers are used to test identity between the suspect and the sample.

In accordance with the regulations relating to Sequence Listings, the following codes have been used in the Sequence Listing to indicate the locations of biallelic markers within the sequences and to identify each of the alleles present at the polymorphic base. The code "r" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is an adenine. The code "y" in the sequences indicates that one allele of the polymorphic base is a thymine, while the other allele is a cytosine. The code "m" in the sequences indicates that one

allele of the polymorphic base is an adenine, while the other allele is a cytosine. The code "k" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is a thymine. The code "s" in the sequences indicates that one allele of the polymorphic base is a guanine, while the other allele is a cytosine. The code "w" in the sequences indicates that one

5 allele of the polymorphic base is an adenine, while the other allele is a thymine.

**TABLE 7A**

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	1	207	Y	T	0.30
5HTR6	99-27207-117	2	117	Y	C	0.37
5HTR6	99-27213-53	3	53	Y		
5HTR6	99-27218-333	4	333	Y		
5HTR6	99-28108-233	5	233	Y		
5HTR6	99-28109-275	6	275	N		
5HTR6	99-28110-75	7	74	Y	T	0.48
5HTR6	99-28125-81	8	81	Y		
5HTR6	99-28134-215	9	215	Y	T	0.37
5HTR6	99-28137-96	10	96	Y		
5HTR6	99-32204-305	11	305	N		
5HTR7	99-28149-118	12	118	Y	C	0.31
5HTR7	99-28160-285	13	285	Y	G	0.49
5HTR7	99-28171-458	14	457	Y	A	0.38
5HTR7	99-28173-395	15	395	Y		
5HTR7	99-32177-113	16	113	Y		
5HTR7	99-32181-192	17	192	Y	C	0.38
5HTR7	99-32193-258	18	257	Y	T	0.65
CHRNA7	99-28722-90	19	90	Y	C	0.32
CHRNA7	99-28730-351	20	351	Y	A	0.38
CHRNA7	99-32306-409	21	407	Y	G	0.33
CRFR1	99-27088-246	22	246	Y	A	0.38
CRFR1	99-27090-203	23	204	Y	G	0.22
CRFR1	99-27091-220	24	221	Y	A	0.49
CRFR1	99-27093-145	25	145	N		
CRFR1	99-27094-406	26	406	Y	T	0.21
CRFR1	99-27096-410	27	410	N		
CRFR1	99-27097-83	28	83	Y	T	0.47
CRFR1	99-27098-162	29	162	N		
CRFR1	99-27550-48	30	48	Y	A	0.26
CRFR1	99-27558-335	31	335	Y		
CRFR1	99-27561-106	32	106	Y		
CRFR1	99-27562-366	33	364	N		
MLR	16-31-738	34	738	Y	G	0.47
MLR	99-27110-301	35	300	Y		
MLR	99-27563-400	36	400	Y	A	0.44
MLR	99-27573-443	37	443	Y		
MLR	99-28732-133	38	133	Y	A	0.31
MLR	99-28735-56	39	56	Y	T	0.30
MLR	99-28736-399	40	399	Y		
MLR	99-28738-319	41	319	Y	C	0.37
MLR	99-28739-364	42	364	Y		
CRFR2	99-27875-185	43	185	Y	C	0.40
CRFR2	99-27880-176	44	176	Y	T	0.44
CRFR2	99-28747-371	45	373	Y	C	0.44
CRFR2	99-28753-353	46	352	Y	C	0.39
CRFR2	99-28755-206	47	207	Y	G	0.41
CRFR2	99-32333-366	48	366	N	C	
GRL	16-38-323	49	323	Y	A	0.33
GRL	99-28484-179	50	179	Y	A	0.40

**TABLE 7A (c nt)**

GRL	99-30853-364	51	364	Y	G	0.42
GRL	99-28485-198	52	198	Y	G	0.20
GRL	99-30858-354	53	354	Y	T	0.16
GRL	99-32002-313	54	311	Y	A	0.48
GRL	18-15-366	55	366	Y		
GRL	18-20-174	56	174	Y	G	0.27
GRL	18-31-178	57	178	Y	C	0.35
GRL	18-38-395	58	395	Y	T	0.37
MAOA	18-2-192	59	192	Y	T	0.32
MAOB	99-26921-210	60	211	Y	G	0.48
MAOA	16-215-80	61	250	Y	T	0.33
MAOA-B	18-132-368	62	368	Y	C	0.34
MAOA	18-133-293	63	292	Y	A	0.27
5HTR2c	18-12-191	64	191	Y	A	0.14
5HTR2c	18-11-137	65	138	Y	G	0.27
5HTR2c	18-93-96	66	96	Y		
TH	16-115-343	67	343	Y	C	0.24
TH	16-42-140	68	140	Y	G	0.30
TH	18-251-176	69	176	Y	T	0.43
TH	18-269-44	70	44	Y	A	0.38
CRF	16-218-624	71	624	N		
CRF	18-393-330	72	330	Y		
CRF	18-394-402	73	402	Y		
DRD4	16-217-55	74	55	Y		
DRD4	18-284-139	75	139	Y		
DRD4	18-285-305	76	305	Y		
DRD4	18-289-239	77	239	Y		
DRD4	18-291-91	78	91	Y		
5HTT	18-186-391	79	391	Y	T	0.47
5HTT	18-194-130	80	130	Y	T	0.48
5HTT	18-198-252	81	252	Y	A	0.49
5HTT	18-242-300	82	299	Y	G	0.46
DRD3	8-15-126	83	1501	Y	G	0.30
DRD3	8-19-372	84	1501	Y	A	0.28
DRD3	99-2409-298	85	428	Y	A	0.40
DRD3	99-339-54	86	1501	Y	G	0.46
CYP3A4-7	12-254-180	87	311	Y	G	0.46
CYP3A4-7	10-214-279	88	1501	Y	C	0.12
CYP3A4-7	10-217-91	89	1501	Y	T	0.07
NET	99-28779-168	90	168	Y		
NET	99-28788-300	91	300	Y	A	0.47
NET	99-32052-262	92	263	Y		
NET	99-32121-242	93	244	Y	G	0.48
NET	99-32059-169	94	169	N		
NET	99-32061-304	95	304	Y	A	0.39
NET	99-32065-303	96	303	Y		
NET	99-32123-118	97	118	Y		
NET	99-32148-315	98	314	Y		
NET	16-2-76	99	95	Y	A	0.27
NET	16-28-93	100	120	Y	C	0.44
NET	16-3-199	101	342	Y	C	0.32
NET	16-50-197	102	197	Y	C	0.21
NET	16-1-59	103	181	Y		
NET	16-2-187	104	206	Y		
TACR1	99-28761-311	105	311	Y	A	0.22

**TABLE 7A (cont)**

TACR1	99-28771-86	106	86	Y	T	0.48
TACR1	99-28791-291	107	291	Y	A	0.26
TACR1	99-32077-66	108	66	Y		
TACR1	99-32078-466	109	467	Y		
TACR1	99-32376-426	110	426	Y		
TACR1	99-32361-419	111	420	Y	T	0.48
DRD2	16-21-228	112	228	Y	A	0.16
DRD2	16-22-156	113	156	Y	C	0.45
DRD2	16-23-404	114	404	Y	G	0.47
DRD2	16-24-175	115	175	Y	A	0.16
DRD2	16-25-286	116	286	Y	T	0.37
DRD2	16-25-279	117	279	Y		
DRD2	16-23-393	118	393	Y		
Gbeta3	16-106-364	119	364	Y	T	0.01
Gbeta3	16-16-285	120	285	Y	T	0.38
Gbeta3	16-17-121	121	121	Y	T	0.36
Gbeta3	16-84-185	122	185	Y	C	0.40
Gbeta3	16-87-74	123	74	Y	A	0.34
Gbeta3	16-91-333	124	333	Y	A	0.43
WFS1	16-128-142	125	142	Y	C	0.27
WFS1	16-133-205	126	245	Y	G	0.34
WFS1	16-135-181	127	232	Y	A	0.28
WFS1	16-145-405	128	455	Y	C	0.11
WFS1	16-177-320	129	320	Y	A	0.07
WFS1	16-4-354	130	354	Y	C	0.36

**TABLE 7B**

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
5HTR6	99-27199-207	131	24	Y	T	0.30
5HTR6	99-27207-117	132	24	Y	C	0.37
5HTR6	99-27213-53	133	24	Y		
5HTR6	99-27218-333	134	24	Y		
5HTR6	99-28108-233	135	24	Y		
5HTR6	99-28109-275	136	24	N		
5HTR6	99-28110-75	137	24	Y	T	0.48
5HTR6	99-28125-81	138	24	Y		
5HTR6	99-28134-215	139	24	Y	T	0.37
5HTR6	99-28137-96	140	24	Y		
5HTR6	99-32204-305	141	24	N		
5HTR7	99-28149-118	142	24	Y	C	0.31
5HTR7	99-28160-285	143	24	Y	G	0.49
5HTR7	99-28171-458	144	24	Y	A	0.38
5HTR7	99-28173-395	145	24	Y		
5HTR7	99-32177-113	146	24	Y		
5HTR7	99-32181-192	147	24	Y	C	0.38
5HTR7	99-32193-258	148	24	Y	T	0.65
CHRNA7	99-28722-90	149	24	Y	C	0.32
CHRNA7	99-28730-351	150	24	Y	A	0.38
CHRNA7	99-32306-409	151	24	Y	G	0.33
CRFR1	99-27088-246	152	24	Y	A	0.38
CRFR1	99-27090-203	153	24	Y	G	0.22

**TABLE 7B (cont)**

CRFR1	99-27091-220	154	24	Y	A	0.49
CRFR1	99-27093-145	155	24	N		
CRFR1	99-27094-406	156	24	Y	T	0.21
CRFR1	99-27096-410	157	24	N		
CRFR1	99-27097-83	158	24	Y	T	0.47
CRFR1	99-27098-162	159	24	N		
CRFR1	99-27550-48	160	24	Y	A	0.26
CRFR1	99-27558-335	161	24	Y		
CRFR1	99-27561-106	162	24	Y		
CRFR1	99-27562-366	163	24	N		
MLR	16-31-738	164	24	Y	G	0.47
MLR	99-27110-301	165	24	Y		
MLR	99-27563-400	166	24	Y	A	0.44
MLR	99-27573-443	167	24	Y		
MLR	99-28732-133	168	24	Y	A	0.31
MLR	99-28735-56	169	24	Y	T	0.30
MLR	99-28736-399	170	24	Y		
MLR	99-28738-319	171	24	Y	C	0.37
MLR	99-28739-364	172	24	Y		
CRFR2	99-27875-185	173	24	Y	C	0.40
CRFR2	99-27880-176	174	24	Y	T	0.44
CRFR2	99-28747-371	175	24	Y	C	0.44
CRFR2	99-28753-353	176	24	Y	C	0.39
CRFR2	99-28755-206	177	24	Y	G	0.41
CRFR2	99-32333-366	178	24	N	C	
GRL	16-38-323	179	24	Y	A	0.33
GRL	99-28484-179	180	24	Y	A	0.40
GRL	99-30853-364	181	24	Y	G	0.42
GRL	99-28485-198	182	24	Y	G	0.20
GRL	99-30858-354	183	24	Y	T	0.16
GRL	99-32002-313	184	24	Y	A	0.48
GRL	18-15-366	185	24	Y		
GRL	18-20-174	186	24	Y	G	0.27
GRL	18-31-178	187	24	Y	C	0.35
GRL	18-38-395	188	24	Y	T	0.37
MAOA	18-2-192	189	24	Y	T	0.32
MAOB	99-26921-210	190	24	Y	G	0.48
MAOA	16-215-80	191	24	Y	T	0.33
MAOA-B	18-132-368	192	24	Y	C	0.34
MAOA	18-133-293	193	24	Y	A	0.27
5HTR2c	18-12-191	194	24	Y	A	0.14
5HTR2c	18-11-137	195	24	Y	G	0.27
5HTR2c	18-93-96	196	24	Y		
TH	16-115-343	197	24	Y	C	0.24
TH	16-42-140	198	24	Y	G	0.30
TH	18-251-176	199	24	Y	T	0.43
TH	18-269-44	200	24	Y	A	0.38
CRF	16-218-624	201	24	N		
CRF	18-393-330	202	24	Y		
CRF	18-394-402	203	24	Y		
DRD4	16-217-55	204	24	Y		
DRD4	18-284-139	205	24	Y		
DRD4	18-285-305	206	24	Y		
DRD4	18-289-239	207	24	Y		
DRD4	18-291-91	208	24	Y		

**TABLE 7B (cont)**

5HTT	18-186-391	209	24	Y	T	0.47
5HTT	18-194-130	210	24	Y	T	0.48
5HTT	18-198-252	211	24	Y	A	0.49
5HTT	18-242-300	212	24	Y	G	0.46
DRD3	8-15-126	213	24	Y	G	0.30
DRD3	8-19-372	214	24	Y	A	0.28
DRD3	99-2409-298	215	24	Y	A	0.40
DRD3	99-339-54	216	24	Y	G	0.46
CYP3A4-7	12-254-180	217	24	Y	G	0.46
CYP3A4-7	10-214-279	218	24	Y	C	0.12
CYP3A4-7	10-217-91	219	24	Y	T	0.07
NET	99-28779-168	220	24	Y		
NET	99-28788-300	221	24	Y	A	0.47
NET	99-32052-262	222	24	Y		
NET	99-32121-242	223	24	Y	G	0.48
NET	99-32059-169	224	24	N		
NET	99-32061-304	225	24	Y	A	0.39
NET	99-32065-303	226	24	Y		
NET	99-32123-118	227	24	Y		
NET	99-32148-315	228	24	Y		
NET	16-2-76	229	24	Y	A	0.27
NET	16-28-93	230	24	Y	C	0.44
NET	16-3-199	231	24	Y	C	0.32
NET	16-50-197	232	24	Y	C	0.21
NET	16-1-59	233	24	Y		
NET	16-2-187	234	24	Y		
TACR1	99-28761-311	235	24	Y	A	0.22
TACR1	99-28771-86	236	24	Y	T	0.48
TACR1	99-28791-291	237	24	Y	A	0.26
TACR1	99-32077-66	238	24	Y		
TACR1	99-32078-466	239	24	Y		
TACR1	99-32376-426	240	24	Y		
TACR1	99-32361-419	241	24	Y	T	0.48
DRD2	16-21-228	242	24	Y	A	0.16
DRD2	16-22-156	243	24	Y	C	0.45
DRD2	16-23-404	244	24	Y	G	0.47
DRD2	16-24-175	245	24	Y	A	0.16
DRD2	16-25-286	246	24	Y	T	0.37
DRD2	16-25-279	247	24	Y		
DRD2	16-23-393	248	24	Y		
Gbeta3	16-106-364	249	24	Y	T	0.01
Gbeta3	16-16-285	250	24	Y	T	0.38
Gbeta3	16-17-121	251	24	Y	T	0.36
Gbeta3	16-84-185	252	24	Y	C	0.40
Gbeta3	16-87-74	253	24	Y	A	0.34
Gbeta3	16-91-333	254	24	Y	A	0.43
WFS1	16-128-142	255	24	Y	C	0.27
WFS1	16-133-205	256	24	Y	G	0.34
WFS1	16-135-181	257	24	Y	A	0.28
WFS1	16-145-405	258	24	Y	C	0.11
WFS1	16-177-320	259	24	Y	A	0.07
WFS1	16-4-354	260	24	Y	C	0.36

**TABLE 7**

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	261	362	Y	C	0.43
MAO A/B	99-12361-88	262	88	Y	C	0.36
MAO A/B	99-12368-335	263	335	Y	C	0.36
MAO A/B	99-12370-67	264	67	Y	A	0.29
NET	99-32148-315	265	314	Y	C	0.27
NET	19-46-322	266	322	Y	C	0.31
NET	19-47-315	267	315	Y	T	0.14
NET	19-51-347	268	346	Y		
NET	99-32052-262	269	263	Y	T	0.38
CYP3A4/7	10-213-292	270	1501	Y	G	0.11
5HTT	18-419-135	271	135	Y		
5HTT	18-424-419	272	419	Y		
5HTT	18-429-289	273	290	Y		
5HTT	18-246-256	274	256	Y	C	0.48
Gbeta3	18-355-67	275	68	Y	C	0.49
Gbeta3	18-353-267	276	266	Y	T	0.27
Gbeta3	18-338-305	277	306	Y	G	0.3
WFS1	24-243-346	278	1501	Y	T	0.3
WFS1	99-62531-351	279	1501	Y	T	0.36
WFS1	99-54279-152	280	1501	Y	G	0.44
DRD2	18-168-245	281	245	Y	A	0.45
DRD2	18-171-291	282	291	Y	C	0.37
DRD2	18-172-346	283	346	Y	T	0.45
DRD2	18-177-406	284	406	Y	T	0.37
HM74	18-298-338	285	338	Y	G	0.49
HM74	18-298-110	286	110	Y		
HM74	18-299-105	287	104	Y		
HM74	18-884-30	288	31	Y	C	0.26
HM74	18-299-343	289	342	Y		
HM74	99-61513-139	290	140	Y	A	0.26
HM74	99-61514-179	291	179	Y	G	0.27
HM74	99-61516-323	292	323	Y	C	0.33
CRHBP	18-204-70	293	70	Y	C	0.20
CRHBP	18-207-441	294	442	Y	C	0.41
CRHBP	18-210-65	295	65	Y		
CRHBP	18-212-200	296	200	Y	T	0.31
CRHBP	18-229-334	297	334	Y	T	0.33
CRHBP	18-230-332	298	332	Y	T	0.32
AVPR1A	18-966-378	299	378	Y	C	0.41
AVPR1A	18-987-308	300	307	Y	A	0.35
AVPR1A	18-1169-118	301	118	Y		
AVPR1A	18-1172-138	302	138	Y	G	0.16
AVPR1A	18-1173-92	303	92	Y	T	0.32
AVPR1A	18-1174-387	304	387	Y	C	0.21
AVPR1A	18-1175-416	305	416	Y	G	0.21
AVPR1A	18-542-146	306	146	Y	G	0.21
5HT1A	8-42-211	307	1501	Y	G	0.46
5HT1A	8-45-389	308	1501	Y	G	0.01
5HT1A	18-994-270	309	270	Y	C	0.25
5HT1A	18-912-165	310	165	Y	T	0.46
5HT1A	18-991-124	311	124	Y	T	0.45



**TABLE 7 (c nt)**

5HT1A	18-920-219	312	219	Y		
5HT1A	18-911-312	313	312	Y		
5HT1A	99-65963-368	314	368	Y		
5HT1A	99-65966-225	315	225	Y		
5HT1A	99-65968-75	316	75	Y		
5HT1A	99-5069-331	317	1501	Y		
5HT1A	99-5070-176	318	175	Y	T	0.02
GABRG2	18-511-348	319	348	Y		
GABRG2	18-523-352	320	352	Y	C	0.49
GABRG2	18-545-478	321	480	Y	G	0.45
GABRG2	18-522-194	322	194	Y	G	0.32
GABRG2	18-524-284	323	284	Y	C	0.36
ADRB1R	18-626-52	324	52	Y	G	0.36
ADRB1R	18-629-189	325	189	Y	T	0.40
ADRB1R	18-1131-71	326	71	Y	T	0.41
ADRB1R	18-534-126	327	126	Y		
ADRB1R	18-596-59	328	59	Y		
ADRB1R	18-597-27	329	27	Y	A	0.20
GABRA5	18-730-203	330	203	Y	G	0.48
GABRA5	18-734-89	331	89	Y	C	0.48
GABRA5	18-895-321	332	321	Y	A	0.27
GABRA5	18-896-69	333	69	Y		
GABRA5	18-903-58	334	58	Y		
GOLF	18-590-216	335	216	Y	G	0.42
GOLF	18-817-436	336	433	Y	T	0.41
GOLF	18-829-85	337	85	Y	G	0.39
GOLF	18-832-387	338	387	Y		
GOLF	18-833-259	339	259	Y		
GOLF	18-839-271	340	271	Y	C	0.40
GOLF	18-770-194	341	194	Y	T	0.37
GOLF	18-771-302	342	302	Y	G	0.30
GOLF	18-827-53	343	53	Y	G	0.34
GOLF	18-768-318	344	318	Y	G	0.31
GOLF	18-769-26	345	26	Y	A	0.17
SLC6A3	18-709-321	346	320	Y	C	0.46
SLC6A3	18-714-280	347	281	Y	T	0.17
SLC6A3	18-843-271	348	271	Y	C	0.37
SLC6A3	18-850-265	349	265	Y	T	0.34
SLC6A3	18-853-296	350	296	Y	T	0.23
SLC6A3	18-867-331	351	332	Y	C	0.48
SLC6A3	18-877-73	352	73	Y		
SLC6A3	18-856-85	353	85	Y	C	0.42
SLC6A3	18-861-101	354	101	Y	T	0.33
PDE4b	18-635-323	355	323	Y		
PDE4b	18-636-205	356	205	Y	A	0.36
PDE4b	18-649-427	357	427	Y	C	0.46
PDE4b	18-1134-316	358	316	Y	G	0.38
PDE4b	18-633-316	359	316	Y		
COMT	18-489-425	360	425	Y		
COMT	18-492-212	361	212	Y	C	0.41
COMT	18-488-156	362	156	Y	T	0.45
COMT	18-491-266	363	266	Y	T	0.42
COMT	18-497-141	364	141	Y	T	0.43
COMT	18-503-174	365	174	Y	C	0.31
COMT	18-490-95	366	95	Y	A	0.31

**TABLE 7C (cont)**

NPY1R	18-699-115	367	114	Y		
NPY1R	18-1099-293	368	293	Y		
NPY1R	18-1105-22	369	22	Y		
SLC1	18-562-418	370	418	Y	C	0.49
SLC1	18-564-204	371	204	Y	C	0.50
SEF2-1B	18-1032-262	372	261	Y	C	0.33
SEF2-1B	18-1035-412	373	412	Y	C	0.50
SEF2-1B	18-1036-293	374	293	Y	C	0.34
SEF2-1B	18-1038-95	375	95	Y	T	0.34
SEF2-1B	18-1040-361	376	361	Y	G	0.44
SEF2-1B	18-748-356	377	356	Y	T	0.47
BDNF	18-937-181	378	179	Y	A	0.26
BDNF	18-942-175	379	175	Y	T	0.29
BDNF	18-1213-221	380	221	Y		
BDNF	18-937-147	381	145	Y		
BDNF	18-946-408	382	407	Y	C	0.20
GAP43	18-787-133	383	133	Y	A	0.39
GAP43	18-1149-239	384	239	Y	A	0.49
GAP43	18-1159-291	385	291	Y	G	0.23
GAP43	18-1135-273	386	273	Y	T	0.43
GAP43	18-1136-108	387	108	Y		
GAP43	18-1147-68	388	68	Y		
GAP43	18-1157-295	389	295	Y		
GAP43	18-802-460	390	459	Y	A	0.32
CLOCK	18-1064-110	391	109	Y	C	0.36
CLOCK	18-1068-327	392	327	Y	T	0.32
CLOCK	18-1069-365	393	365	Y	A	0.23
CLOCK	18-1073-367	394	367	Y	A	0.35
CLOCK	18-1070-272	395	272	Y	T	0.36
CLOCK	18-1057-35	396	35	Y		
CLOCK	18-1062-415	397	415	Y		
CLOCK	18-1082-165	398	165	Y		
CLOCK	18-1080-361	399	363	Y	C	0.18
HSP70	18-506-297	400	297	Y		
HSP70	18-570-38	401	38	Y		

**TABLE 7D**

GENE	BIALLELIC MARKER ID	SEQ ID NO.	BIALLELIC MARKER POSITION IN SEQ ID NO.	VALIDATION MICRO- SEQUENCING	GENOTYPING LEAST COMMON ALLELE FREQUENCY	
MAO A/B	18-473-362	402	24	Y	C	0.43
MAO A/B	99-12361-88	403	24	Y	C	0.36
MAO A/B	99-12368-335	404	24	Y	C	0.36
MAO A/B	99-12370-67	405	24	Y	A	0.29
NET	99-32148-315	406	24	Y	C	0.27
NET	19-46-322	407	24	Y	C	0.31
NET	19-47-315	408	24	Y	T	0.14
NET	19-51-347	409	24	Y		
NET	99-32052-262	410	24	Y	T	0.38
CYP3A4/7	10-213-292	411	24	Y	G	0.11
5HTT	18-419-135	412	24	Y		
5HTT	18-424-419	413	24	Y		
5HTT	18-429-289	414	24	Y		
5HTT	18-246-256	415	24	Y	C	0.48

**TABLE 7D (c nt)**

Gbeta3	18-355-67	416	24	Y	C	0.49
Gbeta3	18-353-267	417	24	Y	T	0.27
Gbeta3	18-338-305	418	24	Y	G	0.3
WFS1	24-243-346	419	24	Y	T	0.3
WFS1	99-62531-351	420	24	Y	T	0.36
WFS1	99-54279-152	421	24	Y	G	0.44
DRD2	18-168-245	422	24	Y	A	0.45
DRD2	18-171-291	423	24	Y	C	0.37
DRD2	18-172-346	424	24	Y	T	0.45
DRD2	18-177-406	425	24	Y	T	0.37
HM74	18-298-338	426	24	Y	G	0.49
HM74	18-298-110	427	24	Y		
HM74	18-299-105	428	24	Y		
HM74	18-884-30	429	24	Y	C	0.26
HM74	18-299-343	430	24	Y		
HM74	99-61513-139	431	24	Y	A	0.26
HM74	99-61514-179	432	24	Y	G	0.27
HM74	99-61516-323	433	24	Y	C	0.33
CRHBP	18-204-70	434	24	Y	C	0.20
CRHBP	18-207-441	435	24	Y	C	0.41
CRHBP	18-210-65	436	24	Y		
CRHBP	18-212-200	437	24	Y	T	0.31
CRHBP	18-229-334	438	24	Y	T	0.33
CRHBP	18-230-332	439	24	Y	T	0.32
AVPR1A	18-966-378	440	24	Y	C	0.41
AVPR1A	18-987-308	441	24	Y	A	0.35
AVPR1A	18-1169-118	442	24	Y		
AVPR1A	18-1172-138	443	24	Y	G	0.16
AVPR1A	18-1173-92	444	24	Y	T	0.32
AVPR1A	18-1174-387	445	24	Y	C	0.21
AVPR1A	18-1175-416	446	24	Y	G	0.21
AVPR1A	18-542-146	447	24	Y	G	0.21
5HT1A	8-42-211	448	24	Y	G	0.46
5HT1A	8-45-389	449	24	Y	G	0.01
5HT1A	18-994-270	450	24	Y	C	0.25
5HT1A	18-912-165	451	24	Y	T	0.46
5HT1A	18-991-124	452	24	Y	T	0.45
5HT1A	18-920-219	453	24	Y		
5HT1A	18-911-312	454	24	Y		
5HT1A	99-65963-368	455	24	Y		
5HT1A	99-65966-225	456	24	Y		
5HT1A	99-65968-75	457	24	Y		
5HT1A	99-5069-331	458	24	Y		
5HT1A	99-5070-176	459	24	Y	T	0.02
GABRG2	18-511-348	460	24	Y		
GABRG2	18-523-352	461	24	Y	C	0.49
GABRG2	18-545-478	462	24	Y	G	0.45
GABRG2	18-522-194	463	24	Y	G	0.32
GABRG2	18-524-284	464	24	Y	C	0.36
ADRB1R	18-626-52	465	24	Y	G	0.36
ADRB1R	18-629-189	466	24	Y	T	0.40
ADRB1R	18-1131-71	467	24	Y	T	0.41
ADRB1R	18-534-126	468	24	Y		
ADRB1R	18-596-59	469	24	Y		
ADRB1R	18-597-27	470	24	Y	A	0.20

**TABLE 7D (c nt)**

GABRA5	18-730-203	471	24	Y	G	0.48
GABRA5	18-734-89	472	24	Y	C	0.48
GABRA5	18-895-321	473	24	Y	A	0.27
GABRA5	18-896-69	474	24	Y		
GABRA5	18-903-58	475	24	Y		
GOLF	18-590-216	476	24	Y	G	0.42
GOLF	18-817-436	477	24	Y	T	0.41
GOLF	18-829-85	478	24	Y	G	0.39
GOLF	18-832-387	479	24	Y		
GOLF	18-833-259	480	24	Y		
GOLF	18-839-271	481	24	Y	C	0.40
GOLF	18-770-194	482	24	Y	T	0.37
GOLF	18-771-302	483	24	Y	G	0.30
GOLF	18-827-53	484	24	Y	G	0.34
GOLF	18-768-318	485	24	Y	G	0.31
GOLF	18-769-26	486	24	Y	A	0.17
SLC6A3	18-709-321	487	24	Y	C	0.46
SLC6A3	18-714-280	488	24	Y	T	0.17
SLC6A3	18-843-271	489	24	Y	C	0.37
SLC6A3	18-850-265	490	24	Y	T	0.34
SLC6A3	18-853-296	491	24	Y	T	0.23
SLC6A3	18-867-331	492	24	Y	C	0.48
SLC6A3	18-877-73	493	24	Y		
SLC6A3	18-856-85	494	24	Y	C	0.42
SLC6A3	18-861-101	495	24	Y	T	0.33
PDE4b	18-635-323	496	24	Y		
PDE4b	18-636-205	497	24	Y	A	0.36
PDE4b	18-649-427	498	24	Y	C	0.46
PDE4b	18-1134-316	499	24	Y	G	0.38
PDE4b	18-633-316	500	24	Y		
COMT	18-489-425	501	24	Y		
COMT	18-492-212	502	24	Y	C	0.41
COMT	18-488-156	503	24	Y	T	0.45
COMT	18-491-266	504	24	Y	T	0.42
COMT	18-497-141	505	24	Y	T	0.43
COMT	18-503-174	506	24	Y	C	0.31
COMT	18-490-95	507	24	Y	A	0.31
NPY1R	18-699-115	508	24	Y		
NPY1R	18-1099-293	509	24	Y		
NPY1R	18-1105-22	510	24	Y		
SLC1	18-562-418	511	24	Y	C	0.49
SLC1	18-564-204	512	24	Y	C	0.496
SEF2-1B	18-1032-262	513	24	Y	C	0.33
SEF2-1B	18-1035-412	514	24	Y	C	0.50
SEF2-1B	18-1036-293	515	24	Y	C	0.34
SEF2-1B	18-1038-95	516	24	Y	T	0.34
SEF2-1B	18-1040-361	517	24	Y	G	0.44
SEF2-1B	18-748-356	518	24	Y	T	0.47
BDNF	18-937-181	519	24	Y	A	0.26
BDNF	18-942-175	520	24	Y	T	0.29
BDNF	18-1213-221	521	24	Y		
BDNF	18-937-147	522	24	Y		
BDNF	18-946-408	523	24	Y	C	0.20
GAP43	18-787-133	524	24	Y	A	0.39
GAP43	18-1149-239	525	24	Y	A	0.49

**TABLE 7D (c nt)**

GAP43	18-1159-291	526	24	Y	G	0.23
GAP43	18-1135-273	527	24	Y	T	0.43
GAP43	18-1136-108	528	24	Y		
GAP43	18-1147-68	529	24	Y		
GAP43	18-1157-295	530	24	Y		
GAP43	18-802-460	531	24	Y	A	0.32
CLOCK	18-1064-110	532	24	Y	C	0.36
CLOCK	18-1068-327	533	24	Y	T	0.32
CLOCK	18-1069-365	534	24	Y	A	0.23
CLOCK	18-1073-367	535	24	Y	A	0.35
CLOCK	18-1070-272	536	24	Y	T	0.36
CLOCK	18-1057-35	537	24	Y		
CLOCK	18-1062-415	538	24	Y		
CLOCK	18-1082-165	539	24	Y		
CLOCK	18-1080-361	540	24	Y	C	0.18
HSP70	18-506-297	541	24	Y		
HSP70	18-570-38	542	24	Y		

**TABLE 8**

SEQ ID NO.	BIALLELIC MARKER ID	1 <sup>ST</sup> ALLELE	2 <sup>ND</sup> ALLELE	POSITION RANGE OF PREFERRED SEQUENCE
12	99-28149-118	C	T	[1-478]
13	99-28160-285	A	G	[1-456]
14	99-28171-458	A	G	[1-48],[141-514]
15	99-28173-395	C	T	[1-550]
16	99-32177-113	C	T	[1-466]
17	99-32181-192	C	T	[1-449]
18	99-32193-258	G	T	[1-458]
20	99-28730-351	A	G	[1-452]
21	99-32306-409	G	C	[1-455]
28	99-27097-83	C	T	[1-273]
29	99-27098-162	C	T	[226-421]
32	99-27561-106	A	G	[1-465]
33	99-27562-366	G	T	[1-470]
35	99-27110-301	G	C	[1-455]
37	99-27573-443	G	T	[1-513]
38	99-28732-133	A	G	[1-411]
40	99-28736-399	C	T	[1-453]
41	99-28738-319	C	T	[1-458]
42	99-28739-364	C	T	[1-509]
62	18-132-368	C	T	[1-480]
64	18-12-191	A	C	[1-450]
65	18-11-137	A	G	[1-157],[348-390]
66	18-93-96	G	T	[1-454]
69	18-251-176	C	T	[104-494]
72	18-393-330	G	C	[1-93],[146-479]
73	18-394-402	A	C	[1-21],[119-518]
75	18-284-139	C	T	[146-450]
76	18-285-305	A	G	[1-520]
77	18-289-239	C	T	[1-486]
78	18-291-91	C	T	[1-453]
80	18-194-130	C	T	[1-460]
81	18-198-252	A	G	[1-316],[349-459]
82	18-242-300	A	G	[224-476]
85	99-2409-298	A	G	[117-127],[160-359],[395-711]
86	99-339-54	G	C	[1-247],[293-1514],[1544-2128],[2159-3001]
98	99-32148-315	G	C	[1-24]
108	99-32077-66	A	G	[37-63]
110	99-32376-426	A	G	[235-470]

TABLE 9A

SEQ. ID NO.	BIALLELIC MARKER ID	ORIGINAL ALLELE	ALTERNATIVE ALLELE
1	99-27199-207	T	C
2	99-27207-117	C	T
3	99-27213-53	A	G
4	99-27218-333	T	G
6	99-28109-275	G	A
7	99-28110-75	C	T
8	99-28125-81	A	C
9	99-28134-215	C	T
10	99-28137-96	A	G
11	99-32204-305	G	A
19	99-28722-90	T	C
22	99-27088-246	G	A
23	99-27090-203	G	A
24	99-27091-220	G	A
25	99-27093-145	T	C
26	99-27094-406	T	C
27	99-27096-410	G	A
30	99-27550-48	A	G
31	99-27558-335	C	T
34	16-31-738	C	G
39	99-28735-56	C	T
43	99-27875-185	T	C
44	99-27880-176	T	C
46	99-28753-353	T	C
47	99-28755-206	A	G
48	99-32333-366	T	C
49	16-38-323	A	C
50	99-28484-179	A	T
51	99-30853-364	G	A
52	99-28485-198	G	T
53	99-30858-354	T	C
54	99-32002-313	G	A
55	18-15-366	C	T
56	18-20-174	G	A
59	18-2-192	G	T
60	99-26921-210	G	A
63	18-133-293	C	A
68	16-42-140	A	G
70	18-269-44	A	G
71	16-218-624	G	C
74	16-217-55	A	G
88	10-214-79	C	T
90	99-28779-168	T	C
91	99-28788-300	G	A

**TABLE 9B**

94	99-32059-169	T	C
95	99-32061-304	A	G
96	99-32065-303	T	G
97	99-32123-118	G	A
99	16-2-76	A	G
101	16-3-199	C	T
102	16-50-197	C	T
103	16-1-59	C	T
104	16-2-187	A	G
105	99-28761-311	A	G
106	99-28771-86	T	C
109	99-32078-466	C	T
111	99-32361-419	T	G
112	16-21-228	G	A
117	16-25-279	G	C
118	16-23-393	G	T
119	16-106-364	T	C
122	16-84-185	T	C
124	16-91-333	G	A
126	16-133-205	A	G
127	16-135-181	T	A
128	16-145-405	C	T
129	16-177-320	A	G



**TABLE 10**

<b>SEQ ID NO.</b>	<b>BIALLELIC MARKER ID</b>	<b>1<sup>ST</sup> ALLELE</b>	<b>2<sup>ND</sup> ALLELE</b>
5	99-28108-233	A	C
36	99-27563-400	A	G
45	99-28747-371	C	T
61	16-215-80	C	T
67	16-115-343	A	C
79	18-186-391	G	T
83	8-15-126	A	G
87	12-254-180	A	G
92	99-32052-262	C	T
93	99-32121-242	A	G
100	16-28-93	A	C
107	99-28791-291	A	G
113	16-22-156	C	T
114	16-23-404	A	G
115	16-24-175	A	C
116	16-25-286	C	T
120	16-16-285	C	T
121	16-17-121	C	T
123	16-87-74	A	G
125	16-128-142	C	G
130	16-4-354	C	T

**TABLE 11**

SEQ. ID NO.	POSITION RANGE OF PREFERRED SEQUENCE
1	[103-147]
7	[1-25]
8	[508-518]
9	[398-432]
10	[295-364]
11	[301-342]
23	[246-287]
25	[369-413]
30	[126-153],[182-468]
31	[271-313],[443-452]
34	[408-461]
39	[147-235],[438-457]
43	[498-549]
46	[432-448]
49	[263-320]
54	[472-489]
59	[280-321]
63	[486-505]
71	[258-437],[669-927]
74	[90-165]
79	[1-82],[150-191]
83	[1-16],[144-498],[620-800],[1300-1366], [1823-1908],[2336-2365],[2398-3001]
88	[1-1297],[1998-2689],[2895-2965]
92	[255-348],[493-499]
93	[445-467]
94	[1-16],[396-438]
96	[246-288]
97	[1-91],[420-541]
111	[443-457]
121	[130-181]
122	[160-399]
123	[144-145],[351-435]
128	[283-551]
129	[375-458]

**TABLE 12**

SEQ ID NO.	POSITION RANGE OF MICROSEQUENCING PRIMERS	COMPLEMENTARY POSITION RANGE OF MICROSEQUENCING PRIMERS
1	188-206*	208-227
2	98-116*	118-136*
3	34-52*	54-73
4	314-332*	334-353
5	214-232*	234-253
6	255-274	276-295
7	54-73	75-94
8	62-80*	82-101
9	196-214*	216-235
10	77-95*	97-116
11	285-304	306-325
12	98-117	119-137*
13	266-284*	286-305
14	438-456*	458-477
15	375-394	396-414*
16	93-112	114-132*
17	172-191	193-212
18	238-256*	258-277
19	71-89*	91-110
20	332-350*	352-370*
21	387-406	408-427
22	226-245	247-266
23	185-203*	205-224
24	201-220	222-241
25	125-144	146-165
26	387-405*	407-426
27	390-409	411-430
28	63-82	84-103
29	142-161	163-182
30	28-47	49-67*
31	316-334*	336-355
32	87-105*	107-126
33	344-363	365-384
34	715-737*	739-761*
35	281-299*	301-319*
36	381-399*	401-420
37	423-442	444-462*
38	114-132*	134-153
39	36-55	57-76
40	379-398	400-418*
41	299-318	320-338*
42	345-363*	365-384
43	165-184	186-204*

**TABLE 12 (c nt)**

44	156-175	177-195*
45	353-372	374-392*
46	332-351	353-371*
47	187-206	208-226*
48	346-365	367-386
49	300-322*	324-346*
50	160-178*	180-199
51	345-363*	365-384
52	179-197*	199-217*
53	334-353	355-373*
54	292-310*	312-331
55	347-365*	367-385*
56	155-173*	175-194
57	158-177	179-197*
58	375-394	396-414*
59	172-191	193-211*
60	192-210*	212-231
61	231-249*	251-270
62	348-367	369-387*
63	273-291*	293-311*
64	172-190*	192-210*
65	118-137	139-157*
66	77-95*	97-115*
67	320-342*	344-366*
68	121-139*	141-163*
69	157-175*	177-196
70	25-43*	45-64
71	601-623*	625-644
72	311-329*	331-349*
73	382-401	403-421*
74	32-54*	56-74*
75	120-138*	140-159
76	286-304*	306-325
77	219-238	240-258*
78	71-90	92-110*
79	371-390	392-410*
80	110-129	131-149*
81	233-251*	253-272
82	280-298*	300-319
83	1481-1500	1502-1520*
84	1481-1500	1502-1520*
85	408-427	429-447*
86	1482-1500*	1502-1521
87	292-310*	312-331
88	1482-1500*	1502-1521
89	1482-1500*	1502-1521
90	149-167*	169-187*

**TABLE 12 (cont.)**

91	281-299*	301-320
92	244-262*	264-282*
93	225-243*	245-264
94	149-168	170-189
95	285-303*	305-324
96	284-302*	304-322*
97	99-117*	119-138
98	294-313	315-333*
99	76-94*	96-114*
100	101-119*	121-143*
101	323-341*	343-361*
102	178-196*	198-216*
103	158-180*	182-200*
104	183-205*	207-225*
105	292-310*	312-331
106	67-85*	87-106
107	272-290*	292-311
108	47-65*	67-85*
109	448-466*	468-486*
110	407-425*	427-446
111	400-419	421-439*
112	205-227*	229-251*
113	133-155*	157-175*
114	381-403*	405-427*
115	156-174*	176-194*
116	267-285*	287-305*
117	260-278*	280-298*
118	370-392*	394-416*
119	345-363*	365-383*
120	265-284	286-304*
121	102-120*	122-140*
122	162-184*	186-208*
123	51-73*	75-97*
124	310-332*	334-356*
125	123-141*	143-161*
126	222-244*	246-268*
127	209-231*	233-251*
128	436-454*	456-474*
129	297-319*	321-343*
130	335-353*	355-373*
261	343-361*	363-382
262	68-87	89-107*
263	316-334*	336-355
264	48-66*	68-87

**TABLE 12 (cont.)**

265	295-313*	315-333*
266	302-321	323-341*
267	296-314*	316-334*
268	327-345*	347-366
269	244-262*	264-282*
270	1482-1500*	1502-1521
271	115-134	136-154*
272	400-418*	420-439
273	271-289*	291-309*
274	237-255*	257-276
275	48-67	69-87*
276	246-265	267-285*
277	287-305*	307-326
278	1482-1500*	1502-1521
279	1482-1500*	1502-1521
280	1482-1500*	1502-1521
281	225-244	246-264*
282	271-290	292-310*
283	327-345*	347-366
284	387-405*	407-426
285	319-337*	339-357*
286	91-109*	111-130
287	85-103*	105-124
288	12-30*	32-50*
289	323-341*	343-362
290	121-139*	141-160
291	160-178*	180-199
292	304-322*	324-343
293	50-69	71-89*
294	422-441	443-461*
295	46-64*	66-85
296	181-199*	201-220
297	314-333	335-353*
298	313-331*	333-352
299	358-377	379-397*
300	288-306*	308-327
301	99-117*	119-138
302	119-137*	139-158
303	72-91	93-111*
304	388-386*	388-407
305	397-415*	417-436
306	127-145*	147-165*
307	1481-1500	1482-1500*
308	1481-1500	1502-1520*
309	250-269	271-289*
310	146-164*	166-184*
311	105-123*	125-144
312	199-218	220-238*
313	293-311*	313-331*
314	349-367*	369-388
315	206-224*	226-245
316	56-74*	76-95
317	1482-1500*	1502-1521

**TABLE. 12 (cont.)**

318	156-174*	176-194*
319	328-347	349-367*
320	332-351	353-371*
321	461-479*	481-500
322	175-193*	195-214
323	265-283*	285-304
324	33-51*	53-72
325	169-188	190-208*
326	51-70	72-90*
327	106-125	127-145*
328	40-58*	60-79
329	7-26	28-46*
330	184-202*	204-223
331	70-88*	90-108*
332	302-320*	322-341
333	50-68*	70-89
334	39-57*	59-77*
335	197-215*	217-236
336	414-432*	434-452*
337	66-84*	86-105
338	368-386*	388-407
339	239-258	260-278*
340	252-270*	272-291
341	175-193*	195-213*
342	283-301*	303-321*
343	33-52	54-72*
344	299-317*	319-338
345	6-25	27-45*
346	300-319	321-339*
347	262-280*	282-300*
348	252-270*	272-290*
349	246-264*	266-284*
350	277-295*	297-315*
351	313-331*	333-352
352	54-72*	74-93
353	66-84*	86-104*
354	82-100*	102-120*
355	304-322*	324-343
356	186-204*	206-225
357	408-426*	428-447
358	297-315*	317-336
359	297-315*	317-336
360	406-424*	426-445
361	193-211*	213-231*
362	137-155*	157-175*
363	247-265*	267-285*
364	122-140*	142-160*
365	155-173*	175-194
366	75-94	96-114*
367	95-113*	115-134
368	274-292*	294-312*
369	3-21*	23-42
370	399-417*	419-438

**TABLE 12 (cont.)**

371	185-203*	205-224
372	242-260*	262-281
373	393-411*	413-431*
374	274-292*	294-313
375	75-94	96-114*
376	342-360*	362-381
377	336-355	357-375*
378	160-178*	180-198*
379	156-174*	176-195
380	202-220*	222-241
381	126-144*	146-165
382	387-406	408-426*
383	113-132	134-152*
384	220-238*	240-259
385	272-290*	292-311
386	254-272*	274-293
387	89-107*	109-128
388	49-67*	69-88
389	276-294*	296-315
390	440-458*	460-479
391	89-108	110-128*
392	307-326	328-346*
393	345-364	366-384*
394	348-366*	368-387
395	253-271*	273-292
396	16-34*	36-54*
397	396-414*	416-435
398	146-164*	166-185
399	343-362	364-382*
400	278-296*	298-317
401	19-37*	39-58



**TABLE 13**

SEQ ID NO.	POSITION RANGE OF AMPLIFICATION PRIMERS	COMPLEMENTARY POSITION RANGE OF AMPLIFICATION PRIMERS
1	1-20	431-450
2	1-21	432-452
3	1-18	446-464
4	1-20	528-546
5	1-18	394-413
6	1-18	434-454
7	1-18	530-549
8	1-18	500-518
9	1-20	453-472
10	1-18	529-546
11	1-20	384-401
12	1-19	459-478
13	1-19	439-456
14	1-18	494-514
15	1-18	532-550
16	1-19	446-466
17	1-18	432-449
18	1-19	438-458
19	1-17	429-449
20	1-18	435-451
21	1-18	437-454
22	1-19	510-527
23	1-20	431-451
24	1-20	455-473
25	1-20	453-472
26	1-20	436-455
27	1-18	432-450
28	1-18	486-504
29	1-19	404-421
30	1-19	448-468
31	1-18	432-452
32	1-19	446-465
33	1-19	450-470
34	1-25	975-1003
35	1-18	438-455
36	1-18	526-546
37	1-18	496-513
38	1-19	391-410
39	1-19	438-456
40	1-20	434-452
41	1-18	441-457
42	1-17	489-508
43	1-18	531-549

**TABLE 13 (cont)**

44	1-18	444-462
45	1-19	478-496
46	1-20	427-447
47	1-17	452-470
48	1-20	520-540
49	1-28	389-416
50	1-17	488-505
51	1-17	465-485
52	1-17	449-466
53	1-17	456-473
54	1-19	472-488
55	1-20	507-525
56	1-17	408-425
57	1-19	437-457
58	1-19	456-473
59	1-19	450-468
60	1-21	431-451
61	171-188	284-303
62	1-18	461-479
63	1-17	487-504
64	1-18	431-449
65	1-18	516-535
66	1-17	436-453
67	1-24	533-553
68	1-18	154-171
69	1-19	474-493
70	1-17	457-477
71	1-22	906-927
72	1-18	459-479
73	1-20	500-518
74	1-20	568-587
75	1-17	430-449
76	1-17	499-519
77	1-17	466-485
78	1-17	432-452
79	1-18	442-459
80	1-17	439-459
81	1-17	438-458
82	1-17	455-475
83	1376-1395	1792-1810
84	1130-1148	1534-1552
85	131-148	560-580
86	1448-1467	1883-1902
87	132-152	586-603
88	1225-1244	1747-1764
89	1414-1430	1759-1775
90	1-17	390-409

**TABLE 13 (cont)**

91	1-17	458-478
92	1-18	478-498
93	1-17	448-466
94	1-17	448-468
95	1-19	430-449
96	1-17	469-486
97	1-20	520-540
98	1-18	428-448
99	20-39	240-260
100	28-47	354-374
101	143-162	374-393
102	1-20	227-245
103	123-142	290-309
104	20-39	240-260
105	1-18	446-465
106	1-18	444-461
107	1-18	432-451
108	1-18	471-488
109	1-17	470-488
110	1-18	449-469
111	1-18	442-456
112	1-25	399-424
113	1-24	458-481
114	1-26	455-478
115	1-22	405-428
116	1-22	412-433
117	1-22	412-433
118	1-26	455-478
119	1-22	723-742
120	1-19	516-535
121	1-19	508-529
122	1-22	525-540
123	1-22	504-525
124	1-19	641-665
125	1-20	308-327
126	41-59	472-490
127	52-71	482-501
128	51-69	523-540
129	1-22	472-492
130	1-20	740-759
261	1-21	482-502
262	1-21	438-457
263	1-20	482-502
264	1-19	441-461
265	1-18	428-448
266	1-19	409-426
267	1-19	403-422
268	1-19	401-419
269	1-18	478-498

**TABLE 13(cont.)**

270	1211-1229	1588-1606
271	1-18	448-465
272	1-20	507-527
273	1-18	434-451
274	1-17	466-486
275	1-19	436-453
276	1-18	452-471
277	1-18	450-468
278	1156-1173	1652-1672
279	1149-1166	1591-1608
280	1170-1187	1635-1652
281	1-18	440-460
282	1-18	433-453
283	1-17	538-558
284	1-17	450-467
285	1-18	439-456
286	1-18	439-456
287	1-20	431-451
288	1-20	431-451
289	1-20	431-451
290	1-19	458-476
291	1-18	497-517
292	1-18	419-436
293	1-17	487-504
294	1-17	443-463
295	1-18	438-455
296	1-18	463-483
297	1-20	464-484
298	1-19	439-456
299	1-18	458-478
300	1-18	443-463
301	1-18	442-460
302	1-18	457-475
303	1-18	515-533
304	1-18	443-463
305	1-19	434-451
306	1-21	430-450
307	1263-1281	1694-1711
308	1114-1133	1516-1533
309	1-19	481-498
310	1-18	447-467
311	1-20	444-463
312	1-19	534-551
313	1-19	437-457
314	1-19	459-477
315	1-19	486-502
316	1-18	432-452
317	1171-1189	1702-1719
318	1-18	476-493
319	1-20	430-450
320	1-20	455-475
321	1-21	489-509
322	1-21	457-477

**TABLE 13 (cont.)**

323	1-19	430-450
324	1-21	485-505
325	1-20	466-486
326	1-21	437-457
327	1-19	497-517
328	1-20	495-514
329	1-20	450-470
330	1-18	456-476
331	1-20	433-453
332	1-19	435-455
333	1-19	544-561
334	1-18	442-459
335	1-20	434-453
336	1-21	514-534
337	1-20	464-483
338	1-21	580-597
339	1-18	441-461
340	1-20	430-450
341	1-18	479-496
342	1-21	461-481
343	1-21	429-449
344	1-21	409-429
345	1-21	430-450
346	1-20	433-453
347	1-19	495-514
348	1-20	433-451
349	1-20	443-460
350	1-20	440-459
351	1-18	445-463
352	1-18	432-449
353	1-19	430-450
354	1-19	462-480
355	1-21	445-465
356	1-18	473-493
357	1-18	570-589
358	1-20	412-432
359	1-20	412-432
360	1-20	515-533
361	1-20	465-485
362	1-18	550-570
363	1-20	430-450
364	1-21	416-435
365	1-20	455-475
366	1-20	481-501
367	1-21	428-448
368	1-19	459-478
369	1-18	456-476
370	1-20	475-495
371	1-18	456-476
372	1-20	447-467
373	1-21	447-466
374	1-18	467-484
375	1-18	466-484

**TABLE 13 (c nt.)**

376	1-19	437-455
377	1-20	383-403
378	1-20	428-448
379	1-20	431-449
380	1-18	434-452
381	1-20	428-448
382	1-19	453-473
383	1-21	480-497
384	1-21	532-552
385	1-20	480-500
386	1-18	429-449
387	1-21	433-450
388	1-21	430-450
389	1-21	576-595
390	1-21	549-569
391	1-18	438-455
392	1-19	496-516
393	1-19	455-472
394	1-20	441-458
395	1-19	455-475
396	1-18	449-469
397	1-18	557-577
398	1-18	433-453
399	1-18	475-494
400	1-20	491-511
401	1-21	380-400

**TABLE 14**

SEQ ID NO.	POSITION RANGE OF PROBES
1	195-219
2	105-129
3	41-65
4	321-345
5	221-245
6	263-287
7	62-86
8	69-93
9	203-227
10	84-108
11	293-317
12	106-130
13	273-297
14	445-469
15	383-407
16	101-125
17	180-204
18	245-269
19	78-102
20	339-363
21	395-419
22	234-258
23	192-216
24	209-233
25	133-157
26	394-418
27	398-422
28	71-95
29	150-174
30	36-60
31	323-347
32	94-118
33	352-376
34	726-750
35	288-312
36	388-412
37	431-455
38	121-145
39	44-68
40	387-411
41	307-331
42	352-376
43	173-197
44	164-188
45	361-385

**TABLE 14 (cont.)****TABLE 14 (cont.)**

46	340-364
47	195-219
48	354-378
49	311-335
50	167-191
51	352-376
52	186-210
53	342-366
54	299-323
55	354-378
56	162-186
57	166-190
58	383-407
59	180-204
60	199-223
61	238-262
62	356-380
63	280-304
64	179-203
65	126-150
66	84-108
67	331-355
68	128-152
69	164-188
70	32-56
71	612-636
72	318-342
73	390-414
74	43-67
75	127-151
76	293-317
77	227-251
78	79-103
79	379-403
80	118-142
81	240-264
82	287-311
83	1489-1513
84	1489-1513
85	416-440
86	1489-1513
87	299-323
88	1489-1513
89	1489-1513
90	156-180
91	288-312
92	251-275
93	232-256
94	157-181
95	292-316
96	291-315
97	106-130



98	302-326
99	83-107
100	108-132
101	330-354
102	185-209
103	169-193
104	194-218
105	299-323
106	74-98
107	279-303
108	54-78
109	455-479
110	414-438
111	408-432
112	216-240
113	144-168
114	392-416
115	163-187
116	274-298
117	267-291
118	381-405
119	352-376
120	273-297
121	109-133
122	173-197
123	62-86
124	321-345
125	130-154
126	233-257
127	220-244
128	443-467
129	308-332
130	342-366
261	350-374
262	76-100
263	323-347
264	55-79
265	302-326
266	310-334
267	303-327
268	334-358
269	251-275
270	1489-1513
271	123-147
272	407-431
273	278-302
274	244-268
275	56-80
276	254-278
277	294-318
278	1489-1513
279	1489-1513
280	1489-1513

**TABLE 14 (cont.)**

**TABLE 14 (cont.)**

281	233-257
282	279-303
283	334-358
284	394-418
285	326-350
286	98-122
287	92-116
288	19-43
289	330-354
290	128-152
291	167-191
292	311-335
293	58-82
294	430-454
295	53-77
296	188-212
297	322-346
298	320-344
299	366-390
300	295-319
301	106-130
302	126-150
303	80-104
304	375-399
305	404-428
306	134-158
307	1489-1513
308	1489-1513
309	258-282
310	153-177
311	112-136
312	207-231
313	300-324
314	356-380
315	213-237
316	63-87
317	1489-1513
318	163-187
319	336-360
320	340-364
321	468-492
322	182-206
323	272-296
324	40-64
325	177-201
326	59-83
327	114-138
328	47-71
329	15-39
330	191-215
331	77-101
332	309-333
333	57-81

334	46-70
335	204-228
336	421-445
337	73-97
338	375-399
339	247-271
340	259-283
341	182-206
342	290-314
343	41-65
344	306-330
345	14-38
346	308-332
347	269-293
348	259-283
349	253-277
350	284-308
351	320-344
352	61-85
353	73-97
354	89-113
355	311-335
356	193-217
357	415-439
358	304-328
359	304-328
360	413-437
361	200-224
362	144-168
363	254-278
364	129-153
365	162-186
366	83-107
367	102-126
368	281-305
369	10-34
370	406-430
371	192-216
372	249-273
373	400-424
374	281-305
375	83-107
376	349-373
377	344-368
378	167-191
379	163-187
380	209-233
381	133-157
382	395-419
383	121-145
384	227-251
385	279-303
386	261-285

**TABLE 14 (cont.)**

387	96-120
388	56-80
389	283-307
390	447-471
391	97-121
392	315-339
393	353-377
394	355-379
395	260-284
396	23-47
397	403-427
398	153-177
399	351-375
400	285-309
401	26-50

TABLE 15

Gene	Marker	Allele 1	Allele 2	Genotype Frequencies										Numbers	
				Allele 1 Frequencies		p-value	Cases				Control s		p-value	Cases	Control s
				Cases	Control s		11	12	22	22	11	12	22		
5HTR6	99-27199/207	C	T	0.72	0.70	0.71	0.51	0.41	0.08	0.45	0.48	0.45	0.07	140	94
5HTR6	99-27207/117	C	T	0.48	0.37	0.02	0.24	0.47	0.29	0.47	0.13	0.47	0.40	139	93
5HTR6	99-28110/75	C	T	0.64	0.52	0.01	0.41	0.45	0.14	0.51	0.27	0.51	0.22	139	90
5HTR6	99-28134/215	C	T	0.51	0.63	0.01	0.26	0.50	0.24	0.43	0.42	0.43	0.15	138	93
5HTR7	99-28160/285	A	G	0.49	0.51	0.73	0.27	0.44	0.29	0.53	0.24	0.53	0.23	140	91
5HTR7	99-28171/458	A	G	0.34	0.38	0.44	0.13	0.42	0.45	0.42	0.17	0.42	0.41	136	90
5HTR7	99-28173/395	C	T	0.51	0.55	0.33	0.27	0.47	0.28	0.57	0.27	0.57	0.18	137	94
5HTR7	99-32181/192	C	T	0.28	0.38	0.02	0.09	0.38	0.54	0.51	0.13	0.51	0.36	136	85
5HTR7	99-32193/258	G	T	0.70	0.65	0.26	0.53	0.34	0.12	0.41	0.41	0.48	0.11	137	85
CHRNA7	99-28722/90	C	T	0.27	0.32	0.27	0.00	0.54	0.46	0.62	0.01	0.62	0.37	140	94
CHRNA7	99-28730/351	A	G	0.32	0.38	0.17	0.04	0.55	0.41	0.69	0.03	0.69	0.28	139	94
CHRNA7	99-32306/409	C	G	0.62	0.67	0.31	0.26	0.72	0.01	0.66	0.34	0.66	0.00	137	91
CRFR1	99-27088/246	A	G	0.42	0.38	0.31	0.20	0.44	0.36	0.45	0.15	0.45	0.40	138	93
CRFR1	99-27091/220	A	G	0.44	0.49	0.32	0.19	0.50	0.31	0.50	0.24	0.50	0.26	137	92
CRFR1	99-27097/83	C	T	0.55	0.53	0.73	0.34	0.41	0.24	0.56	0.26	0.56	0.19	140	90
CRFR1	99-27550/48	A	G	0.20	0.26	0.17	0.04	0.32	0.64	0.38	0.07	0.38	0.55	138	91
MLR	19-26/204/A23	C	G	0.55	0.53	0.70	0.28	0.55	0.18	0.50	0.28	0.50	0.22	137	92
MLR	99-27563/400	A	G	0.46	0.44	0.79	0.19	0.54	0.28	0.46	0.21	0.46	0.33	138	89
MLR	99-28732/133	A	G	0.39	0.31	0.09	0.16	0.47	0.37	0.44	0.09	0.44	0.47	137	86
MLR	99-28735/56	C	T	0.71	0.70	0.87	0.50	0.41	0.09	0.40	0.50	0.40	0.10	136	88
CRFR2	99-27875/185	C	T	0.36	0.40	0.30	0.16	0.39	0.45	0.49	0.16	0.49	0.35	140	94
CRFR2	99-27880/178	C	T	0.53	0.56	0.47	0.30	0.46	0.24	0.47	0.32	0.47	0.20	139	93
CRFR2	99-28747/371	C	T	0.39	0.44	0.34	0.16	0.47	0.37	0.42	0.23	0.42	0.35	138	91
CRFR2	99-28755/208	A	G	0.56	0.59	0.65	0.32	0.50	0.19	0.44	0.37	0.44	0.19	139	93

TABLE 15 (cont.)

GRL	99-30853/364	A	G	0.56	0.58	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.87	139	93
GRL	99-30858/354	C	T	0.76	0.84	0.04	0.59	0.34	0.06	0.71	0.27	0.02	0.13	140	89
GRL	99-28485/198	G	T	0.19	0.20	0.68	0.04	0.30	0.66	0.01	0.38	0.61	0.25	134	89
GRL	99-32002/313	A	G	0.48	0.48	0.97	0.23	0.51	0.26	0.16	0.65	0.19	0.10	140	94
GRL	18-20/174	A	G	0.76	0.73	0.38	0.57	0.39	0.04	0.53	0.39	0.07	0.55	140	94
GRL	18-31/178	C	T	0.30	0.35	0.21	0.11	0.38	0.51	0.15	0.40	0.45	0.49	140	94
GRL	18-38/395	A	T	0.59	0.63	0.38	0.36	0.46	0.18	0.36	0.54	0.10	0.17	140	94
MAO A/B	18-2/192	G	T	0.70	0.68	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.78	140	93
MAO A/B	19-25/407	C	T	0.87	0.87	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.96	138	90
MAO A/B	99-26921/210	A	G	0.48	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	0.20	139	93
MAO A/B	18-133/293	A	C	0.30	0.27	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.77	140	92
NET	19-56/140	A	G	0.34	0.27	0.11	0.12	0.44	0.44	0.02	0.49	0.48	0.03	134	93
NET	19-14/241	C	T	0.35	0.32	0.64	0.12	0.46	0.43	0.10	0.45	0.45	0.88	136	91
NET	19-28/136	A	C	0.68	0.56	0.01	0.44	0.48	0.08	0.28	0.57	0.15	0.02	140	93
NET	19-44/251	C	T	0.24	0.21	0.40	0.09	0.31	0.60	0.02	0.38	0.60	0.11	140	93
NET	99-28788/300	A	G	0.49	0.47	0.65	0.22	0.54	0.24	0.21	0.51	0.28	0.85	140	94
NET	99-32061/304	A	G	0.41	0.39	0.71	0.16	0.51	0.34	0.14	0.51	0.35	0.92	140	94
NET	99-32121/242	A	G	0.61	0.52	0.07	0.36	0.49	0.15	0.29	0.47	0.24	0.16	140	94
TACR1	99-28761/311	A	G	0.25	0.22	0.38	0.07	0.36	0.56	0.01	0.41	0.57	0.09	140	94
TACR1	99-28771/86	C	T	0.48	0.52	0.33	0.24	0.46	0.29	0.23	0.57	0.19	0.16	140	94
TACR1	99-28791/291	A	G	0.28	0.26	0.58	0.09	0.39	0.53	0.04	0.43	0.53	0.42	140	94
TACR1	99-32361/419	G	T	0.53	0.52	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.84	140	94
DRD3	8-15/126	A	G	0.64	0.70	0.16	0.43	0.42	0.15	0.47	0.47	0.06	0.13	140	94
DRD3	8-19/372	A	G	0.23	0.28	0.22	0.09	0.29	0.62	0.03	0.50	0.47	0.004	140	94
DRD3	99-2409/298	A	G	0.36	0.40	0.30	0.14	0.44	0.42	0.11	0.60	0.30	0.07	140	94
DRD3	99-339/54	C	G	0.55	0.54	0.93	0.34	0.42	0.24	0.28	0.53	0.19	0.25	140	94
CYP3A4	12-254/180	A	G	0.43	0.54	0.02	0.19	0.47	0.34	0.32	0.45	0.23	0.06	140	94
CYP3A4	10-214/279	C	T	0.14	0.12	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.79	140	94
CYP3A4	10-217/91	C	T	0.89	0.93	0.16	0.79	0.19	0.02	0.86	0.13	0.01	0.39	140	94

TABLE 15 (cont)

5HTT	18-194/130	C	T	0.54	0.52	0.67	0.31	0.44	0.24	0.20	0.63	0.17	0.02	140	94
5HTT	18-198/252	A	G	0.52	0.49	0.57	0.29	0.47	0.24	0.20	0.59	0.21	0.20	140	94
5HTT	18-242/300	A	G	0.46	0.54	0.09	0.24	0.44	0.32	0.27	0.54	0.19	0.09	140	94
5HTT	18-186/391	G	T	0.50	0.53	0.52	0.27	0.45	0.28	0.26	0.54	0.20	0.31	140	94
DRD2	19-23/215	A	G	0.21	0.16	0.24	0.05	0.31	0.64	0.04	0.24	0.72	0.44	139	93
DRD2	19-5/377	A	G	0.55	0.53	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.78	139	93
DRD2	19-6/171	A	C	0.22	0.16	0.15	0.06	0.32	0.62	0.04	0.24	0.72	0.34	138	92
DRD2	19-7/275	C	T	0.70	0.63	0.12	0.49	0.43	0.08	0.38	0.52	0.11	0.24	135	93
DRD2	19-4/118	C	T	0.46	0.45	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.63	140	93
Gbeta3	19-58/162	C	T	0.70	0.62	0.07	0.49	0.42	0.09	0.36	0.51	0.13	0.16	139	91
Gbeta3	19-9/45	C	T	0.71	0.64	0.12	0.49	0.43	0.08	0.40	0.47	0.13	0.28	139	92
Gbeta3	19-88/185	C	T	0.43	0.40	0.50	0.24	0.38	0.38	0.25	0.29	0.46	0.41	133	92
Gbeta3	19-22/74	A	G	0.33	0.34	0.79	0.09	0.49	0.43	0.14	0.40	0.46	0.30	140	94
Gbeta3	20-205/302	C	T	0.94	0.99	0.002	0.88	0.12	0.00	0.99	0.01	0.00	0.002	140	94
WFS1	19-19/174	C	T	0.43	0.36	0.15	0.17	0.51	0.32	0.11	0.51	0.39	0.30	139	94
WFS1	19-16/127	C	G	0.33	0.27	0.19	0.09	0.49	0.43	0.05	0.44	0.51	0.38	140	94
WFS1	19-17/188	A	G	0.58	0.66	0.07	0.32	0.51	0.16	0.43	0.46	0.11	0.18	140	93
WFS1	19-18/310	A	G	0.14	0.07	0.04	0.02	0.23	0.75	0.01	0.13	0.86	0.12	140	94
TH	19-15/324	A	C	0.69	0.76	0.10	0.51	0.37	0.12	0.60	0.32	0.08	0.31	132	91
TH	18-251/176	C	T	0.58	0.57	0.87	0.36	0.44	0.20	0.29	0.57	0.14	0.11	140	94
TH	18-269/44	A	G	0.36	0.38	0.71	0.11	0.51	0.39	0.15	0.46	0.39	0.58	140	94
5HTR2c	18-12/191	A	C	0.15	0.14	0.73	0.66	0.17	0.77	0.03	0.21	0.76	0.40	137	94

**TABLE 16A**

## OMNIBUS LR RANK OF HAPLOTYPES

OMNIBUS LR Rank of 4-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
NET	Genset	Argent	19-56/140	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
NET	Genset	Argent	19-28/136	99-28788/300	99-32061/304	99-32121/242	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-22/74	20-205/302	0.002	2.70
NET	Genset	Argent	16-3/199	19-28/136	99-32061/304	99-32121/242	0.002	2.70
Gbeta3	Genset	Argent	19-58/162	19-9/45	19-88/185	20-205/302	0.003	2.52
NET	Genset	Argent	19-56/140	19-28/136	99-32061/304	99-32121/242	0.003	2.52
NET	Genset	Argent	19-56/140	16-3/199	99-32061/304	99-32121/242	0.005	2.30
NET	Genset	Argent	19-28/136	16-50/196	99-32061/304	99-32121/242	0.010	2.00
5HTT	Genset	Argent	18-186/391	18-194/130	18-198/252	18-242/300	0.013	1.89
NET	Genset	Argent	19-56/140	16-50/196	99-32061/304	99-32121/242	0.014	1.85

92 total combinations

**TABLE 16B**

OMNIBUS LR Rank of 3-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	19-9/45	20-205/302	0	0.001	4.00
WFS1	Genset	Argent	19-19/174	19-17/188	19-18/310	0	0.003	3.55
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.009	3.05
NET	Genset	Argent	19-28/136	99-32061/304	99-32121/242	0	0.001	3.00
WFS1	Genset	Argent	19-19/174	19-16/127	19-17/188	0	0.001	3.00
Gbeta3	Genset	Argent	19-58/162	19-22/74	20-205/302	0	0.002	2.70
NET	Genset	Argent	99-28788/300	99-32061/304	99-32121/242	0	0.002	2.70
NET	Genset	Argent	19-56/140	99-32061/304	99-32121/242	0	0.004	2.40
NET	Genset	Argent	16-3/199	19-28/136	16-50/196	0	0.004	2.40
Gbeta3	Genset	Argent	19-9/45	19-22/74	20-205/302	0	0.006	2.22

136 total combinations



**TABLE 16 C**

OMNIBUS LR Rank of 2-locus combinations

Gene	Cases	Controls	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
Gbeta3	Genset	Argent	19-58/162	20-205/302	0	0	0.00003	4.52
WFS1	Genset	Argent	19-19/174	19-17/188	0	0	0.00021	3.68
Gbeta3	Genset	Argent	19-9/45	20-205/302	0	0	0.001	3.00
NET	Genset	Argent	99-32061/304	99-32121/242	0	0	0.003	2.52
Gbeta3	Genset	Argent	19-22/74	20-205/302	0	0	0.006	2.22
5HTR7	Genset	Argent	99-28106/185	99-32181/192	0	0	0.007	2.15
DRD3	Genset	Argent	8-15/126	99-2409/298	0	0	0.014	1.87
Gbeta3	Genset	Argent	19-88/185	20-205/302	0	0	0.014	1.85
5HTR7	Genset	Argent	99-32181/192	99-32193/258	0	0	0.015	1.82
5HTT	Genset	Argent	18-186/394	18-242/300	0	0	0.016	1.80

125 total combinations

**TABLE 17A**

Rank of Permutation Tests for Individual Haplotypes

4-Locus Combination

EM Methods					Permutation Test					Omnibus LR						
Gene	Marker1	Marker2	Marker3	Marker4	Haplotyp e	Case	Control	Differenc e	Odds Ratio	Chi- Square	number	p-value	-log p- value	LR statistic	p-value	-log p- value
NET	19-56/140	19-14/241	19-28/136	18-50/196	GTCT	0.28	0.41	-0.13	0.56	4.02	100000	0.002	2.61	19.59	0.075	1.12
GRL	18-20/174	99-32002/313	18-31/178	18-38/395	AGCA	0.06	0.17	-0.12	0.28	8.19	100000	0.003	2.57	16.09	0.360	0.44
GRL	18-20/174	18-31/178	18-38/395	99-30858/354	GTAC	0.11	0.22	-0.10	0.46	4.56	100000	0.003	2.55	25.70	0.045	1.35
GRL	18-20/174	18-38/395	99-30853/364	99-30858/354	GAAC	0.03	0.12	-0.09	0.28	6.37	1000	0.003	2.52	21.83	0.078	1.11
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GCAC	0.06	0.14	-0.09	0.36	4.91	1000	0.003	2.52	20.00	0.159	0.80
GRL	99-32002/313	18-31/178	18-38/395	99-30858/354	GTAT	0.13	0.05	0.09	3.26	4.77	1000	0.003	2.52	20.00	0.159	0.80
5HTT	18-188/391	18-194/130	18-198/252	18-242/300	GCAA	0.02	0.08	-0.06	0.27	4.13	1000	0.003	2.52	25.66	0.013	1.89
NET	19-28/136	99-28788/300	99-32061/304	99-32121/242	AGGG	0.01	0.05	-0.04	0.14	4.28	1000	0.004	2.40	31.97	0.001	3.00
GRL	99-32002/313	18-31/178	99-30853/364	99-30858/354	GTAT	0.18	0.08	0.10	2.42	4.20	1000	0.004	2.38	16.19	0.314	0.50
5HTR7	99-28106/185	99-28171/458	99-28173/395	99-32181/192	AACC	0.27	0.38	-0.11	0.60	2.90	1000	0.005	2.30	13.67	0.034	1.47
NET	19-14/241	19-28/136	18-50/196	99-32061/304	TCTG	0.17	0.28	-0.11	0.53	3.88	1000	0.006	2.22	20.75	0.084	1.08
GRL	18-31/178	18-38/395	99-30853/364	99-30858/354	TAAT	0.14	0.05	0.09	3.06	4.68	1000	0.006	2.22	22.38	0.090	1.05
DRD3	8-15/126	8-19/372	99-2409/288	99-339/54	GGAG	0.06	0.01	0.06	9.29	4.64	1000	0.006	2.22	23.14	0.045	1.35
GRL	18-20/174	99-32002/313	18-38/395	99-30858/354	GAAC	0.06	0.15	-0.09	0.34	5.65	1000	0.007	2.15	18.83	0.175	0.78
NET	16-50/196	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.05	0.10	5.15	1000	0.008	2.10	24.11	0.034	1.47
NET	19-56/140	16-50/196	99-28788/300	99-32121/242	ATAA	0.18	0.08	0.12	3.45	6.78	1000	0.009	2.05	19.07	0.240	0.62
NET	19-14/241	16-50/196	99-32061/304	99-32121/242	TTGG	0.00	0.06	-0.05	0.08	5.70	1000	0.009	2.05	27.52	0.053	1.28
5HTR7	99-28106/185	99-28173/395	99-32181/192	99-32193/258	ACCG	0.27	0.38	-0.11	0.60	2.65	1000	0.012	1.92	14.10	0.023	1.64
5HTR7	99-28171/458	99-28173/395	99-32181/192	99-32193/258	ACCG	0.27	0.38	-0.11	0.61	2.56	1000	0.012	1.92	10.14	0.087	1.17
NET	19-14/241	99-28788/300	99-32061/304	99-32121/242	TGGG	0.01	0.05	-0.04	0.15	3.82	1000	0.012	1.92	25.41	0.025	1.60

846 Total Haplotypes

846 Total Haplotypes

TABLE 17B

3-Locus Combination

EM Methods											Permutation Test				Omnibus LR		
Gene	Marker1	Marker2	Marker3	Marker4	Haplo <sub>type</sub>	Case	Control	difference	Odds Ratio	Chi-Square	Number	p-value	-log p-value	LR statistic	p-value	-log p-value	
NET	99-28788/300	99-32061/304	99-32121/242	0	GGG	0.01	0.07	-0.07	0.08	7.92	100000	0.0002	3.77	22.06	0.002	2.65	
WFS1	19-19/174	19-17/188	19-18/310	0	CAG	0.01	0.07	-0.08	0.11	6.51	100000	0.0002	3.68	25.36	0.000	3.55	
NET	16-50/198	99-32061/304	99-32121/242	0	TGG	0.00	0.07	-0.07	0.06	8.34	100000	0.0008	3.11	21.73	0.012	1.91	
NET	19-14/241	19-28/136	16-50/196	0	TCT	0.30	0.43	-0.14	0.55	4.53	100000	0.0009	3.05	20.54	0.001	3.05	
GRL	18-20/174	18-38/395	99-30858/354	0	GAC	0.11	0.23	-0.11	0.44	5.18	100000	0.001	2.98	15.29	0.049	1.31	
Gbeta3	19-58/162	19-9/45	20-205/302	0	TTC	0.21	0.35	-0.13	0.51	4.89	10000	0.001	2.96	28.52	0.000	4.00	
cyp3a4	12-254/180	10-214/279	10-217/91	0	ATC	0.38	0.52	-0.14	0.57	4.41	1000	0.002	2.70	14.23	0.042	1.38	
NET	19-14/241	99-32061/304	99-32121/242	0	TGG	0.01	0.06	-0.05	0.08	6.12	1000	0.002	2.70	20.70	0.015	1.82	
GRL	99-32002/313	18-31/178	99-30858/354	0	GTT	0.18	0.09	0.10	0.09	4.09	1000	0.003	2.52	9.36	0.188	0.73	
GRL	18-31/178	99-30853/364	99-30858/354	0	TAT	0.19	0.10	0.10	2.24	3.83	1000	0.003	2.52	12.79	0.109	0.86	
5HTT	18-166/391	18-194/130	18-242/300	0	GCA	0.02	0.08	-0.06	0.27	4.08	1000	0.003	2.52	18.07	0.028	1.55	
5HTT	18-166/391	18-198/252	18-242/300	0	GAA	0.02	0.09	-0.06	0.24	5.11	1000	0.003	2.52	17.54	0.031	1.51	
DRD3	8-15/126	8-19/372	99-2409/298	0	GGA	0.11	0.04	0.06	3.28	4.31	100000	0.003	2.46	11.57	0.038	1.42	
WFS1	19-19/174	19-17/188	18-145/405	0	TGT	0.01	0.06	-0.04	0.24	3.44	100000	0.004	2.41	25.29	0.001	3.27	
NET	19-56/140	19-14/241	19-28/136	0	GTC	0.30	0.41	-0.11	0.61	2.92	1000	0.004	2.40	7.06	0.355	0.45	
NET	19-56/140	99-32061/304	99-32121/242	0	GGG	0.01	0.07	-0.07	0.11	6.87	1000	0.004	2.40	24.66	0.004	2.40	
5HTR6	99-27199/207	99-27207/117	99-28134/215	0	CCT	0.26	0.14	0.12	2.17	4.83	1000	0.004	2.40	15.16	0.081	1.09	
5HTT	18-194/130	18-198/252	18-242/300	0	CAA	0.02	0.08	-0.06	0.27	4.15	1000	0.004	2.40	16.28	0.021	1.88	
WFS1	19-19/174	19-16/127	19-17/188	0	CGA	0.01	0.06	-0.05	0.21	4.02	1000	0.005	2.30	23.24	0.001	3.00	
WFS1	19-19/174	19-17/188	19-18/310	0	CGA	0.12	0.08	0.08	2.16	2.32	1000	0.005	2.30	25.36	0.000	3.55	

869 Total Haplotypes

869 Total Haplotypes

**TABLE 17C**

2-Locus Combination

EM Methods													Permutation Test				Omnibus LR		
Gene	Marker1	Marker2	Marker3	Marker4	Haplotyp e	Case	Control	differe e	Odds Ratio	Chi- Square	number	p-value	-log p- value	LR statistic	p-value	-log p- value			
WFS1	19-19/174	19-17/188	0	0	CA	0.02	0.08	-0.06	0.21	5.19	100000	0.0005	3.30	20.22	0.000	3.68			
Gbeta3	19-58/162	20-205/302	0	0	TC	0.25	0.38	-0.13	0.53	4.68	100000	0.0009	3.04	21.82	0.000	4.52			
DRD3	8-15/126	99-2409/298	0	0	AA	0.23	0.37	-0.13	0.52	4.95	100000	0.0012	2.93	10.17	0.014	1.87			
WFS1	19-19/174	19-17/188	0	0	CG	0.41	0.28	0.13	1.79	4.09	100000	0.0016	2.79	20.22	0.0002	3.68			
NET	19-14/241	19-28/136	0	0	TC	0.31	0.43	-0.12	0.59	3.46	1000	0.002	2.70	8.47	0.044	1.36			
NET	99- 32061/304	99- 32121/242	0	0	GG	0.01	0.09	-0.08	0.15	7.53	1000	0.002	2.70	19.47	0.003	2.52			
Gbeta3	19-9/45	20-205/302	0	0	TC	0.24	0.36	-0.12	0.58	3.58	1000	0.002	2.70	17.27	0.001	3.00			
GRL	18-31/178	99- 30858/354	0	0	TT	0.20	0.10	0.10	2.31	4.19	1000	0.003	2.52	8.22	0.029	1.54			
SHIT	18-186/394	18-242/300	0	0	GA	0.03	0.11	-0.08	0.25	6.36	1000	0.003	2.52	13.34	0.016	1.80			
SHIT	18-198/252	18-242/300	0	0	AA	0.02	0.09	-0.06	0.24	4.92	1000	0.003	2.52	10.72	0.021	1.68			
CHRNA 7	99-28722/80	99- 32308/409	0	0	CC	0.07	0.29	-0.22	0.19	19.25	1000	0.003	2.52	9.19	0.042	1.38			
DRD3	8-15/126	99-2409/298	0	0	GA	0.13	0.04	0.09	3.58	5.16	100000	0.003	2.49	10.17	0.014	1.87			
WFS1	19-19/174	19-17/188	0	0	TG	0.01	0.06	-0.04	0.24	3.46	100000	0.004	2.45	20.22	0.000	3.68			
5HTR7	99- 32181/192	99- 32193/258	0	0	TG	0.42	0.28	0.14	1.87	4.16	1000	0.004	2.40	9.27	0.015	1.82			
GRL	18-38/395	99- 30858/354	0	0	AC	0.44	0.58	-0.14	0.58	4.11	1000	0.004	2.40	8.98	0.023	1.64			
CRFR1	99- 27091/220	99-27550/48	0	0	GG	0.36	0.25	0.11	1.72	3.20	1000	0.004	2.40	9.03	0.022	1.66			
cyp3a4	12-254/180	10-214/279	0	0	AT	0.39	0.52	-0.13	0.60	3.69	1000	0.005	2.30	7.10	0.085	1.07			
NET	19-58/140	19-14/241	0	0	GT	0.35	0.46	-0.10	0.65	2.43	1000	0.005	2.30	5.05	0.134	0.87			
CHRNA 7	99-28722/80	99- 28730/351	0	0	TG	0.55	0.36	0.19	2.17	8.05	1000	0.005	2.30	3.95	0.214	0.67			
cyp3a4	12-254/180	10-217/91	0	0	AC	0.41	0.53	-0.13	0.60	3.57	100000	0.006	2.26	7.40	0.084	1.08			

485 Total Haplotype

Table 18A

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies								Numbers		
				Cases	Controls	Chi Square	p-value	Cases				Controls				Chi-square	p-value
								11	12	22	22	11	12	22	22		
5HTR6	99-27199-207	C	T	0.72	0.70	0.14	0.71	0.51	0.41	0.08	0.48	0.45	0.07	0.36	0.83	140	94
5HTR6	99-27207-117	C	T	0.48	0.37	5.78	0.02	0.24	0.47	0.29	0.13	0.47	0.40	5.79	0.06	139	93
5HTR6	99-28110-75	C	T	0.64	0.52	5.93	0.01	0.41	0.45	0.14	0.27	0.51	0.22	5.91	0.05	139	90
5HTR6	99-28134-215	C	T	0.51	0.63	6.43	0.01	0.26	0.50	0.24	0.42	0.43	0.15	6.58	0.04	136	93
5HTR7	99-28160-285	A	G	0.49	0.51	0.12	0.73	0.27	0.44	0.29	0.24	0.53	0.23	1.96	0.37	140	91
5HTR7	99-28171-458	A	G	0.34	0.38	0.61	0.44	0.13	0.42	0.45	0.17	0.42	0.41	0.61	0.74	136	90
5HTR7	99-28173-395	C	T	0.51	0.55	0.94	0.33	0.27	0.47	0.26	0.27	0.57	0.16	3.46	0.18	137	94
5HTR7	99-32181-192	C	T	0.28	0.38	5.50	0.02	0.09	0.38	0.54	0.13	0.51	0.36	6.25	0.04	136	85
5HTR7	99-32193-258	G	T	0.70	0.65	1.29	0.26	0.53	0.34	0.12	0.41	0.48	0.11	4.30	0.12	137	85
CHRNA7	99-28722-90	C	T	0.27	0.32	1.24	0.27	0.00	0.54	0.46	0.01	0.62	0.37	2.99	0.22	140	94
CHRNA7	99-28730-351	A	G	0.32	0.38	1.86	0.17	0.04	0.55	0.41	0.03	0.69	0.28	4.93	0.09	139	94
CHRNA7	99-32308-409	C	G	0.62	0.67	1.02	0.31	0.26	0.72	0.01	0.34	0.66	0.00	2.77	0.25	137	91
CRFR1	99-27088-246	A	G	0.42	0.38	1.04	0.31	0.20	0.44	0.36	0.15	0.45	0.40	1.12	0.57	138	93
CRFR1	99-27091-220	A	G	0.44	0.49	1.00	0.32	0.19	0.50	0.31	0.24	0.50	0.26	1.04	0.59	137	92
CRFR1	99-27097-83	C	T	0.55	0.53	0.12	0.73	0.34	0.41	0.24	0.26	0.56	0.19	4.40	0.11	140	90
CRFR1	99-27550-48	A	G	0.20	0.26	1.93	0.17	0.04	0.32	0.64	0.07	0.38	0.55	1.92	0.38	138	91
MLR	16-31-738-A23	C	G	0.55	0.53	0.15	0.70	0.28	0.55	0.18	0.28	0.50	0.22	0.75	0.69	137	92
MLR	99-27563-400	A	G	0.46	0.44	0.07	0.79	0.19	0.54	0.28	0.21	0.46	0.33	1.25	0.54	138	89
MLR	99-28732-133	A	G	0.39	0.31	2.94	0.09	0.16	0.47	0.37	0.09	0.44	0.47	2.98	0.23	137	86
MLR	99-28735-56	C	T	0.71	0.70	0.03	0.87	0.50	0.41	0.09	0.50	0.40	0.10	0.14	0.93	136	88
CRFR2	99-27875-185	C	T	0.36	0.40	1.06	0.30	0.16	0.39	0.45	0.16	0.49	0.35	2.76	0.25	140	94
CRFR2	99-27880-176	C	T	0.53	0.56	0.52	0.47	0.30	0.46	0.24	0.32	0.47	0.20	0.55	0.76	139	93
CRFR2	99-28747-371	C	T	0.39	0.44	0.90	0.34	0.16	0.47	0.37	0.23	0.42	0.35	1.88	0.39	138	91
CRFR2	99-28755-206	A	G	0.56	0.59	0.21	0.65	0.32	0.50	0.19	0.37	0.44	0.19	0.77	0.68	139	93

Table 18B

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies								Numbers		
				Cases	Controls	Chi Square	p-value	Cases			Controls			Chi-square	p-value		
								11	12	22	11	12	22				
GRL	99-30853-364	A	G	0.56	0.58	0.24	0.62	0.35	0.41	0.24	0.39	0.39	0.23	0.29	0.87	139	93
GRL	99-30858-354	C	T	0.76	0.84	4.10	0.04	0.59	0.34	0.06	0.71	0.27	0.02	4.04	0.13	140	89
GRL	99-28485-198	G	T	0.19	0.20	0.17	0.68	0.04	0.30	0.66	0.01	0.38	0.61	2.75	0.25	134	89
GRL	99-32002-313	A	G	0.48	0.48	0.00	0.97	0.23	0.51	0.26	0.16	0.65	0.19	4.61	0.10	140	94
GRL	18-20-174	A	G	0.76	0.73	0.76	0.38	0.57	0.39	0.04	0.53	0.39	0.07	1.18	0.55	140	94
GRL	18-31-178	C	T	0.30	0.35	1.55	0.21	0.11	0.38	0.51	0.15	0.40	0.45	1.41	0.49	140	94
GRL	18-38-395	A	T	0.59	0.63	0.76	0.38	0.36	0.46	0.18	0.36	0.54	0.10	3.49	0.17	140	94
MAO A-B	18-2-192	G	T	0.70	0.68	0.19	0.66	0.56	0.26	0.17	0.56	0.24	0.20	0.50	0.78	140	93
MAO A-B	18-215-80	C	T	0.67	0.67	0.00	1.00	0.54	0.26	0.20	0.54	0.24	0.21	0.08	0.96	138	90
MAO A-B	99-26921-210	A	G	0.48	0.52	0.52	0.47	0.33	0.30	0.37	0.31	0.41	0.28	3.17	0.20	139	93
MAO A-B	18-133-293	A	C	0.30	0.27	0.55	0.46	0.16	0.29	0.55	0.14	0.26	0.60	0.52	0.77	140	92
NET	99-28788-300	A	G	0.49	0.47	0.25	0.62	0.23	0.51	0.26	0.21	0.53	0.27	0.32	0.85	314	178
NET	99-32061-304	A	G	0.43	0.40	0.32	0.57	0.19	0.47	0.34	0.14	0.52	0.34	1.41	0.50	320	86
NET	99-32121-242	A	G	0.57	0.54	0.78	0.38	0.34	0.47	0.19	0.30	0.48	0.22	0.74	0.69	313	181
NET	99-32148-315	C	G	0.31	0.27	2.08	0.15	0.09	0.46	0.46	0.09	0.36	0.55	4.23	0.12	315	181
NET	19-28-136	A	C	0.68	0.61	4.35	0.04	0.44	0.47	0.09	0.37	0.49	0.14	4.77	0.09	322	183
NET	19-29-303	C	T	0.21	0.19	0.77	0.38	0.05	0.33	0.63	0.02	0.34	0.64	3.52	0.17	326	183
NET	19-46-322	C	T	0.31	0.31	0.01	0.92	0.07	0.48	0.45	0.07	0.47	0.45	0.03	0.99	317	177
NET	99-32065-303	G	T	0.42	0.43	0.04	0.85	0.18	0.49	0.34	0.14	0.57	0.29	3.02	0.22	317	182
NET	99-32131-312	C	T	0.68	0.71	0.62	0.43	0.47	0.42	0.11	0.49	0.43	0.08	1.12	0.57	315	178
TACR1	99-28761-311	A	G	0.25	0.22	0.78	0.38	0.07	0.36	0.56	0.01	0.41	0.57	4.81	0.09	140	94
TACR1	99-28771-86	C	T	0.48	0.52	0.96	0.33	0.24	0.46	0.29	0.23	0.57	0.19	3.65	0.16	140	94
TACR1	99-28791-291	A	G	0.28	0.26	0.31	0.58	0.09	0.39	0.53	0.04	0.43	0.53	1.76	0.42	140	94
TACR1	99-32361-419	G	T	0.53	0.52	0.07	0.79	0.29	0.49	0.23	0.26	0.52	0.22	0.34	0.84	140	94

Table 18B (cont)

DRD3	8-15-126	A	G	0.84	0.70	1.99	0.16	0.43	0.42	0.15	0.47	0.47	0.06	4.10	0.13	140	94
DRD3	8-19-372	A	G	0.23	0.28	1.48	0.22	0.09	0.29	0.62	0.03	0.50	0.47	11.32	0.004	140	94
DRD3	99-2409-298	A	G	0.36	0.40	1.06	0.30	0.14	0.44	0.42	0.11	0.60	0.30	5.31	0.07	140	94
DRD3	99-339-54	C	G	0.55	0.54	0.01	0.93	0.34	0.42	0.24	0.28	0.53	0.19	2.77	0.25	140	94

Table 18C

Gene	Marker	Allele 1	Allele 2	Allele 1 Frequencies			Genotype Frequencies										Numbers			
				Cases	Controls	Chi-Square	p-value	Cases				Controls				Chi-Square	p-value	Cases	Controls	
								11	12	22	11	12	22	11	12					22
CYP3A4	12-254-180	A	G	0.43	0.54	5.86	0.02	0.19	0.47	0.34	0.32	0.45	0.23	5.73	0.06	140	94			
CYP3A4	10-214-279	C	T	0.14	0.12	0.35	0.55	0.02	0.23	0.75	0.02	0.19	0.79	0.46	0.79	140	94			
CYP3A4	10-217-91	C	T	0.89	0.93	2.01	0.16	0.79	0.19	0.02	0.86	0.13	0.01	1.88	0.39	140	94			
5HTT	18-194-130	C	T	0.54	0.52	0.18	0.67	0.31	0.44	0.24	0.20	0.63	0.17	7.73	0.02	140	94			
5HTT	18-198-252	A	G	0.52	0.49	0.32	0.57	0.29	0.47	0.24	0.20	0.59	0.21	3.19	0.20	140	94			
5HTT	18-242-300	A	G	0.46	0.54	2.89	0.09	0.24	0.44	0.32	0.27	0.54	0.19	4.89	0.09	140	94			
5HTT	18-186-391	G	T	0.50	0.53	0.41	0.52	0.27	0.45	0.28	0.26	0.54	0.20	2.37	0.31	140	94			
DRD2	16-21-228	A	G	0.21	0.16	1.40	0.24	0.05	0.31	0.64	0.04	0.24	0.72	1.65	0.44	139	93			
DRD2	16-23-404	A	G	0.55	0.53	0.09	0.76	0.30	0.50	0.20	0.26	0.55	0.19	0.50	0.78	139	93			
DRD2	16-24-175	A	C	0.22	0.16	2.07	0.15	0.06	0.32	0.62	0.04	0.24	0.72	2.19	0.34	138	92			
DRD2	16-25-286	C	T	0.70	0.63	2.41	0.12	0.49	0.43	0.08	0.38	0.52	0.11	2.87	0.24	135	93			
DRD2	16-22-156	C	T	0.46	0.45	0.07	0.79	0.21	0.50	0.29	0.17	0.56	0.27	0.94	0.63	140	93			
Gbeta3	19-58-162	C	T	0.68	0.63	2.24	0.13	0.45	0.47	0.09	0.41	0.43	0.15	4.35	0.11	229	182			
Gbeta3	19-9-45	C	T	0.69	0.66	0.60	0.44	0.45	0.48	0.07	0.45	0.42	0.12	4.45	0.11	321	185			
Gbeta3	18-355-67	C	T	0.47	0.49	0.43	0.51	0.20	0.55	0.26	0.25	0.47	0.27	2.95	0.23	311	173			
Gbeta3	18-353-267	C	T	0.78	0.73	3.58	0.06	0.60	0.37	0.03	0.54	0.38	0.08	6.14	0.05	302	180			
Gbeta3	18-388-305	A	G	0.65	0.70	2.05	0.15	0.43	0.44	0.13	0.47	0.45	0.08	2.78	0.25	319	174			



Table 18C (cont)

WFS1	19-17-188	A	G	0.57	0.68	8.62	0.003	0.32	0.50	0.18	0.43	0.47	0.10	8.92	0.01	318	180
WFS1	19-19-174	C	T	0.40	0.31	7.66	0.006	0.16	0.48	0.36	0.09	0.43	0.47	7.61	0.02	311	173
WFS1	24-243-348	C	T	0.62	0.70	5.29	<0.02	0.37	0.50	0.13	0.48	0.43	0.09	5.70	0.06	321	166
WFS1	99-62531-351	C	T	0.59	0.64	2.77	0.10	0.34	0.51	0.16	0.40	0.49	0.11	2.92	0.23	316	177
WFS1	99-54279-152	C	G	0.59	0.56	0.79	0.37	0.33	0.52	0.15	0.32	0.49	0.20	1.63	0.44	308	174
TH	16-115-343	A	C	0.69	0.76	2.67	0.10	0.51	0.37	0.12	0.60	0.32	0.08	2.37	0.31	132	91
TH	18-251-176	C	T	0.58	0.57	0.02	0.87	0.36	0.44	0.20	0.29	0.57	0.14	4.43	0.11	140	94
TH	18-269-44	A	G	0.36	0.38	0.14	0.71	0.11	0.51	0.39	0.15	0.46	0.39	1.09	0.58	140	94
5HTR2c	18-12-191	A	C	0.15	0.14	0.12	0.73	0.66	0.17	0.77	0.03	0.21	0.76	1.84	0.40	137	94

**Table 19**  
OMNIBUS LR Rank of Haplotypes

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	288	148	19-17-188	19-19-174	24-243-346	99-62531-351	0.003	2.49
2		277	154	19-17-188	19-19-174	24-243-346	99-54279-152	0.003	2.47
3	WFS1	274	157	19-17-188	19-19-174	99-62531-351	99-54279-152	0.007	2.17
4	5HTT	140	94	18-186-391	18-194-130	18-198-252	18-242-300	0.013	1.89
5	NET	283	79	99-32061-304	99-32121-242	19-28-136	99-32131-312	0.020	1.69
6	WFS1	283	148	19-17-188	24-243-346	99-62531-351	99-54279-152	0.023	1.65
7	NET	290	78	99-32061-304	99-32121-242	19-28-136	19-46-322	0.032	1.50
8	NET	292	73	99-32061-304	19-28-136	19-46-322	99-32131-312	0.035	1.45
9	NET	291	85	99-32061-304	99-32121-242	19-28-136	99-32065-303	0.038	1.42
10	NET	291	76	99-28788-300	99-32061-304	19-28-136	99-32131-312	0.040	1.40

  

	GENE	Affected	Control	Marker1	Marker2	Marker3	Marker4	p-value	-log p-value
1	WFS1	297	158	19-17-188	19-19-174	24-243-346		0.001	3.00
2	WFS1	282	166	19-17-188	19-19-174	99-54279-152		0.001	2.85
3	WFS1	291	156	19-17-188	24-243-346	99-54279-152		0.002	2.62
4	WFS1	293	167	19-17-188	19-19-174	99-62531-351		0.005	2.34
5	WFS1	302	150	19-17-188	24-243-346	99-62531-351		0.008	2.11
6	NET	302	79	99-32061-304	19-28-136	99-32131-312		0.017	1.76
7	NET	309	170	19-28-136	19-29-303	19-46-322		0.027	1.57
8	WFS1	287	159	19-17-188	99-62531-351	99-54279-152		0.027	1.56
9	NET	300	85	99-32061-304	99-32121-242	19-28-136		0.037	1.44
10	Gbeta3	217	167	19-58-162	19-9-45	18-355-67		0.039	1.41

Table 19 (cont)

	GENE						
1	WFS1	303	178	19-17-188	19-19-174	0.001	2.92
2	WFS1	312	160	19-17-188	24-243-346	0.001	2.92
3	5HTR7	136	82	99-28108-185	99-32181-192	0.007	2.15
4	Gbeta3	228	180	19-58-162	19-9-45	0.008	2.11
5	WFS1	307	169	19-17-188	99-62531-351	0.012	1.94
6	WFS1	286	168	19-17-188	99-54279-152	0.012	1.94
7	DRD3	140	94	8-15-126	99-2409-298	0.014	1.87
8	5HTR7	133	76	99-32181-192	99-32193-258	0.015	1.82
9	5HTT	140	94	18-186-394	18-242-300	0.016	1.80
10	Gbeta3	294	168	18-353-267	18-338-305	0.033	1.48

**Table 20A**  
**Rank of Permutation Tests for Individual Haplotypes**

EM methods										Permutation Test				Omnibus LR	
Gene	Marker1	Marker2	Marker3	Marker4	Haplotype	Case	Control	difference	Square	Chl-	number	p-value	-log p-value	p-value	-log p-value
1	GRL	18-20-174	99-32002-313	18-31-178	18-38-395	AGCA	0.06	0.17	-0.12	16.39	100000	0.003	2.57	0.360	0.44
2	GRL	18-20-174	18-31-178	18-38-395	99-30858-354	GTAC	0.11	0.22	-0.10	9.13	100000	0.003	2.55	0.045	1.35
3	GRL	18-20-174	18-38-395	99-30853-364	99-30858-354	GAAC	0.03	0.12	-0.09	12.74	1000	0.003	2.52	0.078	1.11
4	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GCAC	0.06	0.14	-0.09	9.82	1000	0.003	2.52	0.159	0.80
5	GRL	99-32002-313	18-31-178	18-38-395	99-30858-354	GTAT	0.13	0.05	0.09	9.55	1000	0.003	2.52	0.159	0.80
6	5HTT	18-186-391	18-194-130	18-198-252	18-242-300	GCAA	0.02	0.08	-0.06	8.26	1000	0.003	2.52	0.013	1.89
7	GRL	99-32002-313	18-31-178	99-30853-364	99-30858-354	GTAT	0.18	0.08	0.10	8.40	1000	0.004	2.38	0.314	0.50
8	5HT7	99-28106-185	99-28171-458	99-28173-395	99-32181-192	AACC	0.27	0.38	-0.11	2.90	1000	0.005	2.30	0.034	1.47
9	NET	99-32121-242	99-32148-315	19-46-322	99-32131-312	AGTT	0.02	0.07	-0.05	13.54	5000	0.006	2.25	0.273	0.58
10	GRL	18-31-178	18-38-395	99-30853-364	99-30858-354	TAAT	0.14	0.05	0.09	9.35	1000	0.006	2.22	0.090	1.05
11	DRD3	8-15-128	8-19-372	99-2409-298	99-339-54	GGAG	0.06	0.01	0.06	9.29	1000	0.006	2.22	0.045	1.35
12	NET	99-32061-304	19-28-136	19-46-322	99-32065-303	GCTT	0.18	0.30	-0.12	11.71	5000	0.007	2.15	0.155	0.81
13	NET	99-28788-300	99-32061-304	99-32121-242	19-28-136	AGAC	0.16	0.26	-0.11	9.89	5000	0.007	2.14	0.073	1.14
14	GRL	18-20-174	99-32002-313	18-38-395	99-30858-354	GAAC	0.06	0.15	-0.09	11.29	1000	0.007	2.15	0.175	0.76
15	NET	99-32061-304	99-32121-242	19-28-136	99-32065-303	GACT	0.18	0.29	-0.11	10.22	5000	0.008	2.11	0.038	1.42
16	NET	99-32061-304	99-32148-315	19-29-303	99-32065-303	ACTG	0.11	0.03	0.08	9.73	5000	0.008	2.11	0.484	0.33
17	NET	99-32061-304	19-28-136	19-29-303	19-46-322	GCTT	0.17	0.29	-0.12	11.84	5000	0.008	2.10	0.186	0.73
18	NET	99-32061-304	99-32121-242	19-28-136	19-46-322	GACT	0.18	0.30	-0.12	11.08	5000	0.009	2.07	0.032	1.50
19	NET	99-32061-304	99-32148-315	19-28-136	19-46-322	GGCT	0.11	0.22	-0.11	12.79	5000	0.009	2.07	0.218	0.66
20	NET	99-28788-300	99-32061-304	99-32148-315	19-28-136	AGGC	0.11	0.21	-0.10	11.33	5000	0.009	2.06	0.140	0.85

**Table 20B**  
**Rank of Permutation Tests for Individual Haplotypes**

Gene	Marker1	Marker2	Marker3	Haplotype	EM methods			Chi-Square			Permutation Test			Omnibus LR
					Case	Control	difference	Chi-Square	number	p-value	-log p-value	p-value	-log p-value	
1	18-20-174	18-38-395	99-30858-354	GAC	0.11	0.23	-0.11	10.35	100000	0.001	2.98	0.05	1.31	
2	WFS1 19-17-188	19-19-174	99-62531-351	ACC	0.01	0.05	-0.04	12.09	5000	0.002	2.80	0.00	2.34	
3	cyp3a4 12-254-180	10-214-279	10-217-91	ATC	0.38	0.52	-0.14	8.82	1000	0.002	2.70	0.04	1.38	
4	WFS1 19-17-188	19-19-174	24-243-346	GCT	0.34	0.24	0.10	9.80	5000	0.003	2.52	0.00	3.00	
5	GRL 99-32002-313	18-31-178	99-30858-354	GTT	0.18	0.09	0.10	8.18	1000	0.003	2.52	0.19	0.73	
6	GRL 18-31-178	99-30853-364	99-30858-354	TAT	0.19	0.10	0.10	7.65	1000	0.003	2.52	0.11	0.96	
7	5HTT 18-186-391	18-194-130	18-242-300	GCA	0.02	0.08	-0.06	8.17	1000	0.003	2.52	0.03	1.55	
8	5HTT 18-186-394	18-198-252	18-242-300	GAA	0.02	0.09	-0.06	10.22	1000	0.003	2.52	0.03	1.51	
9	DRD3 8-15-126	8-19-372	99-2409-298	GGA	0.11	0.04	0.08	8.62	100000	0.003	2.46	0.04	1.42	
10	WFS1 19-17-188	24-243-346	99-54279-152	ATG	0.01	0.04	-0.03	9.90	5000	0.004	2.36	0.00	2.62	
11	5HTR6 99-27199-207	99-27207-117	99-28134-215	CCT	0.26	0.14	0.12	9.66	1000	0.004	2.40	0.08	1.09	
12	5HTT 18-194-130	18-198-252	18-242-300	CAA	0.02	0.08	-0.06	8.29	1000	0.004	2.40	0.02	1.88	
13	NET 99-32061-304	99-32148-315	19-29-303	ACT	0.11	0.03	0.08	10.38	5000	0.006	2.25	0.38	0.42	
14	NET 99-32148-315	19-28-136	19-29-303	GCT	0.21	0.30	-0.09	9.23	5000	0.006	2.24	0.42	0.38	
15	cyp3a4 12-254-180	10-214-279	10-217-91	GTC	0.48	0.36	0.12	6.41	1000	0.006	2.22	0.04	1.38	
16	NET 99-32061-304	19-28-136	19-46-322	GCT	0.17	0.29	-0.12	11.46	5000	0.007	2.18	0.05	1.33	
17	5HTR7 99-28171-458	99-28173-395	99-32181-192	ACC	0.27	0.38	-0.11	5.71	1000	0.007	2.15	0.05	1.28	
18	GRL 99-32002-313	18-31-178	18-38-395	GCA	0.07	0.18	-0.11	14.17	1000	0.007	2.15	0.25	0.61	
19	GRL 18-31-178	18-38-395	99-30858-354	TAT	0.14	0.05	0.09	8.81	1000	0.008	2.10	0.06	1.25	
20	CHRNA7 99-28722-90	99-28730-351	99-32306-409	CAC	0.01	0.05	-0.05	10.75	1000	0.008	2.10	0.04	1.46	

**Table 20C**  
**Rank of Permutation Tests for Individual Haplotypes**

				EM methods			Permutation Test				Omnibus LR	
Gene	Marker1	Marker2	Haplotype	Case	Control	difference	Chi-Square	number	p-value	-log p-value	p-value	-log p-value
1	WFS1	19-17-188	24-243-346	GT	0.37	0.26	12.09	5000	0.0006	3.22	0.001	2.92
2	WFS1	19-17-188	19-19-174	GC	0.38	0.27	11.49	5000	0.0012	2.92	0.001	2.92
3	DRD3	8-15-128	99-2409-298	AA	0.23	0.37	9.91	100000	0.0012	2.93	0.014	1.87
4	WFS1	19-17-188	99-62531-351	AC	0.44	0.55	10.05	5000	0.002	2.74	0.012	1.94
5	WFS1	19-17-188	24-243-346	AT	0.02	0.05	8.82	5000	0.003	2.52	0.001	2.92
6	GRL	18-31-178	99-30858-354	TT	0.20	0.10	8.38	1000	0.003	2.52	0.029	1.54
7	5HTT	18-186-394	18-242-300	GA	0.03	0.11	12.72	1000	0.003	2.52	0.016	1.80
8	5HTT	18-198-252	18-242-300	AA	0.02	0.09	9.84	1000	0.003	2.52	0.021	1.68
9	CHRNA7	99-28722-90	99-32306-409	CC	0.07	0.29	19.25	1000	0.003	2.52	0.042	1.38
10	Gbeta3	19-58-162	19-9-45	CT	0.06	0.01	10.37	5000	0.003	2.49	0.008	2.11
11	DRD3	8-15-126	99-2409-298	GA	0.13	0.04	10.32	100000	0.003	2.49	0.014	1.87
12	5HTR7	99-32181-192	99-32193-258	TG	0.42	0.28	8.33	1000	0.004	2.40	0.015	1.82
13	GRL	18-38-395	99-30858-354	AC	0.44	0.58	8.22	1000	0.004	2.40	0.023	1.64
14	CRFR1	99-27091-220	99-27550-48	GG	0.36	0.25	6.39	1000	0.004	2.40	0.022	1.66
15	cyp3a4	12-254-180	10-214-279	AT	0.39	0.52	7.37	1000	0.005	2.30	0.085	1.07
16	CHRNA7	99-28722-90	99-28730-351	TG	0.55	0.36	8.05	1000	0.005	2.30	0.214	0.67
17	cyp3a4	12-254-180	10-217-91	AC	0.41	0.53	7.14	100000	0.006	2.26	0.084	1.08
18	NET	99-32061-304	19-28-136	GC	0.17	0.27	9.91	5000	0.006	2.22	0.039	1.41
19	5HTT	18-194-133	18-242-300	CA	0.02	0.08	9.41	1000	0.006	2.22	0.03	1.51
20	5HTR6	99-27207-117	99-28110-75	TT	0.32	0.44	6.64	1000	0.006	2.22	0.06	1.22

**WHAT IS CLAIMED IS:**

1. An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 7 and the complements thereof.
2. The polynucleotide according to claim 1, wherein said span includes a CNS disorder-related biallelic marker in said sequence.
3. An isolated polynucleotide comprising a contiguous span of at least 12 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the alternative allele present at said biallelic marker.
4. An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 9 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence with the original allele present at said biallelic marker.
5. An isolated polynucleotide consisting essentially of a contiguous span of 8 to 50 nucleotides of a sequence selected from the group consisting of the sequences described in Table 10 and the complements thereof, wherein said span includes a CNS disorder-related biallelic marker in said sequence.
6. The polynucleotide according to any one of claims 2 to 5, wherein said contiguous span is 18 to 35 nucleotides in length and said biallelic marker is within 4 nucleotides of the center of said polynucleotide.
7. The polynucleotide according to claim 6, wherein said polynucleotide consists of said contiguous span and said contiguous span is 25 nucleotides in length and said biallelic marker is at the center of said polynucleotide.
8. A polynucleotide for use in a hybridization assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.
9. A polynucleotide for use in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

10. A polynucleotide for use in an allele specific amplification assay for determining the identity of a CNS disorder-related biallelic marker.

5 11. A polynucleotide for use in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

12. A use according to any one of claims 8 to 11, wherein said polynucleotide is selected from the sequences described in Table 7.

10

13. A method of genotyping an individual comprising: (a) obtaining a biological sample comprising a nucleic acid from said individual; (b) determining the identity of a polymorphic base at a biallelic marker from said nucleic acid; wherein said biallelic marker is selected from any one biallelic marker of Table 7; wherein the identity of the polymorphic base  
15 determines the genotype of the individual at said position.

14. A method according to claim 13, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

20 15. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252,  
25 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

30

16. The method according to claim 14, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

35

17. The method according to claim 13, wherein said biological sample is derived from a single subject.



18. The method according to claim 17, wherein the identity of the nucleotides at said biallelic marker is determined for both copies of said biallelic marker present in said subject's genome.

5

19. The method according claim 13, wherein said biological sample is derived from multiple subjects.

20. The method according to claim 13, further comprising amplifying a portion of said sequence comprising the biallelic marker prior to said determining step.

21. A method of determining the frequency in a population of an allele of a CNS disorder-related biallelic marker, comprising:

a) genotyping individuals from said population for said biallelic marker according to the method of claim 13; and

b) determining the proportional representation of said biallelic marker in said population.

22. The method according to claim 21, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

23. The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

24. The method according to claim 22, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

25. The method of detecting an association between an allele and a phenotype, comprising the steps of:

- a) determining the frequency of at least one CNS disorder-related biallelic marker allele in a trait positive population according to the method of claim 21;
- b) determining the frequency of said CNS disorder-related biallelic marker allele in a control population according to the method of claim 21; and
- c) determining whether a statistically significant association exists between said allele and said phenotype.

26. The method of estimating the frequency of a haplotype for a set of biallelic markers in a population, comprising:

- a) genotyping each individual in said population for at least one CNS disorder-related biallelic marker according to claim 13;
- b) genotyping each individual in said population for a second biallelic marker by determining the identity of the nucleotides at said second biallelic marker for both copies of said second biallelic marker present in the genome; and
- c) applying a haplotype determination method to the identities of the nucleotides determined in steps a) and b) to obtain an estimate of said frequency.

27. The method according to claim 26, wherein said haplotype determination method is selected from the group consisting of asymmetric PCR amplification, double PCR amplification of specific alleles, the Clark method, or an expectation maximization algorithm.

28. The method according to claim 26, wherein said CNS disorder-related biallelic marker is selected from the biallelic markers described in Table 7.

29. The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, 19-16-127, 99-32148-315, 19-46-322, 99-32131-312, 99-32065-303, 19-44-251, 19-29-303, 18-355-67, 18-353-267, 18-338-305, 16-88-185, 24-243-346, 99-62531-351, 99-54279-152, 99-28171-458, 99-28173-395, 18-186-394, 8-15-126, 99-2409-298, 99-28722-90 and 99-32306-409.

30. The method according to claim 28, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, 20-205-302, 24-243-346, 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 19-17-188 and 19-19-174.

5

31. The method according to claim 28, wherein said haplotype comprises one of the following sets of biallelic markers:

- 99-28106-185, and 99-32181-192;
- 18-20-174, 99-32002-313, 18-31-178, and 18-38-395;
- 10 18-20-174, 18-31-178, 18-38-395, and 99-30858-354;
- 18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;
- 99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;
- 18-20-174, 18-38-395, and 99-30858-354;
- 99-32002-313, 18-31-178, and 99-30858-354;
- 15 18-31-178, 99-30853-364, and 99-30858-354;
- 19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;
- 19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;
- 19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;
- 19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;
- 20 19-14-241, 19-28-136, and 16-50-196;
- 19-28-136, 99-32061-304, and 99-32121-242;
- 99-28788-300, 99-32061-304, and 99-32121-242;
- 99-32061-304, and 99-32121-242;
- 19-56-140, 19-14-241, 19-28-136, and 16-50-196;
- 25 99-28788-300, 99-32061-304, and 99-32121-242;
- 16-50-196, 99-32061-304, and 99-32121-242;
- 19-14-241, 19-28-136, and 16-50-196;
- 19-14-241, 99-32061-304, and 99-32121-242;
- 19-14-241, and 19-28-136;
- 30 99-32061-304, and 99-32121-242;
- 8-15/126, and 99-2409/298;
- 12-254/180, 10-214/279, and 10-217/91;
- 18-186/391, 18-194/130, and 18-242/300;
- 18-186/394, 18-198/252, and 18-242/300;
- 35 19-58-162, 19-9-45, 19-22-74, and 20-205-302;
- 19-58-162, 19-9-45, 19-88-185, and 20-205-302;
- 19-58-162, 19-9-45, and 20-205-302;

- 19-58-162, 19-22-74, and 20-205-302;  
 19-58-162, and 20-205-302;  
 19-9-45, and 20-205-302;  
 19-22-74, and 20-205-302;  
 5 19-19-174, 19-17-188, and 19-18-310;  
 19-19-174, 19-16-127, and 19-17-188;  
 19-19-174, and 19-17-188; and  
 19-17-188, 19-19-174, 24-243-346, and 99-62531-351;  
 19-17-188, 19-19-174, 24-243-346, and 99-54279-152;  
 10 19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;  
 99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;  
 99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;  
 99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;  
 18-186-391, 18-194-130, 18-198-252, and 18-242-300.  
 15 19-17-188, 19-19-174, and 24-243-346;  
 19-17-188, 19-19-174, and 99-54279-152;  
 19-17-188, 24-243-346, and 99-54279-152;  
 19-17-188, 19-19-174, and 99-62531-351;  
 19-17-188, 24-243-346, and 99-62531-351;  
 20 99-32061-304, 19-28-136, and 99-32131-312;  
 12-254-180, 10-214-279, and 10-217-91;  
 18-186-391, 18-194-130, and 18-242-300;  
 18-186-394, 18-198-252, and 18-242-300;  
 8-15-126, 8-19-372, and 99-2409-298.  
 25 19-17-188, and 19-19-174;  
 19-17-188, and 24-243-346;  
 19-17-188, and 99-62531-351;  
 19-17-188, and 99-54279-152;  
 19-58-162, and 19-9-45;  
 30 8-15-126, and 99-2409-298;  
 18-31-178, and 99-30858-354;  
 18-186-394, and 18-242-300;  
 18-198-252, and 18-242-300; and  
 99-28722-90, and 99-32306-409.

35

32. The method according to claim 28, wherein said CNS disorder-related biallelic marker comprises one of the following sets of biallelic markers:

99-28788-300, 99-32061-304, and 99-32121-242;  
19-14-241, 19-28-136, and 16-50-196;  
19-17-188, 19-19-174, and 24-243-176; and  
19-58-162, 19-9-45, and 20-205-302.

5

33. The method of detecting an association between a haplotype and a phenotype, comprising the steps of:

- a) estimating the frequency of at least one haplotype in a trait positive population according to the method of claim 26;
- b) estimating the frequency of said haplotype in a control population according to the method of claim 26; and
- c) determining whether a statistically significant association exists between said haplotype and said phenotype.

10

34. The method according to either claim 25 or 33, wherein said control population is a trait negative population.

15

35. The method according to either claim 25 or 33, wherein said case control population is a random population.

20

36. The method according to claim 56, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-27207-117, 99-28110-75, 99-28134-215, 99-32181-192, 99-28106-185, 99-30858-354, 18-20-174, 99-32002-313, 18-31-178, 18-38-395, 99-30853-364, 19-56-140, 19-28-136, 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 16-50-196, 8-19-372, 12-254-180, 10-214-279, 10-217-91, 18-194-130, 18-186-391, 18-198-252, 18-242-300, 20-205-302, 19-58-162, 19-9-45, 19-22-74, 19-88-185, 19-18-310, 19-19-174, 19-17-188, and 19-16-127.

25

37. The method according to claim 33, wherein said CNS disorder-related biallelic marker is selected from the group consisting of 99-28788-300, 99-32061-304, 99-32121-242, 19-14-241, 19-28-136, 16-50-196, 19-58-162, 19-9-45, and 20-205-302.

30

38. The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

- 99-28106-185, and 99-32181-192;
- 18-20-174, 99-32002-313, 18-31-178, and 18-38-395;
- 18-20-174, 18-31-178, 18-38-395, and 99-30858-354;

35

- 18-20-174, 18-38-395, 99-30853-364, and 99-30858-354;  
 99-32002-313, 18-31-178, 18-38-395, and 99-30858-354;  
 18-20-174, 18-38-395, and 99-30858-354;  
 99-32002-313, 18-31-178, and 99-30858-354;  
 5 18-31-178, 99-30853-364, and 99-30858-354;  
 19-56-140, 99-28788-300, 99-32061-304, and 99-32121-242;  
 19-28-136, 99-28788-300, 99-32061-304, and 99-32121-242;  
 19-14-241, 19-28-136, 99-32061-304, and 99-32121-242;  
 19-56-140, 19-28-136, 99-32061-304, and 99-32121-242;  
 10 19-14-241, 19-28-136, and 16-50-196;  
 19-28-136, 99-32061-304, and 99-32121-242;  
 99-28788-300, 99-32061-304, and 99-32121-242;  
 99-32061-304, and 99-32121-242;  
 19-56-140, 19-14-241, 19-28-136, and 16-50-196;  
 15 99-28788-300, 99-32061-304, and 99-32121-242;  
 16-50-196, 99-32061-304, and 99-32121-242;  
 19-14-241, 19-28-136, and 16-50-196;  
 19-14-241, 99-32061-304, and 99-32121-242;  
 19-14-241, and 19-28-136;  
 20 99-32061-304, and 99-32121-242;  
 8-15/126, and 99-2409/298;  
 12-254/180, 10-214/279, and 10-217/91;  
 18-186/391, 18-194/130, and 18-242/300;  
 18-186/394, 18-198/252, and 18-242/300;  
 25 19-58-162, 19-9-45, 19-22-74, and 20-205-302;  
 19-58-162, 19-9-45, 19-88-185, and 20-205-302;  
 19-58-162, 19-9-45, and 20-205-302;  
 19-58-162, 19-22-74, and 20-205-302;  
 19-58-162, and 20-205-302;  
 30 19-9-45, and 20-205-302;  
 19-22-74, and 20-205-302;  
 19-19-174, 19-17-188, and 19-18-310;  
 19-19-174, 19-16-127, and 19-17-188;  
 19-19-174, and 19-17-188; and  
 35 19-17-188, 19-19-174, 24-243-346, and 99-62531-351;  
 19-17-188, 19-19-174, 24-243-346, and 99-54279-152;  
 19-17-188, 19-19-174, 99-62531-351, and 99-54279-152;

- 99-32002-313, 18-31-178, 99-30853-364, and 99-30858-354;  
 99-32121-242, 99-32148-315, 19-46-322, and 99-32131-312;  
 99-28106-185, 99-28171-458, 99-28173-395, and 99-32181-192;  
 18-186-391, 18-194-130, 18-198-252, and 18-242-300.  
 19-17-188, 19-19-174, and 24-243-346;  
 19-17-188, 19-19-174, and 99-54279-152;  
 19-17-188, 24-243-346, and 99-54279-152;  
 19-17-188, 19-19-174, and 99-62531-351;  
 19-17-188, 24-243-346, and 99-62531-351;  
 99-32061-304, 19-28-136, and 99-32131-312;  
 12-254-180, 10-214-279, and 10-217-91;  
 18-186-391, 18-194-130, and 18-242-300;  
 18-186-394, 18-198-252, and 18-242-300;  
 8-15-126, 8-19-372, and 99-2409-298.  
 19-17-188, and 19-19-174;  
 19-17-188, and 24-243-346;  
 19-17-188, and 99-62531-351;  
 19-17-188, and 99-54279-152;  
 19-58-162, and 19-9-45;  
 8-15-126, and 99-2409-298;  
 18-31-178, and 99-30858-354;  
 18-186-394, and 18-242-300;  
 18-198-252, and 18-242-300; and  
 99-28722-90, and 99-32306-409.

25

39. The method according to claim 33, wherein said haplotype comprises one of the following sets of biallelic markers:

- 99-28788-300, 99-32061-304, and 99-32121-242;  
 19-14-241, 19-28-136, and 16-50-196;  
 19-17-188, 19-19-174, and 24-243-176; and  
 19-58-162, 19-9-45, and 20-205-302.

30

40. The method according to either claim 25 or 33, wherein said phenotype is a CNS disorder.

35

41. The method according to either claim 25 or 33, wherein said phenotype is a response to an agent acting on a CNS disorder.

42. The method according to either claim 25 or 33, wherein said phenotype is a side effect to an agent acting on a CNS disorder.

5 43. The method according to claim 25, wherein the identity of the nucleotides at all of the biallelic markers described in Table 7 is determined in steps a) and b).

44. The method of administering a drug or treatment comprising:  
a) obtaining a nucleic acid sample from an individual;  
10 b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a positive response to said drug or treatment, or at least one CNS disorder-related marker which is associated with a negative response to said drug or treatment; and  
c) administering said drug or treatment to said individual if said nucleic acid  
15 sample contains at least one biallelic marker associated with a positive response to said drug or treatment, or if said nucleic acid sample lacks at least one biallelic marker associated with a negative response to said drug or treatment.

45. The method of selecting an individual for inclusion in a clinical trial of a drug or  
20 treatment comprising:  
a) obtaining a nucleic acid sample from an individual;  
b) determining the identity of the polymorphic base of at least one CNS disorder-related biallelic marker according to the method of claim 13 which is associated with a  
25 positive response to said drug or treatment, or at least one biallelic marker associated with a negative response to said drug or treatment in said nucleic acid sample; and  
c) including said individual in said clinical trial if said nucleic acid sample contains at least one biallelic marker which is associated with a positive response to said drug or treatment, or if said nucleic acid sample lacks at least one biallelic marker associated with a negative response to said drug or treatment.

30 46. The diagnostic kit comprising a polynucleotide according to any one of claims 2, 3, 4 and 5.

47. The use of a polynucleotide in a hybridization assay for determining the identity  
35 of a nucleotide at a CNS disorder-related biallelic marker.



48. The use of a polynucleotide in a sequencing assay for determining the identity of a nucleotide at a CNS disorder-related biallelic marker.

49. The use of a polynucleotide in an allele specific amplification assay for  
5 determining the identity of a CNS disorder-related biallelic marker.

50. The use of a polynucleotide in amplifying a segment of nucleotides comprising a CNS disorder-related biallelic marker.

10

## SEQUENCE LISTING

&lt;110&gt; GENSET

<120> BIALLELIC MARKERS DERIVED FROM GENOMIC REGIONS CARRYING  
GENES INVOLVED IN CENTRAL NERVOUS SYSTEM DISORDERS.

&lt;130&gt; 75.WO1

&lt;150&gt; 60/175,854

&lt;151&gt; 2000-01-13

&lt;160&gt; 544

&lt;170&gt; Patent.pm

&lt;210&gt; 1

&lt;211&gt; 450

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 207

&lt;223&gt; 99-27199-207 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 188..206

&lt;223&gt; 99-27199-207.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 208..227

&lt;223&gt; 99-27199-207.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 431..450

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 195..219

&lt;223&gt; 99-27199-207 potential probe

&lt;400&gt; 1

tataagaggc	ttgattcagg	ttctggaact	cagtaggtag	aagcctccat	gcctatccat	60
gcatgtttgc	gtgtttgcat	gtgtgtacat	gcacatttgc	acatgattgt	ccacgttcac	120
gtgtgtgcat	gtgtatgtgt	gtgacattca	tctcctccac	tgctgttga	gtccctccca	180
gcacccaatg	tggccaggga	cactgayggc	cttttctggg	gtcttttgcc	agattgcca	240
ggaatcatcg	aggacgtcat	cctgctgggt	gcgctgtgg	agggagaagc	caagcattgg	300
gagcctttcc	ggaaggtggt	gtccgggagg	atcatcaacg	gctactgcag	gtctgtccaa	360
acctcggtgcc	agcggggaag	tgacaatgct	tacggagcac	ttagtatgcc	caggctctgt	420
gttgggggaca	catatttgag	acctaatccc				450

&lt;210&gt; 2

&lt;211&gt; 452

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 117  
<223> 99-27207-117 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 98..116  
<223> 99-27207-117.mis1

<220>  
<221> misc\_binding  
<222> 118..136  
<223> 99-27207-117.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..21  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 432..452  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 105..129  
<223> 99-27207-117 potential probe

<400> 2  
ccaaaaagaa atcacagcaa cgtgaagggtt aaggctaact tttcaaacat cagaatcctg 60  
acaatggttg cagtagcttt caaggagaca tgggtgtgtgg ccagcccctc cagggcygtg 120  
tggacagctt tttgtgtatt ttcctgggtg actcacagca tcaaaggagg aaaggaggta 180  
gtaattgttc agcacttgac atgtgcttga acacttcgta atcgcaatct gtgccaggca 240  
gtggcaccat ctcccctttt tagatgaaga aaccgaggca ccgagataaa aagtaacttg 300  
ctcaaggcaa tttaggaagt tgtaaaacca accaacacat atggaatgtg tattatctgc 360  
taggctcatt taatatctca tctgaccttc cagataccca tctgatgtag gtaccactcc 420  
cagctccaat tgtgagattc agaggggaga aa 452

<210> 3  
<211> 464  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 53  
<223> 99-27213-53 : polymorphic base A or G

<220>  
<221> misc\_binding  
<222> 34..52  
<223> 99-27213-53.mis1

<220>  
<221> misc\_binding  
<222> 54..73  
<223> 99-27213-53.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 446..464  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 41..65  
 <223> 99-27213-53 potential probe

<400> 3  
 tatgtagact ctttccccag gaaaaggctt cacacatgta attgtttatg carcgtagg 60  
 gactctcaga ttctgtggtc tctggaagga tctgagaccc agggaagcca tagcaactgt 120  
 tcagccagga gacctggctc tcagtttgat tctgctacta accctctgtg tggccttggg 180  
 cacgtgtctt tccctccctg gacaccagca cacattttct ttttttacct atacaattaa 240  
 gggattgaat gatacgtaaa tttctcttga ctgtaagggt ttgtgtttct gggaggtgag 300  
 ttcatactg ggccgaccaa ggtgactctt tgcagctgag gtctagagtg tgacgtacca 360  
 cccctctgct cctgggtccc tgtctgagcc ctaaggccac ccggcttccc tcacttgttt 420  
 agtgacttca cctctcctct ctgtgcctca tttcttcac tctc 464

<210> 4  
 <211> 546  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 333  
 <223> 99-27218-333 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 314..332  
 <223> 99-27218-333.mis1

<220>  
 <221> misc\_binding  
 <222> 334..353  
 <223> 99-27218-333.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 528..546  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 321..345  
 <223> 99-27218-333 potential probe

<400> 4  
 gaagagtaga ggtaaaagag ttaaaatgat taacacatct accctgatct tggctattgt 60  
 gggctcgtagg tgggtcttat tgtgggtcgt ggctattgta ggtctgataa tcaatattca 120

tgtttatata	tgtaatagta	atcattaatg	tgtacttctt	gaaacaattt	agtaccaggt	180
attgtggtaa	gccttggcag	ggggtggcac	acaggtgaat	aggcactggc	cctaccctcg	240
aggggcttac	tgcttgagg	aatgtgaaaa	ggatgagggg	catttgaccc	ccattttgga	300
aaatatgcag	atattttaata	gggtggaccag	gtkggggagt	gtgtttcact	ccttgaaggt	360
gtcccaaagg	agagggatac	tttggttcct	tctgggaatg	atgagaatga	ccatcactta	420
ttgagcactt	aaccgcatgc	caggcacggg	gctgagcatg	ttatatattta	catcattatc	480
tcatatcctt	gtaagatatt	tctccatttt	tacaatggaa	gctcatgggtg	gcagaatccc	540
tccttt						546

&lt;210&gt; 5

&lt;211&gt; 413

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 233

&lt;223&gt; 99-28108-233 : polymorphic base A or C

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 214..232

&lt;223&gt; 99-28108-233.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 234..253

&lt;223&gt; 99-28108-233.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 394..413

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 221..245

&lt;223&gt; 99-28108-233 potential probe

&lt;400&gt; 5

catgcctgtt	cttccatcca	cactccaggg	ctgcccacca	gctgacaggc	accatcaact	60
ggcagcaaca	gagcaggcgc	aggtacaaag	aaggcagctc	actcctgctc	ttaggagatc	120
caatcagatc	tgccctgtac	agccatgtag	gctgtgctgc	gcataactcc	agggacatga	180
gtcacacaga	cacaatgtga	gtgtgctccc	ccgtcatgca	acatctggac	acmactaaca	240
gagcatgggtg	aatacatgct	gaattgcatt	cagtatggct	gtgaactagg	cctgggggaca	300
agaatgaatt	ttacatggaa	agaatttcct	gtagcaggaa	cagaggggat	aacaacagca	360
ataaataata	ataagaagaa	gctaccactt	cttgagcatg	taccacatac	caa	413

&lt;210&gt; 6

&lt;211&gt; 454

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 275

&lt;223&gt; 99-28109-275 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 255..274  
 <223> 99-28109-275.mis1, potential  
  
 <220>  
 <221> misc\_binding  
 <222> 276..295  
 <223> 99-28109-275.mis2, potential complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 434..454  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 263..287  
 <223> 99-28109-275 potential probe

<400> 6  
 caatgtcatc gacaaccctt ggggggtgtg tctccatcga tcagcagagg ttggcaagca 60  
 cctggcccac atcctgctct cccggcagca ggtacctggg aatggctgtg tgggcgtggc 120  
 attgagcaag aggggaagtc aggtgctgac ttgttcacag atatcagcct tagaggcaag 180  
 gctacttggg gataactcaa tggttttggg ggtgtgggca gtccttgctg cctctccagt 240  
 tcaagtaatg aatgtgtcct aggatgaaca gtaaraatta tagactctgc agctctagca 300  
 ggtattttagg taaggactga ataacagggc atctgcaggt aggaacaagt ctgggggact 360  
 ctggcagaag caaaagtggc tcctatgtat cagctcttca ttcaagtgtt taggataatc 420  
 actgggctca tttgggtgat atttcagtgg aaac 454

<210> 7  
 <211> 549  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 74  
 <223> 99-28110-75 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 54..73  
 <223> 99-28110-75.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 75..94  
 <223> 99-28110-75.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 530..549

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 62..86

<223> 99-28110-75 potential probe

<400> 7

aaccacttct	cactcacctc	tgtgcccaca	gccagccccg	cacatcgtgg	ggtttccgtg	60
ggaaccagat	cccygcaggt	acaaatgggg	cccagccctt	cctgtttcct	gcctcaaaag	120
acaccccaac	ttacccaaac	agaggetgcc	atcacccacc	tccatctgcc	ccagtgactc	180
cttccaagcc	catcaggccc	ctttgggttc	tttcacttct	tggacctcaa	tttccctcatg	240
tataaaatga	ggctaataaa	gagacctata	ccacgtgggc	tggctgtgtg	gctttgataa	300
tacatgtaac	aggcttattg	gcacaggggt	agaggccact	accagaagct	acagagatgt	360
gtgaatgcag	gcagtactga	agcagtgggt	aacagcccag	gttcaccccg	ctctaccact	420
cacatgccgt	ggcaccgcct	gcagcctcag	ttttcacacc	tgtacaacgg	gttactacca	480
ctatgcagga	cctctatgag	gatcaaata	cttaccgccg	aaaacatgtg	agttgttggc	540
tactgcggt						549

<210> 8

<211> 518

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 81

<223> 99-28125-81 : polymorphic base A or C

<220>

<221> misc\_binding

<222> 62..80

<223> 99-28125-81.mis1

<220>

<221> misc\_binding

<222> 82..101

<223> 99-28125-81.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 500..518

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 69..93

<223> 99-28125-81 potential probe

<400> 8

ggggagtgtt	gttaaaagta	cagattcyta	agccctaccc	cagatctcct	gcatgtggga	60
ccgaggaagc	tgtaattcca	maagctctct	gggaccttga	tgttccctaa	actctaagaa	120
ccactgtccc	gctgtgactg	tcaagtctcc	acatgaccct	ggtgctgttg	ggctgtttca	180
agttcatattg	accttgggct	ttaaagggtct	ctccttgtga	ggaggaacag	gtaccctgag	240
gctgaccctc	agatctctga	gctggaaagg	acctctggat	accagctcct	ttggtccttc	300
cggcaggatc	caaaagtctg	ggcctgggca	ctggactgga	atctgcacat	ctatcaggag	360
caatgggggg	atggtgcagc	acccattgat	catgggctga	tttagaagga	ggccgtgagg	420
aaggggtgca	ggctggaagc	atgggagggc	ttcggggaga	ggtgtgtggc	tggaagacag	480

tggttctgcta gctcgtgccc tccttccac ttcattggt

518

<210> 9  
 <211> 472  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 215  
 <223> 99-28134-215 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 196..214  
 <223> 99-28134-215.mis1

<220>  
 <221> misc\_binding  
 <222> 216..235  
 <223> 99-28134-215.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 453..472  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 203..227  
 <223> 99-28134-215 potential probe

<400> 9  
 tggatggatg gggcttctac tcaggccagt cttagagggc tcagttttgg gtttaatctt 60  
 cctcctgcc ccaaagtctg agtcacagct ttggctgaaa ccccgaggt cctccttctc 120  
 aaaccccaaa gggttgcttc ctttctagcc ctgcagccgc cagccttcac gggccccctc 180  
 ctctggctgg aggtctgtc accctgtttg ggtayaggct cctgcacgct ggcggcctcc 240  
 tgttctagca cctgcccctg tctccaaggc agcactcaga aagctcagcc taggccccctc 300  
 cagccccctc ctccaccacc aaagactaac acagaagcct ctgagacctt gttcaaagac 360  
 ctccctgtgg yccwatcttt gtttttcagt ctgtgtccac tcgcccattg cccttcccccc 420  
 agctccaacc agccaagccg ccccgagctc tcctgtcctc ctgctgctct ca 472

<210> 10  
 <211> 546  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 96  
 <223> 99-28137-96 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 77..95  
 <223> 99-28137-96.mis1

<220>



<221> misc\_binding  
 <222> 97..116  
 <223> 99-28137-96.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 529..546  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 84..108  
 <223> 99-28137-96 potential probe

<400> 10  
 caggaatgct gctattacca ccgctggcca caaggggtcc cagccctgca ggcagccgca 60  
 ccaaggctcg aaaagcagtc ccagctctta gcaggrcaga ctctgccagg cagagaaggc 120  
 gccctgaatg gccggcccc agagaaagct gctgagctca tggttatccc tgggtccaca 180  
 accatttggtc actgtaggag caacgataac ccgcatatga tcaactgtgca cgttgttatt 240  
 gcagacagca gagagaaagg ccccagggaac cagcagctct gcgtgcagtc tgcgttctgc 300  
 tcccaggctt attctcattg gctgtgtgac cttgggcaag ccccatcccc tctctgaccc 360  
 tgtttctctcg tcttccaagg gaaatcgctg tgatctctaa gggccttttc agcaacagcc 420  
 ttgccaaaca caaaagcacc tgaagtagcc tttatgttgg agggatatct gagccatcct 480  
 tgctattcac cacaaactgt cagcttactg aagttttaa ttcttctgcc agattgtcat 540  
 tgtcct 546

<210> 11  
 <211> 401  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 305  
 <223> 99-32204-305 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 285..304  
 <223> 99-32204-305.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 306..325  
 <223> 99-32204-305.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 384..401  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding

&lt;222&gt; 293..317

&lt;223&gt; 99-32204-305 potential probe

&lt;400&gt; 11

gttttggttta	cttagccatc	ccctccccaa	atacatacct	cattaccacc	ccaaggtaat	60
cccagtaa	at	tgca	gtggg	caaattataa	tcactgtgg	120
cagggttcac	tggtgccaga	cagtgttacc	atgccattta	acctgcccaa	ctcacctgtg	180
aggcagggtcc	tggtattatc	cacatgttat	ctcagaggga	aatgaagctg	agaggtaaag	240
tgaggacaca	aagccaattt	ccagggggaac	caggactccc	ccagggtggt	ggacttcaga	300
gtccractct	taaccccatc	ctccactgcc	tcctctgcc	accttgtaaa	tcaaaataac	360
gatactagct	aacatcgttt	ttagtctcat	gtagttgagc	c		401

&lt;210&gt; 12

&lt;211&gt; 478

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 118

&lt;223&gt; 99-28149-118 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 98..117

&lt;223&gt; 99-28149-118.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 119..137

&lt;223&gt; 99-28149-118.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..19

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 459..478

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 106..130

&lt;223&gt; 99-28149-118 potential probe

&lt;400&gt; 12

cagcaaattg	ctagtgaact	tgcaactttt	tcaccttttt	cttcatttta	atgaactagg	60
aagggtcattt	tctagatggc	tttgccctgaa	taagcccaca	tacgatactg	tgaccttyga	120
tgggaggagc	tagcatgtga	tggttaaggcc	aagtcctatg	aatggacagc	aatgcacaac	180
agataattcc	tcatgtctca	cgacagtgg	aagattccca	gtggctgctt	tggtgagagc	240
ttttaattgg	ggttcttagg	aacttgtatt	attatttaaa	ccagagtgtg	agctcctaga	300
gaacaccggc	tgatcatggc	cttttttaag	tactccacta	tcttgcgat	aatgagtcct	360
ccttacagtt	tggtgagtca	ataagtacat	ggtgaactta	gcatatcagg	gtacagcata	420
ggggacctgg	ccaaattctg	ctcggttgta	gtcaccagct	ggatgtccac	attcatca	478

&lt;210&gt; 13

&lt;211&gt; 456

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

```

<221> allele
<222> 285
<223> 99-28160-285 : polymorphic base A or G

<220>
<221> misc_binding
<222> 266..284
<223> 99-28160-285.mis1

<220>
<221> misc_binding
<222> 286..305
<223> 99-28160-285.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 273..297
<223> 99-28160-285 potential probe

<400> 13
caaaagagtc aaagcagagg ccttgagaat tgcttgagaa tttatgctac ttccaggagc      60
tttttgtggt ataacaatgc agagcataga aggaggaagg aaatggtatt tgtttcaaag      120
gatcattatt tacttctggt ttcagtagtc agttagccag tagatatact gagaaactta      180
agaaagtccc catcatctct gttgaagaag gataagttgg tgcacgatga caatataaca      240
ttatattgca tcatagtgtt atggatcaag tgctagggga tcgcrataat gggagtaagt      300
agctgggggtg ggggtgcagat aggaaggacc ttacagtaga ggtgacactt gagcaaggtc      360
ttaagggata aataggagtt tgctaggcta tgaagtgggg actagaagtg cagacacttt      420
ctgtcttctc cactttggcc tggtactcta tttccc                                456

<210> 14
<211> 514
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 457
<223> 99-28171-458 : polymorphic base A or G

<220>
<221> misc_binding
<222> 438..456
<223> 99-28171-458.mis1

<220>
<221> misc_binding
<222> 458..477
<223> 99-28171-458.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 494..514  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 445..469  
 <223> 99-28171-458 potential probe

<400> 14  
 ggaagggttg ggattgtgaa rgagggccca ggagctctat agcataccaa aactccatt 60  
 tgtgtacttt gcagctcttt tcccttttgt catcttcact gtatgcttag ggcaccataa 120  
 tttcaattat gcaatttcct ctaaaatctc ccacaaacct cttctggagt ctaagtaact 180  
 tgtcatcgca tttctgtcat gtgatagatg tgtttctaaa aaattggatt ccactccttt 240  
 tcttgaataa tcacatgact tcagattatt tagcatttta tgacataagc agtttgatac 300  
 ctgctttggc ccagcagttt tgggatgggg tagatgttaa ttatctccat atgcaggtaa 360  
 tacagtagaa tcttaggtag ttcattgggtc acacagttaa atgactctct caagggttg 420  
 acaagggttg tgtactcaag ctttgattcc aaatctcttg ttatttccta ctgggaaatg 480  
 ctttttaaaag ttactttaca gcagaactct ttgt 514

<210> 15  
 <211> 550  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 395  
 <223> 99-28173-395 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 375..394  
 <223> 99-28173-395.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 396..414  
 <223> 99-28173-395.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 532..550  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 383..407  
 <223> 99-28173-395 potential probe

<400> 15  
 agagccaatg agatacacgt tcaactagga cagaaatact atcttaacaa atgtcattcc 60  
 cagaaataat caacacaggt gaaagaatta gagatgggga aaagtcaaaa aatgagagag 120  
 ggaaagggtt cagtgtggaa aatagcattt aaattctaac caaactagaa tcagacatat 180  
 aggaaaaatc aaaataaaat ctgggagcct tgaagccgga ggaagaatta aggaaatctg 240  
 tgttcgggag ggaaaagcag aaggggcctt caagtacaac tgaattaaat caagatggac 300

tgccagttct	agaaaaagac	aagtttctcc	attccccgta	aatgctcagg	agtaaaccce	360
agtagtcaca	gctgggccag	tcccaactta	tactytgggc	aatcgaaact	catttgccaa	420
gcagagactt	ggaccatact	gcctagaaca	tgctaccat	tctttcttta	ttcttttgaa	480
agagtactgc	cactcaagtg	acttttgcaa	ttgagagtct	gattatcatc	tctatgctga	540
aaatccttca						550

&lt;210&gt; 16

&lt;211&gt; 466

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 113

&lt;223&gt; 99-32177-113 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 93..112

&lt;223&gt; 99-32177-113.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 114..132

&lt;223&gt; 99-32177-113.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..19

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 446..466

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 101..125

&lt;223&gt; 99-32177-113 potential probe

&lt;400&gt; 16

cccagaaata	gaaaccaact	atcaggcaaa	gccttcgtga	ggcaatttgg	ggttgtaaca	60
ctacattacc	tacaaatcaa	tggatatttt	aggagaaatt	aaaaagggat	gaygtactct	120
gttcaaaaaa	aaggtttgaa	accagcaga	ttcctgtggg	ctttgcatcc	ccagccctag	180
gcattctctgt	ttaaagaggc	agcttagtga	taaggaggga	ggagagaatt	tctaagaagg	240
ggtagaagtg	tagacttata	tttatatata	tttttaaaaa	gtttttattg	tttagcagct	300
tcagtaagggt	ataatttcaa	gatcataaaa	ttaccagggt	taagtgggta	tagataagta	360
tataggtcat	ttattttgag	tgaattttta	gagttttgta	tctatcaaca	caattcagtt	420
ttagaacatt	ttttaatatc	tcttacttca	ttttgggttg	ctgtaa		466

&lt;210&gt; 17

&lt;211&gt; 449

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 192

&lt;223&gt; 99-32181-192 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

```

<222> 172..191
<223> 99-32181-192.mis1, potential

<220>
<221> misc_binding
<222> 193..212
<223> 99-32181-192.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 432..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 180..204
<223> 99-32181-192 potential probe

<400> 17
gtcagacatt cctcatggsc aaacctgata ccactccttt cttgctgtgt actcctaacc      60
tctatcagcc tccctgtcct catcaccag gagtaggggt ggggggtgtga gtgtgcccac      120
agagtgggtca tggggattaa atgagatgaa tcatgcatag cccttggcac ccaacaatgg      180
gattgctact gycagttcct atgctcctct acttgggtat tgccttcattg gctgacaccc      240
atggctttct ttctgggatg tgtggccttc atcaaaaatg tgtttattta gtgaaaaaaa      300
aaaaaaggac cctgagattt tcatttaatt ttgcctatgt tctcacactg ctccatagca      360
cagcactgat gatactaaaa agctaactcc tggatctaag ctgctaagac cttcacatca      420
ctggcagttt gctaattgtcg gtgttctgc                                     449

<210> 18
<211> 458
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 257
<223> 99-32193-258 : polymorphic base G or T

<220>
<221> misc_binding
<222> 238..256
<223> 99-32193-258.mis1

<220>
<221> misc_binding
<222> 258..277
<223> 99-32193-258.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..458
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 245..269
<223> 99-32193-258 potential probe

<400> 18
gaaggagatg agattagaga agtggtgcaa attatatattgg gattcagacc aggtaaagag      60
tttggacttt attctaagtg cggcagaacc actggagact ttgaaacata gggtgaaatg      120
gtctggcttt taattttaat gggttcattgt gggtactttg tggagaatga aatggaggag      180
ggtgagaatg aaaacttgga gaccaatggg aaggcttcta cgtagtcaa ggcaagaggt      240
aatcgtagct tggactkgtg tggagtagtg gagacagaga caactggaga aattccggat      300
ctgtcttgga ggtgtatcgg caggccttgc tgatggactg gatgtaggcg ctgagggaga      360
caggcatgaa ggatgactct tgtgcttttg gctcaagcaa ttcagtagat ggtgatactg      420
tttaccaaga catgatggta gtagaattgg tggtaaaa      458

<210> 19
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 90
<223> 99-28722-90 : polymorphic base C or T

<220>
<221> misc_binding
<222> 71..89
<223> 99-28722-90.mis1

<220>
<221> misc_binding
<222> 91..110
<223> 99-28722-90.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 429..449
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 78..102
<223> 99-28722-90 potential probe

<400> 19
atacgataca ctctgccaa gtcattttga attccatggc ctgaatcatt aactttcaaa      60
gccaaagcat ttaaaagata aaattatccy cttggcactc ctcaaactgt gctcttgacc      120
tcttctgtta ggctacagtt ttgtttctgg ctgtgcaa atgtcacataat gccactgcac      180
ccggcagtat cttcttcata gcaacagatc ataataaaa gtcctcggag gctgtttgtg      240
tttcacatac acatggaatg aaagaaaaat gcagtggtgc atataaagcg agagaaatgc      300
ataagcttca tctttcattt gcagccaatt gggttttaata agcttttatg ctgagaggtg      360
aataaattagc atatgttctt aattaagatt gttctagagc agtagagtgc tccaggtcgt      420
taaaaatggg tttgtgtctc aatgtcttaa      450

<210> 20
<211> 452
<212> DNA

```

<213> Homo Sapiens

<220>

<221> allele

<222> 351

<223> 99-28730-351 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 332..350

<223> 99-28730-351.mis1

<220>

<221> misc\_binding

<222> 352..370

<223> 99-28730-351.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 435..451

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 339..363

<223> 99-28730-351 potential probe

<400> 20

attcttggtgta	tcttacacga	aatctattta	tatccaacat	aactaatggt	ctgaggaacc	60
cactttatga	aacaggattt	tgtactgcta	ttagtggtga	gtcacaataa	gaagggaaag	120
atacccaagc	tcgcattgtg	agaggtcata	cagagatggg	tccaaatgga	atcaggagtt	180
gaaaggcata	gagatgtccc	tagaaactgg	aggagaccac	caagttgttc	taaagccagg	240
agaagaatct	aacattggcc	tgaaagctaa	agcctacctg	tgggtacaaa	ttggacaaag	300
gatactttgc	tggacagtca	gaaattcagc	tgtggagcac	caggctggca	rtgagctctg	360
ccctcaggca	cgccacatag	gcagcaccag	gactgaggac	atctgaggct	gagaacggat	420
gtaagaacca	tcttggtggt	gtgagatgaa	tt			452

<210> 21

<211> 455

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 407

<223> 99-32306-409 : polymorphic base G or C

<220>

<221> misc\_binding

<222> 387..406

<223> 99-32306-409.mis1, potential

<220>

<221> misc\_binding

<222> 408..427

<223> 99-32306-409.mis2, potential complement

<220>



```

<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..454
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 395..419
<223> 99-32306-409 potential probe

<220>
<221> misc_feature
<222> 162
<223> n=a, g, c or t

<400> 21
catttgcacc tgcactcccc tgaccttgca ctgtggtaga ccagttgctc tctaagtctg      60
ctgctcagtt gtcactctgag atagtccttt attgtcttga ggtggggcta tgtctccttt      120
tgtctaggat ttttattggt tttactgcag aatatcatca angatttatc tttttcactg      180
aagatgcata aagggtaaaac attctgaggc ctaggatgac tgaaaatgtg tttatttggc      240
atcgacactc agtataattt ttttttacca ggtgtagaat tctaagttta waataatttc      300
ctctgtggac tttgaagtta ctgcctcatt gtttccagtg ttactaatga gaaatctsat      360
gcgagtttga ctgtgatttc tttacagatg ccctgttttg ttcttstct tctaaaacat      420
cacaatgatg catttagggg tgggtgattt tttta                                     455

<210> 22
<211> 527
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 246
<223> 99-27088-246 : polymorphic base A or G

<220>
<221> misc_binding
<222> 226..245
<223> 99-27088-246.mis1, potential

<220>
<221> misc_binding
<222> 247..266
<223> 99-27088-246.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 510..527
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 234..258
<223> 99-27088-246 potential probe

```

```

<400> 22
gtttttctta gcttgctggt gtttttaact caataaaatg tcaattaact tcgtgagctt      60
tcctttaact ctatataatc tttgcgtttg aatggctgcc aatcaaacgc aaagatagat      120
gttttctttg aatatgggcc aatttcctgt tatgcacctt gttgtcagga tcagctagat      180
tatggtgtag taacaatgtc gatatctcaa tggcttgaca aaagtttggg ttccgctcat      240
gctacrtggt ctgtgagatc agtggggagc tcggagtttc cacagttacc agcaaacgga      300
gagaattctg gagggcctcg aacaggcaag caaatgatct agcccgaag tgatgtttgt      360
cactttcctt cacatctcat tggctgaac tggtcacatg accccaggca accccagagg      420
gccaggaaat tcgggctcct tgtgcttgcc aggaaaggag agtggccctg ttgaaaccgc      480
ctgtgactga gacagtgaag gaaatttgac ctaaccaact ccatctt                    527

```

```

<210> 23
<211> 451
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 204
<223> 99-27090-203 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 185..203
<223> 99-27090-203.mis1

```

```

<220>
<221> misc_binding
<222> 205..224
<223> 99-27090-203.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 192..216
<223> 99-27090-203 potential probe

```

```

<400> 23
gaactctcct ctaatagaac ttccaagttg gccccgcagg cactatcttg gtgcagagga      60
accgctcaag cttgacttta aatctggctc tgccactaaa tcacccaggg cctttcctct      120
ttgggcccc gtttccctgt ctgtaaaatg agaggattga acagggcagt ccctagagtc      180
tggtcagaag ttctcagact gggrrcttggg ttcttgactt ttccattttg tcactgttga      240
tgtcatcaca cacacacca cgacagagt ggagtgagga ttccggctgc acagcaggat      300
ggcccagatg ataggaggag gcagggggcg atcactggct gggaggatgg ctgggaaaag      360
aggaggaagg ggaaaggcac gcgaggtcac aaatgcacca aaaggcattt cctggcmtag      420
ccctgtgcct cccttctaaa gagccatcac a                                451

```

```

<210> 24
<211> 473
<212> DNA
<213> Homo Sapiens

```

```

<220>

```

```

<221> allele
<222> 221
<223> 99-27091-220 : polymorphic base A or G

<220>
<221> misc_binding
<222> 201..220
<223> 99-27091-220.mis1, potential

<220>
<221> misc_binding
<222> 222..241
<223> 99-27091-220.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..473
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 99-27091-220 potential probe

<400> 24
atcagcggat ggtgaagagg agatcagcgg atggtgggag gaaaaatgca ggaaatctct      60
ggacttttca tggaagtatg attcaggaat aaggcagaag ccctcacaaa ccttccacag      120
agcaagagggt ggcacaggca cagattctgc tacagagcag acctttccag agaggaaagg      180
ttggtttggg aattttaaga agcatttttc ttgcataac rcaacaccag tcctctgtgt      240
ttagaaaatg cctgtgtgaa ccatcacatt caagagaggg acacaagtgt cagggttcta      300
ggcagccaag ggaagactag ccctttgcct ggaatttggc ttcattttct gacgaatcaa      360
gatttgctct gtcctctgt gcacgccagg acattaagat gcgagaataa gaacttatag      420
cctgtatatt tgccatctaa ttagtgtctt gggtcctaag tgctttgtgc cga          473

<210> 25
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 99-27093-145 : polymorphic base C or T

<220>
<221> misc_binding
<222> 125..144
<223> 99-27093-145.mis1, potential

<220>
<221> misc_binding
<222> 146..165
<223> 99-27093-145.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 453..472  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 133..157  
 <223> 99-27093-145 potential probe

<400> 25  
 aggctaggag atgaggagtg gggctgggct gcctctgcac atcatcaaag ccaacactca 60  
 gtctaatacca aatcttgcta gagcatagaa cataaggtag aatgagtctt taagcaactg 120  
 ggagtcattct cgaggtaaacc agaaytccaa gagtaacgaa ggcccagagt gaatttattt 180  
 tgagagagtt tcctgttgga gtagcagaca ctctgcagta gtgtttttct ctctcctggg 240  
 tgggactgcc ctgcctatat gcacttaagg catagagttt cctgttcttg cctcttctca 300  
 gagccttgca ttgaaactca aatgtattct cagaaatttc tctccacaca atgacatatc 360  
 gcctctgtgc ttttactctc tttgtctttc tctttctctc aaccattgtt ttccacccat 420  
 cctctttttc ctaaacttct taagattgtt ggccatttcc ctttctccct cc 472

<210> 26  
 <211> 455  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 406  
 <223> 99-27094-406 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 387..405  
 <223> 99-27094-406.mis1

<220>  
 <221> misc\_binding  
 <222> 407..426  
 <223> 99-27094-406.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 436..455  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 394..418  
 <223> 99-27094-406 potential probe

<400> 26  
 ttataggtcc caagaagcag ggcctagaaa ccaagagctt gacacgcagt caaactccaa 60  
 agcagtgtgt gagtgaagga aggaaagacg ggtgttgaaa agcaggtagac tttgagaagg 120  
 gagggggtccc tggcagcacc tcccttcctc cccgtttcta ggctctaggg tggggctgaa 180  
 tgatcatgag gcacaaagggt ggggtgacatg caagtgtctga gaagcactga gctcacaacg 240  
 gccctcatca tcttctcaga gccaccaagg agctactggc caccaaggag ctactccata 300  
 ggccttctctg ttggaattac agaaccact tgaaaccaga gatcaagtcc agccctatcc 360

accaggcatc ccaggagaag ccaagaccct atgcccagtt ccgcccggcc accaaggccc 420  
 ttctgaagga gcaccctcat tggggaacct ctcca 455

<210> 27

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 410

<223> 99-27096-410 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 390..409

<223> 99-27096-410.mis1, potential

<220>

<221> misc\_binding

<222> 411..430

<223> 99-27096-410.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 432..450

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 398..422

<223> 99-27096-410 potential probe

<400> 27

gagtggagag atttgtagct cagctgcaag ttttatttgg agccttgggg ctgccaggct 60  
 gtgcacggaa gtgaggcatt agccagtgg tgaacctcgt gctctgccag ctccagcttc 120  
 agtgccggtt tgattttctc tactagtgg aagatagtaa atcacatgaa gtcttgaaaa 180  
 cttggttctg aaaggagcgc cagtggctgg gactggtgat ggagtggagg agcaagaggc 240  
 atctgagaaa ggccaaaagc actttgggtt gatttcagag aagatgacat gttcagttca 300  
 cccattttac catatgcttc gactgtagtt cccactgttt cagggtgcta gttgttggtg 360  
 agaagtggag gaagccaaga accctccccg ggaaaatggt tttcatcacr cacaccaact 420  
 gcattttattt gcaaattcttc aactgccccg 450

<210> 28

<211> 504

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 83

<223> 99-27097-83 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 63..82

<223> 99-27097-83.mis1, potential

```

<220>
<221> misc_binding
<222> 84..103
<223> 99-27097-83.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 486..504
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 71..95
<223> 99-27097-83 potential probe

<220>
<221> misc_feature
<222> 213
<223> n=a, g, c or t

<400> 28
gttcttttca ctacctcctg cttaattttt aattttctaag attagaccct tcattctatcc      60
atgacacctg cctgtcatcc ccygaaaaaa ggtgaacgcc gttcagaaat ttttctagcc      120
tgagctcact ccagttcac ttatttttgc tttgtcatgg ctgcccagtc ccacttgta      180
gaccaggaat aggtcatggc tgcggggact acnacctgtc gctgctgcaa gggccggcct      240
ctgtttccgg ggctgagtgg gggccagacc tgccaggagc accatcttct gtgggtcctg      300
cctggatgtc acatcccggc cccaagaagt cactgcaaac cttcgtatta ttgagcttca      360
catcctagaa tttgctgtca ctgtggctgc tgcataaagt tgccttgaga gaaacgggca      420
ttgtcattaa cagggaatt gatggtctgg gggaaaagtc atcctcattc tcttgcagat      480
ctatgggtga ttgagactgg ctga                                           504

<210> 29
<211> 421
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 162
<223> 99-27098-162 : polymorphic base C or T

<220>
<221> misc_binding
<222> 142..161
<223> 99-27098-162.mis1, potential

<220>
<221> misc_binding
<222> 163..182
<223> 99-27098-162.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind

```

<222> 404..421  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 150..174  
 <223> 99-27098-162 potential probe

<400> 29  
 acttctgccc agtttggtgc aggggagctg ggtagttgcc gacttttcct atcttgatcc 60  
 ctactcagtg taacaattta tctgtacaac tgattccatc accaggatct ttagaccct 120  
 ctggtcattc agccaatcac aagcactcat ccacaggaca cygccgatga tgccatttac 180  
 tgagcagtta ctatgtgctt ggccttagtg agtaccgggt tagcttgtgt gaaccccatg 240  
 gcaaccctg agacaggtag catcatactc caagttgtgg atgacaaaaa actctccaag 300  
 cagctaaaca atatggctta ggtctcacag tgagcagga gctgggattt gtgccagga 360  
 ggcccgatca ggcctacct ccttaaccat taggccaac tgctccaca tgcagaacac 420  
 t 421

<210> 30  
 <211> 468  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 48  
 <223> 99-27550-48 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 28..47  
 <223> 99-27550-48.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 49..67  
 <223> 99-27550-48.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 448..468  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 36..60  
 <223> 99-27550-48 potential probe

<400> 30  
 tgtgtgtgtg gggatgtgtg gaacattttt catgcttgat gtgagccrga agaaaaatga 60  
 gcttctctat ttgataagtg tggacctgcc cacagcacta aatttggttc tgccgtcacc 120  
 ggcgccatga agcagcagcc tggtttagag gcttgctttt ggtttcaa atattctcca 180  
 ggctcatgtt acatatgacc cattcacaga ggctggaggg catggcttct ccagtcctta 240  
 gcactaaaga cgtgtctttt ggctcctgca cgactagcac aggcagtaga accagatggg 300  
 ggatgctctg aggttcgaga ggcaggaagg caagcgggag agagcttggg cctggacaga 360  
 gggatgagct ggctccctcc ccagctgtga aatctctgag tctcagttg cttctctgca 420  
 aatgaggat aataatcccc acctcgggac tgaggattaa cgaggcaa 468

<210> 31  
 <211> 452  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 335  
 <223> 99-27558-335 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 316..334  
 <223> 99-27558-335.mis1

<220>  
 <221> misc\_binding  
 <222> 336..355  
 <223> 99-27558-335.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 432..452  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 323..347  
 <223> 99-27558-335 potential probe

<400> 31  
 gtcaaatcaa cactcgtcta cattcaaatt tcacattttt cccctcttaa gataacagta 60  
 taattgagaa ctgacagga cctaatagaca gtatgggtccc ctacactga atgggtcacat 120  
 ttgcctaaat tgaaataacg tatgctagaa acaatcttaa gcagatctgt cattttaact 180  
 atatgtgatg tagagttgaa tgttcattcc agataattta gtcaatgtag gtaactaatg 240  
 gtcacacta attcaggcca agaaaatgca ttccctctct ttcttctgt ccctttctct 300  
 tgctgaaaga gaaatctcat ggccgcatat gttayacaat catgcccact tatgtaggat 360  
 cacagaaggc agaatagcag agaagaaaga aaactggaga gttgggtcct gatcctagcc 420  
 atcttgtatg accttagaca attcattacc tt 452

<210> 32  
 <211> 465  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 106  
 <223> 99-27561-106 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 87..105  
 <223> 99-27561-106.mis1

<220>  
 <221> misc\_binding  
 <222> 107..126



<223> 99-27561-106.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 446..465

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 94..118

<223> 99-27561-106 potential probe

<400> 32

cagtcactca aacaatgtca caaagaaccc ttgacagga atgtatcctg tggtgactct	60
actttgctct gagtagtctt tccccagggtg atgataaaaa tggtertcac cgccaggctt	120
gtgtcctggt tagtaggaat atacaagaag agctcagtaa atgctggccc caccactaag	180
caaaaacaaa acttttggtg ttgttattgt tgttttaaat aacagcttag acctttcttc	240
tttccttggt attctctttc atctgtaatc cagttttcta cttctgaagt atagaatggt	300
ctgatgattt attcttcatt acccacaact tgcacatggt tatttaaaaa tgccaggatt	360
gcctggccgt tgtgtgctgt taacctttgt ttgctgtag tggatccctg aagttcaggc	420
tcccagggga gcagataatg ggtatccagt tctgcaata tccac	465

<210> 33

<211> 470

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 364

<223> 99-27562-366 : polymorphic base G or T

<220>

<221> misc\_binding

<222> 344..363

<223> 99-27562-366.misl, potential

<220>

<221> misc\_binding

<222> 365..384

<223> 99-27562-366.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 450..470

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 352..376

<223> 99-27562-366 potential probe

<400> 33

ttcctccacc	accactttcc	tcataccggt	gttcagagac	cccccaggsc	ccctyamamt	60
cccagaaaca	ccccctggc	cactcctaac	ttgccatgcc	caggagttag	gtgcttccac	120
tagtgacatg	gagctggcgt	ttggggggca	cctcagcagg	tgacgggaag	agaagacccc	180
agcctcacca	gctgggctgc	agcagggaga	ggagtcctca	tggtccagca	gggactctca	240
gctgtttttcc	tgtaaaacca	tggttctcaa	ctggggggcca	ctgagatgtc	tagagagatg	300
tttttgtttt	cacaactcgg	ggaggggtgct	actgacatct	tgtaggtaga	ggccaggaat	360
gctkttaaag	atcctacaag	gaaggcacag	gacagtctcc	tacatcaaaa	tatgacccag	420
ccccaatgtc	accactgtctg	gggttgacac	tggcactgct	atcttaatta		470

&lt;210&gt; 34

&lt;211&gt; 1003

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 738

&lt;223&gt; 16-31-738 : polymorphic base C or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 715..737

&lt;223&gt; 16-31-738.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 739..761

&lt;223&gt; 16-31-738.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..25

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 975..1003

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 726..750

&lt;223&gt; 16-31-738 potential probe

&lt;400&gt; 34

ccactttgga	taaagtcctt	ctaactagca	gcttttaact	gcctttgcga	tgaggaggtct	60
accacccttc	ctttacccaa	agatgaatct	cggatcattt	tctgtacaat	ttttaaagga	120
cggtttgaata	atatttcttt	ctttatcatt	gcggagcctc	ccaaatctca	gcggaggtgt	180
agcgcataag	ggcagttgaa	ggagatatag	atcctataga	tccgtgtataa	aagggggtct	240
ggaattctgc	atttcccgtt	cgctagcatt	cgcgaaactc	ttgagacagc	gtacgcttcc	300
tatggcatca	ggttgaattt	aagggcaagg	gagaagggtg	ctcggcgtgc	ggccgcggcg	360
taccggagct	gcactttgca	gggagaagtg	gctgcgtaat	ccggagcaca	gtcagtatgg	420
tgctgtgtgc	ttgttggttt	gttttggttt	ccacttttct	cccccttttc	ccgccacacc	480
actattttgg	aaagtgttgg	cactttggat	aaatgccctc	taactagcag	cttttaactg	540
cctttgcgat	gggaggtcta	ccacccttcc	tttaccctaa	gatgaatttc	ggatcatttt	600
ctgtacaatt	tttaaaggac	gtttgaataa	tatttctttc	tttatcattg	cggagcgtcc	660
caaactctcag	ccggaggtgt	agcgcataag	ggcagttgaa	ggagatatag	atcctaataag	720
atcctgtata	aaaggggtc	tggaatttcg	tgcatctccc	gttcgctagc	attcgcgaaa	780
ctcttgagac	aggctacgct	tcctatggca	tcagttggaa	ttttaagggc	aaggagagaag	840
gggacgaagc	ttcttttggg	ggcatcctta	ctctgctact	gaattttagg	tgctgggctt	900
tgctactca	atttaaaaag	accaggttta	aataataatg	gtttatggca	ccatcagttt	960
taattattta	ttatgacata	ggagtttaga	aaacttttga	tag		1003

<210> 35  
 <211> 455  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 300  
 <223> 99-27110-301 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 281..299  
 <223> 99-27110-301.mis1

<220>  
 <221> misc\_binding  
 <222> 301..319  
 <223> 99-27110-301.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 438..455  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 288..312  
 <223> 99-27110-301 potential probe

<400> 35  
 ttcacattgg gtggcagctg gtcgaaacat tcctgtcagt gactgcagga cagtaacctt 60  
 cagacctcga atgcccccta attttctgaa atgaagttac agttcctttt ctgttcaact 120  
 agcaagctaa agttcagccc tcttacctga ttccacactg atcatctgga aggaaggtag 180  
 gattcaagga gaactctttg agtgggaagag cagtcagaga tgtaattctg cgccctgttct 240  
 ottacagcaa aaccaagaac ttttgctcta agagagtggga ctttgggagt gaactttgts 300  
 agatgattag atggtgatgt cctttcttgt taaaggagga aatccatgta ggagcctcag 360  
 gatcgacag gctgaggact gactgttaaa catggcaggc cttccttcac ggggcttgag 420  
 ggatttctctg cagtgcctt cctcctctcc ctgac 455

<210> 36  
 <211> 546  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 400  
 <223> 99-27563-400 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 381..399  
 <223> 99-27563-400.mis1

<220>  
 <221> misc\_binding  
 <222> 401..420

<223> 99-27563-400.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 526..546

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 388..412

<223> 99-27563-400 potential probe

<400> 36

taaccacact gaaacctctt cggttgctt gaaacctttc tactttttct gtactttttg	60
ttttgttctt ggtctcccgc ttggggcatt tgtgggactc cagcacgttt tctggcttct	120
gcttcacact gctccatcgg ggaatgacac actgcggtgt ctgcagctcc tggaaggtgt	180
catttgacaa cacatgtggg agaggaggct cttggagtgc tgcagctttg ggaaagctgc	240
ctcgtttccc ttttcctcta gaagcagaac cagctctacg agagtggagac tgggaacttg	300
atggctcaga gagcatcttt tcctccatt ttagaaaatc agattttctc ctgtgggaaa	360
aaaaaattcc atgcactctc tctctgttaa agatcagctr ttcccttctg atcttgga	420
gaggttctgc actcctggaa ccggtcacag gaacgcacag atcatggcag gatgcgctgg	480
gacggcccat cttggcaagg ttcagtctga atggcatgga gaccgggaga tagaggggtt	540
ttagat	546

<210> 37

<211> 513

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 443

<223> 99-27573-443 : polymorphic base G or T

<220>

<221> misc\_binding

<222> 423..442

<223> 99-27573-443.mis1, potential

<220>

<221> misc\_binding

<222> 444..462

<223> 99-27573-443.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 496..513

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 431..455

<223> 99-27573-443 potential probe

```

<400> 37
gtctcgtttc attcagtgac attttgaaca cacacgtgtt ccctgtctgc agcaccagg 60
tgctcttcac ctaagatacc cgtcttctg ctaaaccagt acaccagttt ccacgagcag 120
tttcccgagg cttctgcaact cctcagcatg ctctcagatt gtttccctg cgggagaact 180
agcaccgtgt tcttcagtae cagcatggtc tcctggccag cccctaggtg caatcctcca 240
acacggtgac actcagcaac ctagggccaa gtttaccac ttgtctccct atacacaatg 300
ctcctgcacc tgctcaccta ccaggggccg tccgcacca gcagcctacc ctgtctgcca 360
cagctctgct tcctggcatt cccacctctg cctcaagctt tgcctttcct ctcaagctcc 420
ccgccctgct ctaatcttgc ccktcttggt ctcagctcca gttccacctc cccaatact 480
ccccctgtgg cctctctaac ccatacacct tcc 513

```

```

<210> 38
<211> 411
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 133
<223> 99-28732-133 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 114..132
<223> 99-28732-133.mis1

```

```

<220>
<221> misc_binding
<222> 134..153
<223> 99-28732-133.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 391..410
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 121..145
<223> 99-28732-133 potential probe

```

```

<400> 38
ctgttggtgt tccccctca cagcataaa ccagtgtacg tgaatcctaa cttgccaaata 60
cctcagagat aggaaaatat attttgatgt acagacgctt tatgggcttg tgctggaagg 120
tcacgtgcct tartggatcat gagatcctgg tgcaaagtgg atagaaagtg cttctttgta 180
tgacgcgtcc tccccttctg agatggccag tcccccgaa tgtctttaat atctgaactt 240
gagaatgagg atgttgattt ctaattctag cccaaccta gattgtctat ggctcttcag 300
ttatcctgga aaatcaaaat atattttact atcttgaagt attggcaagt taggattcat 360
aaacacttgg atgaccagcc acaaggcaat gtggcattgt ggtaagagg c 411

```

```

<210> 39
<211> 457
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele

```

```

<222> 56
<223> 99-28735-56 : polymorphic base C or T

<220>
<221> misc_binding
<222> 36..55
<223> 99-28735-56.mis1, potential

<220>
<221> misc_binding
<222> 57..76
<223> 99-28735-56.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 44..68
<223> 99-28735-56 potential probe

<400> 39
ttgtcctgat taccatttct aagactaaag aatctttacg tggtgaaagt cctagycagc      60
catcattcgg cacaacagtg gcttgtcaaa agggatgtga gcagggtcata ccagcctcag      120
gagggtagag caaagcaaaa aaggaaatct tgccatgtca tgtttcaaag ctcttggtgaa      180
tcttgagatc tcattagaaa tctgtcacag ttttaataga gtcccaccaa gatgtgctct      240
gcctgtctct ttgcaggttg gtcaggatag gaagcagggc ctcccagtg ccagttcctc      300
ggggaacaat tcacgagaat ctaaggagtt gtctcccagc agtgccagga aagagtggct      360
gccaaaatgt tactagtaat taaggactag gcacctgagg gcagcaacta agcacatact      420
agttattata acatccagta gaacaaatga aactcct                                457

<210> 40
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 399
<223> 99-28736-399 : polymorphic base C or T

<220>
<221> misc_binding
<222> 379..398
<223> 99-28736-399.mis1, potential

<220>
<221> misc_binding
<222> 400..418
<223> 99-28736-399.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 434..452  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 387..411  
 <223> 99-28736-399 potential probe

<400> 40  
 gtttcttatt actgattctg aacatctgtc acaaagcaga ttttggtcag gacattatga 60  
 acaactgcat cattcattac cgggtgaaat aagtgtaca ccaccaggcc actataccac 120  
 cagtgcatt catttcccac aaaacatcaa cactgaaaca tacactacac atgcacacaa 180  
 aatggcatga atacaatgat tattcaatgt atagtctaaa ttttcttat ccttttaac 240  
 cacttgatg aaattccttt tctcaagata gatgagggt aaaagtgaca ttttctaacc 300  
 ttctctcta ctctgaaatt ctgtgaactt cctctaata gaactaagta gcggtgcagt 360  
 ttctctttaa tgataaatga tttgttggtt ttttgtgtc attgcttaga agcagtgagt 420  
 gttaaggaca acaccttaaa agtgtagct ccc 453

<210> 41  
 <211> 458  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 319  
 <223> 99-28738-319 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 299..318  
 <223> 99-28738-319.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 320..338  
 <223> 99-28738-319.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 441..457  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 307..331  
 <223> 99-28738-319 potential probe

<400> 41  
 ggagagacac actgagacat tctcttctag tccagactat gagagcatgt aacacatata 60  
 acatgagacc cagcacctag caccgtgtca gacacatgat tatctgtgta atgactgagt 120  
 aagcaaattc agagatgtgc tctcaaagcg atctggcagc aagttacttc ctcatgcct 180  
 tcaactgact tgactctgac attgttcttc ataccaggat ttttagagac ttctcacttc 240  
 atccaaacac cccagctggc agtgctacta gtgtgcagcc accatcaggg aaaagctttg 300  
 gattctatgc aaaacaggyt ctcagggttg taacaatgtg ggggcctgag tggcaagggg 360  
 cccagggtg aagtcagagc cctagaggag actcctggct acctagatgc atctgggaaa 420

ttaacccctg ggccttgctc gctgtwacct gcaatacg

458

<210> 42

<211> 509

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 364

<223> 99-28739-364 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 345..363

<223> 99-28739-364.mis1

<220>

<221> misc\_binding

<222> 365..384

<223> 99-28739-364.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 489..508

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 352..376

<223> 99-28739-364 potential probe

<400> 42

ctcctcctcc	aaaacacacg	gagacactgg	tatttggtg	cacatgtgtg	tacatatgta	60
caaatgtgtg	actatgtatg	tgtacgtgtg	tacacgcaca	ctttcttttt	aggaagactc	120
caaatcatct	cgggacttta	gacctggaga	acgtaagtct	cctgggtcag	acgcctacca	180
ggctgtcctc	ttttatccaa	actggcagat	ctgcattggc	tttaggcact	gaccctcatt	240
cacatggctg	tgtgcccgga	gcaggatatcc	tataccccgt	gtgattctca	ttgggtctaaa	300
tccttgcaaa	tgatggatgt	agggtaagca	tgtgactcag	ttctgcatac	tgggatgtga	360
ggaygggtaa	actaggaaga	aattcctgga	aaagttttct	cattcttaaa	ggaacacaag	420
gatgagacac	ctccttccgc	cagagtgtgg	ccatgataca	tggaactgtg	gtagtcattct	480
cgccccgcca	gggaaacaag	acagaggcc				509

<210> 43

<211> 549

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 185

<223> 99-27875-185 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 165..184

<223> 99-27875-185.mis1, potential



<220>  
 <221> misc\_binding  
 <222> 186..204  
 <223> 99-27875-185.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 531..549  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 173..197  
 <223> 99-27875-185 potential probe

<400> 43  
 taagggtaaa ggagagagat ttaagattaa tatagtaaaa accctataaa cctaacttta 60  
 agttaactat taagtatcta tattaactca tgaaaagttt atctttttaa aaatatcaac 120  
 ttcctagctc agatcactga caaggtttat aattagtgat caataccatc ccactaata 180  
 agtaycaagt accagggtc cttggagaaa tgtctgattc caagtctggg acaggaaatg 240  
 tataagatga gatggcaata tcttgtcata ttaaaggaag ttttcagaga ctacaagggc 300  
 tgtgtcaaaa ggactcagca gagaactcct agtcaccaa gactggacaa tttaaccacc 360  
 aataagataa ctgcaactga ctgaatatca aatatttgaa tctaaagttc acaacagtag 420  
 gaggaaaaaa cgaaaaggca ggcaggaact cgtgcatttc tgaaggatgt tagggaacca 480  
 actaatggaa aacaggttta aaaagacaag ggggtgggaga atggatgaag macttattct 540  
 cacctttct 549

<210> 44  
 <211> 462  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 176  
 <223> 99-27880-176 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 156..175  
 <223> 99-27880-176.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 177..195  
 <223> 99-27880-176.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 444..462  
 <223> downstream amplification primer, complement

<220>

```

<221> misc_binding
<222> 164..188
<223> 99-27880-176 potential probe

<400> 44
gtagggtgaa agttgtggca ggaggattgt tctagatata tagggcagac aacattgctg      60
aagttggggg gaggatgtat cagtaaccaa ctggagttct ggaaacaacc tccgtccagg      120
tatttggggg gcctatatga cagaaaggcc agcaagcaag cttaccctca tcactyactt      180
ggcctctatt caaatagcct acttttgtct gatctatcca gggatgtgtg ggaaggcata      240
ttggggctgg tgagttctat atttctttag aaatttatta tgactcagct gtttatgact      300
taagtttttt gtgatttcta tacgttattc ctggtatcat ctcttagagt aatacattcc      360
atataaaata cgaggtgtag ctaaacataa ctttctaagg ccccaaagtg ttttcccagg      420
cccagcgccc acccatttcc tgtcttctct tcttactcac tg                               462

<210> 45
<211> 497
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 373
<223> 99-28747-371 : polymorphic base C or T

<220>
<221> misc_binding
<222> 353..372
<223> 99-28747-371.mis1, potential

<220>
<221> misc_binding
<222> 374..392
<223> 99-28747-371.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..496
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 361..385
<223> 99-28747-371 potential probe

<400> 45
agcaacactc agtgggctcg tcgccatgac gccagcctgt ggaggaaagt ggggagggga      60
ccaacacagg acccctgtgg cagaagctgc cttggaactg agaaacatca ctagaactca      120
tcaagccctc caccacctg gtgcagatga actgaggtct gaagagggga gaccacctgc      180
ccaaagggag aaaagcagtc agtaggatgg ccgggattag atctggctct cagttcctag      240
ttcctatgaa gtaatgcagg gagaagacag ctggctggca ggatgccagc agcatccctc      300
caggggggca aggggctgcc tttctctaca ggcttttagg gaccagacct tctcaatcta      360
gatagacaga atyctcctc ccaggacatc ccagaagcc acagagttct gggggctctc      420
agagatagca ggagaccacc accccagaat gaggatagcc attcttggtg tgagcrggat      480
ttcccctacc caaggac
                               497

<210> 46
<211> 448
<212> DNA

```

<213> Homo Sapiens

<220>

<221> allele

<222> 352

<223> 99-28753-353 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 332..351

<223> 99-28753-353.mis1, potential

<220>

<221> misc\_binding

<222> 353..371

<223> 99-28753-353.mis2, complement

<220>

<221> primer\_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 427..447

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 340..364

<223> 99-28753-353 potential probe

<400> 46

ccacagccct cgctattaac catggggcag tactccctcc acaagaggca ttcggtttgc	60
gaggagagct tagaggtttg gaaagaagac tcatacctcc ggcctggagg atcagggagg	120
acttagccct ctgagctgga cttctgggga caggttgat tttagcaggt gagtgtata	180
ggcacaggag aggccctcta ggctgagggg actgagcaaa ggcaaggaga caggctgggc	240
tttgtgcctt gggaggagtg tggtgtatgg agaacaggga gtaggagaaa gaaacaatga	300
ggctggggag gggcatggag gtcaggtgat gcagggcatt ctacagggct tyaccatctg	360
gagagggagc ctgggtgagc ttgtgagcag agaagctcaa ttttgggagc aactgtcct	420
ctggaggaaa ggagaagtaa ggggattt	448

<210> 47

<211> 471

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 207

<223> 99-28755-206 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 187..206

<223> 99-28755-206.mis1, potential

<220>

<221> misc\_binding

<222> 208..226

<223> 99-28755-206.mis2, complement

<220>

<221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 452..470  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 195..219  
 <223> 99-28755-206 potential probe

<400> 47  
 tcttgagggga tatgaggcat tataaaaatt cctgggttgt gggagaatga gtacttatca 60  
 tcttctcctt tgagttaaat ttttttgtgc ccaattttat agaaatcatg tggatccctt 120  
 ttgcaaattg atgaatgctg ttagaagctg aacaggcaag gctgtatgtt tggagaagct 180  
 gggaccctat ccgctgcact cagagcrggg accatccgcc aaggagagaca gggaagggtc 240  
 tgtgccacct gctggagggga gggcagagga aggcaggag aaggctatgg gtctgctgac 300  
 aaacccacgc tgctctctgag ggtgagggaa ggttgggctt tcctgaaggg aggggcctcc 360  
 atttcctgtc tgatgctggc atggcctgtg ctagggtgcc ccgtgggctc tcattcagcc 420  
 ttcactgtga gcctccgagg tggacttaga tccattgcta aacagatgag g 471

<210> 48  
 <211> 541  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 366  
 <223> 99-32333-366 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 346..365  
 <223> 99-32333-366.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 367..386  
 <223> 99-32333-366.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 520..540  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 354..378  
 <223> 99-32333-366 potential probe

<400> 48  
 acttagttca ttctttgagg ttaaattgtcc tagaaagaac yayacgggtg atgtctaaca 60  
 ttacgtacac tcaagcttta gaatggccaa gtggatgacg ctgtttcttt caattaacct 120  
 gacatatata acctctcctt tctagccatt cttctgggtg gctttcctag taatctgccc 180

aggagtgtaa	cttctgcagg	cagaggtgag	gtaaaaatgg	tgaagtaagg	caaggagata	240
aagaggaaga	aggcaaggag	cagtgtattca	gaagcatcag	accgaaaaga	aaatttgtgg	300
gagctgatga	agacttctta	taaacttcta	tcttcagcaa	tacttgaatg	ctaggaaagg	360
ctatayccca	gacaactatt	atcccattta	tgatctgtca	agctttcaca	gtgaaatcac	420
tcaggattct	tatttttttt	aaaaaaaccc	cagatccctg	ggtctcagac	ctagtgaatc	480
agcatctcca	gagtagaacc	taggaattca	catctttacc	ccaaaagtac	cccagacaat	540
t						541

&lt;210&gt; 49

&lt;211&gt; 416

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 323

&lt;223&gt; 16-38-323 : polymorphic base A or C

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 300..322

&lt;223&gt; 16-38-323.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 324..346

&lt;223&gt; 16-38-323.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..28

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 389..416

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 311..335

&lt;223&gt; 16-38-323 potential probe

&lt;400&gt; 49

agttgctctt	ttatgttttg	catcttacct	ggtattgcct	ttgccattt	cactgctgca	60
atcacttgcc	gccctcctaa	catgttgagc	gtagtcatga	tcctccaagt	tgagtctgga	120
acagagctat	catatcctgc	atataacact	tcaggttcaa	taacctccaa	cagtgcacac	180
agggtagggg	tgagttgtgg	taacgttgca	ggaactattg	ttttgttacc	aggattttca	240
gaggtttctt	gtgagactcc	tgtagtggcc	tgctgaattc	cttttatttt	tttctttgtt	300
tttcgagctg	tgggtattta	aamaaataca	tagaaatgaa	ctgtaatggg	aaggctctgcg	360
ctacacagtt	tattcaagaa	gtattttttac	tttctaaaac	tattaagatg	ggagaa	416

&lt;210&gt; 50

&lt;211&gt; 506

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 179

&lt;223&gt; 99-28484-179 : polymorphic base A or T

&lt;220&gt;

<221> misc\_binding  
 <222> 160..178  
 <223> 99-28484-179.mis1

<220>  
 <221> misc\_binding  
 <222> 180..199  
 <223> 99-28484-179.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 488..505  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 167..191  
 <223> 99-28484-179 potential probe

<400> 50  
 ggggctacaa aatattctgg tactccatcc tagaccagag tttcaagggt cggtatcatt 60  
 tgtagcatga tactggatcc tcacagtgc tgcctttcat tcaggtgcc ggaaacgtct 120  
 gcctgaatga atgggtgtaa tttacctgca cattttacat gcttctctag gtgtgtgawt 180  
 aactcataat ccatccatga ctttcaccca taatcctcct tgtagcaatt gctttgcttg 240  
 caacaaaact aagtagacat atctagcttt atgcatgggt ttctctctct gaactctaac 300  
 ataaactcag cctcaggaat tattcggttt ctactacatt tgccattctg attgggaacc 360  
 accagcattc aggtattcac ctggaacaag gcattttgtt ccaagggttc ctcacttaaa 420  
 agcaagcacc ctagcaatag ttcataatgg aacttcctta cattctcaga atgtttggca 480  
 cagctgtgag tgaacacaca ttgagc 506

<210> 51  
 <211> 486  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 364  
 <223> 99-30853-364 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 345..363  
 <223> 99-30853-364.mis1

<220>  
 <221> misc\_binding  
 <222> 365..384  
 <223> 99-30853-364.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 465..485

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 352..376

<223> 99-30853-364 potential probe

<400> 51

tgttctcaag	caaggctcggc	aaactatgac	ctgcccgtca	aatccaacct	gccacctgtc	60
acctaacaat	tctgtaactg	ctccacata	caacatggtc	gtcatcataa	atcctatagg	120
tattgttgag	agcaggagga	aagtttggtt	gagtgagtga	gagaccttac	ccaagccttc	180
ctgtggtctc	taggagtcac	ggcagagtcc	gctgacactg	gtctgctttt	aaccagcctt	240
gccagtgacc	tttcaaattc	cctgaggagc	aaaaggccaa	attgaacctg	aaagaaaaca	300
cctctcagtg	ttgactgagt	tgcagtagaa	aatggacctg	acaaaacggt	agtacacttt	360
ctcrattggg	ttagctcaaa	atatgttatt	aggtcttttt	tccagaggaa	aatgcttaca	420
cagaccctct	tcctcccccac	tccttcacct	ctacaggaga	aaatgaggmw	wyacagaaca	480
ctatta						486

<210> 52

<211> 467

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 198

<223> 99-28485-198 : polymorphic base G or T

<220>

<221> misc\_binding

<222> 179..197

<223> 99-28485-198.mis1

<220>

<221> misc\_binding

<222> 199..217

<223> 99-28485-198.mis2, complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 449..466

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 186..210

<223> 99-28485-198 potential probe

<400> 52

gcattataag	gcaacacctg	gatctgaatt	cagctctgcc	taattccaaa	atctatgcac	60
ctcataacct	tgtgactgtt	gcctggcagg	ggcctgcaga	gtagcatcca	ttaagcttga	120
cagagttttt	taagattatg	tgggtcactt	aacagacagt	cttaaggtaa	gggttaacat	180
caaagttaat	ttctgttktc	tatctatcct	gccccttcta	tccttcatat	cacaatggag	240
cacaaattat	aattaagaga	tacaaaagca	ttcagtcact	tccatttttt	tcttttagata	300
cttactatat	taagtcttaa	atgaacatat	tggcattcca	aattattaag	ataatgtcat	360
gctggtcatt	gaaatgctaa	attaacatga	agactacatt	tcaaaaatac	aaaagtataa	420
ataggagtgt	tttgtatatt	cataccacga	tttttgcctt	tagagga		467

<210> 53  
 <211> 474  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 354  
 <223> 99-30858-354 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 334..353  
 <223> 99-30858-354.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 355..373  
 <223> 99-30858-354.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 456..473  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 342..366  
 <223> 99-30858-354 potential probe

<400> 53  
 aatctactgg gaaactgtcc atttcaacaa gagcacctca gacagtaact ggaaagagaa 60  
 atagctcata ttctcaggaa cgtagtcat cttgaagcag catgattcgt gatacctgga 120  
 aaatgcacat ggcagtcact aaaattgggt tctagggata cttttaataa gatttgagag 180  
 gagctggatc cattcattcc catggtacct aacacagcac cactacacag caggcctgtc 240  
 ccaaatttcc tttgctgctg gagaacatcc tcatggggga gcccacaagc tgcctaggaa 300  
 atgggttaac aggagggcac tcagggatct ccttcagttt ctccagccat cttygctgcc 360  
 acgcccagc ccaggccacc ttcacctctc acctgggcgc ttccactggc cgcctgacac 420  
 atcttgctac tggcttccac tcttgctccc agaaccctt cttcacatag cagc 474

<210> 54  
 <211> 489  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 311  
 <223> 99-32002-313 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 292..310  
 <223> 99-32002-313.mis1

<220>  
 <221> misc\_binding  
 <222> 312..331



<223> 99-32002-313.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 472..488

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 299..323

<223> 99-32002-313 potential probe

<400> 54

aagaccacat	ttcagcaagg	actggctctg	aatgacacct	ggattctatg	gcctttccct	60
ccactttggg	aagctcttta	gtagacaggg	tactgtaggc	ggcaggagaa	aaaaagctaa	120
ttattacttg	ttggagtctt	gtctcaggca	tgctgtgggg	ctgtgcaaga	ttcgctgctc	180
tgctgctggt	gtcattttga	tgctacaatt	acagagaggc	ggttcagcac	ccagccgatac	240
ggtgtggctg	ccaaacacat	ttgagcatga	caagataaat	ttgttagaca	ccagcacagg	300
gtgggtgaga	rgacatcctg	ctgactttat	aaagtgatgt	ggggcagggt	tgctcgaggta	360
agtgatgatt	gtcaagtttg	ccagagatga	tagataactc	ctttggcaga	acacctaggt	420
cattcctttt	aaagtcagggt	agctaagagg	ctgtttgggt	tctgcagcgc	tgctacctac	480
ttggggaac						489

<210> 55

<211> 526

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 366

<223> 18-15-366 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 347..365

<223> 18-15-366.mis1

<220>

<221> misc\_binding

<222> 367..385

<223> 18-15-366.mis2, complement

<220>

<221> primer\_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 507..525

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 354..378

<223> 18-15-366 potential probe

```

<400> 55
atgaaattag aatgacctac atcaaagagc taggaaaagc cattgtcaag agggaaggaa      60
actccagcca gaactggcag cgggttttatc aactgacaaa actcttggat tctatgcatg      120
aagtaagtgt caaacataaa gccaaatata agagttttct gggacaaagt atgttttgat      180
tagtgaatat aattatatac cagcagcgcc cccacccccg cccccagttt gtggatgttg      240
gtgatagctt gagttcaact tatgaacttc agttttgtag acatttttcc taaggccaat      300
tatgaaatat cctttcacct agtcatgtgt atataaaatc accatgttat tacagaattt      360
agtaayactg tttttaaaaa gtatgattaa tccattaaat tagaataatg cacccttcat      420
atattatggg actacagtga ttcatgaaat aattctatat aattctacat acaatcaaag      480
aaatataaaa tgtgttttgc acggaagtgc ttatttttca tctggg                    526

```

```

<210> 56
<211> 426
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 174
<223> 18-20-174 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 155..173
<223> 18-20-174.mis1

```

```

<220>
<221> misc_binding
<222> 175..194
<223> 18-20-174.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 408..425
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 162..186
<223> 18-20-174 potential probe

```

```

<400> 56
ttctctcttc agtgttcatg aaccacagat aagttccttt cccacatttt cacagtcata      60
ggatccagta aggaaggccc gagtgatact tgctgggtca ctgagctggg gatgcctggg      120
ctcagctcca gacatgctgg gtcccaggcc tgagcttggt tcttcaaact aggratacat      180
caattactta attattgctg gtacaaaaca gggctctaagg aaggccaggc tcaagagcac      240
agttaaaaaa gaaatcccct ccacagctgc ccttgccctg gttgggggtgg aggccagcag      300
gccctcatt gccaggtagg aagcattaga taccgctgat gagctagaag ctttcttttt      360
tadacaatga agtagaggca aggtgttcta actccccgtc cagagaagag smaggaaagc      420
tagaac                                           426

```

```

<210> 57
<211> 458
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele

```

<222> 178  
 <223> 18-31-178 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 158..177  
 <223> 18-31-178.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 179..197  
 <223> 18-31-178.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 437..457  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 166..190  
 <223> 18-31-178 potential probe

<400> 57  
 gtttttgtat gattcagtgt gaattaaatc ccacagtgt aaggacttta ctttcttaat 60  
 gtagattttc aaatacacaa ttactgatgt ttataagtag atttattaca ccaaagcacc 120  
 tagcaaattc ttgaatggat caggtcttat ttttcagtct tactttgcaa atttaagyca 180  
 aataattaag gatttggttaa atatttgtct taatatcaag cttttgcata tcggggccct 240  
 cttttataag ctttataagc aatcttttgt tttctctgct tgctcaaagt agctatgttt 300  
 gttgtatctg ttagtatttg ctctataaca aacatactgg gtgccttccc acttagattt 360  
 ggcaattatc actcctgtaa atgagatatt acataagata ggaaaaagaa cagtatcttt 420  
 ccaagaagaa tagtatacctt ccatattaac agtttaga 458

<210> 58  
 <211> 474  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 395  
 <223> 18-38-395 : polymorphic base A or T

<220>  
 <221> misc\_binding  
 <222> 375..394  
 <223> 18-38-395.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 396..414  
 <223> 18-38-395.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 456..473  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 383..407  
 <223> 18-38-395 potential probe

<400> 58  
 actgtaattg tatggtaaca tttaactgta caggacttgg gaagttaggt ctagctgtga 60  
 gtccaagaaa aggaaatgat tttgttcac agccaacaat ttttgcata aaagcaaagc 120  
 aatgtgagtg gggggccctaa aaatccccac tgttttcgcc attctgacta ccaccactc 180  
 cccaccaaag gtccctgggg cacaccctgc agaccttatt actttagggc acacattttg 240  
 aaaagggctg actttgctaa tttgacttgg cattttgatt aaagttactt tcatattttg 300  
 attaaagtta taactgcatg atacaggcat actcttatca ccagtgtttt aagaacatga 360  
 aacgggaagc tgatgacttc taaaccattt cacawtgagt ctaaattcac tgcttaataa 420  
 taaataacaa tgataataat agtaacagat gtgtaccact cacatatacc acca 474

<210> 59  
 <211> 469  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 192  
 <223> 18-2-192 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 172..191  
 <223> 18-2-192.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 193..211  
 <223> 18-2-192.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 450..468  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 180..204  
 <223> 18-2-192 potential probe

<400> 59  
 catcaaaata tcccaaaaga tgtttgga aa atatgttttt ataagaccta tagattgtga 60  
 ttgagtaggt ttgaggtggg gcctgtgtat ttgtattttt caacaagctt ttcaggtgat 120  
 tatgataagc aaccagattt agaaaccagt gaataagttc aacgagatga tttgcacagt 180  
 ggcctctttt aktcatcact taggttctgt tatttttaga gccaaattaa tcaatcagtg 240  
 cattgtttta acatccttgc cttacatata ttttccaaaa atttttaatt tttaaaggga 300  
 gaagggaaag ggaaagataa tttcctatgt ttgtgtgaac acatccttgg ctcttcta 360  
 aatatgaaat acagtaaata atgacttgta actattataa ttgtttttta cattcatgaa 420

tgaaaaactaa ctacaatgtg ggttgattgg attccaggtt tcactctgc

469

<210> 60  
 <211> 451  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 211  
 <223> 99-26921-210 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 192..210  
 <223> 99-26921-210.mis1

<220>  
 <221> misc\_binding  
 <222> 212..231  
 <223> 99-26921-210.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 431..451  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 199..223  
 <223> 99-26921-210 potential probe

<400> 60		
gaggaagatg ggttacttat ccatcaaatac atgttagtca cagactcatg gctgcttttc	60	
ggggggcatt agccccaccc gcactgctca cctgcctggg ttgagccaa gaggagctcc	120	
agtggccaga gaaagcctgc aggcaaaaac ttgcatcaga cagaggcctt aagttcatgt	180	
gtatgaaaat aagtgccaaag gagatttggg rggatccctg caatgtctgc tacaaatgtc	240	
aagactcttg gctggaaaacc tggccagaat atggttcac ttctgaaac cggaacatt	300	
ggtggccaaa gaagaaggag caggcaaaagg aaggagctg gcaaaggaga ctggtggagc	360	
actagcgatt taggagggaa gcaggaaatt gtactatcat gggagtgatg agaagtgacg	420	
ttttagaatg cccakttaat acatagccca a	451	

<210> 61  
 <211> 327  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 250  
 <223> 16-215-80 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 231..249  
 <223> 16-215-80.mis1

<220>

<221> misc\_binding  
 <222> 251..270  
 <223> 16-215-80.mis2, potential complement  
  
 <220>  
 <221> primer\_bind  
 <222> 171..188  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 284..303  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 238..262  
 <223> 16-215-80 potential probe  
  
 <220>  
 <221> misc\_feature  
 <222> 29  
 <223> n=a, g, c or t  
  
 <400> 61  
 ccctgcccac cttccaagta actctgtgna acctcttggg tcccttgaag ggtgattcgt 60  
 caacccgtgg gcaggatttt ctttgcgggc acagagactg ccacaaagtg gagcggctac 120  
 atggaagggg cagttgaggc tggagaacga gcagctaggg aggtaagcag gaaagcccag 180  
 gctctctccc tccccatgg tgactttctt tcaggtctta aatgggtctcg ggaagggtgac 240  
 cgagaaagay atctgggtac aagaacctga atcaaaggta agtttggtga ctctgggcac 300  
 tatctctcct tagaccaatc atggaac 327  
  
 <210> 62  
 <211> 480  
 <212> DNA  
 <213> Homo Sapiens  
  
 <220>  
 <221> allele  
 <222> 368  
 <223> 18-132-368 : polymorphic base C or T  
  
 <220>  
 <221> misc\_binding  
 <222> 348..367  
 <223> 18-132-368.mis1, potential  
  
 <220>  
 <221> misc\_binding  
 <222> 369..387  
 <223> 18-132-368.mis2, complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 461..479  
 <223> downstream amplification primer, complement  
  
 <220>

<221> misc\_binding  
 <222> 356..380  
 <223> 18-132-368 potential probe

<400> 62  
 ccccaactaa ttctcccctg ttgttcagaa tgaaattcag aatatagtgt catggaaatt 60  
 gaactggcct tttaactgt atcaaacatg gtagaaagat tggtagcat gagaaaacac 120  
 caaaagattt atcgaagtac acagtgtcct ctggctgttg gccctgtgc cttgtctgca 180  
 gattggggaa tcaccccagg tcgggcaatg cttgctctcc attggcctcc catgtattcg 240  
 aattagcatt gagagcaaga gagaggcagg aacgagaaac agggctctgg aaatttggtc 300  
 tcttggggca agtgcattgg cactgatgcc tgaagatttg gatgcagacc agacaacctc 360  
 ttggggttyct tttctgcatt gaggtttgat ttttattgag ttaaaatcct aacaataaag 420  
 atatttttagg atggggccag actgcaaagt acataaaagt caggaaggag aacacaaaga 480

<210> 63  
 <211> 505  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 292  
 <223> 18-133-293 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 273..291  
 <223> 18-133-293.mis1

<220>  
 <221> misc\_binding  
 <222> 293..311  
 <223> 18-133-293.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 487..504  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 280..304  
 <223> 18-133-293 potential probe

<400> 63  
 agatgtgaga agtgtggcta gctgacagcc ccttgcctgtg attttcttca ggatctgcct 60  
 cagcttttagt gttaacttca caatattcct ggggaaacac aagccaatga ctaaacaaaa 120  
 cagtcttcat agggaaaccc gcagtgaatg actaagcaag gcagtggat ggagctagac 180  
 atttattcca gttgagtaac tccgggcttc tctgagaagt atctttcact gggaactccc 240  
 acttggctgg cagagacttt ccagatctgc atctggatag ccctctcttg amgtttcctt 300  
 tcagaaagag agataaagtt tatTTTTTgt ttgtatgaag atgaatttct tttgccttca 360  
 caattgaata acaacttacc ttggtaaagg atttttggct caaaataact tttcctctga 420  
 accgtttctc ccagtgccct aatattgagc aaatgtcaag cctagagAAC agttaaaga 480  
 atatttgacc aacaccaaca tagtc 505

<210> 64  
 <211> 450  
 <212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 191

<223> 18-12-191 : polymorphic base A or C

<220>

<221> misc\_binding

<222> 172..190

<223> 18-12-191.mis1

<220>

<221> misc\_binding

<222> 192..210

<223> 18-12-191.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 431..449

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 179..203

<223> 18-12-191 potential probe

<400> 64

tttgccctagt	tttgactggt	ggagcatcat	attaaagttt	tacatatataa	aaaataaagt	60
caacaagggt	ggggaatata	tgcaaaaaca	aaacaaaatc	cctaaatgtg	aacaattggt	120
atcagaacca	cagagaaaaa	aaattcaaac	taatcctagc	attttgaaga	caatgctttg	180
actatatgcc	mttggtggaa	aacattctaa	agataaaatt	gcaatgaaat	tttaaactt	240
gcatttcatt	tattggtagt	ggtatgggta	tagaaattct	gaaattaatt	tcttgatgg	300
taggatata	aaaatataaa	taataaatat	atcaatgggt	tggggacaaa	gttactcact	360
gtgagaaaaa	tgaggaaaaa	taaagaattg	gaaagtagca	agagtcctgt	gttcgtgaat	420
tgggattaaa	ggtattgata	tataggagca				450

<210> 65

<211> 536

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 138

<223> 18-11-137 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 118..137

<223> 18-11-137.mis1, potential

<220>

<221> misc\_binding

<222> 139..157

<223> 18-11-137.mis2, complement

<220>



```

<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 516..535
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 126..150
<223> 18-11-137 potential probe

<400> 65
tttctcaagt ggctctggca tctgttaaaa tgccaaactc gtggtcctta acaccttggt      60
atgctggcac ctctctgcag acttttctca atgtaacctc agaagttggg gaggactggg      120
gagaagggag gtcctgcrpg gaggagaaaa gggaaagtgg gcaactccac tgaaggctgt      180
cacacatttg ggggctgttc ccgacagttt taccttcctc ttggggcccc tcctttctct      240
tccctctcag tccccttgtc agatggttga tggggatcac tgggagttgg ggtgactgtc      300
aggaaggcag agagggggtt tgggcagcag gtgggaagtg gggccaggtg gcctctcggg      360
gttctcccac ctcacagttc tggggagttc aggggttctgc aagcagagtg atccttaatt      420
aataaacagc ggggcaggct cgggctccac gtcaggaaaa ctgcagtcag ccacgtggg      480
ccaccgcgcc tctgcagagc acacgcaaca gcgcagtcac taaagctgaa ctgagc      536

<210> 66
<211> 454
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 96
<223> 18-93-96 : polymorphic base G or T

<220>
<221> misc_binding
<222> 77..95
<223> 18-93-96.mis1

<220>
<221> misc_binding
<222> 97..115
<223> 18-93-96.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 436..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 84..108
<223> 18-93-96 potential probe

<400> 66
caaatgccaa aggggttcaca atgctgagat ttatcttact gttattttat aattttgagc      60
agcatttggt tttagtgggt tgtggcagaa attgtktctc tacagaatat tatcttaaga      120

```

gaacatattg	aacataaagt	taaaagtttt	ccatcccttg	aaattcacta	gtggtaactt	180
tgaacttcaa	gaaaatgtca	tttgagtttg	ataatgtctc	aataaagcct	ctctctgatg	240
actaattctt	agtcactctt	cccttctctt	acttcataatg	gcacttatta	tagctttgtc	300
acttgatcta	gactactctg	cattgctttt	tatttttttt	tctggaaaca	tcaagggttag	360
gaatcatgtg	ttatgggttct	gtgtcactcg	tacctggggc	acctaagtgt	acatatatat	420
gtgtgtgtgt	gcgctctggg	ctgtttaacc	ttat			454

&lt;210&gt; 67

&lt;211&gt; 553

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 343

&lt;223&gt; 16-115-343 : polymorphic base A or C

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 320..342

&lt;223&gt; 16-115-343.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 344..366

&lt;223&gt; 16-115-343.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..24

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 533..553

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 331..355

&lt;223&gt; 16-115-343 potential probe

&lt;400&gt; 67

caccgtcaca	ataaaagaaa	ctgtggtctc	tacacctgcc	tggccccaca	tctgtgccac	60
agagacagac	cctgggatcc	tcagactccc	acacccccac	cccagcctca	ctcagagggtt	120
tgcgccctggc	ctccttcttc	ctctgggaga	tggctggccg	ccctggccag	gcagctggcc	180
cctccggggcc	tggtttcccc	gtccacctg	aggccccgcc	cagctctgag	ccccaaagcag	240
ctccagaggc	tcgggcaccc	tggccgagct	gccccatctc	cgtgggggtgc	cctcccaagg	300
tggggagcca	cgtgacagtg	ggagggcctc	tctcaggcct	ggmagggagc	aggggtcaca	360
aactgtgtctg	gctgggggtg	gtctcagagg	tgggcctgca	ggcctaacc	tcctgtctga	420
cagggctccc	agcccttgag	agaaacaggg	atggaggaac	agctgccctg	atgccctcac	480
ccaccgggag	caggccctgc	gaaccaaggg	gaacctcagt	gtggcccca	gcattgtgtgc	540
tgatggggag	ggt					553

&lt;210&gt; 68

&lt;211&gt; 171

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 140

&lt;223&gt; 16-42-140 : polymorphic base A or G

```

<220>
<221> misc_binding
<222> 121..139
<223> 16-42-140.mis1

<220>
<221> misc_binding
<222> 141..163
<223> 16-42-140.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 154..171
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 16-42-140 potential probe

<400> 68
cattgggagc aggcagagcc tcacgagga cgcccgcaag gagcgggagg cggcggtggc      60
agcagcggcc gctgcagtcc cctcggagcc cggggacccc ctggaggctg tggcctttga      120
ggagaaggag gggaaggccr tgctaaacct gctcttctcc ccgagggcca c                171

<210> 69
<211> 494
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 176
<223> 18-251-176 : polymorphic base C or T

<220>
<221> misc_binding
<222> 157..175
<223> 18-251-176.mis1

<220>
<221> misc_binding
<222> 177..196
<223> 18-251-176.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 474..493
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

&lt;222&gt; 164..188

&lt;223&gt; 18-251-176 potential probe

&lt;400&gt; 69

gaaacccccct	cacacatcct	ggcctctact	cgtacacaat	attttctttt	ttttaacttg	60
gctgcagtga	aaaagaatat	tttttagtaag	ctacttggtg	tttacetaaa	gcagccttaa	120
gaagcccaga	gcaggggatc	tgtaaagtga	acgtagaagt	ggaagacaga	tttgcytctc	180
tcaggcacta	gggcacttgg	ctgtagaggg	gtgagtatgg	caaacatcat	gggaattatg	240
agtagtgcg	ccacatccaa	agctgcacgt	gggttttcct	gggcaaagaa	actcaatgac	300
tgtgcatcaa	gagtgtaccc	agtctgacag	caggaaattg	acagaaacga	acagcccca	360
gccccagggc	acatggaggc	actcacctca	ggcacracat	ttcagcagga	gccaaaatca	420
aaataaataa	tattttatta	caatttttta	aaagacagga	tctaacaggg	ccagatgagg	480
gtaaagcgag	tgaa					494

&lt;210&gt; 70

&lt;211&gt; 478

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 44

&lt;223&gt; 18-269-44 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 25..43

&lt;223&gt; 18-269-44.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 45..64

&lt;223&gt; 18-269-44.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..17

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 457..477

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 32..56

&lt;223&gt; 18-269-44 potential probe

&lt;400&gt; 70

ctcatgggtc	gttgctcctg	gcttggcmag	atggatggtc	aggracttga	aaggaacaca	60
tttgggaaaa	cggtagcagg	aggtgtgggg	aagtgttggtg	tggttagagg	tctctgaaag	120
ggcagagcgt	gaagatcctc	gcagcccatg	tgacatttgc	caaagggcaa	ccgcctcagc	180
cgaggagaag	ctcagtgacc	aggtagacaa	gatggccctt	tctttgggca	tcagtcaggc	240
tccttcccca	gccaccctgt	cattgtcagc	aggctgggtga	agatagagac	tgtggttagca	300
gggatggagg	tcacacatgg	gatcggcaca	ggggctccac	tcaccaaggc	ccatccacta	360
agtgcgccgc	tgccccagtg	ttgcagggga	tctgccagcc	tccaggtgga	gtggatgata	420
tgagacagct	gccggcatgg	aactggcacc	gctgcgcctt	caccaggata	gaggcttg	478

&lt;210&gt; 71

&lt;211&gt; 927

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

<220>  
 <221> allele  
 <222> 624  
 <223> 16-218-624 : polymorphic base C or G  
  
 <220>  
 <221> misc\_binding  
 <222> 601..623  
 <223> 16-218-624.mis1  
  
 <220>  
 <221> misc\_binding  
 <222> 625..644  
 <223> 16-218-624.mis2, potential complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..22  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 906..927  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 612..636  
 <223> 16-218-624 potential probe

<400> 71  
 gaatcccttt caccctccat actgtatcca aagatcactt ttttcaaagg tcacctaggc 60  
 agaataatca aattaatgct ttttaatttg taataactgaa aagtaaattg caatgtatgc 120  
 acacacagat tgaaaatcag gtgccacaga catgagcatg cacagagaat ttctgcattc 180  
 tcatgcctta gtttatcaaa taaggaaaaat gtataaaaag ctactccaca attgggtgtgt 240  
 gaatatatta ctttatctaa atgcattctt tcaggccagg catggtgatt gatgcctata 300  
 attccaactg ctcaggagtc tgaggatcgc ttgagtcctg gagttctagg ctgcagttag 360  
 tatcacagtg ccttcagcct gggcaagaaa gtgagattct agctctaaaa tattttaaaa 420  
 ttcatctttt caccctcagtt tgtgtgcctc tgctggaaaa gaaagtccaa aggttattgt 480  
 tacattatgc aaataaatat ggcttgcaat caaaagagct ggcttcctaatt tctcacttta 540  
 ccactaactt gctgagtgac ttcaggtaag tcacttaact tctctgggtt cattttaaac 600  
 caagtgatct ctttaagtca tttstaattg gaaaactgcg tgatttaatt agatatacat 660  
 tttggataat gatatggtta gattgtgtcc ccaccctaat ctcattctga attgtagccc 720  
 ccataattcc cagtggtgtt gggagagacc tgggtggagg taactgaatc ataagggtgg 780  
 gttgttccca tgctgttctt gtgatagtaa ataagtctca tcagatctga tggttttaga 840  
 aaggggagtt ctctttcaca tgctctctct tgccctgccac catgtaagac gtgtctttgc 900  
 ttctccattg ccttctgcca tgattgt 927

<210> 72  
 <211> 479  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 330  
 <223> 18-393-330 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 311..329  
 <223> 18-393-330.mis1

```

<220>
<221> misc_binding
<222> 331..349
<223> 18-393-330.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..479
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 318..342
<223> 18-393-330 potential probe

<220>
<221> misc_feature
<222> 457
<223> n=a, g, c or t

<400> 72
agtgtacttc gtgattgggg caaactctgg gccagatctt gtggtctgaa attcagactc      60
tgcagtttac taactgtgtg attttgagtg actgcttaat ctctctgggc cccttttctt      120
catctgtaaa gtgggggtaa taatggcatc cacttcttag ggtagttgta accaataaat      180
gagttaatac aggaaaggcc ctttaataac tatgccataa tgtttttgct attattttta      240
ttcctgtaag aaaaggagcc aaagagtggg ataagatgag tttatattga gatcctaaaa      300
gacagaaagc tagtcctctg ttctcaatcs tccttctaaa gtcactttaa ccatcagctc      360
ccatctatgc agacagcaaa ctcagcaaca agaaagagcc ctttaatactt catctcaagt      420
caccagaaac tcataggaag gcacagaaga ccaagtnaca aactactcct ttcattcct      479

<210> 73
<211> 518
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 402
<223> 18-394-402 : polymorphic base A or C

<220>
<221> misc_binding
<222> 382..401
<223> 18-394-402.mis1, potential

<220>
<221> misc_binding
<222> 403..421
<223> 18-394-402.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

```

<222> 500..518  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 390..414  
 <223> 18-394-402 potential probe

<400> 73  
 cttctgagga taacaaacac cmatgggaaa ggcaacttat taaggtagcat attacagtct 60  
 tctaattgtct aaagccagct agacatacat ttaaattcca gcagaaattc tctgaaagggt 120  
 ttgcctccac cctaggtctt ccaacattag aagaacttca gagagaaagt aggacatttt 180  
 gtctctcttg ggtatttggg aatcaagggtg cagacttggg gtagcattgg ggggtcccagtg 240  
 aagaattgaa tacctaggct tatatcaaag cgcgccctac ctatacatgc tccccagtggt 300  
 cccctgtggc ccaatattcc aagaatggct cggggaatgg ccagctcccc cacagtcatt 360  
 tcagattgga gcaggctcct tagaagtcc tgggtgtccga gmcttagtcc cacaatggat 420  
 gctggatatg ggtcaacatc ctggattcat ggagagagga gggcatgtgg caaaatatag 480  
 ttaacttaca ttatttcttc ctcattatcc cctcaatt 518

<210> 74  
 <211> 587  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 55  
 <223> 16-217-55 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 32..54  
 <223> 16-217-55.mis1

<220>  
 <221> misc\_binding  
 <222> 56..74  
 <223> 16-217-55.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 568..587  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 43..67  
 <223> 16-217-55 potential probe

<400> 74  
 aacaggcgac tttgtcaagc ccaggtcccct ccgtagctgg atttcacctc caggrcagcc 60  
 agctggacag acaggcagat gcaggctcag cccctgggt gccgtgggac acacacacac 120  
 aactgcccac agccactgcc caccacacac acctagtgc gatgctggca cccccccaga 180  
 aggaggctca cagctcgcag gggagacctg ggctggacaa aaccaggagg aggggagggt 240  
 gtgtggggac caggcccctg ctgagaacct tggggggaag cctgaggggg aattggggga 300  
 tggagcccac actccacacc aggtctggcc ctcgagtggg tcggccttgg tgccagcccc 360  
 tctgcggcca gagaaaagca gcttagggct gagctggaga cgcgggtgtcc ccgactgtgg 420  
 gggaggggga ctcgagggtt ccccttgatg gacacagtga atccaggcgg ctggggcaga 480

gaccagcagc acgggacacg cgtgacctgt gctcctttcg agccgcagac gtcacagtga 540  
cgacgttttaa gtcctaatac tccccaaatc ggcgggaagg attagag 587

<210> 75

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 139

<223> 18-284-139 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 120..138

<223> 18-284-139.mis1

<220>

<221> misc\_binding

<222> 140..159

<223> 18-284-139.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 430..449

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 127..151

<223> 18-284-139 potential probe

<400> 75

gactcctagc ctcattgaag gatggtaga gaggcacggg gagctatcta gtggcaggcc 60  
cacggtatat gtttgctgct ttctacaaat acgagatcaa aggaaaataa agcaggggtg 120  
gttcctgtca gtgtggagyg agaccggga aagcctctg gtggctgtca ggccttgctc 180  
acggccccctt tctctttcag ggagaggatc ctccacagt gtatcctgct gcgtgcccct 240  
ccaggacagc acccagaggc ccgaattgct gctgcacaga gagcactcgg cctcacccca 300  
cgttttccct aagttctgtc tagtaattcc actttggaga ggggggtgtt ccttgacaga 360  
ttagagagat tgatgtaact tcctcggatc agttctgctg gctccatccc ctacctgctc 420  
agccctgcac aaagtggcta agcacgccac 450

<210> 76

<211> 520

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 305

<223> 18-285-305 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 286..304

<223> 18-285-305.mis1



```

<220>
<221> misc_binding
<222> 306..325
<223> 18-285-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 499..519
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 293..317
<223> 18-285-305 potential probe

<400> 76
gaggtgggag aaattacagc tgaggtagaa gctgcctcgg aaggccaggt gaagagccac      60
acctgtcaga tgggcttgtg gcctgcgttg ggcagggact cccagcaggc tgctgtccgg      120
ccacagttca gcctctgccy gagggccggc cctgcctgtg ctcccttatcc tatagctgca      180
gggccagctg aaagaagcaa ggcgtttccc tcccccatat cctgttctcg tagcatttat      240
ggtgcagtct cccacgcctg actgctgtct acttagaaaa ctgctgaaag ccagttgcat      300
ttcaratagt gtctgtgcca ccttcagagc ccttttgtga tcatgtttta tcagcttatt      360
ttatgtttta tgtgtgggct tcggcgatct ggggacatct ggtcaaccag ggcaggcaac      420
cttggtttcca agtggcagat gccaggggtg gtccagtcctc cagaaaggga ttttccctgg      480
gaccattggc acctgttact tgtagtcttt tcagccttgg      520

<210> 77
<211> 486
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 239
<223> 18-289-239 : polymorphic base C or T

<220>
<221> misc_binding
<222> 219..238
<223> 18-289-239.mis1, potential

<220>
<221> misc_binding
<222> 240..258
<223> 18-289-239.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 466..485
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

<222> 227..251  
 <223> 18-289-239 potential probe

<220>  
 <221> misc\_feature  
 <222> 154,156  
 <223> n=a, g, c or t

<400> 77  
 taaaaagcag ccgtgtccca cagcaaggct gccctgtgtc ccacagcaag gctgcctctc 60  
 cagctcaaaa aaaaatcctg gcgacagatc ttgagactct gctgctgtgg gactcttcct 120  
 gcacccacca cccagggcct caggaaggag ctgnancagg gtgttttaga aagaccttac 180  
 tctataaatg caaaaaccca gacttagtta acaaaagcct attacaaaga cattttctyc 240  
 tattgctacc tctccccatt taaatcctgt ctgtacaaaa aaataaaaac attagctggg 300  
 catggtggca cgtgcctgtg gtcccagcta cttgggaggc tgagggtgaga gcagtgcctg 360  
 agcctgggag gccgaggctg cagcgagccg ggatcctgac gccgccctcc agcccgcca 420  
 cagagaaaga cccacagagc ttskccgcag ccctcgtcca gcgcactgag atccctcacc 480  
 aaggac 486

<210> 78  
 <211> 453  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 91  
 <223> 18-291-91 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 71..90  
 <223> 18-291-91.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 92..110  
 <223> 18-291-91.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 432..452  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 79..103  
 <223> 18-291-91 potential probe

<400> 78  
 cctccatgca ggaacagcct accctggact ggatccagct ctctcccagg cccaggttgt 60  
 gggagaaatg ggggacctcc gcctcccaat ygtgctggct ggaactttcc tgtgctgggg 120  
 attcgcggtt tgcagccagg gtggccagtc aggggtgccag gctcccatct gaacactgac 180  
 agactgtggg ctgtgcagtc tacagcattg ggcacaacct cagcttgcta aaatactcag 240  
 tgcaggctgg gtgtgggtgt cacgcctgta atcccagcta ctcgaggaggc tgaggcagga 300  
 ggatccctta aagctaggga gtcaaagctg cagttagccg agatcgtgcc actgcactcc 360  
 ggcctgggtg acggagaccc tgtctcaaaa aagaaaagaa aacgagtatt ggggtggagag 420  
 aggaccaagc ccaattacta ctttagtgcg gct 453

<210> 79  
 <211> 460  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 391  
 <223> 18-186-391 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 371..390  
 <223> 18-186-391.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 392..410  
 <223> 18-186-391.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 442..459  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 379..403  
 <223> 18-186-391 potential probe

<400> 79  
 taggggtcaa ataaatgcat actatgcgga cagacagaga ttttcgattt ttttttttta 60  
 gtttaataaa gtttgaaaac tttcaaagct cctgtacaat tccattaata ccagacttgg 120  
 caaaacgcta attctgtttg aaaaggtgtt tttttaaaag tagtatattt gaacaatgtc 180  
 taagtatgtg ggggtggggag aatccatata cgaatatctt cataaagcaa gttcttaaaa 240  
 ttgcaaaagc tattaggtta gtgcaaaagt aatcatggtt tttcttttgc accaactaat 300  
 atttaccact gaacacgctg gcatttagat cacttccttc tttcagcatg ctagacagta 360  
 aagagaatgg gcatgaggtg gcaggaagaa kgaaagagtg aagataatgg agttaggtca 420  
 gtgagggata tttcctaaat tccccacttc ttttcctcta 460

<210> 80  
 <211> 460  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 130  
 <223> 18-194-130 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 110..129  
 <223> 18-194-130.mis1, potential

<220>  
 <221> misc\_binding

```

<222> 131..149
<223> 18-194-130.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 118..142
<223> 18-194-130 potential probe

<400> 80
agctggaagc ctgtttggct tactattggt aagaaaaagt taaaatttta atctgtctga      60
acattatagt acatccaaat caataaaatg ttttagttgt ggtttttcat cagttttaat      120
cagataatgy cttacttctg tagatatagt ctagtatagt tcaaataaaa agacagttgt      180
acatagataa gacaaagcat attgtgaaaa tggtgggaaa tttaggttat tttaatgatg      240
gctgagaatt tgtgaacttt tctcatatgc tattaaactg aattactagt aaatttatgg      300
taccgagtat atcaaacagt gagggattta aagtaatttt gcaatttgct aaaatttcat      360
ccttaacata ctggctaaga gtgaaaaagc aagaagagag aaaaggaaaa ggatggaact      420
aagacaattc tattagaagt ggggagatgg caagaaaatt      460

<210> 81
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 252
<223> 18-198-252 : polymorphic base A or G

<220>
<221> misc_binding
<222> 233..251
<223> 18-198-252.mis1

<220>
<221> misc_binding
<222> 253..272
<223> 18-198-252.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..458
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 240..264
<223> 18-198-252 potential probe

```

```

<400> 81
ctgaaaaaag agctgacaaa attcaatccc taattaaaat gtttagcaac taaagttatt      60
ggtaattttt gagaattgat cctgtgttaa caaacatcac caaagtctca aggcttacia      120
tacaaagggtt tatttctcgc tcatgtctaca tgtccattgt ggacggctgt ggctcctcac      180
tgtcttcatt ctaggactga agctgaaggc acagtaccta tatgcaacat attgttcata      240
tggcagaggg grgaaaagca atgacttaat caagcaatga ctctgaagt tttgtcaga      300
tacagcatac atcacttcca ctggctaaag caagcctcat ggctaagcct gatatcaaga      360
aggtaggaag tatactctct cacagggagg tgcacctggg agaaggactc tattatagag      420
ataaactcag tagagaggat tgccgaatag ttgtaaata      459

```

<210> 82

<211> 476

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 299

<223> 18-242-300 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 280..298

<223> 18-242-300.mis1

<220>

<221> misc\_binding

<222> 300..319

<223> 18-242-300.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 455..475

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 287..311

<223> 18-242-300 potential probe

<400> 82

```

acctgacatt aagagacaag cagccgggat ggctcctaac cagatcttct ttccctgttc      60
ccaaaccatc tttcttcata gccggctctg gggatgagga gcctgggtta ggaggaaggt      120
ttgcaattga ccagggttcct gttttgaagg ctccaccta gacttaagat agcaccgctc      180
agaagatgga tgtgtgttta gcaatttccc attttattac ctgcagacaa agaaaaaaaaa      240
agatataaat agatgtttta ccacacaaat aattcacatt actgtcttct ttatgactrt      300
gaaataataa aataaaatta aatcaacagc aataacaatt tcggcacagt ggttactagg      360
caaaatctgg aaaccaaatt gaaataagaa aactcataaa ctgggtgttg ggagcacact      420
gtggaatttt tcttggtcaa aattctcaca gagtgttcaa gtgaaagggtg tattaa      476

```

<210> 83

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 8-15-126 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 1481..1500

<223> 8-15-126.mis1, potential

<220>

<221> misc\_binding

<222> 1502..1520

<223> 8-15-126.mis2, complement

<220>

<221> primer\_bind

<222> 1376..1395

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 1792..1810

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 1489..1513

<223> 8-15-126 potential probe

<220>

<221> misc\_feature

<222> 15,619,631,646,2196,2462

<223> n=a, g, c or t

<400> 83

ttggaaacag	gctcntgagc	agttgggtag	agaattccct	gagtgtgggc	tagacagggt	60
tgtaaacctta	gtggaccttc	tccttggcac	tgtggggaggt	tacaacatca	ttctatagag	120
gttagaggca	taaccagtag	agggtgcctt	agtccttttg	ggctgctatc	acaaaatacc	180
ataaaactgag	tagtttataa	acaacagata	tctatttttg	acagttctga	aggctgggaa	240
gtccaagatc	aaggcaccag	aagattcagt	gtctgggtgag	ggcctgcttt	ctgggttcata	300
gatggctgtc	ttttcactat	gtcttcccat	ggtgaaagag	attagctagc	tctctgggtc	360
tcttttataa	aagcactaat	cttattcatg	agggtctctgc	cctcataacc	taatcacctc	420
tcaaagacct	ccacctccta	ataccatcat	attgggaatt	aggatttcta	catatgaatt	480
tagggagaca	caaacaccga	gaccacagca	gaagaccaga	gtggactcct	ctatagcacc	540
tcctctagag	cttggggcaa	gagtcacttt	tgcttgggtt	tcagggttac	tccttaagtc	600
acaggcctta	tgtcttcnc	ctagccttca	ngaactgtga	gacaantaaa	tttctgctct	660
ttataaatta	cccagactca	ggtgttctgt	tatagcaacc	caaatggac	taagatagat	720
gggtttcatt	attcccacat	tttcatggtg	aagaatctgg	agctcagaga	ggtaaagtaa	780
tatgcataag	gtcccagagt	taggaagcag	cagagctggg	attgtaatcc	tgcaacagct	840
tcccatctca	ctcagagtcc	aagcatggta	ctttcaatag	ccctgcacaa	tctgtctacc	900
tcacaccctc	ctattctact	cctgcctcac	ttggctccag	cctcaccaga	ctccctccta	960
tgacttctat	gtgctagccc	ttcctgctgg	cccgtgttgt	tctcactgct	cagactgcta	1020
tcacatctga	taactgcatg	gtctgcttcc	tgatctcctc	cagggtcaaga	ctcaattgct	1080
gattttctcca	tgaggagtcc	ctgattatac	tcagatactc	actcacatac	gcacaatctt	1140
caccgcgttac	ttacctgcct	ctctgatttg	tctccaatat	acgtatcatt	attgaacaca	1200
ccacatcttt	tatttatctt	gtttattatc	tgtcttctcc	tctagaatgg	gagcttcaaa	1260
gggaaggaat	taaaatttta	tctgttttgt	tcattgctct	atctccaact	ctcacaacag	1320
tgctactat	atagaaaatg	ctcaataaat	atttgctgat	gcaataaata	aaaaaatgta	1380
actaagcaac	caagcccca	agagtctgat	tttattaata	ttgttttctg	tctcctcaca	1440
ggaagcccct	tggcatcacg	cacctccctc	tgggctatgg	catctctgag	ccagctgagt	1500
rgccacctga	actacacctg	tggggcagag	aactccacag	gtgccagcca	ggcccgcaca	1560
catgcctact	atgccctctc	ctactgcgcg	ctcatcctgg	ccatcgtctt	cggcaatggc	1620
ctggtgtgca	tggctgtgct	gaaggagcgg	gccctgcaga	ctaccaccaa	ctacttagta	1680
gtgagcctgg	ctgtggcaga	cttgctgggtg	gccaccttgg	tgatgccctg	ggtggtatac	1740
ctggagggtga	gtagacttca	ggtgcatgtt	gtctctatga	ctgtgctagt	acttgtcttc	1800

```

cctgagttct ggcctttggg gctcaaaaga ctccccagac agtcaggaac tgaggaagga 1860
aggagagctc tcattctccc tgtaatgaga gagttaaac tctggaaaac agtcaccatc 1920
ctgtccctca tccacatcag aaccaaggag ctgagaatga ttctgttcat gggctctccag 1980
tgttcaggtg actggatttg agtgacggga ctcttcctaa tatggcctag agttttattct 2040
ctgtgccaga catgtctcaa tgacatgggtg ggctgggtga agcagtccag aagacctctt 2100
caccagtgtt taatgtatat gagggtgagg gtgtgcagga gggatgtgag gccaggagga 2160
aaaaggaatt atagaaaaaa aaaattagtg aatgtnaagg gaagatagaa agaatgacca 2220
gcgaacagat cagacttctt tcgatggctc agtccctctt tgctctttcc tcctgggtac 2280
cagttctcca tagactctgc taccaaagga acagacaaaa cctcaaattg tatattttcc 2340
atgtgtccat gaatagtaca gagcctttgc cagagagata gtgcagcaga tcctggtgaa 2400
ttcttttggg gagaaacatt tattaaattt gaaagtattt tcaattggga gtgcaaaaca 2460
gnagccaggg ggtggtcaag acaaaacacc catttgctaa caaagaaatc agggtgacca 2520
tatctgttca agaaacagat attcttacca ggaaaacatg caattactta agatatgttt 2580
ttttaaaaaa acctgagtat actattaata tttctcctct gcactgtgtg tcattttaaa 2640
gaggtatcca atgaaggatc aaaatgatgc tatgattaag agaaattaag attcatcaaa 2700
ttaatatctc agttaatatt gatagtaaaa gtgacagtta attaagtatg acatatcacg 2760
ggagagcaaa aaccttgtac atagactgcc tgtgctaata cctttgttaa agaattggctg 2820
ggaactaaaa ttagacttat gatctcaagg gggagacata aagagagaaa aaaagaaaac 2880
agagaaataa aaggaaaaga agaaaaacaa ctaggctgtg tagatctaaa ggctaaggga 2940
atacttgagg aaaaaatatg cattttattct tcccagttag gataatccta gttgggaggg 3000
t 3001

```

<210> 84

<211> 2684

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 8-19-372 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 1481..1500

<223> 8-19-372.mis1, potential

<220>

<221> misc\_binding

<222> 1502..1520

<223> 8-19-372.mis2, complement

<220>

<221> primer\_bind

<222> 1130..1148

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 1534..1552

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 1489..1513

<223> 8-19-372 potential probe

<220>

<221> misc\_feature

<222> 240

<223> n=a, g, c or t

<400> 84

aaggccaact	ttgaggttgg	agaatcccca	accctttatg	aagactggcc	gggtgtacca	60
acagttgttg	ctcacagtgc	tggatgaagc	acagatgttc	catgtcacaa	tggtaaagag	120
ggatggggag	ttaaaattat	agaaagaaca	ttggcttggg	cataaaactg	gctgcaagaa	180
catatttttc	aggtgcagcc	ttgggctact	tactgaacct	ctctgagctt	taatctgctn	240
catccgaaaa	gagagacagt	aataatggca	cctgtctcat	ataacgttgc	cataattatt	300
aggtgggata	aggggtacaa	agctcttggc	tcacgccttg	gcagatatta	gtttgttttt	360
cttttctttt	tcaagatggg	gcacgtttca	ggcccatctt	gggccttggg	ggaatctcag	420
catctgctat	gaagaaggca	aagctagagg	gacctcccaa	ggagaaatgg	caggaacatt	480
tcaggatata	aagcagggac	aaggaccctt	ctaagtgcac	attctccatg	tcacaatatc	540
attacctgcc	tttttcccat	cccacctctg	acaagtgtctg	ggattccctg	aaaaatcaaa	600
tctctgtctt	gtattcagcc	gccatctgcc	ctccatccca	gattcaaaat	tggaagaactg	660
gcattctcag	caaataaggc	ttcttccctt	cattgcattc	aaacaattct	ccaatgcctc	720
cgcaccagca	ggcccttttc	tgagggctcg	atccctcctg	ggagcctctg	ccctgttgcc	780
ctgtaatgct	ctccccagcc	tcccaggctg	catgtctctg	tgtgacactt	gtgacatcct	840
atgaaaggga	tcactgtctt	atctagactg	tttgtccctt	tgagagaaga	catggtgtct	900
cattcatctt	tgtagcccca	gtgtctggcg	tatgattgtt	ggtaactttt	tattttaagc	960
aagctgtaag	aaactcaaag	atgaattaga	ccttctaccc	tcaaggacct	gacagtatac	1020
gtatctgaga	ctgcatcctt	cccacccctt	gtgcagcaga	aagtgcaggc	accacacgtg	1080
acatggagcc	gtgttttatg	ctccttactg	agtctgata	cttgctaact	gctttacctt	1140
cccccttctc	atccacaggg	gaccccaactg	tctgtcccat	ctccaaccct	gattttgtca	1200
tctactcttc	agtgggtgcc	ttctacctgc	cctttggagt	gactgtcctt	gtctatgcca	1260
gaatctatgt	ggtgctgaaa	caaaggagac	ggaaaaggat	cctcactcga	cagaacagtc	1320
agtgcaacag	tgtcaggcct	ggcttccccc	aacaagtaag	taccctggag	ggggtagagg	1380
gaagacaaca	cccaatctcc	tgacttccca	gcctgtgtcc	agcagtgcac	gattttgccg	1440
tttagctaaa	ttggagacac	aaatctgaca	ccgactttgg	aatctgctaa	ttttggctgc	1500
rccttgaagg	taggaaatcc	aatctcaaga	aaacattgat	agttgcctct	agagcctgcc	1560
ttacctggca	aagtgattgg	agagctcctg	ggcttgttct	gcttcccttc	aaagtctttc	1620
attttcccca	aatgggcagc	agctcagatg	tcccacagggt	tttgaagttt	aagtgcagca	1680
gttgtacctt	gcactgctgg	tgggttccca	gaactgactt	tttgtctaaa	ccactcatgc	1740
caagaatcac	tggggtccat	caaagccttt	tttcccttact	ggatctgtcc	gtgtgtcaag	1800
gaactgacaa	gctggtgagg	taggggtgctg	ataaagcatt	ttattggatc	tttctaggct	1860
ctgaaaagaa	atgtcattgc	ctctgcaatg	atcttctaata	tgctagggct	ttaattttctc	1920
cttaccat	tgctggcac	ttagtagttt	tcccacgatg	tacttgaagc	atgaatggat	1980
atataccgat	cacttgaaat	ctactaggga	agggacagtg	gtaacattaa	acagcatctg	2040
ccttcatgga	gcttagaatc	tagaaaagca	aataaagcac	ccctccactc	aatgttaatg	2100
aagatcccag	agctgaatag	gatgtttgcc	aaatgtgagg	tgaagacaat	taagcactca	2160
attatgaagt	gctctggagg	ttatagaaga	gaaaacccaa	tatgtcagat	gatatggttt	2220
ggctgtgtcc	ccacccaaat	ctcatcttga	attgtagctc	ccacaattcc	catgtgtcat	2280
gggaggggacc	cagtgggagg	taactgaatg	atgggggtgg	gtctttccct	tgctgttctc	2340
atgatatgta	ataagtctca	cgagatctga	tggttttatg	agggggagtt	tccctgcaca	2400
aattttctct	tgtctgtctg	catgcaagac	gtgcctttca	ccttccacca	tgattgtgag	2460
gcctccccag	ccacatggaa	ctgtgaatcc	attaaacttc	tttttcttta	taaattaccc	2520
agtctcaggt	atgtctttat	tagcagcatg	aaaacaggct	aatacactca	ggaaagggtc	2580
ccatagacag	agtaagaatt	gagtttgatc	ttgaagacag	atccaatttg	ggtgtctaga	2640
ttaatctttg	atgacctaga	taatcttttt	tttttttttt	tttt		2684

&lt;210&gt; 85

&lt;211&gt; 711

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 428

&lt;223&gt; 99-2409-298 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 408..427

&lt;223&gt; 99-2409-298.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding



```

<222> 429..447
<223> 99-2409-298.mis2, complement

<220>
<221> primer_bind
<222> 131..148
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 560..580
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 416..440
<223> 99-2409-298 potential probe

<220>
<221> misc_feature
<222> 27,108,118
<223> n=a, g, c or t

<400> 85
ctcaaagatg tcgttgacga aggagtncat gatcccatg gccttagagg agatgccggt      60
gtcagagtgg acctgcttca gcaccttggt caagtacacg gagtagcntc ccttgcgntg      120
cgcttggttt cttgccgtac ttcttctgcg ccgtagtcac ccacctcttg gaagccctaa      180
ttgggatcag gagcggactt tgttggtctt ggcatgtcga gggcgacta caggtcgagg      240
tgaactaaca gcagctcgag aaaacgggaa ttaatttaat gtttgtcttt actaccaaac      300
tgtaagtttc gtgagattag gaccatattt gcatcattca ttattatgtc tctgggaccc      360
agcacaatgc ctagtacata ttaggacttc aataaaca aa tgcaaagtag cgcattggggc      420
tgcagccrca gatctcctgg gatctgggtc tgggagcagg cagtggcatc tgacacttca      480
tatcccttaa agaagacaaa atgtattcta tgacagatag ggaaccagag ccagggacta      540
gagtgtgact ccctgacttg ttagaggagg ttgggaaaaa tggccttgac tatcttcta      600
ggcagaggcg ggcaaactat gcacccagc ccaaatccag ccctctgcct gttttggtaa      660
ataaagtttt attggaacac agttacatac tttttttttt tttttttttt t              711

<210> 86
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 99-339-54 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 99-339-54.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 99-339-54.mis2, potential complement

<220>
<221> primer_bind
<222> 1448..1467
<223> upstream amplification primer

<220>

```

<221> primer\_bind  
 <222> 1883..1902  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 1489..1513  
 <223> 99-339-54 potential probe

<220>  
 <221> misc\_feature  
 <222> 120,890,929,2457  
 <223> n=a, g, c or t

<400> 86  
 atactataaa gattcagaga ctttccacat tagtaaaatt tttagaggct cagtaggctg 60  
 gggaatgctg agacatgcac ttcaaagtaa aggacaaatt attgtaactt gcatttcccn 120  
 ataactaaga aggaaaccca gcaccaataa gcgtcttctg gttctgaaag cagcacattt 180  
 cacactcaga gacactactc tagcacatac gccagctgaa acatgagtct accagatttg 240  
 gagagagccc agagcaggaa agggctctgc agcaggacca ggcagtagtg caagctgctc 300  
 tgatcatatga tgatttttggc cacatgatgt ggtagagcct acagtatagg aggtatcatt 360  
 gatagaaaaa ggctgtgtac attttatggc aggcctcaat aggcaaacac aaatagaccc 420  
 ctaggattca gaagcaagac aagcaatttg cagcagagaa ctatacgttt agataaatat 480  
 tcttgggtgccc ctactgggtc ctagtaggaa cacagcacc aactatggga tgccaagggt 540  
 ccacacagca aggactgccc atttgcgaatt ctgacagacc cccaaatcat gaaggcagge 600  
 aggcctacca acaattgtaa ggaaggaaat gatacgtttg ggatcaggca ttagcagagc 660  
 cagagagcac aaataagttg cacgcataat tggcccagac tactagggtc atccatcaca 720  
 tttgcaactga tgcctcacc ttagctcaca cttacggcag cataaagtga gggcaaaagc 780  
 tgagtttgat ttatgtacgg gtaagatttg aatgtagtag caagctaaaa atagactatt 840  
 gctatataac aggaccacat ccttagcggtg tcccagaaaa ttagggatgn agagaaattc 900  
 ttctaatgg ataaagcatc agatgggtgnc ctttgtcgag agaaatactc tgagataaga 960  
 tatgtatcac ttataggcag tagtgaatta tttggacagt tgactctata caacctggga 1020  
 agtagaatgt cttagccagt tgatgtcagc cagctcctat cagtgtctggc acaataggca 1080  
 cattaatgga cctatgggtaa ggaatggaga caccatccta acaagactaa ttgactttat 1140  
 ttttatTTTT tttgagacgg agtttctact ttgtcaccca ggctggagtg caatgggtacc 1200  
 atctcggctc actgcaacct ctgcctccca gggtcaagtg atttctctct gtcagcctcc 1260  
 caagtagctg ggattacagg cacctgccac caagcctctg taatttttgt atttttagta 1320  
 gacatggggg ttcacatgt tggccagggt ggtctctaac tctgacctc aggtgatctg 1380  
 ctggcctcgg cctccaaaag tgctgggatt acaggtgtga gccgcagtga ctggcctaatt 1440  
 tgactttctt aatcaggaga agatagctct tctcttacat gatggcgaca gaaaagaata 1500  
 stcccttgcc taattttgat gataaatgga taagtacaac aacctgact gagaaacagt 1560  
 ggtgggtgat gtagctattt ataggcccaa caacacgtgc tctcacttgc taaggctgat 1620  
 ctagttagtg ccactgctga agatccagcc tgacagcaac agataccatc actgactctc 1680  
 cagtatggct ccatccctca agaagacca ccagcttctt aatggcaaat tattcttctt 1740  
 aatgacaaaa tgggtcctt ccaccatgtg attccaccct gtgattttga tacgaatgga 1800  
 cacttatcct attcatacaa cttcagctag acagtgccta tgtagcattt gatccactga 1860  
 aacaggatcc tgccaaacat tgcattggac taaagtaact gcttatgtta atggaagttt 1920  
 aaccttaatt acttccttat aggccttaac tccaaataca gtcacattgg gggttataga 1980  
 ttcaacatat gaattttgga aggtctcttct tttcccagaa ttgtctttgc tgaaaatcaa 2040  
 ttgaccataa atataacgat ttatttcttg actgtcaatt ctgttccatt ggtctatatg 2100  
 tcttcttact gcaaatacca tactgttgat aactgcagct ttatagttag ttttgaaatc 2160  
 aaggattaaa cattctccaa ctctcttctt cccacgcatg gaaaatcact gatctctttt 2220  
 ctgtctctac agattttacct attctaggta ctttctttt taaacagtgt cttttggcta 2280  
 ttctaggtct tttgtacttc tatgtaaatt ttacaactct cttgtcagtt cgtgatgaaa 2340  
 aaggctgggt gaattttgag agggattgtg ttgtctatat atcaatttgt agaaagttgc 2400  
 catcttaaca tattgagttt tcaaatctca gaacatagaa tgtagagggt ccctgtntct 2460  
 tttttaattt taaatttctt ttcataaatt aaacattttt tctattgagg taaaattcat 2520  
 atagataaaa ttaactattt taaagtgaac aattaagtgg catttattac attcacaata 2580  
 tegtacaaca actacctcta tctagttcca aaatattttc atccaccaca aagaaaactg 2640  
 tgtaccatc aaacagttac tctcttttcc tttttctccc aacctcggac accacagtct 2700  
 tctttctgtc tctatggatt tacctgttac tctgaatatt tcatataaat caagtcatac 2760  
 aacatgtgac ctttgtgtct gacttctttc gttagcacag tgagtgtctt caaggttcat 2820  
 tcacattgta gcatgtatca acttcattcc ttttgatgac caaatgatat cctattatat 2880

```

gtatatacca cagtttggtt attcattgat gaatatttga attctttcta ccttttggct 2940
attgtgaata gtgcttctat gaatatttgt gtataagtac tcatttgaat acttttttta 3000
a 3001

```

```

<210> 87
<211> 1127
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 311
<223> 12-254-180 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 292..310
<223> 12-254-180.mis1

```

```

<220>
<221> misc_binding
<222> 312..331
<223> 12-254-180.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 132..152
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 586..603
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 299..323
<223> 12-254-180 potential probe

```

```

<220>
<221> misc_feature
<222> 952,958
<223> n=a, g, c or t

```

```

<400> 87
ctgccacaat ctcctgagtc cagacaatct agagcagaag ggtagactga ggaaaatata 60
cacagtataa aaaagtaaca aaatcaaaac ctgaaacaaa gatcaacatc caataaatgc 120
ttctgaataa agggagagta gataagaact ggattttaat cccaacactg ccattttacca 180
gctggccaat actgagctag ttactctaaa gagttcagtt ttctcatttg tacaaatagg 240
atttgtcttt ccattctcact gagttgtgat gagagtcata tgcaacagca tatgaagagg 300
ctagcaaaaag rtatttaaca agcgttcaac attctcatga tgacatgaat aacactgtac 360
atacaacata ccaacttgat aaatacacag cacagttaat agctgagggc agagtatatg 420
ttgggaagag agagagtgca acataggcag agtgaggggg gattcccaca attttctaag 480
acagaaaagt gggggaatca gtagttactg gaaagaatag gcaatgcctg actggataga 540
aaaagattct atgcctttgt caaatttcac aaaagtgcact taagcctata ctgcgggatg 600
ttcacactac gtcccttttag tgcagttacg gtacttcagg ctgcaagtaa ccaaatacaa 660
ctaaaattgt cttatacaat aagggcgtaa ttatctcata taacaagaag cttggcatga 720
aggaaaattt aacaatttca caacggcaac aaaaactctg tttcttctac ctttccacca 780
ttcctgtggt ctcagttcca atatggctgc taacatccat atgtcttccc cgcacatctc 840
tttaaaagct acaaaaagat ttcccaaaag cgtcttgga aatttcctgt cccatctcca 900
ttggccagac ccacctccca tgggactgcc tcttgtgaag cacacaaagg gncagatncc 960
aaacggtacc gttagggaga cccagaagat ggaccatcca ggatagagac atgaagggca 1020
gaagagggcc cagggatgtg tgtccctcag ctggactaca gggaaggagt tttggtcagg 1080

```

ggaagaaaag cctcatttcc tatcagtcac tgggtggaatg actaaag

1127

&lt;210&gt; 88

&lt;211&gt; 3001

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 10-214-279 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1482..1500

&lt;223&gt; 10-214-279.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1502..1521

&lt;223&gt; 10-214-279.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1225..1244

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1747..1764

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1489..1513

&lt;223&gt; 10-214-279 potential probe

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; 2368..2369,2372..2373

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 88

aatcattgag	ttttgttctc	tatattttct	ctttatctaa	gaatgtcttc	ccccctccat	60
taacaatatc	ctctcatttt	attccattta	aaatatccca	gtggtgcctt	gcaagtgacc	120
tcattctaact	caagcatttg	gtcatttggg	aaatgtttta	ggagtgatat	gcagtcgatt	180
ggtttgcata	caaatattaa	gttttttaat	gtgaacattt	agcaaataac	attcatgtat	240
ttgcatgtgt	gtgtgcttgc	acatgtgcac	atgcatgtct	gtctgcaggg	aaaatatatt	300
catgcctttt	gaaaattttt	aaataatgtg	ttatatattt	agaaagattt	ggaacctttt	360
ctctgaagaa	gttaaagaac	agatgtcatt	gattcatatt	aagcaagacc	ctataaatct	420
tattttctagg	tctcatgtat	ttattaagca	actccacacc	ttaagcaggc	tttctacata	480
gaagaggaag	aagatagaga	tggtttccat	attattttca	tattccacat	tatttgtggc	540
tttaggccag	ctatgtagct	atcctgtatg	tgtgctcaga	caggagactc	agccctgaga	600
gaaggcggtc	ctctggcaca	cctaggatgg	ggaagggtact	cccttggaag	tcccaagctg	660
gcacttcttg	atctccatgg	caatttttct	gcccatcact	ccatggagat	cagaatatca	720
ctctatttgg	tcccctcaac	actgaaggag	tgtctcaata	agaaaagttg	agtcaaaaca	780
ctgtagggaat	tgagagggtc	cccacttgca	ctacccttgt	aaaccaagag	aagatgttaa	840
aaaataaaaac	gataatgctt	cctgaagggtg	tcttcccatc	tttactactg	atgggttcaa	900
ttgagaggaa	ttactggact	gtggaagttg	aagactgtcc	acataattaa	aatgtacaat	960
agctactcag	gattaccttg	caagtttcaa	catacacaaa	attaacttca	taagatgggt	1020
taaaaagttt	accgttatat	ctaataatct	gggttaaatt	tttaaaactc	atccattttc	1080
gttaaaaattt	aaatcaaaaa	agaacacggg	ttcccatgaa	tttgtctcag	gtcaaacctc	1140
acacagaata	ggtgctccat	gaatattttg	ttaaatgata	gatgatgaat	gttctcacta	1200

tccaatcttc	acacatctta	tagagtaagt	ataacgaatc	caagatttat	agtgcgtgaaa	1260
gtagtctttta	tatgtttaca	aagcattatt	gtcagtaatt	tttttttact	ttgatgctat	1320
actttctact	tttgctttat	ttaatgcttc	tcaatatgct	cgtttaactg	ttgcagatcc	1380
ccctgaaatt	acgctttgga	ggacttcttc	taacagaaaa	acccattgtt	ctaaaggctg	1440
agtcaagga	tgagaccgta	agtggagcct	gatttcccta	aggacttctg	gtttgctctt	1500
yaagaaagct	gtgccccaga	acaccagaga	cctcaaat	ctttacaaat	agaaccctga	1560
aatgaagacg	ggcttcatcc	aatgtgctgc	ataaataatc	agggattctg	tacgtgcatt	1620
gtgctctctc	atggctctgta	tagagtgtta	tacttggtta	tatagaggag	atgaccaa	1680
cagtgcctgg	gaagtagatt	tggcttctct	gcttctcata	ggactatctc	caccaccccc	1740
agttagcacc	attaactcct	cctgagctct	gataacataa	ttaacatttc	tcaataattt	1800
caaccacaat	cattaataaa	aataggaatt	attttgatgg	ctctaacagt	gacatttata	1860
tcatgtgtta	tatctgtagt	attctatagt	aagctttata	ttaagcaa	caataaaaac	1920
ctctttacaa	aagtattatt	ggatgtttcc	tgcacattaa	ggagaaatct	atagaactga	1980
atgactgaga	accaacaact	aaatattttg	atcattgtaa	tcactgttgg	tgtgggaact	2040
ggagtcgagt	ggtgcaatct	tggctcactg	cgagctctgc	ctcccagggt	cacgccattc	2100
tcctgcctca	acctcctgag	tagctgggat	tacagggtgcc	tgccaccacg	ccgggcta	2160
ttttctat	ttagtacaga	cggagtttca	ctgtgttagc	caggatgctc	tcgatctcct	2220
gaccttatga	tccacctgcc	tgggcctccc	aaagtgcctg	gattacaggc	atgagccacg	2280
gtgcccagcc	caatttgatt	attaacatag	gtgagagtta	accactatg	actttgcca	2340
ttgtttagaa	agaatattca	tagtttannt	annacatttt	tgatgagaca	cagtggctca	2400
cacctgta	cccagcactt	tgggaggcca	aggcaggcag	atcatctgag	gccaggagtt	2460
caagaccagc	ctgaccaaca	tgggtgaagcc	ccctttctac	taaaaataca	aaaattagct	2520
aggtatggtg	gcacacgcct	gtaatctcag	ctaccaggga	ggctgaggca	ggggaattgc	2580
ttgaacctgg	gaggtggagg	ctgcagtgag	ccaagatcat	gccactgaac	tccagcctga	2640
gtgacagagt	gagactgcat	ctaaaaaata	aaattatgcc	tttttgtagc	acatatattt	2700
tgtaacatac	aactgaagcc	agtattatat	tattagtttt	catttaatgt	tttcagccca	2760
tctcccctga	tatttctggg	agacaggaaa	tatgttttct	tacacctctt	gcattccatc	2820
ctcaactccc	aactgtctaa	atgcaatgaa	catttaataa	aaaaaacagt	tgattggtca	2880
attgattgga	caacaaggct	gaaactactc	atttcttttc	ttttcctatt	tcttccttta	2940
ttttcccttt	ctgaataatt	tagccctaga	gccattaggt	gggtggcagc	cagatggtgg	3000
c						3001

&lt;210&gt; 89

&lt;211&gt; 3001

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 10-217-91 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1482..1500

&lt;223&gt; 10-217-91.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1502..1521

&lt;223&gt; 10-217-91.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1414..1430

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1759..1775

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

<221> misc\_binding  
 <222> 1489..1513  
 <223> 10-217-91 potential probe

<400> 89

gattgttggt	acatagaaac	atgcttggt	tttgtttgtt	gatcttgtat	catagaacct	60
tgcagagctg	acttagtatt	tctagaagtc	tttttgtata	ttcttgagat	tttatacatt	120
gacaattatg	tcacttgaaa	atagagacaa	ttcttttatt	tcctttccaa	tctgtatgcc	180
ttttaattct	ttttcccagt	ataatgtcaa	ataaatgtgt	tgaatttttg	aattgttccct	240
aatattagga	aggaagcatt	tggtctttca	tcacaaagaa	tgatttagat	gaagtgggtt	300
tttttgtaga	ttctctttat	caaatggagg	aattttctct	ccctagtttg	ctgaattttt	360
aacataaaaag	agtactgtaa	gtactcatta	taaaacaaaa	tatggctgtg	gaagatgaaa	420
gagagtttca	agcatgctgg	cttgataggc	cagatccaag	ctggcaaaaa	taattatctc	480
tttcttcttt	ttttctatcc	atggaataaa	aaattaagag	gaaagaatgt	taatagaatc	540
gcattatttc	ttcaaaaatac	gttggtgagt	ttaaaagtat	tatctacctt	ttttattata	600
cttttttttag	ggtacatgtg	cacaacgtgc	aggtttggtt	catatgtatg	catgtgccat	660
gttggtgtgc	tgtactcatt	aactcatcat	ttaacattag	gtataactcc	taatgctatc	720
cttccccctt	ctccccaccc	cacaacaggc	cccagtgtgt	gatgttcccc	ttcctgtgtc	780
catgtgttct	cattgtatat	ttttttaaat	ctaccacatc	aaggcacctc	tttttcatgt	840
tgcccatggt	ttaggtgaac	ataaagacag	agctcgtctg	aggcaacata	cagtccaaca	900
aagccacctg	cctctctgtc	tccactctct	ctctacactg	cacgcgtgct	aggtgttgat	960
cctgtctatt	ccagtggaa	aacaggttcc	gtaccatgtg	gagaatttgc	atgtaaaagg	1020
agactgggat	atacaggctg	gagaccacat	caggtggctg	ggcatgtggg	ataaatccta	1080
ttgagcatct	gtcatagggc	ctgtcactta	gtagacagtc	actaaatatt	tgtaaataac	1140
atgatgcctg	tttaacacat	tttctacaac	catggagacc	tccacaactg	atgtaggaca	1200
aaatctttct	gctttgaact	ctagcctttc	ggggcagtg	gatttatgaa	aaatgccatc	1260
tctatagctg	aggatgaaga	atggaagaga	atacgcacat	tgctgtctcc	aacattcacc	1320
agcggaaaac	tcaaggaggt	atgaaaataa	cttgggtttt	aattagaaac	ttaaagaatg	1380
aatcaggtgg	ggacaggtag	aaagtaagat	cagagttcct	ttccgaggag	tagtctgctg	1440
aatttgagct	tcctaaaaat	agtcttttta	tgtacagaaa	acacatcata	aaattcatta	1500
yacaatgtca	cttattgttc	catgccaggc	aaagtcatgt	ccttctggga	cttatgtctg	1560
cacatttaac	tatgggtggt	gttggttttt	gtgcttagat	ggtccctatc	attgccagct	1620
atggagatgt	gttggtgaga	aatctgaggc	gggaagcaga	gacaggcaag	cctgtcacct	1680
tgaacagta	agtaggagca	cagccatggg	gttctgagct	gtcatgagcc	cctccagctg	1740
cctgctatgg	agctgatact	cccgtgtttg	ggttattcca	gtgaccagac	aaaaggagg	1800
ctgtggtaat	gcaacttcaa	tgggtctccc	aagatggggc	agctccgatg	aggaggtggg	1860
gcagctggag	gaaaaggatc	ttctcccctg	tgcacagagg	tcagggttta	catatctgtt	1920
aaattgtcac	cttggatatt	ctggaggact	aaatacatcc	tttaggggga	aaagtgtgat	1980
tgtatcaaag	ttttaagcat	ggagtgtatg	ggatggtgga	aggggaaggc	acttggatc	2040
tgttggttgg	cagtgagtag	ggtgggaaag	ttataatgga	gaacttagaa	taactttgat	2100
catttcatgt	tttttttctg	agggtatcag	tagaatacta	aatattaaac	attcccacca	2160
tttctttttc	ctccagtctc	aaagagagag	ggtggtaaaa	acgctatagg	tggggcaagc	2220
ctattatttg	ctgtctacac	ttatgcagga	acaacagggt	taatctgagc	ctgtcctggg	2280
cagacagggg	atatgtggtc	actcactata	gaagtttcca	aatcaaat	tgagagtttt	2340
ttttaaccag	gacatcattt	gtcattatat	tttacaacaa	taattctgcc	atcagggcaa	2400
cctcagctca	ccacagctgg	ggatagtggg	attttccaaa	gcttgagcag	ggagtataga	2460
gaataaggat	gatattttct	ggagctcagg	acatggtact	gttgctttgt	aaagtgtgta	2520
agaggaatcg	gctctgggca	tagagtctgt	agtcaggcaa	tgccacctgt	cttgagcccc	2580
ttagaaagag	tgaatttttc	tactctgtgt	ctgctgaagc	acagtgtctt	cccatcttgt	2640
atcatccaca	attaacacat	gctactgcag	ttgtctgata	gtggatctct	gtctttctat	2700
gactaggctc	cttgacctca	gaggttaagtc	taactcagtt	gagtgtctcc	atcaccccca	2760
gcggagagcc	agctgtgtca	ctgacacctg	ataatcacct	tctgagggag	tgtgatggga	2820
gatgctccag	taaatagttc	tgaaagtctg	tggctgtttg	tctgtcttga	ctggacatgt	2880
ggatttctct	ctgcacgcat	agaggaagga	tggtaaagag	gtgctgattt	taattttcca	2940
catctttctc	cactcagcgt	ctttggggcc	tacagcatgg	atgtgatcac	tagcacatca	3000
t						3001

<210> 90  
 <211> 410  
 <212> DNA  
 <213> Homo Sapiens

<220>

<221> allele  
 <222> 168  
 <223> 99-28779-168 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 149..167  
 <223> 99-28779-168.mis1

<220>  
 <221> misc\_binding  
 <222> 169..187  
 <223> 99-28779-168.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 390..409  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 156..180  
 <223> 99-28779-168 potential probe

<400> 90  
 tgactgctta acagaccaag ttgcttgcat tttgtatggt tagccctcct ttgccactgc 60  
 ttttagagcc ttggaaggct aagtgtgata gtaatgctag ctctaatagca tatttaaagg 120  
 agactgcctc gcttttagaa gacatctggt ctgctctctg catgaggyac agcagtaaag 180  
 ctctttgatt cccagaatca agaactctcc ccttcagact attaccgaat gcaagggtggt 240  
 taattgaagg ccactaattg atgctcaaata agaaggatat tgactatatt ggaacagatg 300  
 gagtctctac tacaaaagtc tttgggtatt tgtttcttac atagaaaatg ctaacatgaa 360  
 tagaaagata ctggtgcaag accattcccg ggaaagtaga cataactaca 410

<210> 91  
 <211> 479  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 300  
 <223> 99-28788-300 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 281..299  
 <223> 99-28788-300.mis1

<220>  
 <221> misc\_binding  
 <222> 301..320  
 <223> 99-28788-300.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 458..478  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 288..312  
 <223> 99-28788-300 potential probe

<400> 91  
 tctacccatt ctgcttctct gatttttaat gcattgtctc tatcccaggc tactttggag 60  
 ggtcatcccg agtttgcaga taaattcttc cttcctcttt ggactcattt agaagaaagt 120  
 tgtaactatg gaaatgatgt aactagcctg ttaacatccc tcagcttcct gttagaaatc 180  
 cccagtgaag tgtggagagg ttggcttttg acctttgtgt tcaccatcat caccatcata 240  
 caatattttat gaaacaccac acacatataa ttctgaactg agccaagcac agagatcacr 300  
 tccacttttc tcaagggact tgtaatttaa ccttggtctg gtgtgctact tagaccaggt 360  
 gtgggttacat aagaaggagg ctgctgccag caaccacaca ttaataacaa tctctctatt 420  
 ttagaataag tccaggaata tgtaggcat ggatgtagta aagtagcaa gaaaggga 479

<210> 92  
 <211> 499  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 263  
 <223> 99-32052-262 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 244..262  
 <223> 99-32052-262.mis1

<220>  
 <221> misc\_binding  
 <222> 264..282  
 <223> 99-32052-262.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 478..498  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 251..275  
 <223> 99-32052-262 potential probe

<400> 92  
 cagagtgaca aataagtgt atggcttgat agaagtgaag ctcttcacat atattcaaaa 60  
 tacatatcac aaactttggt aaataggata gtaatctgaa gaacttttgc cctttttacc 120  
 ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt 180  
 ctgtgtaaca agccacatgt tctaacaaat tgtctccatc gcacttcaac agccagggtcc 240  
 ctatttttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac 300  
 attagcaaaa tttaaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac 360  
 caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt 420



```

cttacatttt ccaatgtcat taaaattctc tgtgaatgta aatttttaaaa actgtaccta 480
ctgttttttg gaatctgta 499

```

```

<210> 93
<211> 467
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 244
<223> 99-32121-242 : polymorphic base A or G

```

```

<220>
<221> misc_binding
<222> 225..243
<223> 99-32121-242.mis1

```

```

<220>
<221> misc_binding
<222> 245..264
<223> 99-32121-242.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 448..466
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 232..256
<223> 99-32121-242 potential probe

```

```

<220>
<221> misc_feature
<222> 72
<223> n=a, g, c or t

```

```

<400> 93
agcagtatga cagggaccat tctgggtctc tgggaagttc tcagctgcgg ggagctctgc 60
aggccgcagt tnccagctaa atgaacaact ttaccaaagc attgtccgcc ggtatgctaa 120
tgaagatgga gatatggatt ttaacaattt catcagctgc ttgggtccgcc tggatgccat 180
gtttcgtgcc ttcaagtctc tggatagaga tagagatggc ctgattcaag tgtctatcaa 240
agartggctg cagttgacca tgtattcctg aagtgggaac tgagaagtca agatcctccc 300
tggaggacag gactgaaaac cttgccaaagc tgtacacagt tgctgatacc ctgtgcaaca 360
gctctcattt cctggcaagc tctttcacia ccctacatat ttctgatcat gtgctgcctt 420
ttactgctga attaaaacag atattcacga aaaatgttct gagtgggt 467

```

```

<210> 94
<211> 469
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 169
<223> 99-32059-169 : polymorphic base C or T

```

```

<220>
<221> misc_binding
<222> 149..168
<223> 99-32059-169.mis1, potential

<220>
<221> misc_binding
<222> 170..189
<223> 99-32059-169.mis2, potential complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 448..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 157..181
<223> 99-32059-169 potential probe

<400> 94
acaagaaccc acctaccttc cggggttaaga aatagaatat cccatacctg acaagcccac      60
atgcacccca cgccccctaa gcacattcac ccctgttccc tgctctaaaa taaacactat      120
cctgagtttg gcaaacacca cttctttggt ttttctttat aatattacya tctatgaata      180
tattttctaaa caatacattg ttagttttatt cttcttcaaa ttttatgtaa aaggaatcac      240
actacagata ttgttctgtg acttatttgg cccaatatgt ttctgagatt catccttgct      300
gatgggggttg gctgcagttc acttgtttcc agtgttgttt atagtaattc tattgtatga      360
ataataacaa tttattttatt catccaactg tgaaggacat ttggattggt tccagttttt      420
ttttcttttt ggattttgaa caatgctgtc tataaacgct ttaggatgt      469

<210> 95
<211> 450
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 304
<223> 99-32061-304 : polymorphic base A or G

<220>
<221> misc_binding
<222> 285..303
<223> 99-32061-304.mis1

<220>
<221> misc_binding
<222> 305..324
<223> 99-32061-304.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..449

```

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 292..316

<223> 99-32061-304 potential probe

<400> 95

cacaaaaactc	actattgcc	tagctgcaat	taaaatttag	ataatctggc	tgcttactaa	60
agcaaatagc	ttgataaaat	gtaccccaaa	acagataaaa	attatacagc	aaaatatact	120
atTTTTTTTaa	ttctttaaag	tcaaatacag	atcatgataa	gaattattgc	acaatctttg	180
gttcttttct	ttaaaaccta	ctgaggtccc	caggaagaat	tataaaactta	ataaaaaaaa	240
atccagactt	gaagatat	cagggccaca	tttcaaagga	gaccagctct	ttggagggag	300
gccrtaatcc	ctccataacc	tgctctaata	tgagagccag	agaagtccag	agttagaact	360
aaggagttac	attgggtaag	tacaaataga	aaagataatg	gtctcatgga	aactccagac	420
agtgggcccc	atccctttcc	tggaagtcag				450

<210> 96

<211> 487

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 303

<223> 99-32065-303 : polymorphic base G or T

<220>

<221> misc\_binding

<222> 284..302

<223> 99-32065-303.mis1

<220>

<221> misc\_binding

<222> 304..322

<223> 99-32065-303.mis2, complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 469..486

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 291..315

<223> 99-32065-303 potential probe

<400> 96

gcccaaatgc	caactacatt	atgataatct	tctaaaagtt	ataattgcct	aatgttaaaa	60
tattttgttt	tctgagttat	tgccaaatgc	gatacatccc	tagttcggaa	agatacccaa	120
ctactatact	tgaaaccact	gaagctacaa	aataccttgc	tctcagtttt	cacatttgct	180
tttctccctc	tacagctttc	tgagtggtgc	taagtggatt	agttatacta	tttttattaa	240
ttactttagt	agtaattttc	attaaaacaa	ttattaataa	caattattaa	ccagtacagt	300
ctkgtttatt	ttaacattag	catgaggcag	aatggaactg	cttttcaggc	attatctaata	360
taagatggta	atagaggaga	aaactgatcat	gagttgacaa	agctactggt	aaaagtttat	420
tcttattgaa	cagaacacaa	ttgttgtgat	ctgtatgcct	taaaagtgcg	gcctcttatg	480
tggaactc						487

<210> 97  
 <211> 541  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 118  
 <223> 99-32123-118 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 99..117  
 <223> 99-32123-118.mis1

<220>  
 <221> misc\_binding  
 <222> 119..138  
 <223> 99-32123-118.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 520..540  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 106..130  
 <223> 99-32123-118 potential probe

<400> 97  
 cagtaaata atcagtaaag tacaataata cacaaaagaa aacgaaatat tgcttgattt 60  
 tttccaataa aagcaagggt aataaaaaca tttttagtaa gaaaatctat catttttrtt 120  
 ttaaaaatct ttcaatttta aacatcatta ccaacacatt aaaagtatta tcaataagtg 180  
 cctttacaat ttcaagcaaa agctactgtg ttttccttat tggaaatact gctttcagtc 240  
 atcttttttg tctgaggtac tctcttcatt cttttcaggg ctgactttat tactggcggg 300  
 ggaggggggt gtctggactt ctttttgtaa tgaaaacaca tggcacgtct ggaggtctag 360  
 gtatgttgta aatatcttag catattctgg atgctttaag gcaaaacttt taaattcctc 420  
 tagaagagaa agaaaaaaaaa tccaataagt tggggtgaat cttcttttgg catgatgcag 480  
 attaataaat gactctaata atgcaattat tacaaaattc tactacccaa cacacaaaca 540  
 t 541

<210> 98  
 <211> 449  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 314  
 <223> 99-32148-315 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 294..313  
 <223> 99-32148-315.mis1, potential

<220>

<221> misc\_binding  
 <222> 315..333  
 <223> 99-32148-315.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 428..448  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 302..326  
 <223> 99-32148-315 potential probe

<400> 98  
 tgagtgcatt tgatgtgggs cagcaaagct tcattcaggt ggaaacagat taagaagacc 60  
 aaagagtgggt gaaatggcta agtaggaatg aaaaaacagc cagctaccg yggccagtgc 120  
 cttattctaa aagaggacag ctagcttgcc caaggactct tgcagaagga aacctgggag 180  
 agtttccttc tcctcttgca gaagtaaact cttcagggtg aagagtcagg aaggagctcc 240  
 agggatgagt gaagtcaact gaagttgcct cttttataaa cagctctgca gtgggttctct 300  
 ggaaaccgag gctsgttgca aaccctaaa aagtactgct ctgcaaggct tgtaactgcc 360  
 atacttggtg ggtcctgctc catctccatg tgtggcagtg ccagctgcaa ccagcctcac 420  
 acaggggccg agagtctcag aactgcaag 449

<210> 99  
 <211> 920  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 95  
 <223> 16-2-76 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 76..94  
 <223> 16-2-76.mis1

<220>  
 <221> misc\_binding  
 <222> 96..114  
 <223> 16-2-76.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 20..39  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 240..260  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 83..107  
 <223> 16-2-76 potential probe

```

<400> 99
ctggggcctg agactgaggt ccagggagac cctaattcct gcacccacc cctcctgggt 60
ccctccagat gggaggcatg gaggtgtca tcacrggcct ggcagatgac ttccaggtcc 120
tgaagcgaca ccggaactc ttcacatttg gcgtcacctt cagcactttc cttctcgccc 180
tggtctgcat aaccaagggt agtaggggct gggctctggg tcacctgggg gcctctgagg 240
ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct cagggagaac 300
aatgcaggat ccagcatcct caattcagcg gcctgaccca ctagggttag gccagtagt 360
cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg 420
agggscagca aaagtcctt tggaaacct ctaactcttt attggctgaa actgaggtga 480
ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg 540
agcaagtggg acagggggca ggtaagagtt gacagacaca acaatcagtt cccacgtttg 600
accaaagagg gcctcttggc ttcttctctc cctgtgccag ggtggaattt acgtcttgac 660
cctcctggac acctttgctg cgggcacctc catccttttt gctgtcctca tggaagccat 720
cggagtttcc tggttttatg gtatgtgagt gtgtggaaaa gcctcagctc ccagtcctcc 780
tagaatcctg cacctggagg tgtgcagggg ggccttccat ttccaggaca gccacctaaa 840
attccagagt ccagcaagtc acttattggg aacaaatctc aatcctcggc tcatctttgg 900
atgaacctgc ccttaacagg 920

```

<210> 100

<211> 395

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 120

<223> 16-28-93 : polymorphic base A or C

<220>

<221> misc\_binding

<222> 101..119

<223> 16-28-93.mis1

<220>

<221> misc\_binding

<222> 121..143

<223> 16-28-93.mis2, complement

<220>

<221> primer\_bind

<222> 28..47

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 354..374

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 108..132

<223> 16-28-93 potential probe

<400> 100

```

tctgttatct ctaaacctgt gttctgtccg cccacacatg acctaacaat tgggccccca 60
gatactcccc tatcatgtgc agctcagacc aatggtttca gccattgatg aggtccttgm 120
tgtttcttac aggagctggc ctagtgttca tcctgtatcc agaggccatt tctaccctgt 180
ctggatctac attctgggct gttgtgtttt tegtcatgct cctggcgctg ggccttgaca 240
gctcagttag tgacctgct taggatacct atcccccatc ccactgggccc tgacccctt 300
ccccaacaca cagtgtctggg cctgaagttc ccactattca aacaccaggt taacagttgt 360
ttcccagaag gccctattta aattgcagac aaaaa 395

```

<210> 101  
 <211> 922  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 342  
 <223> 16-3-199 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 323..341  
 <223> 16-3-199.mis1

<220>  
 <221> misc\_binding  
 <222> 343..361  
 <223> 16-3-199.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 143..162  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 374..393  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 330..354  
 <223> 16-3-199 potential probe

<220>  
 <221> misc\_feature  
 <222> 565,643  
 <223> n=a, g, c or t

<400> 101  
 agctcaagaa acagtgtctg gatgagtgc tcaatggacc agctccacaa acaaagctgg 60  
 aggtgtcttg tacagacccc aaatgctatc catgtggggc tgcaggatca aatagcaggt 120  
 ggccctcatc tgcaggtgca gccaggctgc ragaagggtg tccctgggcc aagctgaggg 180  
 ctctctccct tctcttcctt tcagagactg gcctatggca tcacgccaga gaacgagcac 240  
 cacctggttg ctacagagga catcagacag ttccagggtg gtgaagccta gaccctggg 300  
 gtggagatta caagggcggg ccctggctgt tccctgctgt gyactgcccaggctagaca 360  
 tcacatccag aaaaccacaga aaccacagtgt gagctgcctt tcccccttg aaacatcggg 420  
 atgggggaca gggaggctca ccttgagccc atggcctcag gcttgccctg tgactttggg 480  
 gaggttctgc tgccctttct gggcctctgt gacaattagg gaatcaactt gcacgttccc 540  
 tgaggtccgt gaaggaaggg ggtgnttttc tgccttctct ctacctctg ctgccccgc 600  
 cagctggccc ttgtctcttt ctgtccccac catgtcatca agnccctcgt gtctttctct 660  
 gcagttgcaa cactggctgg ccactctgagc ctgcctggag gagaaggagg aacccccatg 720  
 ccaatgtcca ggtcacaggc atccgctgcg ctcccacctc ggacaccatc ttgggattcc 780  
 tcccttgaa gttgtccttt ctgatcctct cttcttttcc catttacaaa tgatttcgtg 840  
 actgtagttt ttgttcacct tctgtgcac tggcctgggg gctgttagct cagaggagag 900  
 gagcaaacag gaaaatgact tc 922

<210> 102  
 <211> 245  
 <212> DNA  
 <213> Homo Sapiens

```

<220>
<221> allele
<222> 197
<223> 16-50-197 : polymorphic base C or T

<220>
<221> misc_binding
<222> 178..196
<223> 16-50-197.mis1

<220>
<221> misc_binding
<222> 198..216
<223> 16-50-197.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 227..245
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 185..209
<223> 16-50-197 potential probe

<400> 102
agaacctcat gggaggacct ggccctggct atcatggggg ccatggtaac aggcctgccc      60
tgtgtgtgca caggagtgga caggttcagc aacgacatcc agcagatgat ggggttcagg      120
ccgggtctat actggagact gtgctggaag ttcgtcagtc ctgccttcct cctggtgtgt      180
agtgtctgca gggaagycct gcatgtgggg agggggcgtgt gtccaggatg gagctgggtg      240
aggat                                           245

<210> 103
<211> 357
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 181
<223> 16-1-59 : polymorphic base C or T

<220>
<221> misc_binding
<222> 158..180
<223> 16-1-59.mis1

<220>
<221> misc_binding
<222> 182..200
<223> 16-1-59.mis2, complement

<220>
<221> primer_bind
<222> 123..142
<223> upstream amplification primer

<220>

```



<221> primer\_bind  
 <222> 290..309  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 169..193  
 <223> 16-1-59 potential probe

<400> 103  
 gttgccaggg ctgcccattct ctggttcaga ccatgtttcc tctggtctca gagcatcccc 60  
 aggggtttctc agcccttccg gaccagttag gtgttccagt gttgtaggaa gcagaggctg 120  
 atggctttttg tctgctggtt tcaggtatgg attgatgccg caactcagat atttttttcc 180  
 ytgggggctg gatttggagt attgattgca tttgccagtt acaacaaatt tgacaacaac 240  
 tgttacaggg aagattcttc tcagaattct gagaagctct aaatcctggg gattgactct 300  
 tgtgggggtg cagagagggc tctggtctgg aagccaactc tccctgggca agccaaa 357

<210> 104  
 <211> 920  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 206  
 <223> 16-2-187 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 183..205  
 <223> 16-2-187.mis1

<220>  
 <221> misc\_binding  
 <222> 207..225  
 <223> 16-2-187.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 20..39  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 240..260  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 194..218  
 <223> 16-2-187 potential probe

<400> 104  
 ctggggcctg agactgaggt ccagggagac cctaattcct gcaccccacc cctcctgggt 60  
 ccctccagat gggaggcatg gaggctgtca tcacgggcct ggcagatgac ttccagggtcc 120  
 tgaagcgaca ccggaaactc ttcacatttg gcgtcacctt cagcactttc cttctcgccc 180  
 tgttctgcat aaccaagggt agtagrggct gggctctggg tcacctgggg gcctctgagg 240  
 ccgcatttca ataaagtcaa acattcctag ccttagaact gggctgagct caggagaaac 300  
 aatgcaggat ccagcactct caattcagcg gcctgaccca ctagggttag gccagtagt 360  
 cttcttccat ctctgassct gaggattcca ttcagccctg ttaattgcct tattgacttg 420  
 agggscagca aaagtccctt tggaacccat ctaactctt attggctgaa actgagggtga 480  
 ctgtaacgtc aatacaacag caccacagcc ctatgccctg ggttttcaaa tagagctccg 540  
 agcaagtggg acaggggggca ggtaagagtt gacagacaca acaatcagtt cccacgtttg 600

```

accaaagagg gcctcttgge ttcttctctc cctgtgccag ggtggaattt acgtcttgac 660
cctcctggac acctttgctg cgggcacctc catccttttt gctgtcctca tggaagccat 720
cggagtttcc tgggttttatg gtatgtgagt gtgtggaaaa gcctcagctc ccagtcctcc 780
tagaatcctg cacctggagg tgtgcaggga ggccttccat ttccaggaca gccacctaaa 840
attccagagt ccagcaagtc acttattggg aacaaatctc aatcctcggc tcatctttgg 900
atgaacctgc ccttaacagg 920

```

<210> 105

<211> 466

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 311

<223> 99-28761-311 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 292..310

<223> 99-28761-311.mis1

<220>

<221> misc\_binding

<222> 312..331

<223> 99-28761-311.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 446..465

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 299..323

<223> 99-28761-311 potential probe

<400> 105

```

tttgtaactc taagaaggca tttttaaaaa gtaagtaggc aataaagaaa tgggtacttct 60
atgtaagtag tgcattgtga gtagtgagtt ttgtgatcaa tacaattgc ttgtatgtg 120
atttgctttt aagatgttgg aaatgagaat ctgatattt agagaatttg acttacaaga 180
tttgcaattt taagtgtaac acctaggagg atttaattgaa ttaattttgt agtcaatgtt 240
tggatgctca ggagaacctg aatttatcag tttaattctc agcagggtga aatgctttaa 300
gagaatttgt rtgctaaatt tagaagtttt gatttattag tcttacaaga actaagtaag 360
tcctgagaaa gattttgttt cttctatttg taagtcttcc tgtaggggat ttgaagattt 420
taacaaagcc agatgtatca aatttgtgag tatagtttga aatgct 466

```

<210> 106

<211> 462

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 86

<223> 99-28771-86 : polymorphic base C or T

<220>

<221> misc\_binding  
 <222> 67..85  
 <223> 99-28771-86.mis1

<220>  
 <221> misc\_binding  
 <222> 87..106  
 <223> 99-28771-86.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 444..461  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 74..98  
 <223> 99-28771-86 potential probe

<400> 106  
 ttcagagtag taacttccaa aggctaattg atgaatgtga gtatttccat tctcattgtg 60  
 gccaggaag atagagataa tcatayagta cccagaaaat gactgcttca tatgatgagg 120  
 ctttaatttc cattttaatg gaaacatgtt catttaaaag aaagaaaagc agatttctga 180  
 actatgtctc ctctctcogt taacaacctg gatgtgcacc tagaattaat gagctacatt 240  
 tttatttcta ttttgctaaa gaggtgacc agggctgttg cattacctga tgtctaattct 300  
 ttccagtgc cctctcaagc ctcccctcac tgttttcccc cttctgaatg cgatgttagt 360  
 attttggtt tgtctcaaat aaacttataa gtcgggtttt tatttctccc caacggagcc 420  
 tctcaaatcc cttatcttca gctcaacagg aaggagatta ct 462

<210> 107  
 <211> 452  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 291  
 <223> 99-28791-291 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 272..290  
 <223> 99-28791-291.mis1

<220>  
 <221> misc\_binding  
 <222> 292..311  
 <223> 99-28791-291.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 432..451  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 279..303  
 <223> 99-28791-291 potential probe

<400> 107  
 taaaaaccca cactcaacat gggcagtcaa gccaaagact gggacctttg gagagcctct 60  
 ggaatgagag ttctctgggg tacttccaaa gggagctggc agtcagtcca ggggacctaa 120  
 aggaattttg ttgaacagta tcatctctgt gcatagtaag agggaatgtt ggggtggccg 180  
 ggcagtttcc aatatggcaa agcatctgct tggacagtgc cagcaagcct tcctctgacc 240  
 cagtctccaa tgtccactaa cttataaaaa tgcatcaac tcccacatgt ragaaacacc 300  
 atgattttgta ctgtgcatgg gtcacattct tattctagaa atgcatcacc ctgtgtttat 360  
 ccaagtgtgt ttacttgggtg taatgtccag tagtaataga atatgaaata tcaaggaacc 420  
 atctttgtta cgtgacttcc aaaatgtgag at 452

<210> 108  
 <211> 489  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 66  
 <223> 99-32077-66 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 47..65  
 <223> 99-32077-66.mis1

<220>  
 <221> misc\_binding  
 <222> 67..85  
 <223> 99-32077-66.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 471..488  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 54..78  
 <223> 99-32077-66 potential probe

<400> 108  
 gctggagggtg agataaggca tcttcaccgc tgcatttcca gctttgtagg gggaaaacaa 60  
 ttgcrtttg ggaaataatc caacaagcaa tcctatgggt ttaatacaaa cactcaaaga 120  
 ggttctggcc atgaccatct ggggtccagcc cttcactgaa ttggaaagac ggcaacgata 180  
 atggttgaac aggccacat gtgttggtc tgattctgag tttcccctac ccaccgacc 240  
 ccattgattga agaggataca ggggtccacc actgtcaggc atcaaggaag acacaggtct 300  
 aggggagaaa tcaacacttc tcagggtcct tttcaaggac taccacagag atggaaggtc 360  
 atctagtcta tgggtgtcctg gacctgcctt ggcagtagtc gtggccattt tggggtaacc 420  
 taaagaaaac agacaatgtt tgatttggtaa catattgaga gttgtttttg cccttttgat 480  
 gacctgcag 489

<210> 109

<211> 489  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 467  
 <223> 99-32078-466 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 448..466  
 <223> 99-32078-466.mis1

<220>  
 <221> misc\_binding  
 <222> 468..486  
 <223> 99-32078-466.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 470..488  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 455..479  
 <223> 99-32078-466 potential probe

<400> 109  
 agcaccacagt ttgttagagt aagactgggc caaagcatcc tgggatgcag tagtggtatg 60  
 gtagactaac tgctgtaaca aatagacccc aaagcggatg gtagtcata cacaacagga 120  
 atttattctt gttctcatta cagtagtgga tatgggaata ataagcaggc tccaatctat 180  
 ctgggtcttt cagggaccca gaattgacaa ggctttgctt tcttcaacac ttggcttcaa 240  
 gggtatcctg gggttgccct ctattctggc cagccagaag gaacaaaaaa catgatgtat 300  
 ttctatgcgg gaggctttta ggggccacgt ccacaaaagg cttacatcag ttccaccaac 360  
 tctccattgg ctggaacgca ggcacagggt ggcacctgac tgtgtgggaa atgtgggtcca 420  
 tggtgtctca gcacttccca gcatgatgct tggagcaagc aggccayctc tgtctgagag 480  
 aggatacag 489

<210> 110  
 <211> 470  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 426  
 <223> 99-32376-426 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 407..425  
 <223> 99-32376-426.mis1

<220>  
 <221> misc\_binding  
 <222> 427..446

<223> 99-32376-426.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 449..469

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 414..438

<223> 99-32376-426 potential probe

<400> 110

ggggctgaga attactggca ttgagacttt tgatgctggt agctgcaact gatgcagttc	60
ctccttaaac ccagtga aaaacctgtggt cacgtagctt tcacacttta tctatgtca	120
caaacaaacc tgaatctgca aacctcctgg gatggctctg caaatgcaag gtgaccatga	180
acctgctgtt cccagagacc ccctttgcat tgagggcttt tgaggccatc tctcatttga	240
tacaagctga gcagcctcgt tctcctcgtc ctctcctcaa tgctccttcag gctttctctc	300
cttctcacag catggtgcta gatgcttgac tttttacttc ctggaaaaaa aatttcaggt	360
ccatgtggct tcttgatagt aaaagaaagc aatactcatg tatttattgg ttcactcaca	420
tctggrtggt agagccaaat tccaaagacc tttgaaagtt ctcttcaggg	470

<210> 111

<211> 457

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 420

<223> 99-32361-419 : polymorphic base G or T

<220>

<221> misc\_binding

<222> 400..419

<223> 99-32361-419.mis1, potential

<220>

<221> misc\_binding

<222> 421..439

<223> 99-32361-419.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 442..456

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 408..432

<223> 99-32361-419 potential probe

<400> 111

```

tctctaattct tctccatcat cattatctgt tgaaattaaa atgcatcctg aggcattgctg      60
cccagtggtgct ttatatcttg tctgcacaat gagattgtaa gtcctctgag gaaaaggacc      120
aggttggtgtg tgaattatgc attccttggtg gtgtctagaa taatatcaag ttcagaagac      180
tcaggatatca cttgagatgt ctctttctgg cccctccaat ggtctgaata aatctgactc      240
aaactcccag ttttaacagtc ttgatgaagc ccaaagccct atccatgata cgtgagaatt      300
cttattgtttt ttcttttgat ggggtccatt gtgactagtt caaaatactg gagactatgt      360
cttttttcct tctcattaac atggttacaa aactctctct tttataaact tccataaaak      420
ctggtgagtc tcttaagaac tggattttag agacctc                                457

```

<210> 112

<211> 424

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 228

<223> 16-21-228 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 205..227

<223> 16-21-228.mis1

<220>

<221> misc\_binding

<222> 229..251

<223> 16-21-228.mis2, complement

<220>

<221> primer\_bind

<222> 1..25

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 399..424

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 216..240

<223> 16-21-228 potential probe

<400> 112

```

tagcaggcta agtcctcctt ctacttcata ccagatgata cccacttcag gaagtctttc      60
ccttctgtgg gatgagatgc ccattctgca gggctttcac tccctgcata ctgccaaacc      120
tcatcatctc ttacctggat tctgctaca gcctcccagt tgggtgtccc cttccactct      180
gggcccctcc tctccgttct ccacagtgtc gtcagaatca cctattcraa aggcgaatcc      240
gatcatgtgg ttctgtctgc ccttaggata atgtataaac tcctagcatg acttttaagg      300
ccctctatga tcttgccctat tgcaacctcc ccagactcaa cccttgccag gtcctctctg      360
atcagctatc cagaatctct ttgaggccct ccacctgctg tctacctctc tacctctgtg      420
cttt                                                                424

```

<210> 113

<211> 481

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 156

<223> 16-22-156 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 133..155  
 <223> 16-22-156.mis1

<220>  
 <221> misc\_binding  
 <222> 157..175  
 <223> 16-22-156.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..24  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 458..481  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 144..168  
 <223> 16-22-156 potential probe

<400> 113  
 gcctgacaca tggtaagtcc ttagtattat tacagttatt aggacttagc tgagccagct 60  
 cagggcctgt actgcaggtc tcagctttat gtgagcaaga gcattaagga atgatgcctg 120  
 gatgcctggg ggtgtgaaga aaagagcctt gggtytgact agggaacctg gggccactcc 180  
 ttcctctgct actaaatcac caagtgatct tgttctgttt tcttctctga ccctccctag 240  
 ttttgtccac ccttgaaata atcatctttc cttttcacat ttcattgctta ccaagtactt 300  
 gtcacctaata tatctcctct cttgataagc tagatggtgc cttccagggc agcttagtag 360  
 agagcatggg atgtgatggt tcagattcca gctctgctgc acacctgcca ggtgaacttg 420  
 gccacgttac atggcctctc tgggcttcag ttccctcacc tatgagtggg ataagcaagc 480  
 c 481

<210> 114  
 <211> 478  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 404  
 <223> 16-23-404 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 381..403  
 <223> 16-23-404.mis1

<220>  
 <221> misc\_binding  
 <222> 405..427  
 <223> 16-23-404.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..26  
 <223> upstream amplification primer

<220>



<221> primer\_bind  
 <222> 455..478  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 392..416  
 <223> 16-23-404 potential probe

<400> 114  
 ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac 60  
 aggcgtcttg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga 120  
 gttcaacaga cagagccaag ttatcttggc gcaaactta aaagggtggc aacctctccc 180  
 aatacacagg tcagactaaa aagatggttt actcttttaa aagttttctt gtgtcattct 240  
 ttctggatac atcggcttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa 300  
 tgagggaata gtaattggaaa gacttgggag cagtccatca tcacagctta actttttgct 360  
 cacaaccgtg tttttaatac tctggatatc gctgtgcgtt tgtrtatatc taagatgacc 420  
 aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgctcc ttgttcct 478

<210> 115  
 <211> 428  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 175  
 <223> 16-24-175 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 156..174  
 <223> 16-24-175.mis1

<220>  
 <221> misc\_binding  
 <222> 176..194  
 <223> 16-24-175.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..22  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 405..428  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 163..187  
 <223> 16-24-175 potential probe

<400> 115  
 tcgaaccgat cttcagttga cagaagagga aacaggctca gaaagattag gcaactcacc 60  
 cgtctcaaga gttggtgaca ctaagcccag acctgtgtga ctctgaaatc cacacctgtg 120  
 ttctttccac tgacatgagc tgccttatgg atgggcaggc tctggggtag gacgmgcaga 180  
 gcagctgcgg ggactgggtg cggassagtt tgtgtacata gagccctcag gtgcggaagc 240  
 mmagcagacc ccagcctctg ccagggtgga gctgtaccaa catgcaagca gcaggcattc 300  
 catcctccag agggatggag aacagggcca gagaaccac agagggccgc atacaaaatc 360  
 caggctctggg gtctgcctt cacctgcact gcaagggcag gactctaaga agctgtttat 420  
 gaggcagg 478

<210> 116  
 <211> 433  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 286  
 <223> 16-25-286 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 267..285  
 <223> 16-25-286.mis1

<220>  
 <221> misc\_binding  
 <222> 287..305  
 <223> 16-25-286.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..22  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 412..433  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 274..298  
 <223> 16-25-286 potential probe

<400> 116  
 ggtcccatgc ctcaagtgaaca tccttgccctc cctggcaggg tgaccctgtg gtgtttgcag 60  
 gagtcttcag aggggtgaaag ggaggggcca gtgagatggg tggctgatgc ctgggaactt 120  
 gtccggcttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga 180  
 gctggagatg gagatgctct ccagcaccag cccacccgag aggaccgggt acagcccat 240  
 cccaccagc caccaccagc tgactctccc cgaccctcc caccayggtc tccacagcac 300  
 tccygacagc cccgccaaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc 360  
 caagatcttt gagatccaga ccatgcccaa tggcaaarcc cggacctccc tcaagaccat 420  
 gagccgtagg aag 433

<210> 117  
 <211> 433  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 279  
 <223> 16-25-279 : polymorphic base C or G

<220>  
 <221> misc\_binding  
 <222> 260..278  
 <223> 16-25-279.mis1

<220>  
 <221> misc\_binding

<222> 280..298  
 <223> 16-25-279.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..22  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 412..433  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 267..291  
 <223> 16-25-279 potential probe

<400> 117  
 ggtcccatgc ctcaagtaca tccttgccctc cctggcaggg tgacctgtg gtgtttgcag 60  
 gaggcttcag aggggtgaaag ggagggggcca gtgagatggg tggctgatgc ctgggaactt 120  
 gtccggcttt acccagagcc ctctgcctct ggtgcaggag gctgcccggc gagcccagga 180  
 gctggagatg gagatgctct ccagcaccag cccacccgag aggacccggt acagcccat 240  
 cccacccagc caccaccagc tgactctccc cgaccctgsc caccayggc tccacagcac 300  
 tccygacagc cccgccaac cagagaagaa tgggcatgcc aaagaccacc ccaagattgc 360  
 caagatcttt gagatccaga ccatgcccac tggcaaaccc cggacctccc tcaagaccat 420  
 gagccgtagg aag 433

<210> 118  
 <211> 478  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 393  
 <223> 16-23-393 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 370..392  
 <223> 16-23-393.mis1

<220>  
 <221> misc\_binding  
 <222> 394..416  
 <223> 16-23-393.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..26  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 455..478  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 381..405  
 <223> 16-23-393 potential probe

```

<400> 118
ctaagtggga ataacgctaa acatacttgg attaatgcac aaggccctga gatagaggac      60
aggcgtcttg tagacctaga agggcacgca aacatatgaa acacatagga acacaagtga      120
gttcaacaga cagagccaag ttatcttgct gcaaacatta aaagggtggcc aacctctccc      180
aatacacagg tcagactaaa aagatgggtt actcttttaa aagttttctt gtgtcattct      240
ttctgggatac atcgggttca cttgttatgc ccagacatgg caaaactaat gaccaagtaa      300
tgagggaata gtaatggaaa gacttgggag cagtccatca tcacagctta actttttgct      360
cacaaccgtg tttttaatac tctgggtatc gckgtgcgtt tgtgtatata taagatgacc      420
aggcagcctt aaacatctag ttgcgttcat attctctgta aaatcgctcc ttgttctt      478

```

<210> 119

<211> 742

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 364

<223> 16-106-364 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 345..363

<223> 16-106-364.mis1

<220>

<221> misc\_binding

<222> 365..383

<223> 16-106-364.mis2, complement

<220>

<221> primer\_bind

<222> 1..22

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 723..742

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 352..376

<223> 16-106-364 potential probe

<400> 119

```

cccagatggg tgatctacaa tgaccagaaa gtgtgtgcct ccgagaagcc gccaaggac      60
ctgggctaca tctacttcta ccagagagtg gccagctaag agcctgcctc accccttacc      120
aatgagggca ggggaagacc acctggcatg agggagaggg gctgagggat ggacttcagc      180
ccctctgctc tgtacccttt ttccctttgt ccccggcagc agggaagaag ctggaggccg      240
tgggagaatg gctgggcaga gcagaggggc agcgatagac tctggggatg gagcaggacg      300
gggacgggag gggccggcca cctgtctgta aggagacttt gttgcttccc ctgcccccgga      360
aatycacagt gctctgcttc tctgtgtcgc cccgcccagc cccctggtgt ggaggggagg      420
gtctcgtttg tgcgctggg tgtagctttg tgatcctct cccagtggag cgatcacctg      480
tgctccctcc cccctttgt ttgcccctgt gtggttggtc aaggagggat gtgagggaaa      540
tagggacccc ccgacttgcc ctccctgcctc agtctttccc ccacctgtc tcttcttgt      600
ccttctcttg aaaaatgcaa aatacacgat gtgaataaaa gtacaacggc taaattgtgt      660
cctgtttgat accttggggg agaggcttac cttcctgggg ttagcaggag ggcgcttaag      720
aaaactccta actctggccg cc                                     742

```

<210> 120

<211> 535

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 285

<223> 16-16-285 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 265..284

<223> 16-16-285.mis1, potential

<220>

<221> misc\_binding

<222> 286..304

<223> 16-16-285.mis2, complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 516..535

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 273..297

<223> 16-16-285 potential probe

<400> 120

gttggcaggg	ctgcttctca	ccccaaacca	agggagggac	aggcagggag	gctgagagca	60
gcggcttgcc	ctggagctgt	caggtgggag	gcagagggcg	ggagaggctg	tgggctgccc	120
aggtctgac	cctgacccac	ttgccacccg	tgccctcagt	tcttcccca	tggagaggcc	180
atctgcacgg	gctcgatga	cgttcctgc	cgttggttg	acctgcgggc	agaccaggag	240
ctgatctgct	tctccacga	gagcatcatc	tgccgcatca	cgctcygtggc	cttctccctc	300
agtggccgcc	tactattcgc	tggctacgac	gacttcaact	gcaatgtctg	ggactccatg	360
aagtctgagc	gtgtgggtaa	gggccagccc	tggctgctgc	ttcctcagct	ggaaggaccc	420
tccccagccc	tccctcccca	ttctgtaccc	cccatcagct	cccatttcgg	actctcttac	480
tgctgtccct	tgtcactggg	tgactccacc	cctggaatcc	agtaccacct	ggttc	535

<210> 121

<211> 529

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 121

<223> 16-17-121 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 102..120

<223> 16-17-121.mis1

<220>

<221> misc\_binding

<222> 122..140

<223> 16-17-121.mis2, complement

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 508..529
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 109..133
<223> 16-17-121 potential probe

<400> 121
gcaggcccag cagacttgag tctgaggccc caggccctag gattcctccc ccagagccac      60
tacctttgtc caggcctggg tggatatagg cgtttgccc tgtgactatg gctctggcac      120
yactagggtc ctggccctct tcttattcat gctttctcct ttttctacct tttttctctt      180
cctaagacac ctgcaataaa gtgtagcacc ctggtacatc tgtgatgttt gccttctact      240
ctcttctgtt ccaaaaagac ccagggtccca ttttaaggga gtaatgtgtt acagggtgctg      300
tgataaaggc tgggtactgg atagcttgtg ggcttatggg aggaggcctg agatgggtca      360
ggggggagaag gtattcagca ggtggctggg ggactgtgtg cagcagttcg ctatggcctg      420
cctgtggtgc ccatgtgttt gtacgggagg gttagcttga gaaggaatca gattataaaa      480
ggtcttgaat gtcaagccag agagtccaga ctttttccta agggcaatg      529

<210> 122
<211> 540
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 185
<223> 16-84-185 : polymorphic base C or T

<220>
<221> misc_binding
<222> 162..184
<223> 16-84-185.mis1

<220>
<221> misc_binding
<222> 186..208
<223> 16-84-185.mis2, complement

<220>
<221> primer_bind
<222> 1..22
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 525..540
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 173..197
<223> 16-84-185 potential probe

<400> 122
tagaatgcct ttaatgagca gtaaactctaa ttttattaaa tctcaaccct tgggtacggg      60

```

gtgtcatgaa	atgggaagta	gcacacagta	ctatatgcta	cagatgaagt	acaatgctgt	120
caaatagggg	tacttgtgtt	aattgttgga	gtcgcaagct	gaactagcgt	tttcttttct	180
tttcytttct	tttcttttct	tttcttttct	tttcttttct	tcttttcaag	acagggttctc	240
actctgtcac	tcaggctaga	gtgcagtgg	gcaatcacgg	ttcactgcag	cctcaacttc	300
ctgggctcaa	gcgatcctcc	cacctcggcc	tcctaaaatg	ctgggattat	aggcatgagc	360
caccactccc	agccccactt	ttttcagact	ggaaaacgca	cactcacatg	tgcatcttta	420
aatgatcact	tgggctgtgg	tatggagaat	ggcgaccagt	gaggaggcag	gagctgttgt	480
ccgagcaagg	gatgatattg	gcattcttga	ttggcatgg	ggcagtagtg	gtagtgcaga	540

&lt;210&gt; 123

&lt;211&gt; 525

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 74

&lt;223&gt; 16-87-74 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 51..73

&lt;223&gt; 16-87-74.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 75..97

&lt;223&gt; 16-87-74.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..22

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 504..525

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 62..86

&lt;223&gt; 16-87-74 potential probe

&lt;400&gt; 123

gtccatttcc	ctttgtccat	gtgtccctcc	cacctgcag	ccggctccct	cacatccacc	60
ctgggctgca	ggcrtgctcg	gcaggctccc	cacagatcaa	agcttgtcca	gggtctgcat	120
tgctgccaaa	ggccaggagg	actggtgtac	agaccggaag	gagctagagc	ttagtggcag	180
cctgagaggg	gaagctgaaa	aaggagaaga	ggcaaggggc	attccagggg	agccggggag	240
agccagcacg	gcctcctgg	atatgaggca	aagaggaaga	cagacacaga	cacaggggagc	300
tgcaggctgg	gggcataagc	tgggggctgg	gaagcataga	tacagaaatg	cacagatgtg	360
agctgagaag	caaggaggga	gagagagaga	cagaaagaga	gagagagacg	tgccagggct	420
tgagggacca	gagagccctc	ccagcctctc	tcggagtgtc	gggtatacagg	atgtctaccgt	480
actagggtaa	gacacctctg	gggacgctga	gtatgggaat	caaag		525

&lt;210&gt; 124

&lt;211&gt; 665

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 333

<223> 16-91-333 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 310..332

<223> 16-91-333.mis1

<220>

<221> misc\_binding

<222> 334..356

<223> 16-91-333.mis2, complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 641..665

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 321..345

<223> 16-91-333 potential probe

<400> 124

gccccatgctc	agggtcagtt	ggggaagggt	ggaaacgggg	agtgaagatt	tgccctctgct	60
gctatcctga	gtcccatctc	tctatccctc	ccatctgtct	ctggatttgt	agtttcactg	120
tcagggtctgc	atgggaacca	tcacttcaca	aggactctaa	tttgccctcc	tttggcgcct	180
gtgacaagct	caggagatgg	gcttccttct	gccttgctgc	ttctcacctt	cctttatatt	240
ccccctctct	gctcttcttt	gaactctcca	gctaagggtat	gtttgcacca	gtgtttgaaa	300
gaaccggcag	ctgaacttgt	ctgccagtgg	gargggggct	cttggagtta	gctgtctggc	360
ctctggagac	caccttctcc	agcactgcct	ctgccccaaag	gatcaatgtg	ctctaagtat	420
tcacccccca	acccttgacc	ttgtcgctcc	ctctccagtg	ggcaatctgt	cccaggctat	480
agaaaatgtc	ctgagtgtcc	tgtctttcta	cccggaggat	gaggctgcca	agagggctct	540
gaaccagtac	caggcccagc	tgggagagcc	gagacctggc	ctcggaccca	gagaggtaat	600
cccctctcca	cgctcacctg	ggaggtagcc	ccaaatcaaa	caaataagacc	tgagaagtaa	660
cctgg						665

<210> 125

<211> 327

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 142

<223> 16-128-142 : polymorphic base C or G

<220>

<221> misc\_binding

<222> 123..141

<223> 16-128-142.mis1

<220>

<221> misc\_binding

<222> 143..161

<223> 16-128-142.mis2, complement

<220>

<221> primer\_bind



```

<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 308..327
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 130..154
<223> 16-128-142 potential probe

<400> 125
ctaggaacag tgcgccagtt tctggtgggc tgcagggcac gaggagatag tcaacttgtc      60
tgactgttaa tccacctgt cccctgcaga tggaggggcg cagccaggcc ccgtgcccaa      120
gtccctgcag aagcagaggc gsatgctgga ggccttggtc agcagcgagt gtgagtgcag      180
cccctgcccc gtctcaccca tgcctcccag cctgcacctg cagggcgacc tctccttcct      240
gtgcgactcc atcctggcct gccctatctc acccgtgcct cccagcctgc gcctgcaggg      300
cgacctctcc ttctgtgcg accccat                                           327

<210> 126
<211> 551
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 245
<223> 16-133-205 : polymorphic base A or G

<220>
<221> misc_binding
<222> 222..244
<223> 16-133-205.mis1

<220>
<221> misc_binding
<222> 246..268
<223> 16-133-205.mis2, complement

<220>
<221> primer_bind
<222> 41..59
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 472..490
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 233..257
<223> 16-133-205 potential probe

<400> 126
gttctcctgg cactttgctc acctctgttt cccctccagc tcttctctgga gtacctgtcc      60
tttgtgcaat acacctcctg gaactgtctt tccagtctct gctttttgtc ctgatgattt      120
tcatgtgctt ttctcttaca tcatgaagca tttactccac attatcttcc agtttgctca      180
tttgtcctca cctccactct tctctttctg aatttgcttg ttgctttttc agtctcttag      240
ctccrtggag tatgttcagt gttgctgtgt tctgatagag gtcctttaag ccatcttgta      300
gattttttgt tgcacttcct ctcttccctt agacctccac aggaggaact tttcaatctg      360

```

```

tcctcttctc tctgcttaat gagccctgc aaagggtttg ggaagtgett cagcctctct 420
gtgattgtgt gttcacatta atatttatta ttttcttaaa tgtgcataaa tctcacaatg 480
tgaacagtga tcctctttga gtgatttttt ttctcctttc tacttttagt aattctccaa 540
attttctaca g 551

```

```

<210> 127
<211> 551
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 232
<223> 16-135-181 : polymorphic base A or T

```

```

<220>
<221> misc_binding
<222> 209..231
<223> 16-135-181.mis1

```

```

<220>
<221> misc_binding
<222> 233..251
<223> 16-135-181.mis2, complement

```

```

<220>
<221> primer_bind
<222> 52..71
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 482..501
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 220..244
<223> 16-135-181 potential probe

```

```

<400> 127
ttggttgtgg ggaccagaga cagagcaggc agggctctcac gttccccagg gcctctcaag 60
gatagaccct cgccctcatc tccaaaccac gcctcccaga caggaaccaa actcccagag 120
tctccaaact gcctgagcct tgcccactcc ctgggctaac acacacttta aaggaatccc 180
acagtcaccg tgtgaaaagc ttgctacact gcatttgatt ctgggcactg awagcagtac 240
ttggctgcag acactcgttt caaacaggcc ccatttttcc atctctgctg ctgttattag 300
gggagccctt agactctctt gcagcgccgg aataggcgct caagacgtgt gttaatattg 360
caacagcaaa tataatgaat ctgcagtgg ggacgctgag gccggagtgg tggatgaaag 420
gtggccggag ccttttccac ggggtccaaac cacctgttac aggagaaggc gagcggcctc 480
gctaagcaac tggacgttcc gcgggcgggg cgggggaggg gccggggccc gagtccgctc 540
ggaaactttc g 551

```

```

<210> 128
<211> 551
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 455
<223> 16-145-405 : polymorphic base C or T

```

```

<220>

```

<221> misc\_binding  
 <222> 436..454  
 <223> 16-145-405.mis1

<220>  
 <221> misc\_binding  
 <222> 456..474  
 <223> 16-145-405.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 51..69  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 523..540  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 443..467  
 <223> 16-145-405 potential probe

<400> 128  
 gtggaaaaaa ccatatggca ttgtcgcctt ctcagcctga cctggcatgc actctcacc 60  
 tcatctgtca tgccctcctgc ttttccacct ggggggctga gaagtccggc catcgaaacc 120  
 ttggttcctg ccagccacgg gagtttgga gctttatcag attcctgaag cctcgtttcc 180  
 tcatgggaac agtgcagggtg aaagcacctt cctctcgga cgggggggaa gatgagagga 240  
 aattaaatag atgtatggcc ccgcagcagg actggcgctc tccattgtgt ctgaaattgg 300  
 caggttcttg gtctcaactta cttcaagaat gaaaccacgg accctcgcgg tgactgttac 360  
 agttcttaaa ggcggcggtgt ctggagtttg ttccttctga tattcagatg tgttccgcgt 420  
 tttcctcctt ctggtgggtt cctcctctcg ctggytcagg agtgaagctg cagaccttca 480  
 cggcgagtgt cacagctcat aaacgcagta cagaccctaa gagtgagcag caattagatc 540  
 tatcacaag a 551

<210> 129  
 <211> 492  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 320  
 <223> 16-177-320 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 297..319  
 <223> 16-177-320.mis1

<220>  
 <221> misc\_binding  
 <222> 321..343  
 <223> 16-177-320.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..22  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind

<222> 472..492  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 308..332  
 <223> 16-177-320 potential probe

<400> 129  
 gaccctatcc gataaatggt gcttcctctt catgacaaag aaaatgaaca ctcatctact 60  
 caaaatattc agcacctgct gtgtgcttca ctcttcctgg cacaggggat gcagaatgaa 120  
 cagagagccc ctgccccact gggaggggtg tttgtgggga gatggaccag gtaccagtca 180  
 gtgaatatag cacaatggca ggtagagaaa agtgctacag tcactctaccg tgagcgctgt 240  
 gatgctctgc ccagtttcac cacattaatg gagcaccac tatatgctgg acacatacca 300  
 tgcattttct catcctagcr gctgttgcaa aatagacacg tccattgtga agactgcggg 360  
 cggtagaatc gcagccccca aagggtgtcca ggtcctaate ccacaaatcct gtttgtgtgt 420  
 tcccttgcat ggcaggaggg atgttgcaga tgggattcag ttaaagatct tgataccggg 480  
 gagatgattc tg 492

<210> 130  
 <211> 759  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 354  
 <223> 16-4-354 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 335..353  
 <223> 16-4-354.mis1

<220>  
 <221> misc\_binding  
 <222> 355..373  
 <223> 16-4-354.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 740..759  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 342..366  
 <223> 16-4-354 potential probe

<400> 130  
 cctcggtccc acgtaccatc tttccccag gtgggtcaagt accccctgca cgccatcatg 60  
 gagatcaagg agtacctgat tgacatggcc tccagggcag gcatgcactg gctgtccacc 120  
 atcatcccca cgcaccacat caacgcgctc atcttcttct tcactgctcag caacctcacc 180  
 atcgacttct tcgccttctt catcccgctg gtcactcttct acctgtcctt catctccatg 240  
 gtgatctgca ccctcaagggt gttccaggac agcaaggcct gggagaactt ccgcaccctc 300  
 accgacctgc tgctgcgctt cgagcccaac ctggatgtgg agcaggccga ggtyaacttc 360  
 ggctggaacc acctggagcc ctatgcccac ttctgtctct ctgtcttctt cgtcatcttc 420  
 tccttcccca tcgccagcaa ggactgcate ccctgctcgg agctggctgt catcaccggc 480

ttctttaccg	tgaccagcta	cctgagcctg	agcaccatg	cagagcccta	cacgogcagg	540
gccctggcca	ccgaggtcac	cgccggcctg	ctatcgctgc	tgccctccat	gcccttgaat	600
tggccctacc	tgaaggctct	tggccagacc	ttcatcaccg	tgctgtcgg	ccacctggtc	660
gtcctcaacg	tcagcgtccc	gtgcctgctc	tatgtctacc	tgctctatct	cttcttccgc	720
atggcacagc	tgaggaattt	caagggcacc	tactgctac			759

&lt;210&gt; 131

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-27199-207 : polymorphic base C or T

&lt;400&gt; 131

cccaatgtgg	ccagggacac	tgayggcctt	ttctggggtc	ttttgcc	47
------------	------------	------------	------------	---------	----

&lt;210&gt; 132

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-27207-117 : polymorphic base C or T

&lt;400&gt; 132

tgtgtggcca	gcccctccag	ggcygtgtgg	acagcttttt	gtgtatt	47
------------	------------	------------	------------	---------	----

&lt;210&gt; 133

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-27213-53 : polymorphic base A or G

&lt;400&gt; 133

tcacacatgt	aattgtttat	gcarcgttag	ggactctcag	attctgt	47
------------	------------	------------	------------	---------	----

&lt;210&gt; 134

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-27218-333 : polymorphic base G or T

&lt;400&gt; 134

gatatttaat	aggtggacca	ggtkggggag	tgtgtttcac	tccttga	47
------------	------------	------------	------------	---------	----

&lt;210&gt; 135

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28108-233 : polymorphic base A or C

<400> 135  
cccgatcatgc aacatctgga cacmactaac agagcatggt gaataca 47

<210> 136  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28109-275 : polymorphic base A or G

<400> 136  
atgtgtccta ggatgaacag taaraattat agactctgca gctctag 47

<210> 137  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28110-75 : polymorphic base C or T

<400> 137  
ggtttccgtg ggaaccagat cccygcaggt acaaatgggg cccagcc 47

<210> 138  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28125-81 : polymorphic base A or C

<400> 138  
ggaccgagga agctgtaatt ccamaagctc tctgggacct tgatggt 47

<210> 139  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28134-215 : polymorphic base C or T

<400> 139  
gggtctgtca ccctgtttgg gtayaggctc ctgcacgctg gcggcct 47

<210> 140  
<211> 47  
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28137-96 : polymorphic base A or G

<400> 140

aagcagtccc agctcttagc aggrcagact ctgccaggca gagaagg

47

<210> 141

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32204-305 : polymorphic base A or G

<400> 141

caggtgggtg gacttcagag tccractett aaccccatcc tccactg

47

<210> 142

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28149-118 : polymorphic base C or T

<400> 142

cccacatacg atactgtgac cttygatggg aggagctagc atgtgat

47

<210> 143

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28160-285 : polymorphic base A or G

<400> 143

tggatcaagt gctaggggat cgcrataatg ggagtaagta gctggggg

47

<210> 144

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-28171-458 : polymorphic base A or G

<400> 144

actcaagctt tgattccaaa tctctgttta tttcctactg ggaaatg

47

<210> 145

<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28173-395 : polymorphic base C or T

<400> 145  
ctgggccagt cccaacttat actytgggca atcgaaactc atttgcc 47

<210> 146  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32177-113 : polymorphic base C or T

<400> 146  
taggagaaat taaaaaggga tgaagtactc tgttcaaaaa aaagggt 47

<210> 147  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32181-192 : polymorphic base C or T

<400> 147  
acccaacaat gggattgcta ctgycagttc ctatgctcct ctacttg 47

<210> 148  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32193-258 : polymorphic base G or T

<400> 148  
aagaggtaat cgtagcttgg actkggttgg agtagtggag acagaga 47

<210> 149  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28722-90 : polymorphic base C or T

<400> 149  
gcatttaaaa gataaaatta tccycttggc actcctcaaa ctgtgct 47



<210> 150  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-28730-351 : polymorphic base A or G  
  
<400> 150  
agctgtggag caccaggctg gcartgagct ctgccctcag gcacgcc 47  
  
<210> 151  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-32306-409 : polymorphic base G or C  
  
<400> 151  
acagatgccc tgttttgttc cttstcttct aaaacatcac aatgatg 47  
  
<210> 152  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-27088-246 : polymorphic base A or G  
  
<400> 152  
agtttggttt ccgctcatgc tacrtgttct gtgagatcag tggggag 47  
  
<210> 153  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-27090-203 : polymorphic base A or G  
  
<400> 153  
tgttcagaag ttctcagact gggcrttggg ttcttgcaact tttcatt 47  
  
<210> 154  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-27091-220 : polymorphic base A or G

<400> 154  
agaagcattt ttctttgcat aacrcaacac cagtcctctg tgtttag 47

<210> 155  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27093-145 : polymorphic base C or T

<400> 155  
gagtcattct gaggtaaaca gaaytccaag agtaacgaag gcccaga 47

<210> 156  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27094-406 : polymorphic base C or T

<400> 156  
aagaccctat gccagttcc gccyggccac caaggccctt ctgaagg 47

<210> 157  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27096-410 : polymorphic base A or G

<400> 157  
cccggaataa tggttttcat caccacacc aactgcattt atttgca 47

<210> 158  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27097-83 : polymorphic base C or T

<400> 158  
catgacacct gcctgtcatc cccygaaaaa aggtgaacgc cgttcag 47

<210> 159  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24

<223> 99-27098-162 : polymorphic base C or T

<400> 159

acaagcactc atccacagga cacygccgat gatgccattt actgagc

47

<210> 160

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27550-48 : polymorphic base A or G

<400> 160

atctttcatg cttgatgtga gccrgaagaa aaatgagctt ctctatt

47

<210> 161

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27558-335 : polymorphic base C or T

<400> 161

aaatctcatg gccgcatatg ttayacaatc atgcccactt atgtagg

47

<210> 162

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27561-106 : polymorphic base A or G

<400> 162

cccagggtgat gataaaaatg gtcrtcatcg ccaggcttgt gtcctgt

47

<210> 163

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-27562-366 : polymorphic base G or T

<400> 163

tgtgggtaga ggccaggaat gctktaaac atcctacaag gaaggca

47

<210> 164

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele  
<222> 24  
<223> 16-31-738 : polymorphic base C or G

<400> 164  
taatagatcc tgtataaaag gggstctgga aattcgtgca tttcccg 47

<210> 165  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27110-301 : polymorphic base G or C

<400> 165  
tggacttttg gagtgaactt tgtsagatga ttagatgggtg atgtcct 47

<210> 166  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27563-400 : polymorphic base A or G

<400> 166  
tctctctctg ttaaagatca gctrttccct tctgatcttg gaaagag 47

<210> 167  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27573-443 : polymorphic base G or T

<400> 167  
cccgcctgc tctaattctg cckctccttg gctcagctcc agttcca 47

<210> 168  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28732-133 : polymorphic base A or G

<400> 168  
gtgctggaag gtcacgtgcc ttartgggtca tgagatcctg gtgcaaa 47

<210> 169  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28735-56 : polymorphic base C or T

<400> 169  
tctttacgtg gtgaaagtcc tagycagcca tcattcggca caacagt 47

<210> 170  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28736-399 : polymorphic base C or T

<400> 170  
aatgatttgt tggttttttg tgtycattgc ttagaagcag tgagtgt 47

<210> 171  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28738-319 : polymorphic base C or T

<400> 171  
ctttggattc tatgcaaaac aggyccctcag gggttgaaca atgtggg 47

<210> 172  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28739-364 : polymorphic base C or T

<400> 172  
ttctgcatac tgggatgtga ggaygggtaa actaggaaga aattcct 47

<210> 173  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27875-185 : polymorphic base C or T

<400> 173  
aataccatcc ccactaataa gtaycaagta ccagggtcc ttggaga 47

<210> 174  
<211> 47

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-27880-176 : polymorphic base C or T

<400> 174  
caagcaagct taccctcatc actyacttgg cctctattca aatagcc

47

<210> 175  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28747-371 : polymorphic base C or T

<400> 175  
ttctcaatct agatagacag aatycctcct cccaggacat ccccaga

47

<210> 176  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28753-353 : polymorphic base C or T

<400> 176  
atgcagggca ttctacaggg cttyaccatc tggagagggga gcctggg

47

<210> 177  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28755-206 : polymorphic base A or G

<400> 177  
accctatccg ctgcactcag agcrgggacc atccgccaag ggagaca

47

<210> 178  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32333-366 : polymorphic base C or T

<400> 178  
cttgaatgct aggaaaggct ataycccaga caactattat cccatth

47

<210> 179  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 16-38-323 : polymorphic base A or C  
  
<400> 179  
ttttcgagct gtgggtatatt aaamaaatac atagaaatga actgtaa 47  
  
<210> 180  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-28484-179 : polymorphic base A or T  
  
<400> 180  
tacatgcttc tctaggtgtg tgawtaactc ataatccatc catgact 47  
  
<210> 181  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-30853-364 : polymorphic base A or G  
  
<400> 181  
acaaaaacggt agtacacttt ctcraattggg ttagctcaaa atatggt 47  
  
<210> 182  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-28485-198 : polymorphic base G or T  
  
<400> 182  
aaacatcaaa gttaatttct gttktctatc tatcctgccc cttctat 47  
  
<210> 183  
<211> 47  
<212> DNA  
<213> Homo Sapiens  
  
<220>  
<221> allele  
<222> 24  
<223> 99-30858-354 : polymorphic base C or T  
  
<400> 183

ccttcagttt ctccagccat cttygctgcc acgccaagc ccaggcc 47

<210> 184

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32002-313 : polymorphic base A or G

<400> 184

acaccagcac aggggtgggtg agargacatc ctgctgactt tataaag 47

<210> 185

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-15-366 : polymorphic base C or T

<400> 185

catgttatta cagaatttag taayactggt tttaaaaagt atgatta 47

<210> 186

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-20-174 : polymorphic base A or G

<400> 186

tgagcttggtg tcttcaaact aggratacat caattactta attattg 47

<210> 187

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-31-178 : polymorphic base C or T

<400> 187

cagtcttact ttgcaaattt aagycaaata attaaggatt tgttaaa 47

<210> 188

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-38-395 : polymorphic base A or T



<400> 188  
gattgacttct aaaccatttc acawtgagtc taaattcact gcttaat 47

<210> 189  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-2-192 : polymorphic base G or T

<400> 189  
gatttgcaca gtggcctctt ttaktcatca cttaggttct gttattt 47

<210> 190  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-26921-210 : polymorphic base A or G

<400> 190  
aataagtgcc aaggagattt ggtrggatcc ctgcaatgtc tgctaca 47

<210> 191  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-215-80 : polymorphic base C or T

<400> 191  
ctcgggaagg tgaccgagaa agayatctgg gtacaagaac ctgaatc 47

<210> 192  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-132-368 : polymorphic base C or T

<400> 192  
cagaccagac aacctcttgg ggtcttttct tgcattgagg tttgatt 47

<210> 193  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele

<222> 24  
<223> 18-133-293 : polymorphic base A or C

<400> 193  
gcatctggat agccctcttc tgamgtttcc tttcagaaag agagata 47

<210> 194  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-12-191 : polymorphic base A or C

<400> 194  
agacaatgct ttgactatat gccmttggtg gaaaacattc taaagat 47

<210> 195  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-11-137 : polymorphic base A or G

<400> 195  
actggggaga agggaggtcc tgcrgggagg agaaaaggga aagtggg 47

<210> 196  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-93-96 : polymorphic base G or T

<400> 196  
tagtgggttg tggcagaaat tgktctcta cagaatatta tcttaag 47

<210> 197  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-115-343 : polymorphic base A or C

<400> 197  
gggagggcct ctctcaggcc tggmagggag caggggtcac aaactgt 47

<210> 198  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-42-140 : polymorphic base A or G

<400> 198  
ttgaggagaa ggaggggaag gccrtgctaa acctgctctt ctccccg 47

<210> 199  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-251-176 : polymorphic base C or T

<400> 199  
gtagaagtgg aagacagatt tgcytctctc aggcactagg gcacttg 47

<210> 200  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-269-44 : polymorphic base A or G

<400> 200  
gcttggcmag atggatggtc aggracttga aaggaacaca tttggga 47

<210> 201  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-218-624 : polymorphic base C or G

<400> 201  
caagtgatct ctttaagtca tttstaatgt gaaaactgcg tgattta 47

<210> 202  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-393-330 : polymorphic base G or C

<400> 202  
aagctagtcc ctgtttctca atcstccttc taaagtcact ttaacca 47

<210> 203  
<211> 47  
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-394-402 : polymorphic base A or C

<400> 203

cttagaagtc cttggtgtcc gagmcttagt cccacaatgg atgctgg

47

<210> 204

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-217-55 : polymorphic base A or G

<400> 204

cgtagctgga tttcacctcc aggrcagcca gctggacaga caggcag

47

<210> 205

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-284-139 : polymorphic base C or T

<400> 205

gggtggttcc tgtcagtggt gagygagacc cgggaaagca tcttggt

47

<210> 206

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-285-305 : polymorphic base A or G

<400> 206

tgctgaaagc cagttgcatt tcaratagtg tctgtgccac cttcaga

47

<210> 207

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-289-239 : polymorphic base C or T

<400> 207

agcctattac aaagacattt tctyctattg ctacctctcc ccattta

47

<210> 208

<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-291-91 : polymorphic base C or T

<400> 208  
atggggggacc tccgcctccc aatygtgctg gctggaactt tcctgtg 47

<210> 209  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-186-391 : polymorphic base G or T

<400> 209  
tgggcatgag gtggcaggaa gaakgaaaga gtgaagataa tggagtt 47

<210> 210  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-194-130 : polymorphic base C or T

<400> 210  
tcatcagttt taatcagata atgycttact tctgtagata tagtcta 47

<210> 211  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-198-252 : polymorphic base A or G

<400> 211  
atattgttca tatggcagag gggrgaaaag caatgactta atcaagc 47

<210> 212  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-242-300 : polymorphic base A or G

<400> 212  
acattactgt cttctttatg actrtgaaat aataaaataa aattaaa 47

<210> 213  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 8-15-126 : polymorphic base A or G

<400> 213  
tggcatctct gagccagctg agtrgccacc tgaactacac ctgtggg 47

<210> 214  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 8-19-372 : polymorphic base A or G

<400> 214  
tggaatctgc taattttggc tgcrccttga aggtaggaaa tccaatc 47

<210> 215  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-2409-298 : polymorphic base A or G

<400> 215  
aagtagcgca tggggctgca gccrcagatc tcctgggctc tgggtct 47

<210> 216  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-339-54 : polymorphic base G or C

<400> 216  
catgatggcg acagaaaaga atastccctt gcctaatttt gatgata 47

<210> 217  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 12-254-180 : polymorphic base A or G

<400> 217  
gcatatgaag aggctagcaa aagrtatttta acaagcggttc aacattc 47

<210> 218  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 10-214-279 : polymorphic base C or T

<400> 218  
ctaaggactt ctggtttgct cttyaagaaa gctgtgcccc agaacac 47

<210> 219  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 10-217-91 : polymorphic base C or T

<400> 219  
aaaacacatc ataaaattca ttayacaatg tcacttattg ttccatg 47

<210> 220  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28779-168 : polymorphic base C or T

<400> 220  
tctggtctgc tctctgcatg aggyacagca gtaaagctct ttgattc 47

<210> 221  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28788-300 : polymorphic base A or G

<400> 221  
actgagccaa gcacagagat cacrtccact ttcttcaagg gacttgt 47

<210> 222  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24

<223> 99-32052-262 : polymorphic base C or T

<400> 222  
cctatttttt ataacgtatt aacyttatta ttttcttatt attttaa 47

<210> 223  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32121-242 : polymorphic base A or G

<400> 223  
ctgattcaag tgtctatcaa agartggctg cagttgacca tgtattc 47

<210> 224  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32059-169 : polymorphic base C or T

<400> 224  
ttgttttttc tttataatat tacyatctat gaatatattt ctaaaca 47

<210> 225  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32061-304 : polymorphic base A or G

<400> 225  
gaccagctct ttggagggag gccrtaatcc ctccataacc tgtccta 47

<210> 226  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32065-303 : polymorphic base G or T

<400> 226  
acaattatta accagtacag tctkgttatt ttaaacatta gcatgag 47

<210> 227  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>



<221> allele  
<222> 24  
<223> 99-32123-118 : polymorphic base A or G

<400> 227  
tagtaagaaa atctatcatt tttrttttaaa aaatctttca attttaa 47

<210> 228  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32148-315 : polymorphic base G or C

<400> 228  
gtggttctct ggaaaccgag gctsgttgca aaccctaaa aagtact 47

<210> 229  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-2-76 : polymorphic base A or G

<400> 229  
ggaggcatgg aggctgtcat cacrggcctg gcagatgact tccaggt 47

<210> 230  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-28-93 : polymorphic base A or C

<400> 230  
ttcagccatt gatgaggtcc ttgmtgtttc ttacaggagc tggccta 47

<210> 231  
<211> 39  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 20  
<223> 16-3-199 : polymorphic base C or T

<400> 231  
ctggctgttc cctgctgtgy actgcccaag gctagacat 39

<210> 232  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-50-197 : polymorphic base C or T

<400> 232  
gggtgtgtagt gtctgcaggg aagycctgca tgtggggagg gggctgt 47

<210> 233  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-1-59 : polymorphic base C or T

<400> 233  
ccgcaactca gatatttttt tccytggggg ctggatttgg agtattg 47

<210> 234  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-2-187 : polymorphic base A or G

<400> 234  
ttctgcataa ccaaggtgag tagrggctgg gctctgggtc acctggg 47

<210> 235  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28761-311 : polymorphic base A or G

<400> 235  
tgaaatgctt taagagaatt tgtrtgctaa atttagaagt tttgatt 47

<210> 236  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28771-86 : polymorphic base C or T

<400> 236  
caggaaagat agagataatc atayagtacc cagaaaatga ctgcttc 47

<210> 237  
<211> 47

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-28791-291 : polymorphic base A or G

<400> 237  
aaatgtcatc aactcccaca tgtragaaac accatgattt gtactgt 47

<210> 238  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32077-66 : polymorphic base A or G

<400> 238  
ttttagtagggg gaaaacaatt tgcrtttggg aaataatcca acaagca 47

<210> 239  
<211> 46  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32078-466 : polymorphic base C or T

<400> 239  
tgatgcttgg agcaagcagg ccayctctgt ctgagagagg atacag 46

<210> 240  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32376-426 : polymorphic base A or G

<400> 240  
tttattgggt cactcacatc tgggtgtag agccaaattc caaagac 47

<210> 241  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-32361-419 : polymorphic base G or T

<400> 241  
ctcttttata aacttccata aaakctggtg agtctcttaa gaactgg 47

<210> 242  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-21-228 : polymorphic base A or G

<400> 242  
agtgtgtgtca gaatcaccta ttcr aaaggc gaatccgatc atgtggt

47

<210> 243  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-22-156 : polymorphic base C or T

<400> 243  
tgtgaagaaa agagccttgg gtttgactag ggaacctggg gccactc

47

<210> 244  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-23-404 : polymorphic base A or G

<400> 244  
tctgggtatct gctgtgctgt tgtrtatatc taagatgacc aggcagc

47

<210> 245  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-24-175 : polymorphic base A or C

<400> 245  
tgggcagggt ctggggtagg acgmgcagag cagctgcggg gactggt

47

<210> 246  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-25-286 : polymorphic base C or T

<400> 246

actctccccg acccgccca ccayggtctc cacagactc cygacag 47

<210> 247

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-25-279 : polymorphic base C or G

<400> 247

ccagctgact ctccccgacc cgtscaccca ygggtctccac agcactc 47

<210> 248

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-23-393 : polymorphic base G or T

<400> 248

gtttttaata ctctggtatc tgckgtgcgt ttgtgtatat ctaagat 47

<210> 249

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-106-364 : polymorphic base C or T

<400> 249

gttgcttccc ctgcccccg aatcacagc gctctgcttc tctgtgt 47

<210> 250

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-16-285 : polymorphic base C or T

<400> 250

agcatcatct gcggcatcac gtcygtggcc ttctccctca gtggcgg 47

<210> 251

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 16-17-121 : polymorphic base C or T

<400> 251  
ccctgtgact atggctctgg cacyactagg gtcttgcccc tcttctt 47

<210> 252  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-84-185 : polymorphic base C or T

<400> 252  
aactagcggt ttcttttctt ttcttttctt ttcttttctt ttctttt 47

<210> 253  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-87-74 : polymorphic base A or G

<400> 253  
cacatccacc ctgggctgca ggcttgctcg gcaggctccc cacagat 47

<210> 254  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-91-333 : polymorphic base A or G

<400> 254  
gctgaacttg tctgccagtg ggargggggc tcttgagtt agctgtc 47

<210> 255  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-128-142 : polymorphic base C or G

<400> 255  
aagtcctgc agaagcagag gcgsatgctg gagcgcttg tcagcag 47

<210> 256  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele

<222> 24  
<223> 16-133-205 : polymorphic base A or G

<400> 256  
tgctttttca gtctcttagc tcrtggagt atgttcagtg ttgctgt 47

<210> 257  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-135-181 : polymorphic base A or T

<400> 257  
ctgcatttga ttctgggcac tgawagcagt acttggtctgc agacact 47

<210> 258  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-145-405 : polymorphic base C or T

<400> 258  
tgggtgggttc ctctctcgc tgggtcagga gtgaagctgc agacctt 47

<210> 259  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-177-320 : polymorphic base A or G

<400> 259  
accatgcatt ttctcatcct agergetgtt gcaaaataga cacgtcc 47

<210> 260  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 16-4-354 : polymorphic base C or T

<400> 260  
ctggatgtgg agcaggccga ggtyaacttc ggctggaacc acctgga 47

<210> 261  
<211> 502  
<212> DNA  
<213> Homo Sapiens

<220>  
 <221> allele  
 <222> 362  
 <223> 18-473-362 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 343..361  
 <223> 18-473-362.mis1

<220>  
 <221> misc\_binding  
 <222> 363..382  
 <223> 18-473-362.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 482..502  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 350..374  
 <223> 18-473-362 potential probe

<400> 261  
 ggcatttttag caagagatga ctaatcagag aggagttact agtggagaaa agtaatttga 60  
 gatgtatttt tgaagtagga atcatagtag accacaaaga gatcctttat ttctttaaag 120  
 ctatcattta ttgttagtac tgtaacaact tcacttatgt gatcctattg aatgctcaga 180  
 acaactgaac agctagctcc atttaacaga taagaaaatg catgttcaat accaagattc 240  
 aaacccaggc ctagccagct ccagaaacct gagcttttaa catttacgct ttcctacaaa 300  
 acaggggtgac ttaacaaagt atctgtttct aaagacagtt cttagggcta agaaatcaga 360  
 aygtgccttt agaaataata agtattccta gttgtgtgtt aaaggtagga agctgaaacc 420  
 aacagacttt cctgtcccta agctaaacaa tactgaacca gtcaaaataa cttggctact 480  
 tgtcccagga aatacttgct cc 502

<210> 262  
 <211> 457  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 88  
 <223> 99-12361-88 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 68..87  
 <223> 99-12361-88.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 89..107  
 <223> 99-12361-88.mis2, complement

<220>  
 <221> primer\_bind



```

<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 438..457
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 76..100
<223> 99-12361-88 potential probe

<400> 262
caaggaacac aagagtttga ggscacttct ttagcctttg aactggttat tcatcctcat      60
tcttacctgg cattatttgg aatgcttyat ttcctctgta cctggccttc actccttggga      120
agtctagctt gtttgtgcag tttcctactg tttaaacaag agattgttta aactctagcc      180
actgatttcc acagctgttg ccagtgtttt tctttctcac tgaagccaaa catggagtgg      240
ctggagtctg gaaacatgcc ttgagaaatc aaagtccca tctgacattg cagcctactt      300
cctagagcta gtgtcactga ggaaggggtc atttactcat tctaatgtca ggattcccac      360
accaataacc acatcatttc tcaacaaata catcccttcc cctactccac ctcgggcaat      420
aactgtgggt ccggaggcta cagggctttg ggtgtgtg                               457

<210> 263
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 335
<223> 99-12368-335 : polymorphic base A or C

<220>
<221> misc_binding
<222> 316..334
<223> 99-12368-335.mis1

<220>
<221> misc_binding
<222> 336..355
<223> 99-12368-335.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 482..502
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 323..347
<223> 99-12368-335 potential probe

<400> 263
gaacagaagg tattgaacag aaacaaagta ttttcaaact ggtagaaaaa ggattagaaa      60
tcttggctct tcaatttctt catatccttg gccacacata atgaccccaa gagcacttgt      120
tggcaatggg agggagaag gagatcacat cagtcataag gccaccattg ccctgactcc      180
tggcatctgt cctgcttctt actttttatg agcagagtga ggtcaacagg caccatggaa      240

```

```

agagcactgc gttgaagtta cacattccgg gacttcgctt gcttgctagc atcagtcctgt 300
agctgtaaaag tggtagacagt aatacctacc actamggtgt tgtgagaatt aaatgaggca 360
ggatcttgga cttagaaaagc tgcccagata tggtaggtac tggtagataag cattctgggt 420
atactcatcg gattccctcc tcccacctct tccctggatt gggtcattcc ctccaatgca 480
gcccttctct ttcctcatgt at 502

```

<210> 264  
 <211> 461  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 67  
 <223> 99-12370-67 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 48..66  
 <223> 99-12370-67.mis1

<220>  
 <221> misc\_binding  
 <222> 68..87  
 <223> 99-12370-67.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 441..461  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 55..79  
 <223> 99-12370-67 potential probe

```

<400> 264
attacgcaag cactacgcca attaatccaa gacctgtgcc aaatttaaaa ggaaaagcag 60
agttcartgc aaattctaga aatagttgtc aaaatcccca tttcttatgt cctagataat 120
acttgtatat ttctggatgt ccatagaaaa ataaggatgt cattacatag aacaatagct 180
gtcagcatac agaacaatag cagaacagtg gggaggattt cagatgtgaa cagtgtttgt 240
gagaatgaag caagctacag tgcctccaa ggggacttcg tgagctcaac ttgacattta 300
gtctcacatg actgccttag gtccttggc accagtcaac acagaaggac attggatgtg 360
tttatccaac acttctgtct tgccaacaga gcagcatcag cagacagtcc tcttcagggg 420
aagagtcctc actgtatata gttgagatgt gaggaaatga c 461

```

<210> 265  
 <211> 449  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 314  
 <223> 99-32148-315 : polymorphic base G or C

<220>  
 <221> misc\_binding

<222> 295..313  
 <223> 99-32148-315.mis1  
  
 <220>  
 <221> misc\_binding  
 <222> 315..333  
 <223> 99-32148-315.mis2, complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 428..448  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 302..326  
 <223> 99-32148-315 potential probe  
  
 <400> 265  
 tgagtgcatt tgatgtgggs cagcaaagct tcattcaggt ggaaacagat taagaagacc 60  
 aaagagtggg gaaatggcta agtaggaatg aaaaaacagc cagctacccg yggccagtgc 120  
 cttattctaa aagaggacag ctagcttgcc caaggactct tgcagaagga aacctgggag 180  
 agtttccttc tcctcttgca gaagtaaaact cttcaggttg aagagtcagg aaggagctcc 240  
 agggatgagt gaagtcaact gaagttgcct cttttataaa cagctctgca gtggttctct 300  
 ggaaaccgag gctsgttgca aaccctctaaa aagtactgct ctgcaaggct tgtaactgcc 360  
 atacttgtgt ggtcctgctc catctccatg tgtggcagtg ccagctgcaa ccagcctcac 420  
 acagggtccg agagtctcag aactgcaag 449  
  
 <210> 266  
 <211> 426  
 <212> DNA  
 <213> Homo Sapiens  
  
 <220>  
 <221> allele  
 <222> 322  
 <223> 19-46-322 : polymorphic base C or T  
  
 <220>  
 <221> misc\_binding  
 <222> 302..321  
 <223> 19-46-322.mis1, potential  
  
 <220>  
 <221> misc\_binding  
 <222> 323..341  
 <223> 19-46-322.mis2, complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 409..426  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 310..334  
 <223> 19-46-322 potential probe

<400> 266  
 gatgagtgc tcaatggacc agctccacaa acaaagctgg aggtgtcttg tacagacccc 60  
 aaatgctatc catgtggggc tgcaggatca aatagcaggt ggccctcatc tgggggtgca 120  
 gccaggctgc cagaaggggtg tccctggggc aagctgaggc ctccctccct tctcttctt 180  
 tcagagactg gcctatggca tcacgccaga gaacgagcac cacctgggtg ctcagagggga 240  
 catcagacag ttccaggtgg gtgaagccta gacccctggg gtggagatta caagggcggg 300  
 ccctggctgt tccctgctgt gyactgccca aggctagaca tcacatccag aaaacccaga 360  
 aacccagtgt gagctgcctt ttccccttgg aaacatcggg atgggggaca gggagcctca 420  
 ccttga 426

<210> 267  
 <211> 422  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 315  
 <223> 19-47-315 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 296..314  
 <223> 19-47-315.mis1

<220>  
 <221> misc\_binding  
 <222> 316..334  
 <223> 19-47-315.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 403..422  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 303..327  
 <223> 19-47-315 potential probe

<220>  
 <221> misc\_feature  
 <222> 103  
 <223> n=a, g, c or t

<400> 267  
 tcctcgctgt ctttctctgc agttgcaaca ctggctggcc atctgagcct gcctggagga 60  
 gaaggaggaa ccccatgccc aatgtccagg tcacaggcat ycnctgcgct cccacctcgg 120  
 acaccatctt gggattcctc ccctggaagt tgctcttct gatcctctct tcttttccca 180  
 tttacaaatg atttcgtgac ttagtgtttt gttcaccttc tgtgcatctg gcctgggggc 240  
 tgtagctca gaggagagga gcaaacagga aaatgacttc tgttctgtcc ccgctgtttt 300  
 gggggaagtc tctcycactt tgggatcctg ctgaagctag gttcatgagg tcggaaatcc 360  
 ccaccacatt tgcctagact ttgggcacag gatttcttag tccaccaaatt cagagagagg 420

at

422

<210> 268  
 <211> 419  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 346  
 <223> 19-51-347 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 327..345  
 <223> 19-51-347.mis1

<220>  
 <221> misc\_binding  
 <222> 347..366  
 <223> 19-51-347.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 401..419  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 334..358  
 <223> 19-51-347 potential probe

<400> 268  
 atcagggtcaa gcccatgtgg tgcattggcag tggctagggt ccctgagtta ggggagagtg 60  
 gccagggtcct gtctccatca gcatgcattt gcagggactg gtctgtgggc acggcctctg 120  
 tcgtcctccc tgacgacatt taccctgggc ccctcccctc tcctctgggc aggcgtgggtg 180  
 tcctgcacct tcacgagagc agcgggattc atgacatcgg cctgccccag tggcagctct 240  
 tgctctgtct gatggtcgtc gtcacgtctt tgtatttttag cctctggaaa ggggtgaaga 300  
 catcaggaaa ggtaatatct ctgtgtttct ctttacttta cttgggtgat caaccttggg 360  
 ggggtgtgatt atttctagca ataattatgt agctggtgga caaaaaagat ggagctgga 419

<210> 269  
 <211> 499  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 263  
 <223> 99-32052-262 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 244..262  
 <223> 99-32052-262.mis1

<220>  
 <221> misc\_binding

```

<222> 264..282
<223> 99-32052-262.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 478..498
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 251..275
<223> 99-32052-262 potential probe

<400> 269
cagagtgcaca aataagtgcgt atggccttgat agaagtgaag ctcttcacat atattcaaaa      60
tacatatcac aaacttttgggt aaataggata gtaatctgaa gaacttttgc cctttttacc      120
ccatttactg taactcttgt ttctaggtaa tcgttctctc tcaacaaact tctcaagcgt      180
ctgtgtaaca agccacatgt tctaacaaat tgtctccatc gcacttcaac agccagggtcc      240
ctatttttta taacgtatta acyttattat tttcttatta ttttaaaaga atctatgcac      300
attagcaaaa tttaaaagat agagaaaaat ataaacagaa aaaattatgt ttacttctac      360
caccctaaat caactattat caattttata catattttac tccatctttt ttcaaagttt      420
cttacatttt ccaatgtcat taaaattctc tgtgaatgta aattttaaaa actgtaccta      480
ctgttttttg gaatctgta                                     499

<210> 270
<211> 3001
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 1501
<223> 10-213-292 : polymorphic base G or C

<220>
<221> misc_binding
<222> 1482..1500
<223> 10-213-292.mis1

<220>
<221> misc_binding
<222> 1502..1521
<223> 10-213-292.mis2, potential complement

<220>
<221> primer_bind
<222> 1211..1229
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 1588..1606
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 1489..1513
<223> 10-213-292 potential probe

```

<400> 270  
gcagaagtat aagatctttg taaaacagtc ctctccctgg ttcattctgct ttctgttacc 60  
acaataatgc taagtaaaaa aacatccaaa aacctccctg gcattttaaca atatgcatat 120  
tgctcacacg tcttgatagt gagctctgct gatattggca ggacttgctc tggctctggct 180  
gtgatctgat ggagcctggc cctgggtgcg ctgtgcaggt tgactcagct ctgccccaca 240  
tgtgtctcat gtttcagtcg ggtaaccact ggtgaagaag caagctagga accagggtat 300  
ctgacttctg agctaaactc ttaaaactct taatatggcc tttcaaataa aacactaagt 360  
actaggtgcc tatcaaccac actgttttca gacctctgcc aaaacttgga ttctttgtgc 420  
tatgaagaga catggctttt gggctggtct ttgtgtggca gtgaggtgag cacaaagga 480  
tgttcttcag agattacagt ccagccctga agcaacaact aggagactgt ttcagcaagt 540  
gaggacaggg ctgtgtgggg ttctatcctt ttcataactt tgccctggcac tgaatcaca 600  
tgctctgata acatccacca gaactttctt ttgtcatatt tgggatagaa agggactagt 660  
ttttcctcaa attattgata gagattttat ataatatagt gtttctctcc acattttatg 720  
tatataacaa aagccctgct tttgtgtata tatgcatata tatatatata cacacacaca 780  
cacacacata tatataatac aaatcctgct ttgtaactgt ttttgtttgt atatataaca 840  
aaaagagtta tgaaccagaa gtttgccaa taatccttgt cgcacagaga atttgctttt 900  
tctatctgtt ttcactttct tgggtacaga cgtgtaacct cttttttgaa tggtgacaat 960  
cactttgtca tattttattt gatgctagt gctatagcct attagtcatt tttgcttcca 1020  
tgagaaagaa aaaccactac atggttatgc taaggatttc agtcattggg gttagagcct 1080  
tcccgaatgt ctctgctttt cataactcct ccacacatct tagtgggcca ttgagcacat 1140  
caaaggcat gacagttatt aaaatacttt atgaatgcta caatcctttg ccagtatgag 1200  
ttgttctctg gaacttctaa cagttcaaca gtactacatg gactgagtta aaagttaatt 1260  
caaaaatctc aatttatcca aatctgtttc tttcttttca ggcaccaccc acctatgata 1320  
ctgtgctaca gttggagtat cttgacatgg tggatgaatga aacactcaga ttattcccag 1380  
ttgctatgag acttgagagg gtctgcaaaa aagatgttga aatcaatggg atgtttattc 1440  
ccaaaggggt ggtggtgatg attccaagct atgttcttca tcatgaccca aagtatgga 1500  
sagagcctga gaagttcctc cctgaaaggt aggaggcccc tgggaagga gccctccctg 1560  
aaccagcctg gttcaagcat attctgcctc tctacaggac agtctgggct tgtacaatca 1620  
tttgcttgct tttttatggt taaaagggtt tttcaaatac tgaattgat cattgtcaca 1680  
ctttacaaac cacagactag ataaaagaaa actatagcca gtcacagtcc cagcaactta 1740  
agatgaaggt cctcaattat gtccttatgg gtcataagtg tccaaaatgt aaggactctt 1800  
ttaaaaacac atgatcacia tgctattatt atgtcccaca aatgaatatt ttttccctgaa 1860  
tataatcaaa tcttcaggaa tcaaatttga ataaaaaaca tgcgtctaatt cttcaaagaa 1920  
ttttataggt agtgcaacag atagacaaag aaagcagtga tgacactgct ttccatcaat 1980  
acagtgcatt catatgcctg tgtaatttat ctgacttaaa ctattctatg gaggtgtggg 2040  
ggagaaagaa ggagagatgg agattagaag aaggaggaga aggaggagag aaggagggt 2100  
aagacaaggt agggaggaga agggaggaga ttagaaaaac aagagacgag agggagaagga 2160  
aagtgcacaa taacaatttt gaagtagtgc aagacaattt cttctccttc ctcatgacca 2220  
acataaggggt gacttgaggc aggaatctac ttttctgtca gtcattctca tcaattatgt 2280  
gccttttgta gtgtgaacac atcaccatcc tgactataat ttgagtgttt agaaataaat 2340  
atactttgca acagtattta tctcctctca acaagactga aagctcctat aatgtaagga 2400  
gagtagaaaag gatctgtacc ttacaattct catagcaaaa tatgcatagc aggatttcag 2460  
tgactagccc acaaaagtat cctgtgtact gctagttagg ggtggggccc taagtaagaa 2520  
accctaaccat gtaactctta gaggtattat gtcttttaact tttaaaatat ctaccaatat 2580  
ggaaccaggt tcagtaaaaa gaacaaggac aacatagatc cttacatata cacacccttt 2640  
ggaagtggac ccagaaactg cattggcatg aggtttgtct tcgtgaacat gaaacttgct 2700  
ctagtccagag tccctcagaa cttctccttc aaaccttgta aagaaacaca ggtcagtcac 2760  
ttttctgcat taataatgtt ttattaacaa ttatttttaac tgaatggctt atatatttaa 2820  
aaaagaatac actcacttaa tcttttaata atttgttcta tgggccaagg aatctatttg 2880  
gacccatcta tgatctttaa ggggtgcttca gttctggagt tcaaaagctg tagcattaaa 2940  
aacatcatgc aatgtcaatg tagactagca tgacatgatt atctacagtc tccttgaact 3000  
t 3001

<210> 271

<211> 465

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 135

<223> 18-419-135 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 115..134  
 <223> 18-419-135.mis1, potential  
  
 <220>  
 <221> misc\_binding  
 <222> 136..154  
 <223> 18-419-135.mis2, complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 448..465  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 123..147  
 <223> 18-419-135 potential probe

<400> 271  
 ttccaaccct gttaagactc ttctacagtt gctttttgtg tagctgacca acataacaat 60  
 catgttcttt attctacatt ccttgataca tttcaaccct tccatactga tcacttccct 120  
 tctgttgagg caaaytcagt tttttttgtg aaaatgtttt ctattttacc cttgttcttg 180  
 aaagggtggc ccaatctcag taagataact tactgaccta ttctaaggct gggcccaaca 240  
 gagcctcact ccccaaccct gtagggaccc tggatctggg tagaacattt atgcggtagg 300  
 ggaacagtcc ttcttaaaca ggcgcttgga agccctttgc agatgccggt gagaatcggc 360  
 ggtctgggaa agagtacaca tcttgagag aagctgaaga ggaagccct tttcctgttt 420  
 tttcactttc aagaacatga gccacctggc tgctttcttt tgtag 465

<210> 272  
 <211> 527  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 419  
 <223> 18-424-419 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 400..418  
 <223> 18-424-419.mis1

<220>  
 <221> misc\_binding  
 <222> 420..439  
 <223> 18-424-419.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind



<222> 507..527  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 407..431  
 <223> 18-424-419 potential probe

<220>  
 <221> misc\_feature  
 <222> 478  
 <223> n=a, g, c or t

<400> 272  
 cgctttaatt tttagggttc caaaccaaaa gtggcaatca ccatggcata tgtgtacctg 60  
 tgagcatgta gattcatgtg tgctgggggc attttatagc cagttctttc tcagagtccc 120  
 tttttctttt agccaatgga ttctggctag gaaaaacatt aaccgcacct tagtagacta 180  
 gttagaagac tgagaagaac caggtaggga agccagagaa gtgacattca gagatatttg 240  
 gaaacaaact tgagcataca ttttacccaa caggaattag ccaggcattt tatttttaaa 300  
 aaaagaaaaga aaaagaaatt ttagcaactc tttgttggtg cccctctctg tgtttagaat 360  
 cgtgattttc cagctatggt cctcacagcc gtaggatttc caagggtaaa aggttagagsa 420  
 gggggtgtgg aggtttggat atgagcatat gggacttcca tagctcctat ttgaaaanwt 480  
 gctgttttag aagagcctgt taagctgagt tttgaacttg acagcat 527

<210> 273  
 <211> 451  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 290  
 <223> 18-429-289 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 271..289  
 <223> 18-429-289.mis1

<220>  
 <221> misc\_binding  
 <222> 291..309  
 <223> 18-429-289.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 434..451  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 278..302  
 <223> 18-429-289 potential probe

<220>  
 <221> misc\_f ature  
 <222> 110  
 <223> n=a, g, c or t

```

<400> 273
gtccagcttc tttagttcca tgctgccaga cagaccgtca gagcagaaca gataccttca      60
ttttgtcata acttttttaa aaatggcaaa aaataatagc cacatacagn tttgttagtg      120
aggtgaaatt cctcatagaa caaagacaac aaagaatata aaatgtttct aatatgttaa      180
aatatatttt atattctttg tattcttttag tctgaaaggc ttaaacttta catttctggg      240
gggatttcag aaaaaaaagt tttcttaggt aaagcgtctt tttcccttm aactagccca      300
tttgaaactc ttctgtttct gaatgaattt cacctaacct gtctacagct atattcacag      360
acactgtttt tccctttaca gactgaccct accctttctg ttacaaaata cagaaacggt      420
gccagtgttt tttggttggt tgggtggttt g          451

```

<210> 274

<211> 487

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 256

<223> 18-246-256 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 237..255

<223> 18-246-256.mis1

<220>

<221> misc\_binding

<222> 257..276

<223> 18-246-256.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..17

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 466..486

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 244..268

<223> 18-246-256 potential probe

<400> 274

```

tcataggaag acgagagcaa atatttaatg tgttttgcct tcagttacat aggaaaaatg      60
tctaagaagg tgacattggg acttggtgtt aatgaaacag agaactgtgg gcagcgtcag      120
tgttgggttt ttaggagcgt agggagcaca cagctttgac tctttgtccc attacttgct      180
tctgtgtgaa gccactgagg cccaggggtt cgggttttcc tgccacgcac tctgggggtg      240
cagtgaccgt tccaayatgg atgagtgaga agcaggttct tatgaggttt gtgcaaattg      300
agcaagccac ttggggcatg gggttttctt cttttctttc tttctttctt ttcccaacta      360
aagaacagat tgaaagtgct tcacaattaa tcaaaagtcc cctcaacact ctggtgatcc      420
atctaagacc tctcagagat ataaccacca gcacagatat tcaaaccat ttttttcaat      480
ctccttg          487

```

<210> 275

<211> 453

<212> DNA

<213> Homo Sapiens

<220>

```

<221> allele
<222> 68
<223> 18-355-67 : polymorphic base C or T

<220>
<221> misc_binding
<222> 48..67
<223> 18-355-67.mis1, potential

<220>
<221> misc_binding
<222> 69..87
<223> 18-355-67.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 436..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 56..80
<223> 18-355-67 potential probe

<220>
<221> misc_feature
<222> 32,51
<223> n=a, g, c or t

<400> 275
tgccctgttt ctggttctgg tgctgggagg tnaggagtgg agaagactag ntcccctaga      60
gctgaggyct gtcttgaagg actcactggg gccctcatcc tcagggggct gattggcagc      120
caccctcag  tgtggtggac atggagaaag gaaaggctgg ggaaggtaag gatgctagag      180
gcccgagtct cctttggagg ccccaaagga ggaatgtcag ggagcttact ttctttgttg      240
cctcagctcc acaccctac caagttggca aatccactta ctcagggaca ctaacaccag      300
taagccaacc ctgatgatgt tctatgttgt acctctggac ctctaagcca ggccactgtg      360
gggagaccaa ggtcctaccc cagatcctgt cccctgggtg cttatgtgac ttaaggtaga      420
cataaggtag tgtgccagtt tagtgcattg acg                                     453

<210> 276
<211> 471
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 266
<223> 18-353-267 : polymorphic base C or T

<220>
<221> misc_binding
<222> 246..265
<223> 18-353-267.mis1, potential

<220>
<221> misc_binding
<222> 267..285
<223> 18-353-267.mis2, complement

```

```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 452..471
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 254..278
<223> 18-353-267 potential probe

<400> 276
agttgcctac gtggctgggg aagcggggcg cgggtgtac tcacctcagc tcagggtcct      60
agagacctgc gggttttgct ggtecgctgag gtctcccca cttcccacc tacttaagc      120
catcacttcc acctgggtctc ccaaattgag gtcctgaagt cctgagacc atgtcccacc      180
caactccgac gtcttttagat cccctttccc tcggtgccag ccttctgaga gtccaacgt      240
tctggcctct aggggatctg cagttygggc ggtgggcggt tctgattggc cagtcttcca      300
tgaggctctg gggcacccag agtgtgtgtc tggggtaggg tggggaggct ggccaggggg      360
cagaggtctg ccccccgtcc cagggctctg atgccctcct cccttcgcct cctcagttga      420
agaagctgga tctggcagct gcggcassac acaccttctt tgtagcaaac c              471

<210> 277
<211> 468
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 306
<223> 18-338-305 : polymorphic base A or G

<220>
<221> misc_binding
<222> 287..305
<223> 18-338-305.mis1

<220>
<221> misc_binding
<222> 307..326
<223> 18-338-305.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..468
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 294..318
<223> 18-338-305 potential probe

<220>
<221> misc_feature

```

&lt;222&gt; 84

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 277

ttgtaggtcc ccaagatggt ggggggtgcag ggacagagag cttgctgttc tgctcctgat	60
gtcacacagg ggcttcctgb gcgncctggc atcaagatgg ccttccacaa gtcaagtggc	120
cacatcctca aggagctggc tcagccactc acagctcctc ccgaacccga ggtgcccttc	180
cagtcttgtc ttggaccctc tggcgctgc ggctaggggg ctctggggaa gggctcttgc	240
tgggcatttc ttctctctcc tcttcctcct cctcctgtga ctccctgcagc agttctttgg	300
cttctrtcca ctccctggggg tggggaggag agtgtggccc attccctgca cccaccttcc	360
ctggggtcagc tcagcccctg accctcaccg actgtgagcc ttctcggggg ctccctgccc	420
acccttcacg caccaggaga accacatccc ttctaaccg gctcctta	468

&lt;210&gt; 278

&lt;211&gt; 3001

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 24-243-346 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1482..1500

&lt;223&gt; 24-243-346.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1502..1521

&lt;223&gt; 24-243-346.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1156..1173

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1652..1672

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1489..1513

&lt;223&gt; 24-243-346 potential probe

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; 1556,2069,2084

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 278

agaatctctc tctctttttt attattattt tttgagacag agtttctactc tcacgcccc	60
ggctggaatg caatgacaaa atctcggtc gccacaacct ctgcctctcg ggttcaagcg	120
attcttctgc ctacagctcc tgagtagctg ggaatacagg cggccgccac catgccagc	180
taagtttttt tgtattttta gtagagacag ggtttcacca tgttgccag gctggtctcg	240
aacctctgac ctacaggtgat ctgctgcctc agcctcccaa agtgctggga ttacaggtct	300
gagccactgc gcccagccca gaatctcttt gagatggaca cacacctct tcatatttc	360
agcttccata tggcagtggt gggctcgtcc tgcagaccag ttagctcagt ccatgaagta	420
ggagccttcg tgggctcaaa ggcaaattccc agcatgctca ctgctcagtg ccagaaagat	480
cacccccaga agccggctgc atcagtgtgg accaccaaga accatcaaac acacgtgttt	540

tctgtgtgct	cgacctccgt	tccttgcttt	ttctgatgac	tgcaccttga	tgcccccttt	600
ggggaacccc	gccactctca	gtcctcatgg	tctgggtggc	actgccccct	cccctgcgct	660
gcacagaagg	cccgaccccc	cacctggcca	atcagagttg	ccaggtcata	tccctgacta	720
cagcacctgg	ttcagggatg	gacacagccc	agcggagttt	gtgctagaac	tgctgggaaa	780
tgggctttca	ccttctgctc	atcttggcac	gtggatgcca	gcttgaactg	tggaaggcca	840
ccctgtgggc	agagcccctg	agacacaggg	agcacaggaa	agcagagtgg	aatgggggag	900
ggggagtact	tcctgatgac	atcatctgag	cccctggatc	cagccgtgcc	tgaagcaaac	960
tactctaggc	tctacagatc	tatggactca	tcaatccctt	gccccctctac	ttttttggct	1020
tgtgtcaatt	tatattgaga	ttttgtcact	tacaactaaa	agggctctga	atctaactca	1080
ttctttgaaa	gtctgcctat	caatcacaaa	atagcagtgt	gatcagagct	ggataccatg	1140
ggcagggtctc	cttccctctg	tgaggttcta	tggagaacac	cctacatctt	tttaattatt	1200
tgtcatgcac	gggccctatg	gattttgagag	attcatggat	gccacgtgga	atcagtcatt	1260
gaccctcact	ttctcaggca	ctacctaggg	catcctccag	gatgcgcccc	ttcccgccac	1320
agcccactgc	catatcttgc	tggaaacctg	gtcatctctc	atcgtctatc	acaggctccg	1380
ccagccttcc	tggatgccat	ctatgtccgt	gggtctcacc	cgtctcgcca	ccagcttcca	1440
ctacgcagct	ggacagtaca	cagggagcag	acggggattc	caggaggaag	ccactgcaaa	1500
yagggcctgc	agctgccctc	tctccttctg	aaatcctagc	atagtccagg	acacangcac	1560
ctccctggct	gagcagctga	actgccaagc	tcaactccct	gattgagcag	atattctgca	1620
gaaatagaaa	aggatggagg	gaaggcttct	tcccacacaa	tgaacatcaa	acccacccaa	1680
ggggcagtg	ctggggcctc	ccttcccaaa	cagctggctc	aaaacatgca	caaaattttc	1740
ccaaagtggg	ctggggagcag	ggcagctggc	ttccactttc	atattactga	tgcatccaga	1800
catacttcca	tagtggttaa	aaattttttg	atgtatgtca	aatgctctta	agagtgcgat	1860
cttaggcata	tggtaaataa	atatgatgta	atcctccctg	ctccaagggt	gctgctgccc	1920
tctccctccc	tccctcactg	gtcctgggca	agccttgac	ctccacgata	tctctgcgcc	1980
tctcgtgacg	cccacaacaa	ggggctgtgc	caaagggaag	ggtagaaaga	aaagaggatg	2040
tgctgtgtgc	tgatcatcatc	cctgtgcena	gagacagggc	acanggggtg	tgcccttgca	2100
ccaccggcgc	atccccacac	tggggaagct	ggggtcaccc	tgaccacacg	gcatcccatc	2160
agcctctgtg	acactgacaa	tgattctcgt	gaatggacag	gctgaatggg	cctcagccct	2220
ctctttctat	gctggctgaa	ctctgaggcg	ggaacaggac	agacagtggc	tgaggggcct	2280
ggcaggggag	gcacccttct	aacaggccct	gcgtagccga	gggcacccaa	ctgacaggca	2340
ggacccctga	gctcaccacg	gcctgccctg	ggccaggcaa	gaacgagcac	gtccacccat	2400
gagagttggg	gctgtgtagg	tgactgtaga	catcaccac	agtgggaggg	ttcctggagg	2460
tgacgtccga	ggcctggagc	gcaaagtagg	acaggcacac	tgccaagttc	ccagaagact	2520
gagtgccacc	agatcctgtg	gccagtcctc	agtgtggtgt	ggggggctca	gcaggagcac	2580
atcagcaatc	agatgggcca	ggtcaggata	aagaacaggc	gtgacagctg	cttcctaaat	2640
aatcaacggg	gggtgccctg	agtagcacct	cctgctgtgc	ctgtccccag	ggcagcaggg	2700
gctcagcgca	ctcccacatc	tgcatcagag	ccccagtcct	tcctggggccc	ccttgtaccc	2760
tctaagacta	agctcggacc	ccgccgggaa	ccacccccag	gaccctacct	caggctgtgc	2820
caccaccgtc	cacctggcag	ccccagccag	aaacctggag	gccaccctgg	ctttctcccc	2880
tccatgtcta	cctgtccctc	agccttcttg	tggectggct	actcctctct	ctgctccgcc	2940
tcctggctgg	cctttaatgt	aaacaatcca	tctaacagct	gagccccact	cacgacaatg	3000
c						3001

&lt;210&gt; 279

&lt;211&gt; 3001

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 99-62531-351 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1482..1500

&lt;223&gt; 99-62531-351.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1502..1521

&lt;223&gt; 99-62531-351.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1149..1166  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 1591..1608  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 1489..1513  
 <223> 99-62531-351 potential probe

<220>  
 <221> misc\_feature  
 <222> 755,890,893,1406,1412,2220,2222,2224,2232,2241  
 <223> n=a, g, c or t

<400> 279  
 tgtggtttcc ctttccaggg agtgatgggt ctgtaggctc tgggattgct ttttcatttg 60  
 tttgttgttt tgggacagag ttttactctg tcacccaggc tagactgcag tggtaaataca 120  
 cagctcactg cagtctctgc ctccccaggc tcagggtgatc ctctgcctc cccagggtca 180  
 ggtgatcctc ctgcctcaac ctctgaata gctgggacta cggtcatttt taattttttt 240  
 ttgtagaggt ggagtctcgc tatgttggtc aggtcgggtc tgaactccta ggctgaagca 300  
 atcctccac cggggcctcc caaagtcctg ggattatggg cgtgagcccc cacacctggg 360  
 cttatttctc gagaaggggc ttgtgctcct cctcacctga tgctctcct tctcccacca 420  
 gcgtcatcat gaccggggcc tacaacaact tcttcgcat gtctgatcg aacaccaagc 480  
 gggacgtgac cctggaggcc tcgagggaaa gcagcaagcc cggggtgtg ctcaagccac 540  
 ggcgcgtgtg cgtggggggc aagcgccggc gtgatgacat cagtgtggac agcttggtact 600  
 tcaccaagaa gatcctgcac acggcctggc accgggtga gaacatcatt gccatcgccg 660  
 ccaccaacaa cctgtacatc ttccaggaca aggtaaactc tgacatgcac taggtatgtg 720  
 cagttccccg cccctgccac ccagcctcat gcaangtcac ccccgacatg accttcacga 780  
 ccgcaatgca aggaggggaa gaaagtcaca gcaactgatga ggacagctgc agaggtggca 840  
 gtgtgtggac acaggaagtt tgggccccct cctgccccca gctttcctan ggnccagaat 900  
 tgtgtttggc agtaattgtc tgtttaaaaa aataaaaagg aaaggaagcg ttcaccgcca 960  
 caaatcataa aatggacatg actgtggagt cttacagttc agggttcttt cattcacgtc 1020  
 ccttctctgc tcgggtctgc gtctttacca catcaatagg actttttatg cgtccgggtt 1080  
 aatttttcac tcagtgctg cctgttgac ggaccggagc tgatgggagc tgcttctccc 1140  
 ccatgcctca ctgggtcccag atcagggtc caggacaga tgatgagctc caaacgagcc 1200  
 agccaggggt tcttttggtt ataaatgggg caattcgccc tgtctcagag ctgatgacct 1260  
 caccgttgtt ttttggtatg tgaattcatg ctgagaattt gcagatgcaa gctcctctcc 1320  
 taggtcttct gaatgtctt aaacatccca ggtcccaggc ctggtgcggt ttcccagag 1380  
 gagcggagt gggtttgtct tctgntgtc cntgtgtct catctgattc acctgccatt 1440  
 tgctgagcct ctgctgtgta ccaggcgtgg agctcagccc tagaggcagt tgacttacct 1500  
 yctgcagccc tccctgccgc ctacaccttc agcattcact gggcaccttc ccggagcgga 1560  
 cactgactcc catgcaagat tttttggaat ctctcctctg actgtgaggt ggggtgttcat 1620  
 tcatttctc cataaacacc aacttctcga agcgtgccag gctctgggct ggatgctggg 1680  
 gataagcggg aacccttagg atcccctctg tccacgagaa gaagctgagg ctctgagcgg 1740  
 atgcacaggt caccatggc aggtgcccgt cagtggtgtc aggaaccgct ccgggtcttc 1800  
 acacaagggt ctctccagtc catctcgtgg gcgggtcatg ttagagcgac attcaaattg 1860  
 aaggtttga aaggaatgcc tctgtcttgt gaagtaggac atggcagact tggcgacgac 1920  
 aagggtccag gagaactgag acgcaggatg gaagacagag aagaccccc ggagctcctc 1980  
 gctgtgcttg gtggcttcag gagtgtggcc ctccccagga ctccacttca tcttgggctt 2040  
 gcacctcct tgagccaatg cactgaactg cctttgaaag gaaattgcat gttctgacca 2100  
 ttttaggata cctttacttt aaggaccaca cagtcccaga ggacacatcc ctcggaact 2160  
 ctgcccctct gacaatgagg gccacagaga aggtggtgt tccatggtag atgctcctgn 2220  
 tntnggtgat anccaaacct ngcccacccc tctgagtcgt ctttgctcat ggacttgag 2280  
 cagagccacg tagtttggca ttttgattca gaaagtgggg agcagagacc cagccaaatc 2340  
 caaacttttt ttttggtttt gttttgtttt gttttttaca agatataaca taaccagga 2400  
 aacagaccca gctgaggtta ttctcagtg attacagtat acttttgtgt gtgtaaaagc 2460  
 acaaagtga tgtgtactca cttctggcca tataacattt acacaggga atggatcatt 2520

```

gatttttttt taatcaacgt gaatgaagaa tgtttggtta tatatcacta taaaatccag 2580
ttgacctgga cagtattata tgtacatata tattctaatt aaatttaaca atcaaaggat 2640
tggattactt ttttccccct tgtaaagagg ttcgagaatg tggtaattg tatagatagc 2700
gtgttaaagc caaaacccag ctctgagggc cttacccatt acttggatat ttgctacgat 2760
ccatctccct ttgtgagtca aatgttaaga gaagaaactt gtatttgcag ctaggaggta 2820
ctgtcacatc atagatttaa catttaccat cttcaaagta caaatcttac atgtccttca 2880
aaaggaggtc ttaatacagt tcctagttcc ttacttctgt tttaaacttt ggggtacaaa 2940
ccaaaaagaa gaaaaaagaa aggaaaagat cttctttgaa gaaaagtatg tctctggatc 3000
c 3001

```

<210> 280

<211> 3001

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 1501

<223> 99-54279-152 : polymorphic base C or G

<220>

<221> misc\_binding

<222> 1502..1521

<223> 99-54279-152.mis1, potential complement

<220>

<221> misc\_binding

<222> 1482..1500

<223> 99-54279-152.mis2

<220>

<221> primer\_bind

<222> 1635..1652

<223> upstream amplification primer, complement

<220>

<221> primer\_bind

<222> 1170..1187

<223> downstream amplification primer

<220>

<221> misc\_binding

<222> 1489..1513

<223> 99-54279-152 potential probe

<220>

<221> misc\_feature

<222> 44,377,423,696,723,1501

<223> n=a, g, c or t

<400> 280

```

ctaaagtgc agagttcaga ctttgagagt ctgaatgagg caanggtaag gattttcata 60
gctctgagag aggggttctc tgagagggga cagacatggc gtttgcacgg actcacacgc 120
tgtggtatga gacacatgat cacactcact catttctctc ataaatcttc acttccttag 180
aacctaccct cccgttagac actagctgtg tcttcttcag cctgacggtc ctctccggaa 240
ggtgcgcgtc tgtctctcag cccaattcaa agaggtggga gaggcggcca cagectctgt 300
cggcctgctg ggcacctggg gctatagaag agggaccgag gctcagcgag attaagtgc 360
cacatccac agctacntat ggctgctgca ggatttgaat ttaggacgat ctcgctgggc 420
ccntactccc agcgagacaa attaacacaa agccccaggg agacaaatta acccaaacc 480
ctggaagaat tttaaaagca gaagctcaag cccccaccc caacacagat tttgattccg 540
ttggtctggg tgaggctacc cagaaggccc tgctgggtgg cttggggggc tgtgcagaag 600
gccaggtgca ctgctccatg atggcaaac cagcccagct ccctgctctc ttgcaagggc 660
tcagcatctg gtaccagagc aggagatgct cacaangtga gaatttctgt aggggtctac 720

```



aanagcaggt	gctttcaaaa	acagtgtctca	aagaaagtgg	gaattgagag	gcaaacgagg	780
gtgtttctac	ctgggggtgca	ggaaggagca	ggcacgtggc	atttgagctt	agctttcgtg	840
aacatatagg	cgttctccga	acacagcttg	cagggagggg	ctcaggtaga	tggaatggca	900
tctgcagggg	ttcagggtta	cggaaacggg	tcacctccca	tgggtctccc	acttctccc	960
ctgtctgccc	tccaggctca	ccggagcagc	cagtgatgtc	tgggtctcatc	agtccttgga	1020
caaagccctc	caggagctct	gtctttctcaa	tgtaaaagcc	aaagtccctc	caatgcccc	1080
aaggccttgc	gtggcctggc	ggtgtcaccc	gtgggcccc	tctcccacct	ccactgtttt	1140
tttgctcact	ggcctcaagc	tggccttget	ggtcctggaa	catgctgagc	ctactcctgc	1200
ctcaggtcct	tacacttget	gttccctctg	cctggatget	acacagccac	gcccagagtt	1260
catgatccca	acacatgtgc	caccttctca	gacacctctc	ctggccaccc	taggggacac	1320
tgcagccctc	ccatcccgtc	ccccttctct	cctccctgct	gggtgccata	agcttagctg	1380
ttgatttctt	cgctgcctc	ccattagaac	atgagtccaa	agagggaggg	ctccgtttgc	1440
tcaccattgc	ccccgagtgc	ctagagcact	gcctggcacc	cggcaggggc	tctataaata	1500
nagatggaaa	gagggaggtg	ggcgggcatg	cgtgggctta	ggtgggcccc	gcaagagatg	1560
cccttgggca	ggacagcttg	gtgtgcatgg	ccaaggaggg	tgggtcccaa	gccaaaggca	1620
ttgaacacca	ggctgaggag	tgaggatgcc	acctgctgta	tcacccaggc	aatagggagc	1680
ctctaagggc	tttttctttc	ccccaaagatg	aagtcttgct	cttgctcgcc	aggctggagg	1740
gcagtgggtg	gatctcagct	cactgcaacc	tctgcctcct	gggttcaagc	gattttcctg	1800
cctcccaggt	agctgggatt	acagggtgggc	accaccacgc	ctgggctaatt	tttgtatttt	1860
tagtagagat	ggggtttcac	catattggcc	aggctggtct	cgaactcctg	gccttgatgat	1920
cgcacgcct	cggcctccca	aagtgtctgag	attacaggct	tgagccactg	tgcccggccc	1980
ctagaggctt	taagcagggg	agtggcctgg	tcagagccat	gctctgggat	ggtatggcct	2040
accactgtgg	cccagcaggg	ttgaggggtcc	cagttagtgc	ccctggagcc	aagcagagga	2100
ctggacagga	tccagcgtgg	ggagggagcc	ctccctgctc	ttgttacctt	ggcagaaacc	2160
ccgagaacac	taggtccgtg	ggcagccctc	gcaggcctgt	cctgctctgc	tggccaaggc	2220
ttggagctct	gcctggggca	ggaggtgccc	atgagaatgc	cagggagtgc	gagctcccc	2280
agagacccag	gcaacaagca	cccactcgac	tccagggtctc	agagccctcg	ctaggatgcc	2340
gtcagcattt	gggctgctgc	cttttgact	ccaatacttg	agttcaagtc	ctggctccac	2400
cactgactcc	gggctacagg	gacctgggct	atagccatgt	cctcctctga	accttggttt	2460
ccccatctgt	gaaatggctg	gatttggtgc	ctcagctctg	ccctctctta	cctcgacact	2520
ccctacccat	gcccagagcc	tccttgacac	agacaaatgt	gccatcgctt	ctggaatgct	2580
gggcacctta	acagtccagg	cctgccagac	actccaaatt	ctagggcctc	ccagggcctt	2640
aaatgacagg	aagagaaggc	catcttatct	ctggagacag	aagcttgggg	cttggttcta	2700
tttccctggc	aaattctggg	gcacaaacca	gaaagctgca	acaggaaaag	accatacta	2760
tgcaagccta	ggcttttaaaa	ccgagagggg	ccccgggaat	ctcgcgcgcc	aactgctgc	2820
actttaagga	tagaggcacg	cgggccagga	gagaagtgc	ttgcccagg	tcacctggtg	2880
gcagtgagtg	ccgtgcaagc	cccaaaccct	ccagtcctgg	gttcccacat	ccctgcaggc	2940
tggctcaact	gtagggcctc	cgctgtggaa	atcagtcctc	cgacctcaga	tctggaggcc	3000
c						3001

&lt;210&gt; 281

&lt;211&gt; 461

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 245

&lt;223&gt; 18-168-245 : polymorphic base A or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 225..244

&lt;223&gt; 18-168-245.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 246..264

&lt;223&gt; 18-168-245.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 440..460

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 233..257

<223> 18-168-245 potential probe

<220>

<221> misc\_feature

<222> 445

<223> n=a, g, c or t

<400> 281

ttccaactaa cctctatcag tgcattttgt ttgggcagat tgaagatgga agtgttctgg	60
atttgagatt attaaatgaa ttttgtgtgt atgtgtgatt gtctttgggg aacctaagat	120
ttttagcctg ctctcccccag acaagtgcagc tggtagcagga gctctgcaat actttagaag	180
atgctgaaat ctgatgtgag cctttcccca aaccggaatg acaagctatt tgcataatagg	240
gaagwttccc agtctgcccc tgttctccac cctgcaaaca tgtcacggag aaccctggac	300
aggttctggc agggcccagc ctctggtagc ttgtgtactg aggttgggtca ggataaagga	360
atgtatgcag gaaagtggaa catctgttca ggaagcagga ctcccagagt gaaagggatt	420
gaatgaggca ataggaacag ggttnaaatg tgggagttag t	461

<210> 282

<211> 454

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 291

<223> 18-171-291 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 271..290

<223> 18-171-291.mis1, potential

<220>

<221> misc\_binding

<222> 292..310

<223> 18-171-291.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 433..453

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 279..303

<223> 18-171-291 potential probe

<220>

<221> misc\_feature  
 <222> 24  
 <223> n=a, g, c or t

<400> 282  
 tgtcatcagg gagaccagga ggtnaagagg atgtttcata ccttctactg ggagggtgaa 60  
 catggagact gggaagggtga ccagccaccc agtctctgcg aagtttgact gaggcccgat 120  
 ctttgacatt cagcgagacc tatctcagct cctggaggaa ataccaaggg tgaatggcct 180  
 gagtcatttc agcagttccc cttgatccac ttatacctga agtggctctc cagggagagg 240  
 aagtaaccag aagctgccat tgtctgcctg cagagactgt cacaggaata ytgaagaaag 300  
 catcattcct agaagagggg acaccaggg ctcaaggcat gttgccagaa tcccgaacaa 360  
 aatacctctg aatttctcac aggggtggag gtggaggaaac tgcaggggtca gggcgtatta 420  
 ctgctgaccc acctgttgaa actctctgct gtgg 454

<210> 283  
 <211> 559  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 346  
 <223> 18-172-346 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 327..345  
 <223> 18-172-346.mis1

<220>  
 <221> misc\_binding  
 <222> 347..366  
 <223> 18-172-346.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..17  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 538..558  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 334..358  
 <223> 18-172-346 potential probe

<400> 283  
 tgaggaaata gaaagggaca caccgtcctc tctaggtgct gagtccagtt aggatgtgtg 60  
 cattgtcaca tagtgagggg gcctagctgc ttatgtctgc caggacaaag ccaagatggg 120  
 cttagactgt tgtctcatct gtgctattca ggttcattag cagtcatctt caagaccgaa 180  
 gaaaataggt ttaaattggg gaaggatgaa tctgaactaa ctgtaaaaca aataaattat 240  
 ttttgacagc aggagcactg gaatccattc ctgaagatgt tagggatttg cagaagcttg 300  
 gcgtcacctg ggcccttaga aaccatccag tcaagcccca ctgagyatag atgtcctctg 360  
 cgtaccccca tacagcctgt gcatggtgcc ctccagggga gatgccagca gttttcatta 420  
 tttttaatct ccatttgatt cgggatgggc actaacgcag ctaatagact gagtggagga 480  
 agtctttccc caattagcga gaggctgtgg atctcacctc ccaaggtagc caactgtcca 540  
 tttcaagaca gttctgatt 559

<210> 284  
 <211> 468

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 406  
<223> 18-177-406 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 387..405  
<223> 18-177-406.mis1

<220>  
<221> misc\_binding  
<222> 407..426  
<223> 18-177-406.mis2, potential complement

<220>  
<221> primer\_bind  
<222> 1..17  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 450..467  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 394..418  
<223> 18-177-406 potential probe

<220>  
<221> misc\_feature  
<222> 416  
<223> n=a, g, c or t

<400> 284  
cactcccctc tatttaccta gcgaaggtct actcactatt cagcttaacc atcacctcct 60  
cagggagctc ttccctgac tactccagta ggteccatt atatgccttc actgtacctc 120  
tgattctcca tattactaac cccaacatag gtatataatc attagtgaac cactttcatt 180  
aatgactgga cccctattt gaataagtat ttacgaggat atggagtgtg tgtgttggca 240  
gggggtgtct catttttctt atctgctgcc cagtccttgg tccacagcct tcctggccct 300  
caatgcatgg ccaacttgac aagtgaatga ctcaagtggat gggagcaaag ggaagataaa 360  
tgtccatggt gtgtttcagg gccccggag gtgcaatgaa tagctyaccg aagggnscac 420  
cttcattcat agtctctgga taataacacc taccacatcc taactaca 468

<210> 285  
<211> 456  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 338  
<223> 18-298-338 : polymorphic base A or G

<220>  
<221> misc\_binding  
<222> 319..337  
<223> 18-298-338.mis1

```

<220>
<221> misc_binding
<222> 339..357
<223> 18-298-338.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 326..350
<223> 18-298-338 potential probe

<400> 285
acattgtcac caagaaccag gatctctgga gaaacagttg ggctgttgca tcgagtaatg      60
tcactggact cggcctaagg tttcctggaa cttccagatt cagagaatsy gatttaggga      120
aackgtggca gatgagtggg agactgggtg caaggtgtga cgcagaatc ctggaggaay      180
agagagtaaa gcttctaggg atctgaaact tttgcttcat ctctgacgct cgcaggactg      240
aagatgggca aattgtaggc rtttctgctg agcagagttg gagccagaga tctacttggt      300
acttggtggc cttcttccca catctgcctc agactggrgg gggctcagct cctgggggtga      360
tatctagcct gcttgtgagc tctagcaggg ataaggagag ctgagattgg aggggaattgt      420
gttgctcctg gagggagccc caggcatcat taaaca                                456

<210> 286
<211> 456
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 110
<223> 18-298-110 : polymorphic base C or T

<220>
<221> misc_binding
<222> 91..109
<223> 18-298-110.mis1

<220>
<221> misc_binding
<222> 111..130
<223> 18-298-110.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 439..456
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 98..122

```

<223> 18-298-110 potential probe

<400> 286

acattgtcac	caagaaccag	gatctctgga	gaaacagttg	ggctgttgca	tcgagtaatg	60
tcactggact	cggcctaagg	tttcttgga	cttccagatt	cagagaatsy	gatttaggga	120
aackgtggca	gatgagtggg	agactgggtg	caagggtgta	cgcagaatc	ctggaggaay	180
agagagtaaa	gcttctaggc	atctgaaact	tttgcttcat	ctctgacgct	cgcaggactg	240
aagatgggca	aattgtaggc	rtttctgctg	agcagagttg	gagccagaga	tctactttgtg	300
acttgttggc	cttcttccca	catctgcctc	agactggagg	gggctcagct	cctgggggtga	360
tatctagcct	gcttgtagag	tctagcaggg	ataaggagag	ctgagattgg	aggggaattgt	420
gttgctcctg	gaggagccc	caggcatcat	ttaaaca			456

<210> 287

<211> 451

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 104

<223> 18-299-105 : polymorphic base A or C

<220>

<221> misc\_binding

<222> 85..103

<223> 18-299-105.mis1

<220>

<221> misc\_binding

<222> 105..124

<223> 18-299-105.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 431..451

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 92..116

<223> 18-299-105 potential probe

<220>

<221> misc\_feature

<222> 437

<223> n=a, g, c or t

<400> 287

ttcttgga	gggggcta	ac	tgtagcaccg	tctctaccag	cagggtgttg	ccaactcatg	60
gtgcatggat	tcaaatacaa	taaacagtcc	tggggagatg	tccmgctcct	gtagcccat		120
catgggtgtc	tgatttggtg	agtattctag	gtgcttccaa	caacctcatc	cttctgacct		180
gctggcctct	ctgaaggggg	tgtctgctct	aactggatca	agaatagggg	acttgtttgg		240
aggaacattc	ttggtttgtg	atgttggtctg	gagtcctctg	ctgcaagtcc	ttctgcttgt		300
ctttttcact	tgagtgttgg	tgtatgtaca	ggaattgctg	atggaagtcc	aacaggctct		360
cctagtttgt	ctgggtctgtc	acatttgctg	aaccctgaag	gaactgttag	cggaagcgca		420
acaggcctga	ctcgtgntga	ttttccattg	t				451

<210> 288

<211> 451  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 31  
 <223> 18-884-30 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 12..30  
 <223> 18-884-30.mis1

<220>  
 <221> misc\_binding  
 <222> 32..50  
 <223> 18-884-30.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 431..451  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 19..43  
 <223> 18-884-30 potential probe

<220>  
 <221> misc\_feature  
 <222> 438  
 <223> n=a, g, c or t

<400> 288  
 tgtagtgtgt ttccttactc ttcagatagt sataaaggac attaaacctt agcaaacaca 60  
 ttagaactat gttactataa cttttcatga aacacttctt ctgtagtgtc tataattcaa 120  
 tttagtggta aataaacctt gagacactga attctgtttt tttttcttta aaaagttttt 180  
 tttaagtata aattaaaatt attcctcttt atttgtattt ctgccctttg tgaacaaagt 240  
 taattctgtt ttgattgtga agaatttgc tcttttgctg gtttcttctt gtaggtattt 300  
 aattgtcgct tggtagatct tgacctggcg ttgggttact gcactctctt acctcaaaaa 360  
 gatgtgtttg aaaatctctg gaagctcata gataaagcat ggcagaatta cgacaaaatc 420  
 ttggtatgtc ctaaggangc acaccttcaa t 451

<210> 289  
 <211> 451  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 342  
 <223> 18-299-343 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 323..341  
 <223> 18-299-343.mis1

```

<220>
<221> misc_binding
<222> 343..362
<223> 18-299-343.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 431..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 330..354
<223> 18-299-343 potential probe

<220>
<221> misc_feature
<222> 437
<223> n=a, g, c or t

<400> 289
ttcttggaact gggggctaac tgtagcaccg tctctaccag caggggtgttg ccaactcatg      60
gtgcatggat tcaaatgcaa taaacagtcc tggggagatg tcccgtcct gtagcccat      120
catgggtgtc tgatttggtg agtattctag gtgcttccaa caacctcatc cttctgacct      180
gctggcctct ctgaaggggg tgtctgctct aactggatca agaatagggg acttgtttgg      240
aggaacattc ttggtttgtg atttggtctg gagtctctgt ctgcaagtcc ttctgcttgt      300
ctttttcact tgagtgtttg tgtatgtaca ggaattgctg ayggaagtcc aacaggctct      360
cctagtttgt ctggtctgtc acatttgctg aaccctgaag gaactgttag cggaagcgca      420
acaggcctga ctcgtgntga ttttccattg t                                     451

<210> 290
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 140
<223> 99-61513-139 : polymorphic base A or G

<220>
<221> misc_binding
<222> 121..139
<223> 99-61513-139.mis1

<220>
<221> misc_binding
<222> 141..160
<223> 99-61513-139.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind

```



```

<222> 458..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 128..152
<223> 99-61513-139 potential probe

<220>
<221> misc_feature
<222> 60
<223> n=a, g, c or t

<400> 290
aagaaggaca ctgggacact cargettctc tctgtctcca cagaaccttg atgcctctcn      60
tacatggcgt ccctgtggcc tctctgtgtg gcccctctat gtggcatcta cacacagcct      120
cttcacatct tctttccacr acatagtctg gactttgtac atggacatac ttagggcttc      180
tgaaggcaca caggcagacc ttctccatcc ctgggcttgg aaaccccaga acatcacctc      240
caccacattc aatcaggcaa aacaaatcac agagccagtc catattccac tgggaggtgc      300
cacctaaggg tgggagtgcc aggaggtaca gcacattggg gctattcaga ctcaccacta      360
cagaatatag atgacactga gtcaggaccc ttggctagca ggaaataagg ggcccctggg      420
cccccaacga aggagatgta gttgtagaag ctgggaagta agggggtaga gaggaa      476

<210> 291
<211> 517
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 179
<223> 99-61514-179 : polymorphic base A or G

<220>
<221> misc_binding
<222> 160..178
<223> 99-61514-179.mis1

<220>
<221> misc_binding
<222> 180..199
<223> 99-61514-179.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 497..517
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 167..191
<223> 99-61514-179 potential probe

<400> 291
atgttcacac agaatcggtc tagaaactgt attccgtgaa aggatgaaag ctcttaactt      60
ctctgtcccc acccccacaa aaaactttac tgtcacataa gagttgacta atgaccttc      120
actaaaaatt acacagtata ctgcctgcca ccaaatacga attcagtaaa tacttggara      180
ataagtgaat aatttcaatt cacagtcaca tgacaagttg tcaaaagcaa ttataaaagc      240

```

```

aattgtattg gactcagcac atcccactgg agaagccagg gcaaggaaac agatccctca 300
gcaccttctt tgaaatacaa agatttgaag aaggtcagag cagattggtt tgttggtgtt 360
cttcttgggc taccaggaag tcacaatgat gacagacgta cagatgtaca tttggacaaa 420
atgtacagat gtacaaagaa atgtaaagat gaaaattgat agatcaatag atcccaatct 480
aaagagcctc attcggcctg aaataaagca ttgattg 517

```

<210> 292

<211> 436

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 323

<223> 99-61516-323 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 304..322

<223> 99-61516-323.mis1

<220>

<221> misc\_binding

<222> 324..343

<223> 99-61516-323.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 419..436

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 311..335

<223> 99-61516-323 potential probe

<400> 292

```

ggagactttc tcttagacac acgcctggag gcgtctgaga gggacaggct gggctcacca 60
attcgaactt ctgccaatgc cctgcatgtc tctctcacta agagctaagc caagacttcc 120
cctgtcatca ccaactgctg tggtcagtcc tctattacca acagagggaa acagaatgca 180
attgaggaga accaactaat tgcgaaagca aagcctgaga aaccccatga gtgatggatc 240
caccaattct ggtggccaca gggaggtccc tgggtgtctg ctgcatgctg gccatggtga 300
ccaggtgtcc ttgggcagga gayggcttca aatgcagacc ggagtcctag cgatccaagt 360
ggttctttga gaaacaaaa caccacaaag ctcccscwgg actgtaccat tgagctctca 420
atcacaaatt cagccg 436

```

<210> 293

<211> 505

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 70

<223> 18-204-70 : polymorphic base C or T

<220>

<221> misc\_binding

```

<222> 50..69
<223> 18-204-70.mis1, potential

<220>
<221> misc_binding
<222> 71..89
<223> 18-204-70.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 487..504
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 58..82
<223> 18-204-70 potential probe

<400> 293
agaaaagtct gtagcacttc gtaattttat atatgggttaa ggggatctca gagataacta      60
taggatttty aatttggata ataagaagat ggtaatatca ttaaccaaga aaggaaatgt      120
gagaaggaga gggggaacag attgtaacca ttgttatttt actgacacat atcttcacga      180
attcgttgaa acttgatgta atgttataag atagtgatgt ttaagagtat tctcccctgt      240
tccctcgtat ctaccacccc ttctccagga tttgaactca gaggatcaaa aagccttcag      300
tggtgaacat acaagctgca atgaggaaga aaatttcgca aatatgaaaa agaaggccaa      360
aataggcatt catcacaaaa atagtcccc caaagtcact gttccaacta gtggaaatac      420
tatagagtct cctcttcatg aaaacatctc taattcaaca tcatttaaag atgagaaaat      480
catggagact gatagtgaac cagag                                     505

<210> 294
<211> 464
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 442
<223> 18-207-441 : polymorphic base C or T

<220>
<221> misc_binding
<222> 422..441
<223> 18-207-441.mis1, potential

<220>
<221> misc_binding
<222> 443..461
<223> 18-207-441.mis2, complement

<220>
<221> primer_bind
<222> 1..17
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..463
<223> downstream amplification primer, complement

```

<220>  
 <221> misc\_binding  
 <222> 430..454  
 <223> 18-207-441 potential probe

<220>  
 <221> misc\_feature  
 <222> 449  
 <223> n=a, g, c or t

<400> 294  
 catccattat agcccagatg aaagttggct gtgacaacac tgtggtgcgc atggtctcca 60  
 gtggaaaaca cgtaaactgt gtgacttttg agtatcgtca gctggagccg tacgagctgg 120  
 aaaacccaaa tggaaacagt atcggggaat tctgtttgtc tggctcttga ataaccaacc 180  
 cagtgtattta catgctgata gctaagttag tttttaatgg ccattgtgta tgattttgat 240  
 gcacaactag ttaaaagcct ttcataccag tcagtattcc cagccttgag cgcacgcgcg 300  
 cacacacaca cacacataca cacacgcatt aatttttgta ctttgcttct tttatgtttg 360  
 taatctgtaa atgaacacat ggcagaaaat aaccctgat tggtaggatc atagttctaa 420  
 atggaaatgt ttgtaattct tygatgtgnt acaaacctga aact 464

<210> 295  
 <211> 456  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 65  
 <223> 18-210-65 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 46..64  
 <223> 18-210-65.mis1

<220>  
 <221> misc\_binding  
 <222> 66..85  
 <223> 18-210-65.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 438..455  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 53..77  
 <223> 18-210-65 potential probe

<400> 295  
 ataatatcca thtagctgaa ttcataatgt atacttttta aagacaactt gtttttctct 60  
 ctcarttaca aaagtagact acaaatatct aaccactaa aacagcctta atctatattt 120  
 taagattaga atccaggtaa cctggctttg tattctactg actatgccat tcaatacaat 180  
 gaaaccttct gaaggtctaa gtattagtca tttattcaca tcctactctc taagaataac 240  
 caagtggcaa cccacaacat tttcaataac atcattaaaa taatgtttac tttctggcag 300  
 atatactaca actcactaac atttttaatg gttttgctct tttatagtta ccagactggg 360

ctatttactt aaataatgat tatttactca ccttcaccc cactatcttc tgcagttaca 420  
 ttgccttcac tggtaatggc ttcgtcataa ctatcc 456

<210> 296  
 <211> 484  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 200  
 <223> 18-212-200 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 181..199  
 <223> 18-212-200.mis1

<220>  
 <221> misc\_binding  
 <222> 201..220  
 <223> 18-212-200.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 463..483  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 188..212  
 <223> 18-212-200 potential probe

<400> 296  
 tttggctagt acaacttctt ggaaattaca cacactttaa gcatttatat tcttggtgaa 60  
 caattagttt taatatactt attgggctga gttaatatga agtacttaca gtttaattcaa 120  
 agatcagctt tgtggggtga gattcatgtg attattcagc cactactgcct gaggagcata 180  
 ctctgatact tgtggagggg atatcctgat aaagcagcga tttgaagtat tgtggggtgc 240  
 ctactattta tagaacacta gatatgagga ggcagatatg aagccttgac tcttggtggtc 300  
 agcctgactg gacaataaca cagacagcat cactctgttg gtcttgacta ctttaattaca 360  
 catatctaga aaagtttatt ttgaacaatt gcaaataatg tttacaatac aacaactctt 420  
 tttctctttt tttagactaa aaaatcattt agaaaaataa cacacatata aacatactct 480  
 ctct 484

<210> 297  
 <211> 485  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 334  
 <223> 18-229-334 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 314..333  
 <223> 18-229-334.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 335..353  
 <223> 18-229-334.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 464..484  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 322..346  
 <223> 18-229-334 potential probe

<400> 297  
 aaaccatagc catcatcttc tgccatttat tattagaaaa acattaatgt ataccttatg 60  
 tttattttgt tgggttgctt ttggcttgga tacttatgaa atttttaaaa cttatctttg 120  
 agactggaaa tttttactgt aattatatat gtgaagtctc tttttgcttg aaacatagtg 180  
 cgctaagctt ggagtttctc ctgaggtagt tttaggcaag agagttacat ggtgagaact 240  
 atgtttttaa tataccacct caggcaagta tgagggatgt gtttggaaaa agtacagact 300  
 agagctgagt agaccagttg gactggttga ataytgtagg ccagaactga gatattttta 360  
 agattcagcc tgttcaatat gtagcaggaa gtaataaaca agagaataga tgggagatgg 420  
 agttggttaag aagtaactcc aatgtggtct gcggttccca tgtctcactg ctgwtgttta 480  
 ctggc 485

<210> 298  
 <211> 457  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 332  
 <223> 18-230-332 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 313..331  
 <223> 18-230-332.mis1

<220>  
 <221> misc\_binding  
 <222> 333..352  
 <223> 18-230-332.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 439..456  
 <223> downstream amplification primer, complement

<220>

<221> misc\_binding  
 <222> 320..344  
 <223> 18-230-332 potential probe

<400> 298  
 acaaacacaa tggattctgc cctccacatt gacacctgtt tcatttgcta tactgaggag 60  
 aatcaacaaa tgcttacatt tgtttgggtt tcatgaaatt cctttgcatt atttttcata 120  
 aactgaatat tgctttgtca ctacataatac ttgtttcact ttattggcac ttttgtectt 180  
 cacatttgct tcaagtgtct cccagaatat aatggaaccc tgggtgtcag gtgcccaccc 240  
 acatccctgg gaaatagtga agctgagatc agtaacacag acatggaagg aaccttagcc 300  
 atcatgcagt tcaaaattct tgacataaag ayaaagatgt tgagttccag aaagaaacca 360  
 tctgcctggg catccatgga ctatctcgct tattcagacg catcatggcc cactaatatc 420  
 atactaatat catagttaca ttagcatcgc tcctttg 457

<210> 299  
 <211> 478  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 378  
 <223> 18-966-378 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 358..377  
 <223> 18-966-378.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 379..397  
 <223> 18-966-378.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 458..478  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 366..390  
 <223> 18-966-378 potential probe

<220>  
 <221> misc\_feature  
 <222> 55  
 <223> n=a, g, c or t

<400> 299  
 gtacaggagg tggtcatcac agtttggcca ctggttccta tgtatgccct ttgnaagca 60  
 gtatagcatg gtggctttgg catcaaatac acccagcatc aagtactggc tcctttactg 120  
 ttatgagaaa aacctgagat tgtaatgtcc ccccaaactg ggaaggagct gatagtcaa 180  
 agaatgactc agacaagtcc agcttgaaga gtggatgagc tcaactcactt acagagaatt 240  
 cctgggcagc agcaagacag ctccagccat cttccccacc tcccatctct aagttgcttt 300  
 gaagctaatt ttctggctct ttgattactg catatgtgca atgagaatgt tttcctagga 360  
 atgttccaag ctatgctmca ggatgttgag tttctcaggg acacctgctc ctctgctggg 420  
 caccatggcc ttggctcacc gcctggcctt cagggttcaa gcagtggaca tacaccct 478

<210> 300  
 <211> 463  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 307  
 <223> 18-987-308 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 288..306  
 <223> 18-987-308.mis1

<220>  
 <221> misc\_binding  
 <222> 308..327  
 <223> 18-987-308.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 443..463  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 295..319  
 <223> 18-987-308 potential probe

<400> 300	
agagaccta c attcaccca tttgtagcag ttgttttaga acagtgattg ccaaggaggg	60
gaaaaatgag gaagcatagc agaatttctg gggaactgta gaaagagaga gcatattggg	120
aaggctcttg gatatttgaa aattactctg aaatgtttct gaaactcctt ccaactgattc	180
tcatggaaga agtctaacct cttaggatgt gcaagttcaa tggaataaat ttaacacttc	240
atcttgtgca tgaagtgtga tattcagaag caaaatatta aaagctacag gtttttataaa	300
aattaamttt taattaaaag caactcaaca ttttaaagat attctacatt ctccctttcc	360
cccgatattt gaaattccca atgatgtctt tcctgagaca tttaaataga cattcaacat	420
tatgagagtt ccttcttttg tgggggttta taagtacgaa gca	463

<210> 301  
 <211> 460  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 118  
 <223> 18-1169-118 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 99..117  
 <223> 18-1169-118.mis1

<220>  
 <221> misc\_binding



```

<222> 119..138
<223> 18-1169-118.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 442..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 106..130
<223> 18-1169-118 potential probe

<400> 301
gaccaagttc atgttgccaa tttattgaaa catctcactc cttagggcac aaccacaaaa      60
tgccttttgt tccccaataa ctgctttcta actgggccat gttgaaccca ctttccastg      120
gggagcagtt cctttaatta caagttggcc agattttgta agttgcagtg atgtttaaaa      180
aagtaatttt aaccctatgc agtttaaaat ttcaatctca acttaactca gagctctcct      240
tcctttccac taataaagac caaacctgcc actggcttta attggtggtg aggggggtgt      300
ctcattacac acttatccct cctccctttt tgagggctag ctcttccagt tcttggttca      360
gggagaagag caaaaagagg aaatatctct tactcctctg gacaggggtg cagtcttctc      420
cccgaatggc agacagtttt cctggttact actgatttgc      460

<210> 302
<211> 475
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 138
<223> 18-1172-138 : polymorphic base G or C

<220>
<221> misc_binding
<222> 119..137
<223> 18-1172-138.mis1

<220>
<221> misc_binding
<222> 139..158
<223> 18-1172-138.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 457..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 126..150
<223> 18-1172-138 potential probe

```

```

<400> 302
gcaaacaggt aagacatctg atatataaca ggcccccgac cgatgttagt tgccttcatt      60
gccaacaaat gtggaatgat cccctcctc tgagttccat agagaatgag aataaagagt      120
aggaaggggt ttctcagstt gtaaaacttt caatgctaac atcctggcaa accaggacac      180
attgttcaaa gggctacatt tgataaacta tccaagtat tcaatatgtg gctgttatct      240
ccttcctaata atcctgaata gcgttttcta ttgttttcagg gagtaggggt gaaaaacagg      300
tattcgtgat gtaaataatt tgttttttca atcacataat tgaagactgt taactggctt      360
tacagcagtg attttcaatg gggagtgcag ttttgcccct cccaagagac ttttagtaat      420
tccggaaaga tttttggtta tcataaccag ggagtgggag aggggtcttc tgcatt      475

```

<210> 303

<211> 533

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 92

<223> 18-1173-92 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 72..91

<223> 18-1173-92.mis1, potential

<220>

<221> misc\_binding

<222> 93..111

<223> 18-1173-92.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 515..533

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 80..104

<223> 18-1173-92 potential probe

<400> 303

```

ttattgtcag gttgggtctt ccttctgaag actcctgtgt attgtgcctt tgcaagttga      60
tttttcagtg aaacttcaga gggccaagat tyccccttgg ctccacact gtagtgatta      120
agatagtgag ataacagcag ggggatagat atggggtaga tatatacatc atatcaaagt      180
actccccaag ttcttattga ttagatatta agtaataagt tcaaaattat tatataactt      240
tatagtagag aagtttgcca tacatcaaata taaccaggta ttaaaagttc actgcccag      300
taatgggaca aatcaacgct atgtgcctcc tcatgtgctg caccgagaag gacacagtat      360
cacttcagca gtgttctggg gccaaaaatg taaaacctca agttgcttat gagtaaacc      420
cagccaaact caaaacaatg gacattctac aaagcaactg gcctgtactt ttcacaggca      480
ttgaggtcat gaaagacaag acagaagagc tgctccagag tgaagaagac cga      533

```

<210> 304

<211> 463

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

```

<222> 387
<223> 18-1174-387 : polymorphic base C or T

<220>
<221> misc_binding
<222> 368..386
<223> 18-1174-387.mis1

<220>
<221> misc_binding
<222> 388..407
<223> 18-1174-387.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 375..399
<223> 18-1174-387 potential probe

<400> 304
gccatttcct tgctttagat atttgacctt attttttcag acctgtttta tcaccagttt      60
agcttttcagg accctctcta gaggtgggtca tgtgttattg tggaaagtac agattttgga      120
ttcaaacaaa tgcagattca aaccttgggt ataccatcta taagatgttg aaaagtaacc      180
tgaccttgca gtctcagttt cctcaactat aaaatagtgt ctacttgtgt ggtaaagggt      240
taatccagca ggtctgcaca gtctaaatcc tgcacattcc aaagaaagggt ttagtcctta      300
ctctactcct gggagataac ctctaagctt ctagaatata ctgcctgtta agaattgttt      360
tgtttatcta agcccttggg ctacacyaaa tagtttaagc taagaaagtg ggaaatgtgt      420
gattaaatct gagagttgtc ttggtgactt caaaactact tct                          463

<210> 305
<211> 451
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 416
<223> 18-1175-416 : polymorphic base G or C

<220>
<221> misc_binding
<222> 397..415
<223> 18-1175-416.mis1

<220>
<221> misc_binding
<222> 417..436
<223> 18-1175-416.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 434..451  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 404..428  
 <223> 18-1175-416 potential probe

<220>  
 <221> misc\_feature  
 <222> 428  
 <223> n=a, g, c or t

<400> 305  
 gactagaagt tactttccca tgtctctttt ttaaaaacaa ttttcaaaga ccctagaaaa 60  
 tcaaatagtg acttaagggt tcagaaattt tcaagcctac tagcggagtg atgtggcaga 120  
 atgaacacag acttgagatt gagaaacact tggagctgaa ccttgctcta cctcttgcca 180  
 gctatgtgta cggggcaagg ttctgcatta gggtttcagc ttcttcattt gtaatatgga 240  
 accacctatc tagatggcta ctgtgaggat gaagtgatgc aaacaggtaa gacatctgat 300  
 atataacagg cccccgaccg atgttagttg ccttcattgc caacaaatgt ggaatgatcc 360  
 cctcctctg agttccatag agaatgagaa taaagagtag gaaggggtt ctcagsttgt 420  
 aaaactbnca atgctaacat cctgcaaacc a 451

<210> 306  
 <211> 450  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 146  
 <223> 18-542-146 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 127..145  
 <223> 18-542-146.mis1

<220>  
 <221> misc\_binding  
 <222> 147..165  
 <223> 18-542-146.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 430..450  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 134..158  
 <223> 18-542-146 potential probe

<400> 306  
 aaactgtgtc ctagagtcag ccaagcaact acaaagccga agaatgactt ttgctaaatc 60  
 actagctact gtattaacac catttcaggt ctattggatt cagggaaata ttttactgt 120

cacaactgct	ttttgttgga	ttgtgraaag	tattacaatt	aattttaaaa	atgtgtagaa	180
atgcctcagg	ggcaaggata	gaaacagata	tatatttcta	aagaaagctg	gagaaaaatt	240
ctttagaagg	tgagtaattc	caatttggca	tttagctaat	aatgttcctt	tctcgttata	300
atctattttt	ttctaacaat	gattaatagt	tttttcttgg	tatttcaaag	cagaattatt	360
gataaactaa	attcattaga	ctaattcatt	agtctttcac	cactcatttg	accacacggc	420
tctacatctc	tccacccaac	tcttacagta				450

&lt;210&gt; 307

&lt;211&gt; 3000

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 8-42-211 : polymorphic base C or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1481..1500

&lt;223&gt; 8-42-211.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1482..1500

&lt;223&gt; 8-42-211.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1694..1711

&lt;223&gt; upstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1263..1281

&lt;223&gt; downstream amplification primer

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1489..1513

&lt;223&gt; 8-42-211 potential probe

&lt;400&gt; 307

caagtgagcg	agatgagcgc	agcggcgcg	cggggcgctcc	tcttggtcac	gtagtcgatg	60
gggtccgtga	tggcccagta	cctgtccagc	gcgatggcgc	acaggtgcaa	gatggatgag	120
gtgcagcaca	gcacgtcgag	ggcgatgaac	aggctgcagg	ttacctggcc	cagtgtccac	180
ttgttgagca	cctgatacag	cgcggccatg	ggcagcacca	acaccgacac	catgaggtcg	240
gtgaccgcca	aagagccaat	aagataattg	gccacgttct	gcagggagcg	ctccaaggcg	300
atggcagcca	ccacgcacgc	attgcccagc	accgcgcaga	agatgagcgt	gcccagcagc	360
agagaggtga	tcacttggtg	gctgacggtc	acgtcggaga	taccagtagt	gttgccgccg	420
gtctcaaagg	gagccggtgg	tgatgtggtg	ttgttgccct	gaccagggct	gagcacatcc	480
atgcctgcgc	gcccggcgcg	ggaaggggga	gggaagaaaa	agcagcgcg	agattcgcct	540
cgcccccttc	cctgggggtct	tccgcccttc	tcctgggaag	tttcggagga	aggggaatgca	600
gagacccaag	caggaagttc	ttactgcttc	ggcgaagggt	atctccgagg	agcagctttc	660
aggcgctccc	tgggctctcg	cagtccagcg	cgttcagaag	ctccagctgg	gaaactggag	720
ttggcctgaa	agcagctcca	ggatctcccg	gcgccggaga	ggtggctgga	acgtctgtct	780
gtcgtgttcc	atcttacttt	gccgctcccg	aactggctgc	cggagctgga	gtctccccac	840
tagcaaacag	tctccaatcc	cagaaaatcc	tagaaccgag	aagccccatc	ctccacgggtc	900
actctgtgac	cctctctctc	ctatttcctt	ccttccctct	ctccccctct	ctcctcctct	960
cttctctctc	ttctgcctct	ttctgctccc	ttctccccac	ctgccttccc	tttcagttct	1020
cctcttctct	ctcacttccc	tttattttat	cctctgtgag	tcgcttcgaa	agccaggctc	1080
cttccccctc	actctaacc	tccccctcta	atacttcccc	aacccccagg	agtgcctctt	1140
tcctctgggt	ccccgccttc	ctctccctct	agctcagcgt	ctttgcattc	gagtctcttt	1200

ttgtcaacag	agactcagaa	ctcacttaca	cacaccagat	ccctgccggt	cagaccaagg	1260
ttgtaacaaa	taaactccgc	ctccaaccca	gcaaaactgg	ggttgggaaa	acttggggga	1320
gggaattcca	actactcctt	gcctcatatt	atctgccaaa	ttcttaaata	gtgtcagcat	1380
cccagagtgg	caataggaga	tgagaaaagg	aagcataggg	agcctgaatg	ggaagggtgaa	1440
cagtccctggg	tcagtctccc	aattattgct	aattgatgga	agaagaccga	gtgtgtcttc	1500
stttttaaaa	agctacctcc	gttctcgcgc	cattgcactc	cagcctgggc	gacagagcga	1560
gactccgtct	ccaaaaacaa	acgaacaacg	acgacaacaa	caacaaaacg	gtacctccgt	1620
tatcatctaa	cagtccagcc	ttactccctc	agggagaata	ttgcctgtga	cttttttttt	1680
aacgttgggg	aaccgggaga	gaacgaaatt	ataaaggacg	tgtcaaagga	caaggagagg	1740
taaacaactg	catctcgaaa	tgaagaacaa	aactcagtgt	gatatatatt	ctaaacacac	1800
acacactttt	ccatcactac	tacacttgta	atttcagtg	cactgccact	tcccatagct	1860
ttgtggctag	taaattcagg	gatggaaata	ttttgcatat	gtgttctaag	tgaagcctgg	1920
catttcacat	ggccttttgc	acttcttacc	agagcctgca	aacctctggg	ggaaacttgg	1980
tggaatcccg	gttcgctagc	cggctagcct	ctcttaatct	cagaaactgg	gttcagcacc	2040
tgggacagtt	ctaagcaatg	aggttttatg	tcgccacctt	ctggcaaagt	ttttagagtg	2100
ccatctggaa	acccttatgc	agaaatgaag	caagtattga	ggaaatacaa	caacttttag	2160
aaagagggaag	acagttatta	aaagacaagg	tagtattgag	ttttgtctcc	ttcctatttt	2220
ctttaaaaaat	ttattttagt	gccctctttt	gctctgaacc	ttatatatca	ggcctattat	2280
atgttttagc	ttccttcgaa	agcctgaagt	atctgtcatt	cacaagttct	aactgggaat	2340
gccattttta	taaagctagg	ctaactcttt	cacctgtgtt	ggttttgtgc	tgtcataacc	2400
tgaacttttg	aactgacata	aatttacctt	ttgttgagg	aacgaatagt	attgcatttt	2460
ccaaatgatt	taacatttgg	aaatgttaaa	tcactgaaaa	taaagatact	tacaagggtt	2520
tgttctaagc	tgtttccttt	aacaagaaaa	acaaatttaa	tcacatttga	gcattggtaa	2580
agaatgggac	ttctaagcaa	ctacagtaaa	cataccacac	aacatttcac	ttatacatcc	2640
tgattgcgatg	cctgaggaga	aaggaaatgca	atctcaaaag	cagttgacac	tggaatacat	2700
gaacagattc	actacagatt	gcaataatct	taatattgtg	ttcaaatctg	agctctgaat	2760
ttcatagctc	tgaattctcc	aagcccaaac	aaaagagcaa	tcaccaaagc	atcaaaaaga	2820
atccacttgg	gccaatgcat	tacaatacag	gacagtgtgt	ttggataagg	ttttgtttgt	2880
tttttttttt	tatagttcag	tgctgggcac	agttccact	caatcatttc	agcatgccac	2940
cacaatgagc	ctgccatttg	tgatgattca	tggcattgaa	aagaaagaga	taagtataca	3000

&lt;210&gt; 308

&lt;211&gt; 3001

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 1501

&lt;223&gt; 8-45-389 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1481..1500

&lt;223&gt; 8-45-389.mis1, potential

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1502..1520

&lt;223&gt; 8-45-389.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1114..1133

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1516..1533

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 1489..1513

&lt;223&gt; 8-45-389 potential probe

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; 11,126,133,286,315,1042,1228,2645..2646,2799,2964,2986..2987

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 308

catatgcaaa	natattttcca	tccctgaatt	tactagccac	aaagctatgg	gaagtggcag	60
tgctactgaa	attacaagtg	tagtagtgat	ggaaaagtgt	gtgtgtgttt	agaatatata	120
tcacantgag	ttntgttctt	catttcgaga	tgcatgtgtt	tacctctcct	tgctcctttga	180
cacgtccttt	ataatttcgt	tctctcccgg	ttccccaacg	ttaaaaaaaa	agtcacaggc	240
aattattctcc	ctgagggagt	aaggctggac	tgtagatga	taacgnaggt	accgttttgt	300
tggtgtgtgc	gtcgtgtgtc	gtttgttttt	ggagacggag	tctcgctctg	tcgcccaggc	360
tggagtgcaa	tggcgcgaga	acggaggtag	ctttttaaaa	acgaagacac	actcggctctt	420
cttccatcaa	ttagcaataa	ttgggagact	gacccaggac	tggtcacctt	cccattcagg	480
ctccctatgc	ttcctttttct	catctcctat	tgccactctg	ggatgctgac	acgatttaag	540
aatttggcag	ataatatgac	ccaaggagta	gttggaaattc	cctcccccaa	gtttttccaa	600
ccccagtttt	gctgggttgg	aggcggagtt	tatttggttac	aaccttggtc	tgaccggcag	660
ggacctgggt	tgtgtaagt	agttctgagt	ctctgttgac	aaaaagagac	tcgaatgcaa	720
agacgctgag	ctagagggag	aggagggcgg	ggacccagag	gaaagaggca	ctcctcgggg	780
ttggggaaagt	attagggagg	gagggttaga	gtgggaggga	aggagctcgc	tttccaagcg	840
actcacagag	ggataaataa	agggaaagtga	ggaggaagag	ggagacttaa	aggggaaggca	900
ggtggggaga	agggggacga	aagaggcaga	agagagagaa	gagaggagga	gagaggggga	960
gagagggaaag	gaaggaaata	gcgagaggag	ggtcacagag	tgacctgga	ggatggggct	1020
tctcggttct	agatatttct	gngattggag	actgtttgct	agtggggaga	ctccagctcc	1080
ggcagccagt	tcgggagcgg	caaagtataa	tggacagcga	cagacagacg	ttccagccac	1140
ctctccgccc	ccgggagatc	ctggagctgc	tttcaggcca	actccagttt	cccagctgga	1200
gcttctgaac	gcgctggact	gcgagagnc	agggagcgcc	tgaaagctgc	tcctcggaga	1260
tacccttcgc	cgaagcagta	agaacttcct	gcttgggtct	ctgcattccc	ttcctccgaa	1320
acttcccagg	agaagggcgg	aagaccccag	gggaaggggc	gaggcgaatc	ttcgcgctgc	1380
tttttcttcc	ctcccccttc	ccgcgcgggg	cgcgaggcca	tggatgtgct	cagccctggt	1440
cagggcaaca	acaccacatc	accaccggtc	ccctttgaga	ccggcgcaaa	cactactggt	1500
rtctccgacg	tgaccgtcag	ctaccaagt	atcacctctc	tgctgctggg	cacgctcatc	1560
ttctgcgcgg	tgcctgggcaa	tgcgtgcgtg	gtggctgcca	tcgccttggg	gcgctccctg	1620
cagaacgtgg	ccaattatct	tattggctct	ttggcggtca	ccgacctcat	ggtgtcgggt	1680
ttggtgctgc	ccatggccgc	gctgtatcag	gtgctcaaca	agtggacact	gggcccagta	1740
acctgcgacc	tggtcatcgc	cctcgacgtg	ctgtgctgca	cctcatccat	cttgcacctg	1800
tgccgcatcg	cgctggacag	gtactgggcc	atcacggacc	ccatcgacta	cgtgaacaag	1860
aggacgcccc	ggcgcgccgc	tgcgctcatc	tcgctcactt	ggcttattgg	cttctcatc	1920
tctatcccgc	ccatgctggg	ctggcgccac	ccggaagacc	gctcggaccc	cgacgcatgc	1980
accattagca	aggatcatgg	ctacactatc	tattccacct	ttggagcttt	ctacatccc	2040
ctgctgctca	tgctggttct	ctatgggcgc	atattccgag	ctgcgcgctt	ccgcateccg	2100
aagacggtca	aaaaggtgga	gaagaccgga	gcggacaccc	gcatggagc	atctcccgc	2160
ccgcagccca	agaagagtgt	gaatggagag	tcggggagca	ggaactggag	gctgggcgtg	2220
gagagcaagg	ctgggggtgc	tctgtgcgcc	aatggcgccg	tgaggcaagg	tgacgatggc	2280
gccgccctgg	aggtgatcga	ggtgcaccga	gtgggcaact	ccaaagagca	cttgccctctg	2340
cccagcgagg	ctggctctac	cccttggtgc	ccgcctctt	tcgagaggaa	aaatgagcgc	2400
aacgcccagg	cgaagcgcaa	gatggccctg	gcccagagag	ggaagacagt	gaagacgctg	2460
ggcatcatca	tgggcacett	catcctctgc	tggctgccct	tcttcatcgt	ggctcttgtt	2520
ctgcccttct	gcgagagcag	ctgccacatg	cccaccctgt	tgggcgccat	aatcaattgg	2580
ctgggctact	ccaactctct	gcttaacccc	gtcattttacg	catacttcaa	caaggacttt	2640
caaanncgct	taaagaagat	cattaagtgt	aagttctgcc	gccagtgatg	acggaggagt	2700
agccggccag	tcgaggctac	aggatccgtc	ccattacta	tgcttcccc	aaccctaggg	2760
aatcaacact	taagataatt	cgccacttct	cctctttcnt	ctctgctcgc	ctcagggtt	2820
gcagacctgg	tccccctccc	acttctctgt	ccacggcagg	gccctttgtg	caaaggagac	2880
ccagcggagg	agcgttgaga	gcccaggaaa	ttcagagagt	ttgtgagaag	cgacattggc	2940
tcagactttg	cctgtatcat	cagnttttga	tcccagcaat	tgccntnttc	tctcttctat	3000
c						3001

&lt;210&gt; 309

&lt;211&gt; 498

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 270  
<223> 18-994-270 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 250..269  
<223> 18-994-270.mis1, potential

<220>  
<221> misc\_binding  
<222> 271..289  
<223> 18-994-270.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..19  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 481..498  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 258..282  
<223> 18-994-270 potential probe

<220>  
<221> misc\_feature  
<222> 477  
<223> n=a, g, c or t

<400> 309  
actatggaaa accacatact tctctgcaaa tgtaattctt ggcaaagatt tgtctccatt 60  
ctggacattt gaaatttctt tcccagttta gaatgatagt gtcccagctt acacctaaaa 120  
tattgcttta atattctttg ttgagtggt tagtgaaaag ggagtgcaaa ggaaattcac 180  
tcaactctcc actggaaatg aatacccat catttttatc atgagttccc gtagcaataa 240  
agcattgtaa atgtgtagca attactgaay ctgtggtata acaattttct ccacacaaat 300  
ataattttat atttctttaa agaagatttt aaaaatatct aacaaagaga aagcctgcca 360  
agataatctt aagcaaatcc ttgtttgatg tgcaacagtg gatgggaaag taggaccagg 420  
ggtcctgctg ggatgttctg tccaacattg aactcctcaa agaacccttg tcaaagncaa 480  
gttcctctgt ccttagaa 498

<210> 310  
<211> 467  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 165  
<223> 18-912-165 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 146..164  
<223> 18-912-165.mis1



```

<220>
<221> misc_binding
<222> 166..184
<223> 18-912-165.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 153..177
<223> 18-912-165 potential probe

<220>
<221> misc_feature
<222> 450
<223> n=a, g, c or t

<400> 310
catttttctc accccgacta tgctottact ctttcaaaag tgaacaataa aaatattgac      60
agaaggacag cattgtaaaa gtacatttat taatgcttgt cactataaat ctgataattt      120
ctcacataaa aaatactctt tttgggtttt tactgaactt taaayatttt attaggactt      180
acaaatttca aatacttatt ttatgctttt gaacaaatgc atgaacttcc agggaaagag      240
tagggtcggt ttcaatactg atcattgaac tttcattggc atgttctttt attcccttca      300
ctaacttctg attatgtaaa gaagtctcag aatgcagcaa tcacatcttg ttttctactt      360
gtcttttact cagaatttcc cagagaactg gaagcttacc aaatacttta aagaatgggg      420
agaatgtaac atccacatgc aaatctcttn cctaataatat cctccca      467

<210> 311
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 124
<223> 18-991-124 : polymorphic base C or T

<220>
<221> misc_binding
<222> 105..123
<223> 18-991-124.mis1

<220>
<221> misc_binding
<222> 125..144
<223> 18-991-124.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind

```

<222> 444..463  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 112..136  
 <223> 18-991-124 potential probe

<400> 311  
 cattcctcat atactcatcc aaatggcaga ttgttcta at gctgtgat at gtattttatac 60  
 cttttcagca ggcccctgcc atctggattt ggaattcttt tagcagaaga caaagccttt 120  
 tcaygtttac cgatgaagct gcaaaaggaa agaccacacag gaaaaacaat ccctgacttt 180  
 ccctttctgt cattcgccca aatctccctg gctcaaaacc tcatcagcat cttctactcc 240  
 ctctctcttc acatccagac accaagtcct gccagttcct tctttgatgc atttttcac 300  
 atcttacttg ttttccattc cttctgccag cttcccatat tcaggccttt attgctctac 360  
 acctgcctca ttgaaatcac ctccaaagag aacacatctg ctttcgttat tagtggtctc 420  
 cactggctaa aaccacagtt tcagcttttt aacctggcat aag 463

<210> 312  
 <211> 551  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 219  
 <223> 18-920-219 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 199..218  
 <223> 18-920-219.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 220..238  
 <223> 18-920-219.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 534..551  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 207..231  
 <223> 18-920-219 potential probe

<220>  
 <221> misc\_feature  
 <222> 536  
 <223> n=a, g, c or t

<400> 312  
 tacccttaaa cacaactaca atctctggac attatatata aaaaatgatt taaaaaattt 60  
 aaacagtggg tagagacaga ctggctaggg acctcaaaat atgaagagca acttatggtc 120  
 cttgggtttt tcttttctta cattaatata ttagacatag agtttatgaa gccagcaacc 180  
 tggaaaggcc aatgggcata gataaaaact gcccacayc cccaagtaaa agtctgctct 240

```

ctctagggaa aaattcagga aagaagcatc caagaagaga aaaaaatttt agataataac 300
tactcaattt agccaaacat tggaaagaaa aaacaaagta ttctgtcccc tgccccacac 360
cagcaaagac catatgagta acctagactt tcacccacag cagcctgaaa taatctcctc 420
caagcctctt agaggtggta ttaaaaaaag tccaagtagg aaaaaacatg actttatcct 480
tcctaggttg taacaagacc ccctcctgat gcaaggtcag tggtgacaat ttaggnagta 540
tgggcttcta t 551

```

<210> 313

<211> 457

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 312

<223> 18-911-312 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 293..311

<223> 18-911-312.mis1

<220>

<221> misc\_binding

<222> 313..331

<223> 18-911-312.mis2, complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 437..457

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 300..324

<223> 18-911-312 potential probe

<400> 313

```

ccacatttcc caaattatgt aaggaaaatt tcctataagt tgtttctcct agtcatttcc 60
aatcaaaatt catagtcttg aacaaaacac aattgcccta ctgctacagt atttggggat 120
tgggaagaat taaatttaga ataatatatt taacctaaca aaataattga ttctaatttc 180
aattacatga aaaaaaagta aaaacttttt ttctagtagg agcttttaga aacaactttt 240
ataatctcat aagcaaatat tcaactcttt actgtataga ttctttcttc agtaataaaa 300
acaattcagc crtagtgttg ggataatgga caaacatacc aattactgag aaactccaac 360
catcagcctt cagtaatgat agggcttcaa gggtcacagc aaaacttcag cttaaactctt 420
ttagtgttgt gtccctggtc aaggaatwac attgaaa 457

```

<210> 314

<211> 477

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 368

<223> 99-65963-368 : polymorphic base A or G

<220>

```

<221> misc_binding
<222> 349..367
<223> 99-65963-368.mis1

<220>
<221> misc_binding
<222> 369..388
<223> 99-65963-368.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 459..477
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 356..380
<223> 99-65963-368 potential probe

<220>
<221> misc_feature
<222> 460
<223> n=a, g, c or t

<400> 314
gcttctgtat tctaaactgg aagtagacat catatcccag ctaaacaggg aaagtttttag      60
aactttggga atagtttgtc tatgcatgta taatgctgag aaggggtctgc agtgaagaag      120
ataagataga cttctccagc acaactatta ctcatttgat aattcagttt catttttgct      180
cacataatct aagtaaagcc atatcagaaa ccaagttttt ctgtatgtta cactaaattt      240
taagaacaaa gtctatatatt aaaataatcc aaaccccaaa ttggtcatc caaattatgt      300
cttggccagc aagttttaca ttagaagttt tgagacttcc atttatttgt gtcttttaca      360
gaattgtrtg acaatgactt ttggacattt gttctttcgg ctttgaata tttacacaag      420
aatggagaag gaacatccaa ctggagcata attgtcaagn caatagagaa tttagag      477

<210> 315
<211> 502
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 225
<223> 99-65966-225 : polymorphic base C or T

<220>
<221> misc_binding
<222> 206..224
<223> 99-65966-225.mis1

<220>
<221> misc_binding
<222> 226..245
<223> 99-65966-225.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 486..502  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 213..237  
 <223> 99-65966-225 potential probe

<220>  
 <221> misc\_feature  
 <222> 485,490  
 <223> n=a, g, c or t

<400> 315  
 tacctccata tacaatctct agcacctttt tctgtactta acactactct gtgaaccttc 60  
 tgcttttagct aaaatgttct aattggtatt tctaaccaga tctgctactt caaatttaag 120  
 tggcacatta tgtgtaaaaa ccagggtggca aaattataaa cattatataa gtttgaattt 180  
 tttgccttgt acctaccctt ggccaccctg ttgcaactct ttaaygggta atgattctct 240  
 cctcattctg atgctctcct ccttactctg ctcaaaactt tcttcctctc atctagccat 300  
 tcctttgggt ttagacccat cttttcctct ctcttccaag accctttcgg gttaatacaa 360  
 cacatgggag gttttgagtc tgcattcttc tcaaggatca acatttgcat aatcaacca 420  
 ggcaattaat caacatccag caatcagata gaaatttcat actaggccct cacttgccag 480  
 gaagnaaggn atcaggggtg tt 502

<210> 316  
 <211> 452  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 75  
 <223> 99-65968-75 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 56..74  
 <223> 99-65968-75.mis1

<220>  
 <221> misc\_binding  
 <222> 76..95  
 <223> 99-65968-75.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 432..452  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 63..87  
 <223> 99-65968-75 potential probe

<220>

<221> misc\_feature  
 <222> 439  
 <223> n=a, g, c or t

<400> 316  
 cctgaccttt gtttactgga ggtttaccca tgctcacttt gccctgcagc catcattctg 60  
 acaccagaaa gcagyagaat gaacaaacat aacaacagaa acaagagggtg tttttgacta 120  
 cttaagtagg gaaataatag agcataataa ttaattttta catagtaata cgtcatatat 180  
 acaaaaccct actatggaag aagaccagc cagaaaataa aatgcccctc tacttttaat 240  
 tgatgaaccc caaaacaatc aactgtttct tttgaaacag gggagggttat tttcctccag 300  
 ctgaatgttg cagggtagac agaggaggga tctcagcacc acccactgtt ttaaaaaggc 360  
 agattggacc cctgttgctt tccccagaga ctgtagtttt cctccatata tcttcaattc 420  
 tgtccatgtt agaaagaanc ctatatgtta cc 452

<210> 317  
 <211> 2512  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 1501  
 <223> 99-5069-331 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 1482..1500  
 <223> 99-5069-331.mis1

<220>  
 <221> misc\_binding  
 <222> 1502..1521  
 <223> 99-5069-331.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1171..1189  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 1702..1719  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 1489..1513  
 <223> 99-5069-331 potential probe

<220>  
 <221> misc\_feature  
 <222> 572,758,2175..2176,2329,2494  
 <223> n=a, g, c or t

<400> 317  
 cccattcagg ctccctatgc ttccttttct catctcctat tgccactctg ggatgctgac 60  
 acgattttaag aatttggcag ataatatgac ccaaggagta gttggaattc cctcccccaa 120  
 gtttttccaa cccagtttt gctgggttgaggaggaggtt tatttggttac aaccttggtc 180  
 tgaccggcag ggacctggtg tgtgtaagtg agttctgagt ctctggtgac aaaaagagac 240  
 tcgaatgcaa agacgctgag cttagaggag aggagggcgg ggaccagag gaaagaggca 300  
 ctccctcggg ttgggggaagt attaggaggg gaggggttaga gtgggagggg aggagctcgc 360  
 tttcgaagcg actcacagag ggataaataa aggggaagtga ggaggaagag ggagacttaa 420  
 agggaaggca ggtggggaga agggggacga aagaggcaga agagagagaa gagaggagga 480

gagaggggga	gagaggggaag	gaaggaaata	gcgagaggag	ggcacagag	tgaccgtgga	540
ggatggggct	tctcggttct	agatatttct	gngattggag	actgtttgct	agtggggaga	600
ctccagctcc	ggcagccagt	tcgggagcgg	caaagtaaaa	tggacagcga	cagacagacg	660
ttccagccac	ctctccgccg	ccgggagatc	ctggagctgc	tttcaggcca	actccagttt	720
cccagctgga	gcttctgaac	gcgctggact	gcgagagncc	agggagcgcc	tgaagctgc	780
tctcggaga	tacccttcgc	cgaagcagta	agaacttcct	gcttgggtct	ctgcattccc	840
ttcctccgaa	acttcccagg	agaaggcgcg	aagaccccag	gggaaggggc	gaggcgaatc	900
ttcgcgctgc	tttttcttcc	ctcccccttc	ccgcgcgggg	cgcgcaggca	tggatgtgct	960
cagccctggg	cagggcaaca	acaccacatc	accaccggct	ccctttgaga	ccggcggcaa	1020
cactactggg	atctccgacg	tgaccgtcag	ctaccaagtg	atcacctctc	tgctgtctggg	1080
cacgctcatc	ttctgcgcgg	tgctgggcaa	tgcgctgcgtg	gtggctgcca	tcgccttgga	1140
gcgctccctg	cagaacgtgg	ccaattatct	tattggctct	ttggcggtca	ccgacctcat	1200
ggtgtcgggtg	ttggtgctgc	ccatggccgc	gctgtatcag	gtgctcaaca	agtggacact	1260
ggggccaggta	acctgcgacc	tgttcatcgc	cctcgacgtg	ctgtgctgca	cctcatccat	1320
cttgccactg	tgcgccatcg	cgctggacag	gtactggggc	atcacggacc	ccatcgacta	1380
cgtgaacaag	aggacgcccc	ggcgcgcgcg	tgcgctcatc	tcgctcactt	ggcttattgg	1440
cttcctcatc	tctatcccgc	ccatgctggg	ttggcgccacc	ccggaagacc	gctcggaccc	1500
ygacgcatgc	accattagca	aggatcatgg	ctacactatc	tattccacct	ttggagcttt	1560
ctacatcccg	ctgctgctca	tgctggttct	ctatgggcgc	atattccgag	ctgcgcgctt	1620
ccgcatccgc	aagacgggtca	aaaagggtgga	gaagaccgga	gcggacaccc	gccatggagc	1680
atctcccgcc	ccgcagccca	agaagagtgt	gaatggagag	tcggggagca	ggaactggag	1740
gctgggcgtg	gagagcaagg	ctgggggtgc	tctgtgcgcc	aatggcgcg	tgaggcaagg	1800
tgacgatggc	gccgccctgg	aggtgatcga	ggtgcaccga	gtgggcaact	ccaaagagca	1860
cttgccctctg	cccagcgagg	ctggtcctac	cccttgtgcc	ccgcctctt	tcgagaggaa	1920
aaatgagcgc	aacgcccagg	cgaagcgcaa	gatggccctg	gcccagagag	ggaagacagt	1980
gaagacgctg	ggcatcatca	tgggcacctt	catcctctgc	tggctgccct	tcttcacgt	2040
ggctcttgtt	ctgcccttct	gcgagagcag	ctgccacatg	cccaccctgt	tgggcgccat	2100
aatcaattgg	ctgggctact	ccaactctct	gcttaacccc	gtcatttacg	catacttcaa	2160
caaggacttt	caaanngcgt	ttaagaagat	cattaagtgt	aagttctgcc	gccagtgatg	2220
acggaggagt	agccggccag	tcgaggctac	aggatccgtc	ccattcacta	tgcttcccc	2280
aaccctaggg	aatcaacact	taagataatt	cgccacttct	cctctttcnt	ctctgtctcg	2340
ctcacggctt	gcagacctgg	tcccctcccc	acttccctgt	ccacggcagg	gccctttgtg	2400
caaaggagac	ccagcgagg	agcgttgaga	gcccaggaaa	ttcagagagt	ttgtgagaag	2460
cgacattggc	tcagactttg	cctgtatcat	cagnttttga	tcccagcaat	tg	2512

&lt;210&gt; 318

&lt;211&gt; 493

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 175

&lt;223&gt; 99-5070-176 : polymorphic base G or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 156..174

&lt;223&gt; 99-5070-176.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 176..194

&lt;223&gt; 99-5070-176.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 476..493

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 163..187

<223> 99-5070-176 potential probe

<400> 318

```

cttattggct tctcatctc twtcccgccc atgctgggtg ggcaccccg gaagaccgct      60
cggaccccg cgcattgcacc attagcaagg atcatggcta cactatctat tccacctttg    120
gagctttcta catcccgctg ctgctcatgc tggttctcta tgggcgcata ttckkagtgc    180
gcgcttccgc atccgcaaga cggcctcaaaa ggtggagaag accggagcgg acacccgcca    240
tggagcatct cccgccccgc agcccaagaa gagtgtgaat ggagagtcgg ggagcaggaa    300
ctggaggctg ggcgtggaga gcaaggctgg ggggtgctctg tcgccaatgg cgggtgaggc    360
aagtgacga tggcgccgcc ctggagggtga tcgagggtgca ccgagtgggc aactccaaag    420
agcatttgc tctgcccagc gaggctgggtc ctaccccttg tgcccccgcc tctttcgaga    480
ggaaaaatga gcg                                     493

```

<210> 319

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 348

<223> 18-511-348 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 328..347

<223> 18-511-348.mis1, potential

<220>

<221> misc\_binding

<222> 349..367

<223> 18-511-348.mis2, complement

<220>

<221> primer\_bind

<222> 1..20

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 430..450

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 336..360

<223> 18-511-348 potential probe

<400> 319

```

agtattagat gtgacattgg ttacatgaag gcatttgatg gtgctgcatg tgagtggaaac    60
agagaaaataa aaatgcatca attctgaaat caaatattgt gtcattgctta gttataggca    120
aatagaaaac ccattactct gagcaaatgt attaaatgtt aatagaaaat gttaaaatat    180
atataaatac agaattttcc tgattgtata ccacaatggg atggcttatg ttttaaaggga    240
ctatgattct ttttctaata ttcaccatct ataagcttaa gaatgtcaac aatgtttacc    300
tacatgtgaa tggaaattga gaaaagaagg ttactacttg tcaaattycc tgctagacca    360
gttggtaaat ttctatgcaa ctaaatgata tatttaaatgt taatttggat gatttcattt    420
tagcataatc taaacagaaa ttctaacgtc                                     450

```



<210> 320  
 <211> 475  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 352  
 <223> 18-523-352 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 332..351  
 <223> 18-523-352.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 353..371  
 <223> 18-523-352.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 455..475  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 340..364  
 <223> 18-523-352 potential probe

<400> 320  
 ttcagccctt tctcgtcacc gagcccgttg aaatagtact acacacaaaa tacaaaccag 60  
 cagggtgagg agtgggagag aaggccaact gtgaaggcta ttcacaatat taggatgcac 120  
 aaaggagttg atgagatcag ttacatgatg gtactcagtg tgaaatgtag tatcttttca 180  
 atactgtttt gctgtgattt ccttaggaag attaatagcc ttgtgagacc ttgttaatta 240  
 tttttgctat gcttaaagta agtagataat tttctccac aagtgtctcc taatagatag 300  
 taaattccct agatcatcct ccacacgaga cattggggag gtggtaatgt trggctctgt 360  
 gatgtaaaat caacccttct gtctccacca ttagttcttc ataccactct tgggctcaaa 420  
 acaactaaac aagaaatctt ctagtcacga gtttgtggkt tctgttttag agtgc 475

<210> 321  
 <211> 509  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 480  
 <223> 18-545-478 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 461..479  
 <223> 18-545-478.mis1

<220>  
 <221> misc\_binding  
 <222> 481..500

<223> 18-545-478.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 489..509

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 468..492

<223> 18-545-478 potential probe

<400> 321

cattcatatt	tcctgaagaa	ccactggaaa	cagttattta	atagtgtggc	taaattgtata	60
ttcagagaaa	cacttcctgt	atatttgcac	atztatgtat	atztatgtcc	tattcctgga	120
atagatttac	aagttttgtt	tttcagaaaa	tttcagaatt	tctggaatgt	gcagaagtat	180
taacaggtaa	cttagatttg	gaatacactg	tattagagat	aactggaaaa	atgagaggct	240
tcctacactg	gaagggtcaa	gatctttcct	ggaggggagt	taggaatttg	cctttactta	300
ccattattct	gttaaaagag	attatgaata	atgcagtttc	acaaaaggaa	tgggacaatg	360
gtgtaagtaa	acctcccat	cacgttttca	gtggctttcc	tttgagtctt	gaacgttttc	420
cactgggtgt	tatagtcgag	agtcccccac	ctcctgagga	agcaagacct	ggcaaaccr	480
agacgatgcg	ctcttacttg	tgttgtttg				509

<210> 322

<211> 477

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 194

<223> 18-522-194 : polymorphic base G or C

<220>

<221> misc\_binding

<222> 175..193

<223> 18-522-194.mis1

<220>

<221> misc\_binding

<222> 195..214

<223> 18-522-194.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 457..477

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 182..206

<223> 18-522-194 potential probe

```

<400> 322
gtagcaaaat aggattttca gctggggttag aaaataccaa caacttggat taaaaaaaaa 60
atgctttttt gatctgggtg gttttgatag actgtcaaaa atattaatct taaaatttat 120
cgtaaatagt agtcatgcaa acctttcatt atatattctc tcaaattgat ttttttcaaa 180
gaacaagttt tcaaaaatac actggattca acaatttttg aattacagtc agatttgaat 240
ggtcttgtgc agatccactt aacttgtgag tagtaatgac cacttaaata gtaaataata 300
ctatctcata agcagtaaata aacttttatg aaaaatgaaa cgatataatt gctaaattaa 360
gtttctcact ttatactttt gctgtatcta aagataattg gtattcctac aggttaacat 420
attgttgatt catatatatg gctaccatat taagtgctaa tacttcattg ttgcatg 477

```

<210> 323

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 284

<223> 18-524-284 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 265..283

<223> 18-524-284.mis1

<220>

<221> misc\_binding

<222> 285..304

<223> 18-524-284.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 430..450

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 272..296

<223> 18-524-284 potential probe

<400> 323

```

actacttcgg tggattttct tagaccaaca aatgagaatt gataaagcct ccaggatctt 60
gtgtcgccca cttcaacaga acttcgcttc cattgataaa caatttcttc acgtggatag 120
ccatctgcgc tgagatagga agctcacat taaaaatgat tataaattag catatgtagc 180
aaccatcttc tatgaacatg aactgaggt aaagactgag aaagatagtt acaagctaaa 240
tgaggatctt ggaccaaagg gcattgcaat gagaacataa attrcaatga ctttgcaccc 300
taatgggaag ttagattcaa aaatccaaag gtcaaattta ctcttgaaaa taatttaaat 360
gacatagaag gtatactaca tgtgatttta tatatgccat atgcatactt tacatcatct 420
ggaatagtgc ataccaagtg accagtctat 450

```

<210> 324

<211> 505

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 52

<223> 18-626-52 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 33..51

<223> 18-626-52.mis1

<220>

<221> misc\_binding

<222> 53..72

<223> 18-626-52.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 485..505

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 40..64

<223> 18-626-52 potential probe

<400> 324

gaaacagaga	ggaagtcctg	gcacctgtgg	aaagttgggt	tggttgagca	gygagggata	60
aattgagggg	gtagaagtct	attctgtagg	aagtggaggg	cccctagggg	tttatgagca	120
ggacagtcac	ttgttggtag	ctgcatcctg	cagctggcag	caggggagag	gtgaggagca	180
tctggctcgg	gaaggcagag	gtgggaaggg	agagagggcat	aaggagaatg	tgaaagggag	240
tgagacaaga	tttggcagct	gaatctgtct	gggcttcaaa	gcatcacatt	tattcttcca	300
gtcagcactt	ccactgggtg	acccctccca	ggcccatcca	agatgaccct	ttctgaaaag	360
cccccaagct	gtggttgctc	ctgaaatctg	cttttgggag	aatccctgtt	gcttcttgcc	420
catggctgct	gctggatttg	gctgaaggtc	tatttccttg	ggtatcctgg	actcattagt	480
gtgtgcgaca	agttgaagtg	ctctc				505

<210> 325

<211> 486

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 189

<223> 18-629-189 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 169..188

<223> 18-629-189.mis1, potential

<220>

<221> misc\_binding

<222> 190..208

<223> 18-629-189.mis2, complement

<220>

<221> primer\_bind

<222> 1..20

<223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 466..486  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 177..201  
 <223> 18-629-189 potential probe

<220>  
 <221> misc\_feature  
 <222> 470  
 <223> n=a, g, c or t

<400> 325  
 cgatcactcatt tattgtgtgc actacaggtc atcaataacc tgtaataat gataaaaatt 60  
 tagtgtttca caagtgtatt tgggtttcac ataggctgac tctagargct gtgggcgtac 120  
 atcacctgc tgtttggtt ccacaggttc tgactaccct aaaagtaaga tgattgcctt 180  
 tttcccttyg aaccaaataa aaagatgaga agagactata gcttgcattg agcgctaagg 240  
 agaccagctg gcagcaggtt cacgtggaaa tactctgaat caagcaagtt tgcctagctt 300  
 agctcgggat ccagtccttg gaatggaggt ggaaattgtt ctccgcattg ggcacgccat 360  
 tgtcacatcc acatccaaad atgccttctg agcatgacag ccgcgttatc ctgaaagaca 420  
 atacatcaag ccaagggcaa ataatatcca atgtcaaag ctctcggggn ttgagaggt 480  
 ggatat 486

<210> 326  
 <211> 457  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 71  
 <223> 18-1131-71 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 51..70  
 <223> 18-1131-71.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 72..90  
 <223> 18-1131-71.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 437..457  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 59..83  
 <223> 18-1131-71 potential probe

<400> 326  
 cgaagaccaa aaaagaggaa gcattcagcc agctcaaaga aattattgca tcatttcctt 60

```

gtgtgcggtt yaggttaaaa ataacctcta atccttgtca agagtaaact gtcttgtcaa 120
agagaattag gaaattacct cagggcgggg gttacagggg ggggtagaga aggagcagtt 180
catcaggaag aaattacttg ctgcattttg agatgaacat ttctgaatga ctgaagaaaa 240
tgtggggcta agggaaatagg gactccgatg ggagacagga ggaacgtgca tggggcatgt 300
gtgtgtgttg tgggggtagg tgaagagggg ggcactggag tgtccctgcc atggagggtgg 360
ctgccctggg tggcttgaac tgctgggcca tggggtgttc ttctcttctc cgtcttgggc 420
agcctgcttt ggccttgggt gctcacagag atagagt 457

```

<210> 327

<211> 517

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 126

<223> 18-534-126 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 106..125

<223> 18-534-126.mis1, potential

<220>

<221> misc\_binding

<222> 127..145

<223> 18-534-126.mis2, complement

<220>

<221> primer\_bind

<222> 1..19

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 497..517

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 114..138

<223> 18-534-126 potential probe

<220>

<221> misc\_feature

<222> 443

<223> n=a, g, c or t

<400> 327

```

gtagttagtt gcaccagagt ataaatactt ggtaaaacac acaagaggaa gtagaattta 60
cacacaagtg btaactttca ccagcaaatt cactgtggga cttggacata aaaaaaata 120
aaaaaycctt aagataatta tatttataat atggatacag ttacagtacc atgataaagg 180
agtataaaaa ggtattttcc caatgaatca ttagctcaat aacatactag acaacagaag 240
tagagtttga attttattta agatctgccc agccctcttc cctttaaaaa atatttaatt 300
tctttttgtg caagtaacat cttctgtgga ttttgtaatt cctaactctg tgcaaaaatg 360
gcattttgaa ccactccttt tttttgtttt tgtttttatc cacatgtgca gtaatctgaa 420
ctgtttctct ctctcgctct cbntttaatg tctgtcttc aattgacaga gtcacatgtc 480
acagagagag gctctgcgcc tggtccttcc aactaat 517

```

<210> 328

<211> 514

<212> DNA

<213> Homo Sapiens

<220>  
 <221> allele  
 <222> 59  
 <223> 18-596-59 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 40..58  
 <223> 18-596-59.mis1

<220>  
 <221> misc\_binding  
 <222> 60..79  
 <223> 18-596-59.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 495..514  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 47..71  
 <223> 18-596-59 potential probe

<400> 328  
 tcaactccag taggtggcag gtatatagat atctgtttct aattatgggtt acttttctrt 60  
 tctcttcact tttctgttta acaaaatgta aaatgttaag gaaaaggaaa acctagttga 120  
 gttcaacaga accaaatgat ggatgggtgg aaccatgaat gaagtagctg ttattggaag 180  
 gaaacaatca taaactccaa tgttcaaaaa taaaatctga tgttcctttg ttttaattctt 240  
 ggatgaaaat gaaccatcca tcgaacagaa acctcctgat gctgctgttg gtaacgtctg 300  
 gttgtcacca gccacggacc ttgttttctt ttcactactg tcatgtttct tctccctctt 360  
 tggggatctg tcttccatgt gttttctata aaatcagcat aacagttcct agtgaaaaaa 420  
 tattttactg cacatgtgta agatttgga gtatagacta aaggcaggca aattacaagt 480  
 aagtttctgc catgctgtcg tttcaccttg attc 514

<210> 329  
 <211> 470  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 27  
 <223> 18-597-27 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 7..26  
 <223> 18-597-27.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 28..46  
 <223> 18-597-27.mis2, complement

<220>

```

<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 450..470
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 15..39
<223> 18-597-27 potential probe

<220>
<221> misc_feature
<222> 428,455
<223> n=a, g, c or t

<400> 329
atgtgggagc ttgcgttctg tcaagasctg acaccaaaca gttattgggc actccaagat      60
ttaattcttc cctagtctcc cactcacagc aatctacctg attcaacttc ctctgttttc      120
caagctcttg tggctaggac agattctctt agcctctcag ctactgctcc tcatttttga      180
gatctgtctt ttgcggctgc cagctgatgt ctttattctg tgctgggcat ttttccagcc      240
ctgcaatttg aaattactca tctgatttca tgggtggctg gcaaagggat ctgtcaaadc      300
tgcatacatt taggggaaac tgaaaatgaa actacatgct ggaatttttt aaagtataga      360
cttttctata gagaaaagaa aaatgtagaa atacagggca ggggaggtag atatctgtag      420
ctactggntg acccccgcgc ccccaaaatc agttntctag tctccatgct      470

<210> 330
<211> 476
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 203
<223> 18-730-203 : polymorphic base A or C

<220>
<221> misc_binding
<222> 184..202
<223> 18-730-203.mis1

<220>
<221> misc_binding
<222> 204..223
<223> 18-730-203.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 456..476
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 191..215
<223> 18-730-203 potential probe

```



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; 458

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 330

tgaagctgga	ctcttgactg	gagggcagagt	gatgatcaga	cgggagcacc	cctgtgccac	60
tcactcctga	actccctgtg	ctcttgatca	gcctacaccc	tgggggagca	ttaagataaa	120
atgcacgcta	atattttcct	gctttggaaa	ggaaactgca	atagcaaagt	ctgatgtgtg	180
aatcgtactt	tacagtttac	aamgatgtga	gcatccagga	tcacgactga	ctggcaaac	240
tgccttttagt	atcttcctga	atctgaggaa	gctgagcttc	gaggttaatta	agactcagac	300
gctcaactgt	gcctgctggg	ccgagggtacc	tcctgagtta	gagctctccc	aatttagttt	360
atgtcttagg	gatgtaaaat	gatgctgctc	tagattctta	ccaggatat	atatttaatt	420
tattactatt	gtatctcatt	gattgttatt	tggtggtnaa	ttttaaagt	gcaggc	476

&lt;210&gt; 331

&lt;211&gt; 453

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 89

&lt;223&gt; 18-734-89 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 70..88

&lt;223&gt; 18-734-89.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 90..108

&lt;223&gt; 18-734-89.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 433..453

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 77..101

&lt;223&gt; 18-734-89 potential probe

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; 435

&lt;223&gt; n=a, g, c or t

&lt;400&gt; 331

tcagccgatg	aggagctaac	aactcaatgc	caaattctgct	caaggatgaa	agggagcag	60
ggagaggaag	agaaggagag	atgcagggxg	gaggatatag	gggtcctctg	ggactttag	120
aggtctgagg	gtggagaggc	ctcctgcaaa	ggcctggagg	gaggcagact	gaggacatga	180
gacgcgatgg	gattcgtgaa	gtgtggaggc	tgtggccac	tcattcacttt	cctcaatcgg	240
actggggacg	gcacagtcac	tgatggctcc	tcctggactc	gaggccaagt	ggcataactaa	300
cccagagacca	ggggcacgtg	cctgagcact	gccagcaagg	agagctgtgg	ggaggccggc	360

tggggcccagag gccagcctga cctgaggcct cgctgggtgc aagtcctgtg agccgctttc 420  
tccatgggtta ggggncagag gttggatgat aat 453

<210> 332  
<211> 455  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 321  
<223> 18-895-321 : polymorphic base A or C

<220>  
<221> misc\_binding  
<222> 302..320  
<223> 18-895-321.mis1

<220>  
<221> misc\_binding  
<222> 322..341  
<223> 18-895-321.mis2, potential complement

<220>  
<221> primer\_bind  
<222> 1..19  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 435..455  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 309..333  
<223> 18-895-321 potential probe

<220>  
<221> misc\_feature  
<222> 428  
<223> n=a, g, c or t

<400> 332  
aggaagggaa ataaataggg gcttgatgta ttttatgatg tcttttgtgg ctgttgaaaa 60  
acatgccctg ctggccagaa tgtgtgaacc tggcttcccg ctttgctaga aaccccactt 120  
cttcaaaaagc aattggggcgc gcagggtcaa gagtgtgaaaag tgctcaaaga acctgatgta 180  
aaattcctct tacaaaaata tcttctaata taaataatct caaataccta agaaaacttg 240  
taagccaaat acgttcacta caggaaaatt tataacagca aaatcattca ctacgtaaac 300  
atccccaatt agggaagaag mtaacacaag gcgctcttgc cctgtcaaat atgcagccat 360  
ttaaaataat acatttttaa gaaattgtga tcatgtattg ggtaggaaaa aagcacagta 420  
ccaaactngc acagcctgat cccaactgta taaaa 455

<210> 333  
<211> 561  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 69  
<223> 18-896-69 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 50..68

&lt;223&gt; 18-896-69.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 70..89

&lt;223&gt; 18-896-69.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..19

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 544..561

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 57..81

&lt;223&gt; 18-896-69 potential probe

&lt;400&gt; 333

ttttaccaca	catcgtttca	tttaaaaata	tacagctcct	ggaaacatgc	gtctatttcc	60
ccttatgcra	acagcaacag	aaaagcattc	tttcaacaga	tgagcatggt	gaatctagct	120
cctggccaaa	gtcttgtgtg	tgatttttca	ggccaactac	agacaattac	agatgcttta	180
cctggcagtc	tcattgggta	agctgccctc	cccacaccag	acctgggtgca	cagtcagtg	240
actgcagtc	ctgatgggag	cggctgcaac	taccaggccc	tgccagcca	tgctgttagg	300
catctctcta	ttcctatctc	ccaggcctgt	tgactgggga	cccttcttat	caggcataga	360
tgactttgaa	ggcacgttct	ccactgtgac	tcagggttta	gtacttttcc	actcctagcc	420
cttgccctga	ccatccctcg	tagccccccag	gttcataaat	gtaagcagcc	tttctttgga	480
gaagagctat	gatccccacc	tctgagctga	tccacctgcc	ccacacctta	cactgttctg	540
tgggaaaatg	ggctggtag	t				561

&lt;210&gt; 334

&lt;211&gt; 459

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 58

&lt;223&gt; 18-903-58 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 39..57

&lt;223&gt; 18-903-58.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 59..77

&lt;223&gt; 18-903-58.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

&lt;223&gt; upstream amplification primer

&lt;220&gt;

<221> primer\_bind  
 <222> 442..459  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 46..70  
 <223> 18-903-58 potential probe

<400> 334  
 cagggttcca aataacagct ttccctcttt aaggtggaaa acatggacag gcaccacrctt 60  
 gttttatgag gctctgagtc tgtgccatgg aacatcatgc tagaactctc cgatattcct 120  
 gccaaatcct aaaatcccc agttctccct gcagctcctg aaatcctact gaagtgtatt 180  
 cctcaatctt catggagggt ctccattctt gcccttggca ctgctgcca actcagaatc 240  
 ctgctgcca caaggtaaaa cccaagccct atggccccac aggccagagc cacctctccc 300  
 accctgccc ccttcctaga ctgagccctg ttctctctcc cagccacact gggggctctg 360  
 cataggtgat gacacagtga tggtccatcc cagtccttac acacattctc cccattctct 420  
 tgccatgccc atcagcaagc acatccgctc taataccac 459

<210> 335  
 <211> 453  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 216  
 <223> 18-590-216 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 197..215  
 <223> 18-590-216.mis1

<220>  
 <221> misc\_binding  
 <222> 217..236  
 <223> 18-590-216.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 434..453  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 204..228  
 <223> 18-590-216 potential probe

<220>  
 <221> misc\_feature  
 <222> 417..418  
 <223> n=a, g, c or t

<400> 335  
 cattgtgggg tggcgttttg tggtctgaac cgtttctgtc cctcttggc cacactgagg 60  
 ttcacaggcg cctgcagagg agctggtgtg ggacgatggg gagattggga ggcaacatcg 120  
 cctcctctgc atgaaatgct catgggcaca tgtctgctgc ctctacctac caaaggacag 180

aaccagccaa	ctggcatggc	aggcagggag	ccagckcage	ctccaggccg	tccatcctct	240
ctcctcagta	ccagggcctc	ccgtcaacgc	cagcgccaac	agagagcctg	ggcccccccg	300
accctccct	cctgctggct	ctccttcttc	cttctagggc	ccctgctgcc	cctctgtctc	360
cagaattgtc	ccctgcttgc	catttaaccc	attcccagtg	cttgttktcc	ccgaggnncc	420
cagcctctca	gccttcaatg	gtcacctgtc	cca			453

&lt;210&gt; 336

&lt;211&gt; 534

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 433

&lt;223&gt; 18-817-436 : polymorphic base G or C

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 414..432

&lt;223&gt; 18-817-436.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 434..452

&lt;223&gt; 18-817-436.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..21

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 514..534

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 421..445

&lt;223&gt; 18-817-436 potential probe

&lt;400&gt; 336

ccatcatttt	cacttgaata	cttcttgcag	ttttattcat	ttccttgcct	catactacaa	60
aaatttaatt	gtgcagtc	taacaaaaat	taggatggaa	aatatcaacc	tggggttgtt	120
ttttccactc	atatggagaa	ggcttcttca	gcttactgag	ccagtaaaag	atgtctgtca	180
tcatttgctg	ttgattgtgg	catatatacc	attgcaacat	gcatcattag	cgcagttagt	240
accttggtac	agcttttggc	tttatattct	tactgtgtct	tagggctctca	gatggtttgc	300
gttacatttc	tcagatgtaa	tacaagtata	tctctgtgac	aagtttctat	ttttaatttt	360
tttaacctct	ttttatgtgc	agttacctaa	aattattctg	tagggacttg	actccaatcc	420
ctgaagtaga	ggsatttttg	catagtcacg	ttcctgctgt	cttgtccagg	gacttttcc	480
gtgtgctgtg	tttatatatt	tgattcctaa	cacgtaagac	ctttttcgga	gcaa	534

&lt;210&gt; 337

&lt;211&gt; 483

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 85

&lt;223&gt; 18-829-85 : polymorphic base G or T

&lt;220&gt;

<221> misc\_binding  
 <222> 66..84  
 <223> 18-829-85.mis1

<220>  
 <221> misc\_binding  
 <222> 86..105  
 <223> 18-829-85.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 464..483  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 73..97  
 <223> 18-829-85 potential probe

<400> 337  
 caaggggtcta gtgttttttag ctgtcttccc agccctgctc cagagccccc atgtaacctg 60  
 ctgccctgca gtgccagca cagakcagtg tctgttgaat gcgtgagtca agcaaaacat 120  
 caaacagaat ccttgacatg ggaaaaacat gctcccagcc accaccagct gaacattgac 180  
 atccagctgc ttcccactg ggcagtggct tgtgaagatg gggacagagt atcataaatc 240  
 atctcctttg tggacagcag ggatgacccg gaccttcttg tcacagacta aacagactaa 300  
 gtagccagaa gaaaaaaaaa gaaagaaaga aaaaaggggc ttaaaggcac tcagctgtca 360  
 aaattataag gagggtttgt taaaactatt ttttaaaaaa gaaaagtggg taagttatgc 420  
 agtaggatat aatattctat aataacttat taccaaactt ttagccttaa tccagttgct 480  
 att 483

<210> 338  
 <211> 597  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 387  
 <223> 18-832-387 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 368..386  
 <223> 18-832-387.mis1

<220>  
 <221> misc\_binding  
 <222> 388..407  
 <223> 18-832-387.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 580..597

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 375..399

<223> 18-832-387 potential probe

<400> 338

cagtctatgt	gttggtcctt	gtgtaagagc	aggctacttta	ccataaatcc	tgcccttagg	60
tcaaacaacc	gtgatatcat	atttcaattg	tcctacacat	ctcttctgaa	gcattctacac	120
cctttcccga	tgggtgtgtaa	accctgggtc	tggggatgat	ggcgagggt	ctaccatctc	180
aactcgagc	gaccagagac	acaaacctgg	cttctgtttg	taagtcccta	ttaaagtgtt	240
ctttctaaga	aactggattt	gtcagcctcc	tttttgggcc	tctcagcttc	cttggatttg	300
ggaggcaggt	ttgcatagac	ctgctcacca	caaacacaggt	agctaccaac	cttaggggtg	360
gggaaacagg	ggcagagggt	gaggttrtca	gaacctggaa	gctgggagga	ggagtgtcac	420
agagctggga	gctggacctc	tgtgcaggac	actgctgcag	ctgccatggc	aggetcagag	480
ggggacttta	aggaatggct	ggtgcyatga	cccctgcagg	gcacagagag	tctggctcag	540
agtgtgggga	gagctggagg	gaggccgaca	aggacagcag	gtgagcaggt	cccttct	597

<210> 339

<211> 461

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 259

<223> 18-833-259 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 239..258

<223> 18-833-259.mis1, potential

<220>

<221> misc\_binding

<222> 260..278

<223> 18-833-259.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 441..461

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 247..271

<223> 18-833-259 potential probe

<400> 339

tagcttggtg	tcttcgagtt	tttggtagag	ccttggtgctg	gggggtggcag	gaagagagag	60
gggacacagc	atggccagtg	ctatatagca	tgggaatgctt	ttaacagaga	acaaagtgtt	120
tgtactaaaa	ggcaggaatc	tggggctcag	taggtgttga	gtaactgaat	tgctatgaat	180
gattttccgt	caaaatctaa	ataacattcc	agcctttgcc	agcttcatag	gggaattaga	240
tagtaggaat	gcactgagyt	tgtgctcctg	ggaagactcc	acgattgggg	gaaggaaggc	300
aacagaaatg	agggcagggg	tgttgtttat	ctccgtccaa	gcacaggagg	ccccgggtgg	360
gatgacaggt	gggatgacct	ccgtttactg	gtggcccaaa	agcacaccta	tgcttccagg	420
atgaagtgcg	ctctgctcct	cacccaaagg	tttatttctg	g		461

<210> 340  
 <211> 450  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 271  
 <223> 18-839-271 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 252..270  
 <223> 18-839-271.mis1

<220>  
 <221> misc\_binding  
 <222> 272..291  
 <223> 18-839-271.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 430..450  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 259..283  
 <223> 18-839-271 potential probe

<220>  
 <221> misc\_feature  
 <222> 434  
 <223> n=a, g, c or t

<400> 340							
ctacagcact	tacacaagcc	accaactggc	acccacagca	cttatcactc	catgtgtctg		60
ctcaaccagc	ctgggtaagg	aaccctaccc	tctctgtctc	tgtccacctc	caacaggcca		120
tggtgcaccc	tgcattgggg	ctgcctcatg	ggggtctcca	ggaacacctg	ctgagtgaat		180
gcataaagag	tccttggctg	ctgcacactg	agctcacagt	taactaaatg	ctagaagatt		240
ttgtaatatg	tccttttgtg	tcaccttata	kaagctcact	ggtatttata	cactcagttt		300
tccacattca	aaacatacac	agctgtgtgt	gtggaggagg	cgggtgctgg	gggcccttgg		360
ggcagcttgg	agaatgctgc	aatctgggtg	tgtccgccag	gaaaacaggg	ccgagtcattg		420
ggttacagag	tggnaagagt	ggattcagag					450

<210> 341  
 <211> 496  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 194  
 <223> 18-770-194 : polymorphic base G or C

<220>  
 <221> misc\_binding



<222> 175..193  
 <223> 18-770-194.mis1

<220>  
 <221> misc\_binding  
 <222> 195..213  
 <223> 18-770-194.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 479..496  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 182..206  
 <223> 18-770-194 potential probe

<400> 341  
 ccagggtgata actaagtcac gaacgtttca gcaaacacct gctctagcct gggcactctg 60  
 cttgttgaca tgcaagggtga tgagagtcac actgtgacat gaattagcat caccgacaccc 120  
 tggcaaacct tttgtgatgc ctcccgtgaa agcacgtcat agttctcctt aaatgggatg 180  
 tccctttcct ctgsaggagc agcgtcttcc ccagaacagt tagcatcact tctccgatac 240  
 agaggataat gctgtccggg gtggagagag gagttcaggc ggctatcgtg aaaccacagg 300  
 ctgcctgctg tctgccatga gccctttcct ccccagctc acctgcagga ggacaggggc 360  
 agacgtgggc agcagaggcc caggtcacac ccggttgag ccacgtgcct gctgggtaca 420  
 agtcaggcca ttaatccgca cacctgaccc tcatcaaagg gcaagaagcg ctagggggct 480  
 gaggtagcaa ccgaag 496

<210> 342  
 <211> 481  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 302  
 <223> 18-771-302 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 283..301  
 <223> 18-771-302.mis1

<220>  
 <221> misc\_binding  
 <222> 303..321  
 <223> 18-771-302.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 461..481  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 290..314  
 <223> 18-771-302 potential probe

<400> 342  
 cttaaacaca cacttagagg gaaataattc aaactgtatc atgcttctat tatgagtcag 60  
 cagagaaagc cacctactag agactctgcc ttcctggcag agggaaaggt gagcattggg 120  
 ggtgaagcca ctggacagaa atgacctcac ctgcagacct gctgtgtcca aggtcaacag 180  
 agtgctgggc acccacagga aggacaagat taaaagagaa aaggcttcca ctcccacctg 240  
 ttttctccac cgcgtctata atcagtatag agtatagagt cctgtccact gtgctgcagc 300  
 crcatacaca gccagaaaag gatgtagaga tgggcactga ggtggcctcg cagagcggga 360  
 gctgctcatg gtcaggctaa gggtcaggat gctctggctc aaaagcccag gccaatggag 420  
 atgggtggca cagagctaca gaggaactgt gacacacttg ccaccaaadc ccatagtagt 480  
 t 481

<210> 343  
 <211> 449  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 53  
 <223> 18-827-53 : polymorphic base G or T

<220>  
 <221> misc\_binding  
 <222> 33..52  
 <223> 18-827-53.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 54..72  
 <223> 18-827-53.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 429..449  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 41..65  
 <223> 18-827-53 potential probe

<220>  
 <221> misc\_feature  
 <222> 431  
 <223> n=a, g, c or t

<400> 343  
 gtttgggatg gaaggcagta ggtattggca ggacagctat tgcacaaaat taktcattga 60  
 cctgaacatt ctcaattctt gtttctttgg aagttataaa ggcagatatt taacatgctt 120  
 taattaataa agttcttttg cactttcgaa gactattcga tggataaacac attccgtccc 180  
 ctgccctccc agcgtgggct gcctctggcc tagaaatgca aatgtttgct tggtcgtaaa 240  
 aaatgcgtag ccgagagctt caaaatgtga gcaagaacat catatttggt tgcaagtaac 300

```
<210> 344
<211> 429
<212> DNA
<213> Homo Sapiens
```

```
<220>  
<221> misc_binding  
<222> 299..317  
<223> 18-768-318.mis1
```

```
<220>
<221> misc_binding
<222> 319..338
<223> 18-768-318.mis2, potential complement
```

```
<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer
```

```
<220>
<221> primer_bind
<222> 409..429
<223> downstream amplification primer, complement
```

```
<220>
<221> misc_binding
<222> 306..330
<223> 18-768-318 potential probe
```

```
<210> 345
<211> 450
<212> DNA
<213> Homo Sapiens
```

```
<220>
<221> allele
<222> 26
<223> 18-769-26 : polymorphic base G or C
```

```
<220>
<221> misc_binding
<222> 6..25
<223> 18-769-26.misl, potential
```

```

<220>
<221> misc_binding
<222> 27..45
<223> 18-769-26.mis2, complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 14..38
<223> 18-769-26 potential probe

<400> 345
agttatgctg agagcaccag gcacasgttg aacaccgcag tcttagaaac agcagagggga      60
agactgcctt ctcaggtccc cctcaggtga ggcaggggaac gggccctcct cacctgagac      120
caagggggcc cagccttctc cctgcacagc tcacccccga ccagcccagg ctccagcagg      180
agagacaagt aaggcccaag tgtgcctgag tggaaaatgt ctgggacact gacctgtcaa      240
aactggcccc tggctcactg gggtcccatc aaatatagtg ggggatccat aacagagatt      300
cagagaggca ccgtggagtt ccaggggtcat cggtcagcga ggaacaagga gggaaagggtg      360
tcttcctgcc ccttgatgct caactaagca tctgttcctt agaaatacat gtgtccaggt      420
cgtctccatg ggcttttctt tgcagatact                                     450

<210> 346
<211> 453
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 320
<223> 18-709-321 : polymorphic base C or T

<220>
<221> misc_binding
<222> 300..319
<223> 18-709-321.mis1, potential

<220>
<221> misc_binding
<222> 321..339
<223> 18-709-321.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..453
<223> downstream amplification primer, complement

<220>
<221> misc_binding

```

&lt;222&gt; 308..332

&lt;223&gt; 18-709-321 potential probe

&lt;400&gt; 346

ttagacgtgg	ctgcacttgg	ccaatgtgct	gtgaacccac	agtgagcggg	tccttgcgag	60
tgaagcttgg	tagaggagtg	tgtggctcct	tcaccacctc	ccctgccacg	gggtcccgca	120
ggccatattg	agacaggctc	ctgtcagctg	gggccctgag	ggctcagagg	agcagcacat	180
cctgatggat	acaggggccc	agatggtggc	ttcggagata	agagacaaac	ctgctacctt	240
gctatccctg	caagcgaggg	gcacgccagg	ctgagggcgg	catggcaaag	gcggaggagg	300
tgttccccc	cagctctcty	gggaaacgac	acgtgcttcc	tgctaccagc	aggcagactc	360
ggatggaggt	ggaggggacg	agagtgtggc	aggcaggcga	ccaaaagtca	acgcagtttg	420
gtctctgatg	accccaaagt	aaaaaccagt	ccc			453

&lt;210&gt; 347

&lt;211&gt; 514

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 281

&lt;223&gt; 18-714-280 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 262..280

&lt;223&gt; 18-714-280.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 282..300

&lt;223&gt; 18-714-280.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..19

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 495..514

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 269..293

&lt;223&gt; 18-714-280 potential probe

&lt;400&gt; 347

acttgaagga	ctccgacagc	ctcatgggcg	actgtattaa	gccccagcaa	tccgagaggt	60
gggctccggg	gctgggtggg	tctcctctgc	caggtgggtc	tcctctgcct	gtggtcccag	120
cagctcggca	gcagggggccg	gcccagatgg	ccgttggtca	cagagacagc	tgggctttgc	180
tgagtgcgtc	gtggtccagc	ctaggcccat	gccactgaag	cctttctcag	aggtgtgggg	240
tctgcaggga	ccggtcacat	gtgagcccag	gatcagggca	ytgggggaag	aaccagctga	300
ggacattccc	cagccccaaa	acaaaggcac	ggcagtcctc	gagcaggagg	gagtgaggag	360
ccacatgtgg	gatccgcctc	ctctggcgtg	tgagctgtgg	atggcatctg	gtaccagccc	420
catgcccgtc	ggccgctggc	gagcttgacg	gctctgcagg	caaccggaac	agcatactgc	480
aggtgcacrc	gggktcctcg	tgccgagtga	ttta			514

&lt;210&gt; 348

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

```

<220>
<221> allele
<222> 271
<223> 18-843-271 : polymorphic base C or T

<220>
<221> misc_binding
<222> 252..270
<223> 18-843-271.mis1

<220>
<221> misc_binding
<222> 272..290
<223> 18-843-271.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 433..451
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 259..283
<223> 18-843-271 potential probe

<220>
<221> misc_feature
<222> 438
<223> n=a, g, c or t

<400> 348
ggagagacat ttgctttcag tggctcatca ataattcaca tagaaacgag cattttctaaa      60
gcacagttag gagacagagc tggaacagtt tcttgccagg acatatcatg ggcaactgga      120
acccaagtgtt aggcaagaca ggaaaaacca ccacctgcaa attatctttt ccttcaaattg      180
gataaacagg cgcaggggtgc ggtgaaagcc gtcattccgt tcagcagcag ccacgccgct      240
gagacggagc aacggccgag catacgcagc ygcactcacc accgctggta caggtagacc      300
agaaacacca cgtcgtcccc gaagcaggcc agccgggtgag acgtgggcat ggtgatgatg      360
aaggcaaaga cgtcatcaat gaaggtgttg aaagcctgca gggccagacg ggaggagggt      420
gaacccagtg tgctgggnct ggaatcctac t                                451

<210> 349
<211> 460
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 265
<223> 18-850-265 : polymorphic base C or T

<220>
<221> misc_binding
<222> 246..264
<223> 18-850-265.mis1

<220>
<221> misc_binding

```

```

<222> 266..284
<223> 18-850-265.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 443..460
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 253..277
<223> 18-850-265 potential probe

<400> 349
gaagacatta ttgaatgctc ttagaagatt gtaarattgc tctctggaag tgtgggggaa      60
ggtggaagtg atatccatgc attgttagta gaaagccacg ctagagctca cacagccttg      120
cactttgata ggagtgggga ggggtgcagg ggaaggagar gcaaaccaga gtgtctgtct      180
tgaggcctcc atgggccagt gcccagccc tgtggtgagg gctggcactt cccagctccc      240
gtgccccagc tgtaccatct caggygctga gaacgcaccc atcccttccc agaggaatgc      300
ccgtgaatgc ctggggctc tgccctccgc accaggatg tccctagccc tggtgctga      360
attgttgctg tcctgttgtg tgtttatttt tcatattggc tgaagaccaa gaggggaagaa      420
gcacagaatt cctcaactcc cagtgtgccc atgagtaaga                                460

<210> 350
<211> 459
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 296
<223> 18-853-296 : polymorphic base C or T

<220>
<221> misc_binding
<222> 277..295
<223> 18-853-296.mis1

<220>
<221> misc_binding
<222> 297..315
<223> 18-853-296.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 440..459
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 284..308
<223> 18-853-296 potential probe

```

```

<220>
<221> misc_feature
<222> 441
<223> n=a, g, c or t

<400> 350
atgcccactg cacagatgag gagccgaggc caggaagggt tttgccagat gcctgggctg      60
gggccagggc tcaggaccac ccaactgaact gcctgctcgg cccaccctgg caagtgtgtg      120
caagggcccg gtggtgccga cgaggagggc catggggagg agatgttggt gtcctgagac      180
tcccagcccc acctgagggg gaagaggggt ggagagcaag gctgggagcc acccttgggg      240
gctgtgcatg tgccccctga cattggagga cacaggccac gccacacctg tgccayccag      300
ggagtgggaa ggaagcacgt ggccgtggag aggccagcag gtggcaggaa gggctgcaag      360
ccccaacca cggggtcaca cgtaggggac ccagcacccc atgcaggagc tggctgtgcc      420
ctgcatctgc acaggccggg ncatgaactg gcatcagca                               459

<210> 351
<211> 463
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 332
<223> 18-867-331 : polymorphic base A or C

<220>
<221> misc_binding
<222> 313..331
<223> 18-867-331.mis1

<220>
<221> misc_binding
<222> 333..352
<223> 18-867-331.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 445..463
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 320..344
<223> 18-867-331 potential probe

<220>
<221> misc_feature
<222> 424
<223> n=a, g, c or t

<400> 351
tgtgaactgc tctatgtctc cttgcagttc tatcagtttt tgccgaattc attatgaagc      60
tatgttatta ggtacataaa catttgtcct tttggtgaac tgatgctatc ataaaatgac      120
attgttttaga catgatctgt tttgaggatt cctatggcct gcatattagg tggttgaag      180
tcccacagtt ctctgatgct tggttcattt ttttgccttt tttctttatt tcattttgaa      240
cagtttgcac tgccatctat gtcttcaagt tcatgtatcc ttttcttctg agatgttgaa      300
tccacccctc ctctcaacca gtgcattttg cmtctgagac attgtggttt tcatctctag      360
aatttggtt cgtgtctttt aaaaaatc tgtcatgtct ctattaaaca tattcagtc      420

```



cgcnttttggc tagctcttgg aatkgaggta acagttatga ttg

463

<210> 352

<211> 449

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 73

<223> 18-877-73 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 54..72

<223> 18-877-73.mis1

<220>

<221> misc\_binding

<222> 74..93

<223> 18-877-73.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 432..449

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 61..85

<223> 18-877-73 potential probe

<220>

<221> misc\_feature

<222> 377,402

<223> n=a, g, c or t

<400> 352

ctgataccac	cgaacacgc	atttccttgc	tctccacttg	ttcaaagcct	ttacacccac	60
tgccctgccat	ccyacagctt	ccagaacact	gaggccatcg	ggaacaagca	cacaggcttc	120
cacagaaggt	ctcaggtccc	ggggctgaaa	gcctttcctg	agtgcgtgga	ggcacatgga	180
cctcagacag	ttcaggtcac	tgcccggaaac	tcacctcaat	ggcgggtcca	acacccgccg	240
ggaccagcac	cagcaggctc	gtctgctcgt	ccagcaggaa	cagaaagatg	accacggtgc	300
tgaagcagcg	ccagagcact	ggggacagga	tggtcgggct	gggaggggggt	gcagggcaga	360
ccccacctgt	gttcccncaa	gtcacacaca	taccccaggt	cncccatcc	caacccacca	420
cgcccaagaa	gcttcaggtg	ctccccagt				449

<210> 353

<211> 450

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 85

<223> 18-856-85 : polymorphic base C or T

<220>

```

<221> misc_binding
<222> 66..84
<223> 18-856-85.mis1

<220>
<221> misc_binding
<222> 86..104
<223> 18-856-85.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 73..97
<223> 18-856-85 potential probe

<400> 353
ctgcttcctc tctcaagaca gcacctctcg aatctggccc caagtgagac acagcaacag      60
cgacacatga gagagactgt gattyggggg aaaagctgct gtcggcacac gtgtctccat      120
aaccactgga acgcaggcca cactggcac agctgcgccg caaagcctgc cccgggcctc      180
taacaagaca gatctgcaga cagacacaca gggcagcctt ctgcagctgc ctgcccctgt      240
ccaccatctc ctgaatgcct gcaaggagtc agcggcatga ggcttcacaa gaggtgacca      300
cgagctggtg ccacagctca cacagctctg tatggggcat ttagcagaa cttgctgtcc      360
tgaggtttgt cagcagcaca ccagcaaact ccagcaaaca gagaaagagg ttggaattgc      420
aggggccgac agagaaacta ctcagggata                                     450

<210> 354
<211> 480
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 101
<223> 18-861-101 : polymorphic base C or T

<220>
<221> misc_binding
<222> 82..100
<223> 18-861-101.mis1

<220>
<221> misc_binding
<222> 102..120
<223> 18-861-101.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 462..480
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 89..113
<223> 18-861-101 potential probe

<400> 354
ccctcaaattg gataaacagg cgcaggggtgc ggtgaaagcc gtcattccgt tcagcagcag      60
ccacgccgct gagacggagc aacggccgag catacgcagc ygcactcacc accgctggta      120
caggtagacc agaaacacca cgtcgtcccga gaagcaggcc agccgggtgag acgtgggcat      180
ggtgatgatg aaggcaaaga cgtcatcaat gaaggtgttg aaagcctgca gggccagacg      240
ggaggagggt gaaccccagt tgctggggct ggaatccctac tgtttttggt aacctaacca      300
agccaacggc ttttggcaga tgcttggaaac taactggaac tcctcacagc aacaacaaaa      360
agagcagaaa gccggcaagt ggagatacgg agctctgttc cctcatgggc tccccacagc      420
tgctggcacc cgacacactg cgggtcttgc ccaggctccc acatcgggga accaaagaga      480

<210> 355
<211> 465
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 323
<223> 18-635-323 : polymorphic base A or G

<220>
<221> misc_binding
<222> 304..322
<223> 18-635-323.mis1

<220>
<221> misc_binding
<222> 324..343
<223> 18-635-323.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 445..465
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 311..335
<223> 18-635-323 potential probe

<220>
<221> misc_feature
<222> 81
<223> n=a, g, c or t

<400> 355
gataattgtc tcagggttaag cttgagcata acatgcacca tgacacatat gatataaggc      60
aatgaggcca sggagtgggtg nctcacgcct gtaatcccag cactttggga ggtcgaggca      120
gcactttggg attgcttgag cccaggagtt cgagataatg caatgcaaac atttttgtgg      180
ccaccagaaa gaaattgatc tacaccagtt ctttgggaac tgaattatcc atggcaaaaa      240
aaaactatat tccatattca gttttcaatg ttgctgaaat tatctgagat ttccatccaa      300
gttgacatct taaaacttta tcttgatcat cactcccttt actatgtagt cttatttggc      360

```

```

catattttgc ttacccttat caactaagga gccagtgtaa atctctgagt tgcagatctg      420
gaagtgatgt 'gaagaaatgt tatagaggga gtgtacttat cagtg                      465

```

```

<210> 356
<211> 493
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 205
<223> 18-636-205 : polymorphic base C or T

```

```

<220>
<221> misc_binding
<222> 186..204
<223> 18-636-205.mis1

```

```

<220>
<221> misc_binding
<222> 206..225
<223> 18-636-205.mis2, potential complement

```

```

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 473..493
<223> downstream amplification primer, complement

```

```

<220>
<221> misc_binding
<222> 193..217
<223> 18-636-205 potential probe

```

```

<220>
<221> misc_feature
<222> 36
<223> n=a, g, c or t

```

```

<400> 356
cgcccttagc ataagatgca tccatttgct gggcctgtg ctgtaatcag agggccttag      60
cctggccttc cttctgctgc cctccacca aggaagtaag gagttggcgg ggccaaggga      120
gcagctttgc tcccctctct aaactacatt ttgcatctgc tggaccccca cattctctgt      180
ccaaatgggt ttgaaccacac ttccyggcca cacaagcctc ttcctgggat gtgctgcagg      240
catacacacc cttaggccta aggagttaa ccaagaggca gcaatgagag gtgtgaagag      300
acttggttag gaggaacttg ggtaagcagg ctgcggtcca gggctcacga cggctgctca      360
caggtcccctg gagatggaag gacatgggga aagaagaggg ccaaccata tccaaggagt      420
tcaagaattc taaattcaac ctgaccttcc aggctgttat ggagggatat ctgtcaagg      480
aaaggagata gct                                         493

```

```

<210> 357
<211> 589
<212> DNA
<213> Homo Sapiens

```

```

<220>
<221> allele
<222> 427
<223> 18-649-427 : polymorphic base G or T

```

<220>  
 <221> misc\_binding  
 <222> 408..426  
 <223> 18-649-427.mis1

<220>  
 <221> misc\_binding  
 <222> 428..447  
 <223> 18-649-427.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 570..589  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 415..439  
 <223> 18-649-427 potential probe

<220>  
 <221> misc\_feature  
 <222> 536  
 <223> n=a, g, c or t

<400> 357  
 tctgtgtaat gcccaacgat ttttcattag ctgggagctg ttttagggac attttacagg 60  
 ttaatgactg tgggagagga gaataaaatc aaaactgcaa gaaccattt ttgtcttcat 120  
 aagcattgca ttttaaaata cgagggcttg aagacttctc agaagagaca ctcactactg 180  
 gagttaagt tatatgaagt ccctgagccc ttaatcatcc aagactggac ctaagcagtc 240  
 ctcttcgttt gtagtctctt tcaatatctg cttatcaagg acaacgagaa tatcttagtc 300  
 tactaattaa tcttttttat caccatagtc taccaagaaa gaaagctgat aagataataa 360  
 agatgattca ttcctcagag taggaaaaaa taaaaagaaa aatttaaaaa gatgctaaat 420  
 atgagckctg agtctcaaca ctgtctcaag atgaggcaga tgtcaacttt cttgcctatt 480  
 ctgcttgcta tttaggcata tctcttgagc aaaaccagtc atttgtcttc tcattntycc 540  
 aaaaattaaa ttcaagaaca aattgttgag gaagggttatt agaactctca 589

<210> 358  
 <211> 432  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 316  
 <223> 18-1134-316 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 297..315  
 <223> 18-1134-316.mis1

<220>  
 <221> misc\_binding  
 <222> 317..336  
 <223> 18-1134-316.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 412..432  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 304..328  
 <223> 18-1134-316 potential probe

<400> 358  
 catcttggtg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg 60  
 ccctttccag ccctgaggtg caccagttag tgtgtgtccc ttctccagct ttctgagggt 120  
 aaaagtacca cctttggatc aaggcttgct ggctgcggct cagaggatct gcgcagagga 180  
 agcagtgtgt cctcaggaga tctgaagga ggggaggggg gactcttcct acttgggaact 240  
 ctttgtttat tggttaatga aaggggcaaaa ataagtcctt ttctaaaatt ttagttttaga 300  
 gtttaagttg gaaggraaaa aaaaagaaaa gaacacattt gaggattaac tattttattga 360  
 cttttctctg aagttctcaa ttgaaggta aactcaggga ttttcaggc tggggtaaaa 420  
 ctcaaccaac tg 432

<210> 359  
 <211> 432  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 316  
 <223> 18-633-316 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 297..315  
 <223> 18-633-316.mis1

<220>  
 <221> misc\_binding  
 <222> 317..336  
 <223> 18-633-316.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 412..432  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 304..328  
 <223> 18-633-316 potential probe

<400> 359  
 catcttggtg tctacgtttc tggggctgag aagatatttt gctccacacc tgccagcatg 60  
 ccctttccag ccctgaggtg caccagttag tgtgtgtccc ttctccagct ttctgagggt 120

aaaagtacca	cctttggatc	aaggcttgct	ggctgcggct	cagaggatct	gcgcagagga	180
agcagtgtgt	cctcaggaga	tcctgaagga	ggggaggggg	gactcttcct	acttggaact	240
cctttgtttat	tggttaatga	aagggcaaaa	ataagtcct	ttctaaaatt	ttagttaga	300
gtttaagttg	gaaggraaaa	aaaaagaaaa	gaacacattt	gaggattaac	tatttattga	360
cctttctctg	aagttctcaa	ttgaaggtta	aactcagga	ttttccaggc	tggggtaaaa	420
ctcaaccaac	tg					432

&lt;210&gt; 360

&lt;211&gt; 533

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 425

&lt;223&gt; 18-489-425 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 406..424

&lt;223&gt; 18-489-425.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 426..445

&lt;223&gt; 18-489-425.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 515..533

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 413..437

&lt;223&gt; 18-489-425 potential probe

&lt;400&gt; 360

tagcctctat	gctcacgctg	gtccctatct	tttccaccct	tcctggctgg	ccccagtggtg	60
tcctaacaca	gagctgccct	ctctgaatca	ccgaaccgcc	caccttgggg	ccctggggcg	120
gcactagttc	cctgagtcac	tcctgagcc	cggtaacaca	tcctgtgccc	caggctgaag	180
ttcaagcggg	aggcggggccc	aggagaacct	gtctgactgg	tcccaggca	ggtcccatgg	240
tggccagaac	agagttcaag	gggaactgca	ccaccgtcag	accctgtgag	tgtggggggcc	300
tgttgctctg	gggcagcagg	cagcagggcc	tgcaggggtc	atcagggacc	ctggcaccct	360
gggactccag	aggagccccc	cagccctatc	tgggcatatc	ccagggttcc	cagcccccctg	420
gaaaygggg	gataacagct	tctcctgtaa	gggctttgat	gcctggctcct	gggtccctgt	480
cccagagctg	agcacctgct	ggcccggacc	ccacctttct	tgctgcccac	gtt	533

&lt;210&gt; 361

&lt;211&gt; 485

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 212

&lt;223&gt; 18-492-212 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 193..211  
<223> 18-492-212.mis1

<220>  
<221> misc\_binding  
<222> 213..231  
<223> 18-492-212.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..20  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 465..485  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 200..224  
<223> 18-492-212 potential probe

<400> 361  
agtctggggag acaagcatag agccacaggc gtgatgacaa acaggacaca gatggcagga 60  
aggaggccag ttctaagcgt ttacacacgg ggcagctctg ctccggcacac aggtccccc 120  
cgggggctgc agagggccct acctggggct tgctcaacag ggctggaaac ccccagcaaa 180  
ggctggaact gctgcaagaa gccctgccct tyggggctga tccgggtgtga taaaggggga 240  
ccaggattct ggcaggggat tcgactgcga tccagtaatc caggagagagc cagtacaggt 300  
gcgtagagac aggccaggca gcaccaggta ggccacacgc ttgggcagcg cctgtggaca 360  
ggctgagagg acacctggag gccagcctgg gagacccac aggctgcagc caggccccgc 420  
gctcatctct ggaccagggg gctggccact cacctccatc cagcctctgg gaatctaaag 480  
gaatg 485

<210> 362  
<211> 570  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 156  
<223> 18-488-156 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 137..155  
<223> 18-488-156.mis1

<220>  
<221> misc\_binding  
<222> 157..175  
<223> 18-488-156.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..18  
<223> upstream amplification primer

<220>  
<221> primer\_bind



&lt;222&gt; 550..570

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 144..168

&lt;223&gt; 18-488-156 potential probe

&lt;400&gt; 362

tgtctagcct	cactcggggc	actcaggggc	ctcgccagtg	gggctgggtt	gggggvatgc	60
acaagatggg	gcctcaggag	gaagatctgc	aggagacaca	tgctttcttt	gcacgagcag	120
tggcttgctt	gggggagagc	aggctggggc	cagagyggcc	cttccccacc	ccatctcctt	180
ggtcctgtgc	cgtttctgcc	ctggtgtctg	gtctgggggtg	tgacccccac	ttctgccacc	240
cattttgcac	ctgcacaggc	agctggctcc	ccagttccca	acaggccacc	cagccaggcc	300
cctggccag	ctccccaccc	atctccaccc	accacagggc	ctcctcagtc	ccccacactc	360
ccagacctca	ggtggtgcct	ccagagcgag	ctgtgtccac	acagggtctt	actggaatgc	420
ctggctcttt	ggagaggctg	aggctgactg	aatgggctct	gggcagcagc	tggcacggat	480
gccatcctgg	ttggggctca	cctccaagag	aagcgtgtcc	ggcagggtacc	ggtccttcca	540
gtggtcgagg	aagaccatgt	ccagtgtgtc				570

&lt;210&gt; 363

&lt;211&gt; 450

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 266

&lt;223&gt; 18-491-266 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 247..265

&lt;223&gt; 18-491-266.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 267..285

&lt;223&gt; 18-491-266.mis2, complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 430..450

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 254..278

&lt;223&gt; 18-491-266 potential probe

&lt;400&gt; 363

ggtagagcca	tacaatgagg	tatgattcag	ttattaaaat	gaataaagta	cagatgaatt	60
cacggttcat	caaaatggat	gaaccttctg	caccggctgc	ctggccatcg	gctcgcaagc	120
tcatgagacc	cccgtagggt	ccacattccc	tcctctgtga	aacggctgat	ggtcttacct	180
ctccagcaca	gtagagggca	ggcatgatcg	tgccacaca	gcacctgcac	atgcttgcca	240
catgcacgcc	acatgcagat	gcacgygtga	gggcatectc	agtgcctcac	agtgcggcca	300
ggacacaggc	agctgggctt	gacacctctg	gctctaaaga	gcatgaagct	tctgggcctc	360
agtgccaggc	ctgcccaagc	ttctctgccc	agcagtctgc	tgacagagcta	gagagtccat	420

cacctctgtc acctgktcag tattctctct

450

<210> 364

<211> 435

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 141

<223> 18-497-141 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 122..140

<223> 18-497-141.mis1

<220>

<221> misc\_binding

<222> 142..160

<223> 18-497-141.mis2, complement

<220>

<221> primer\_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 416..435

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 129..153

<223> 18-497-141 potential probe

<400> 364

ctcatgttgt	cagtagttac	caagtaaaat	ctgttttttc	tgcattaact	agtgtctcac	60
tgggctctgc	agggcagctc	ctacgggtccc	tcaggcttgg	agggtcactt	taaacaataa	120
aaagcaacag	gacacaaaaa	yccctggctg	gaaaaatcca	aaaagcaggt	ctgttagcag	180
ggcaggcccc	gagtgaactc	ccctttctct	aacattccca	cgtggtcctg	cacaccacac	240
atccccccga	ccctggggag	tcctggggccc	cttcctgggtg	gagcagcctc	tctcttgag	300
ggaaaggccc	tgggggtacc	caaggcctcc	aacagggagc	ctgttggaga	agtcaccaag	360
gccctctgag	tctggggctc	cacagaccct	ccccaggcc	tcctgcaact	ctccagctct	420
gagagtctga	tccca					435

<210> 365

<211> 475

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 174

<223> 18-503-174 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 155..173

<223> 18-503-174.mis1

<220>

```

<221> misc_binding
<222> 175..194
<223> 18-503-174.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 162..186
<223> 18-503-174 potential probe

<220>
<221> misc_feature
<222> 57,422
<223> n=a, g, c or t

<400> 365
agtgc tgc at tctcttgggc cttgctatga gctctgggct cctgctcttt gctggcntgt      60
accaggcagt ggggttcaaag aggagcagaa aattaatgga caatatgtca gaaggcagag      120
gcaagacaga cacttgctgg ggccaagccc tgcaggtgga gaggggtatgc ctgrctaaag      180
tgggtgaaaag gcaagggttat gaggttctcc aggacactgg agtgcacagg tgggtgtgtcc      240
ccaggtaacg cctgccaccc agcccttcc cccacagaac agcatctgcc ctaccacact      300
ttgagggtact ttgggggtcct tccttcccag caggctaccc aagcccttcc aagtgtctaa      360
aggcagattt cctatgcttg caaacgactg ccctatgcca gtgtttatca gcccgagagg      420
gntcctgggt gtgcacaggg ggcgagcaag ctgcccaaga taagcacatc catac          475

<210> 366
<211> 501
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 95
<223> 18-490-95 : polymorphic base A or G

<220>
<221> misc_binding
<222> 75..94
<223> 18-490-95.mis1, potential

<220>
<221> misc_binding
<222> 96..114
<223> 18-490-95.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 481..501
<223> downstream amplification primer, complement

```

<220>  
 <221> misc\_binding  
 <222> 83..107  
 <223> 18-490-95 potential probe

<220>  
 <221> misc\_feature  
 <222> 239  
 <223> n=a, g, c or t

<400> 366  
 tgtgaaccac aagaggaggg aaccactctg ctcaagttgt atttcccctg aagagtcctt 60  
 agtaccttgg aaatgatgtg taagaccaag ggctrgttta ycaagaacat acacaaacca 120  
 gtaagaaaaa gatgatgaga cagataggtc acagtggcca acatgcagct cacaggaaaa 180  
 ggccaaaggc cagagccccg agcaggtgat ggaacccggt gcagggctca gtgacagtng 240  
 ggggtgccct gtccacagct gcaggagtgg gaatcgtgct gccttctgct gctacccttg 300  
 ggaaggggtcc caggcctgca gggaaacccg tggccactg tgtttcccag cggggcagga 360  
 cgtgccatga cccacagggc tcgtggggaa aaaacaagag atgggtgctt cctaaggaca 420  
 gtgtccttat tctggcagga agatgacagg gggaaccatg gtggagaggg accatgcaga 480  
 cctgaagcag ccagaacttt c 501

<210> 367  
 <211> 448  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 114  
 <223> 18-699-115 : polymorphic base G or C

<220>  
 <221> misc\_binding  
 <222> 95..113  
 <223> 18-699-115.mis1

<220>  
 <221> misc\_binding  
 <222> 115..134  
 <223> 18-699-115.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 428..448  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 102..126  
 <223> 18-699-115 potential probe

<400> 367  
 ccattcttct ctcatataaa ctgagagtga gatgaacata ttctactaaa taaagatggg 60  
 atgagaattc ttaacttcat actttgctgt ttttccctta ccgaccctcc agcsaagaaa 120  
 actgtgttaa actgttcaga aaccagcaa atctggctgg aaagagaaca ttatgtccaa 180  
 gccacaggaa gcatgaaaag gaaataaaag aatttctctg gaagtataaa gttagaagtg 240  
 ttaagatgcc ttggaagcca ggaacaattg aaatatcttc aaagcacaaa gtttctgatt 300

tcctcaaagg caaaatattt gagtaagact taactatatt ctagcttcta atatattagc	360
ttatatttatt ttcaccctgt atttggctga cttaggtgca gacattctag taataatgag	420
atatttggag tattagcatg gctatttta	448

<210> 368  
 <211> 478  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 293  
 <223> 18-1099-293 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 274..292  
 <223> 18-1099-293.mis1

<220>  
 <221> misc\_binding  
 <222> 294..312  
 <223> 18-1099-293.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 459..478  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 281..305  
 <223> 18-1099-293 potential probe

<400> 368	
ttgatgtact cgcctaccc cggttcaact gctaagtac agcctcacag gggcagctgc	60
tggaaatcttg ggacaggaag gctggagagt gagagtctgt ccaagccctg ctgagatccc	120
aattgagagt gttggtacag acttgttccc ctctagatag gacaaaaacc ttgagactgg	180
aaattcttgg agaagatcaa aacgctggga taaagctatg aaccaaagca aggggaagat	240
tttttctgag gggacctgtg agtctccctg ccatctgggg agagaagaat gtygggcaga	300
gtcctgtcta cctgtgaatg tggaagaaga gcagtggatg tgagatacac aaactgtagt	360
gtctactatg acaatgaatc ttgcaatata catattcaat tttgaattaa gaatgttata	420
cgataaataa tggtttctaa aatagaaaag tcatgtaagg ggaaagactg ataaaatc	478

<210> 369  
 <211> 476  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 22  
 <223> 18-1105-22 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 3..21  
 <223> 18-1105-22.mis1

<220>  
 <221> misc\_binding  
 <222> 23..42  
 <223> 18-1105-22.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 456..476  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 10..34  
 <223> 18-1105-22 potential probe

<400> 369  
 ttctctcaag catagtggcc trtgccccag gaatgtagca taatgcatat ttacatctat 60  
 ctctgtatag gcagggtgtag attaaattgc aacataattg gcacagcatt tgtctctatc 120  
 ttaatgatga tacagatgga aaactaaaaa agatgagaga tttttcttct aaaaaaaact 180  
 tttaaagtta tggagttaga acatatagtt actgtagacc caatcaccac aagtgctagc 240  
 aattgtccat gtatatacag agacttaaag gcaaatgtag aggcaagcag ttaattattt 300  
 aaatgctgta gagctatgta gcagcccaga gataaagggtt aacgggaaag ttttcaatca 360  
 caactttatt atgtagggtat acaccataag ctaaacttaa ctcaaacata atccaccttc 420  
 agacctctga gcagcaagtt atatagggaa ggaaggatga cacaagtttg aatgac 476

<210> 370  
 <211> 495  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 418  
 <223> 18-562-418 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 399..417  
 <223> 18-562-418.mis1

<220>  
 <221> misc\_binding  
 <222> 419..438  
 <223> 18-562-418.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 475..495  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding

&lt;222&gt; 406..430

&lt;223&gt; 18-562-418 potential probe

&lt;400&gt; 370

acttgcgatg	tggatgaggg	gaagcacagg	cagaggtgag	cgctggggtg	ctggcgaggc	60
atcttcctga	catcgctggt	ggggatggtg	gaccaagtgc	agagctgggg	tctgaggcac	120
gaggggaact	ttcttttcct	cttccttaag	cctggggatg	tggccagaac	cttggggagc	180
tgtggaggcc	actgtgagct	gcagacagag	tccaagaagc	gggtgaagac	cctgcggtcc	240
atctctttgc	tcctttccct	cttcccacat	ttaacaatta	gtttctccca	tgggggcccc	300
atcaagtcac	ctcctcaaac	ctggccagtg	cttcatccac	tgtctgctta	tcttctcccc	360
agaaaatact	tcttccccaa	ctgtgaggat	tatgctccga	aactaccccc	cagcaccygg	420
tagactttca	cagctgagag	acattgacct	caaagttag	gttgcaagtg	agtccacaga	480
accacttccg	cacat					495

&lt;210&gt; 371

&lt;211&gt; 476

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 204

&lt;223&gt; 18-564-204 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 185..203

&lt;223&gt; 18-564-204.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 205..224

&lt;223&gt; 18-564-204.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 456..476

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 192..216

&lt;223&gt; 18-564-204 potential probe

&lt;400&gt; 371

tcacgcattg	ctttgaacac	agcaggtact	cactacatag	tggttgattg	ataccttgtt	60
cacacctccc	tagaagtgga	cacctattgt	cttgccctgcc	aaacctatct	tccttctctg	120
gaagctgttc	cctgtctctc	taccccgctc	tcccccatcc	tcattgtaac	gatggaagac	180
tctcttctct	acagcccccg	cccygccatg	cagctctctc	tcagctccag	agagggaagct	240
acagtgtctc	accaagctct	tggaggagag	cagcagttac	agccaacatt	tattgaacat	300
gtgccagaga	ctgttccaga	tgtacataa	actcttaatt	caagctcatt	aaaccttgac	360
aagatcccta	caaggcaggc	aattatttta	tccccatttt	acacaggagg	agaccaaggc	420
agaggcctcc	cggctgctgc	gtctcccatg	cagtacatag	gtttatcaca	ctccaa	476

&lt;210&gt; 372

&lt;211&gt; 467

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

```

<220>
<221> allele
<222> 261
<223> 18-1032-262 : polymorphic base A or C

<220>
<221> misc_binding
<222> 242..260
<223> 18-1032-262.mis1

<220>
<221> misc_binding
<222> 262..281
<223> 18-1032-262.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..467
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 249..273
<223> 18-1032-262 potential probe

<400> 372
ccactcaa at tctgatagac at tttttccct aacctaaa at tttttatat ttaaaagtct      60
ttactcatca aacacacgca catcaaaa at gtgtagaaaa ttgaagtta tttttatttc      120
acgtcaccaa tatgccctaa tagtttcata aaattatact ggattgagct attattagaa      180
ttattactag tatacaactg agaaaaatat tatgtataca gtataaatat taataatttt      240
aatatataaa tggtaaaaac maaatccatg gggaaaacat gtctaacaaa atatgcagaa      300
gtttctcttt tttcccagtt ttctcatgtc catggataga tattgcctat tggtttaata      360
gttgagtatt cataatcgat tcctactctt ctttttatat cgtatgcact gagaaaactt      420
gtcacataaa ataggtaggt gggaatggga agagttttgc tacagta                      467

<210> 373
<211> 466
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 412
<223> 18-1035-412 : polymorphic base A or C

<220>
<221> misc_binding
<222> 393..411
<223> 18-1035-412.mis1

<220>
<221> misc_binding
<222> 413..431
<223> 18-1035-412.mis2, complement

<220>
<221> primer_bind

```



```

<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 447..466
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 400..424
<223> 18-1035-412 potential probe

<400> 373
cagatatgat ccactggaaa caggatcatt aacgcctttg catctaataa ggtcagataa      60
ttgattccag aaaactcaga accaattgag aaaattcctc attaatattc agcttcccct      120
gggcactctc agggcagctg gttaagccat tctctgtaag gtttactgtc tttgaacctg      180
aagcctctag tccacaggtc agagcaagga cagctggaat ccacaatcat gagctacaga      240
gcaggataga ctgaaccagg tcagctcttg tctctgacct tgatgggtgtg gatgccctgc      300
catcagcctc cccactgagc ccagctcacc tagggggaga gggagcttct aaaatgcaaa      360
tcgcattcaga tcactactct gcttaaactc ttcagcagct cccagtgtcc gmagacagtc      420
cagactcctt actggtatga ggatccctcc tcctccctt tctcct                      466

<210> 374
<211> 484
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 293
<223> 18-1036-293 : polymorphic base A or C

<220>
<221> misc_binding
<222> 274..292
<223> 18-1036-293.mis1

<220>
<221> misc_binding
<222> 294..313
<223> 18-1036-293.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 467..484
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 281..305
<223> 18-1036-293 potential probe

<220>
<221> misc_feature
<222> 463
<223> n=a, g, c or t

```

```

<400> 374
acaacacacc ttttctcctt aaattcatat ttccactcaa attctgatag acatttttcc      60
ctaacctaaa atattttttat atttaaaagt ctttactcat caaacacacg cacatcaaaa      120
atgtgtagaa aattgaagtt tatttttatt tcacgtcacc aatatgccct aatagtttca      180
taaaattata ctggattgag ctattattag aattattact agtatacaac tgagaaaaat      240
attatgtata cagtataaat attaataatt ttaatatata aatggtaaaa acmaaatcca      300
tggggaaaaac atgtctaaca aaatatgcag aagtttctct tttttcccag ttttctcatg      360
tccatggata gatattgcct attggtttaa tagttgagta ttcataatcg attcctactc      420
ttctttttat atcgtatgca ctgagaaaac ttgctcacat aantaggtag gttgggaatg      480
ggaa
484

```

<210> 375

<211> 484

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 95

<223> 18-1038-95 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 75..94

<223> 18-1038-95.mis1, potential

<220>

<221> misc\_binding

<222> 96..114

<223> 18-1038-95.mis2, complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 466..484

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 83..107

<223> 18-1038-95 potential probe

<400> 375

```

gccacaatga atgttgagga aaaagtctgg atatttaaga atgatcetta caatccagat      60
gtcaattctg taaactgtga atagcagttt gtcaytgata cttaagagtt gagaggctaa      120
ctccattgct tctagcaact aacaaaatgg ggattccatc tgaggaagta aattctgggt      180
gattatgaag tatgaggctt ggaatggaaa agggatggat gaatagcttc atgtcagctt      240
cccaatacta ttaggtgttt ttaaaccaag tatatgttgt ggtaacaaat atgaaatttt      300
taaaagaaaa caaaaataat caacatatac acatataaaa aatgacattt atgattttta      360
gataaacaag ttactacctg aaaggggtctc agagattgat gatttattag gagaactgag      420
aacggcaaat gatacttgaa gtggttctat gttttcctaa acaaaggaaa agacagaagt      480
taga
484

```

<210> 376

<211> 455

<212> DNA

<213> Homo Sapiens

<220>

```

<221> allele
<222> 361
<223> 18-1040-361 : polymorphic base A or G

<220>
<221> misc_binding
<222> 342..360
<223> 18-1040-361.mis1

<220>
<221> misc_binding
<222> 362..381
<223> 18-1040-361.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 437..455
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 349..373
<223> 18-1040-361 potential probe

<400> 376
ttcagacagg gggatcaact caagaaaaac cttgacagtt ggaaagtagc ctggtatatt      60
tgagggatct gagacagaat cagtttcatt agggttccct tttgaagtaa tgggaggtga      120
ggttggccag ataagggtat acctcaaatg cctgtaggta gtgaggggaac cttcttaatc      180
aaaggaataa cagagaaagt gctgcttcag ataaccaagg ccaaggctga gttttgaatg      240
ctgtctgggc ttagcttcca atgactgagg gagttatttc cctggatgaa ggtatgttct      300
tatttcaatt gattcttaaa gtacttttta ttaatattta ttaaggagag ttatccaact      360
rctcatgaag tttaggcggg tacactaggg caagatatgt ttccctcatc ttctcatcta      420
ccaccttctt gaagtcttgr aaatctaagg aatgg                                     455

<210> 377
<211> 403
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 356
<223> 18-748-356 : polymorphic base C or T

<220>
<221> misc_binding
<222> 336..355
<223> 18-748-356.mis1, potential

<220>
<221> misc_binding
<222> 357..375
<223> 18-748-356.mis2, complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 383..403  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 344..368  
 <223> 18-748-356 potential probe

<220>  
 <221> misc\_feature  
 <222> 27  
 <223> n=a, g, c or t

<400> 377  
 gagctgggttc acattgatac tgaaagnaag acaaccatt agatgctgtt aacaaaaata 60  
 ctatcagaaa agaagagcca aaagaagagc caaagttatc catccacctg acctttttcc 120  
 catcctccat cttgtctttt tctcctctag ccaccagggg gcactttggg gctagctcct 180  
 tgaggacact ggagattctg agctttcaca agtacctcaa tattggcggg ggggtcagtg 240  
 gatgggggatg gaatgaatca gaaagtagag cttaaaggaga aacctaggga ttctgtagag 300  
 cagaaagggtg agttcccaaa atcttcagct caaatatacc cctctaattct aatcaytaaa 360  
 tgctgaattc actaagaaac taccgagcc cgacagattt tta 403

<210> 378  
 <211> 448  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 179  
 <223> 18-937-181 : polymorphic base A or C

<220>  
 <221> misc\_binding  
 <222> 160..178  
 <223> 18-937-181.mis1

<220>  
 <221> misc\_binding  
 <222> 180..198  
 <223> 18-937-181.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 428..448  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 167..191  
 <223> 18-937-181 potential probe

<400> 378  
 cccaatctct ctacccaac ccacttcaa catcctccca tgatagcaga atgatctctc 60  
 tgaaggttca atgacaataa tgaacatgaa aacacttcgt aatacggtac acaaatagca 120

acacctacct	atacacaaat	gtaccgatgt	ggcaggagag	acagaaatgc	tgtctttamt	180
cactgttgac	tatgcagggtg	taaaggccag	tgcattgcaa	gggaatgaaa	tcgatagact	240
aagaggaatg	tttctgggaa	ataatgggtct	aagttggcac	acacagtatt	ggaaccctca	300
aacgagtcaa	aaaggcattc	aagggtggact	tgcttgcttg	gcaattgtat	gtcactgtga	360
taaacctgat	gagagatgta	agatgtagat	ctaattatgc	ctatTTTTca	ggtaactgag	420
gctgagagag	gcagtaattt	gcagaaga				448

&lt;210&gt; 379

&lt;211&gt; 449

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 175

&lt;223&gt; 18-942-175 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 156..174

&lt;223&gt; 18-942-175.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 176..195

&lt;223&gt; 18-942-175.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 431..449

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 163..187

&lt;223&gt; 18-942-175 potential probe

&lt;400&gt; 379

gactcctgtg	tttctgagcc	ctggataatt	tcacacacat	gtctggtttg	gggctccaca	60
ttttcagaaa	aatatagaaa	tcttgaggga	ggtccagggt	agaccaaggg	aaatgattaa	120
tgggttgaaa	gttgaggattt	atgaagaaag	gttgtgagat	ctgatctttt	gctaygagaa	180
aagtctgagt	ggtgacttaa	taacataagg	aggttagtaa	gcagctgttc	tccatcttca	240
ctaaggttga	atgaaatgaa	ataagatata	aattgcaaca	ggaacaaaaa	tgcattacaa	300
gtgaggactt	ccaagcacca	gcattgctgg	attctagata	gctcccaaaa	agaaggatgt	360
gtagtctact	tccttggtct	gcaatgacag	gcctataaat	agtgagaaag	atgagataat	420
ctcttaagat	cccttctgga	cctatctttt				449

&lt;210&gt; 380

&lt;211&gt; 452

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 221

&lt;223&gt; 18-1213-221 : polymorphic base A or T

&lt;220&gt;

```

<221> misc_binding
<222> 202..220
<223> 18-1213-221.mis1

<220>
<221> misc_binding
<222> 222..241
<223> 18-1213-221.mis2, potential complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 434..452
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 209..233
<223> 18-1213-221 potential probe

<220>
<221> misc_feature
<222> 403
<223> n=a, g, c or t

<400> 380
ctttcgggtt ctcatttgcc tgtagccaag acccttgaag agaacttata tggctagggt      60
ccagaggaca ttttcaatta tccatttgat gaactctgtc aaccgtctac ctgtgtttct      120
gctttaaagc tgaattttct tctcattagt tcaaccaatt tgtgcagacc ttaaaattta      180
gaataaaagaa taagacagca gtaccgtact taacttggag wccctggacc tcctcggagc      240
ataaaaaatca cctgggtgag tgtaaaatg aaggctccctc ctcttgaaat tgtgatttag      300
taggggtggg gcagggccca ggagttataa ttttaataaa taccacaagc aattcgaabg      360
cagacaatcb gaagtcacac tttgagaaac actctcttgg ggntacaaca ctgggtatca      420
gaggaatctc ccaccaagcc cacacccaaa tt                                     452

<210> 381
<211> 448
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 145
<223> 18-937-147 : polymorphic base C or T

<220>
<221> misc_binding.
<222> 126..144
<223> 18-937-147.mis1

<220>
<221> misc_binding
<222> 146..165
<223> 18-937-147.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

<220>  
 <221> primer\_bind  
 <222> 428..448  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 133..157  
 <223> 18-937-147 potential probe

<400> 381  
 cccaatctct ctacccaac ccacttccaa catcctccca tgatagcaga atgatctctc 60  
 tgaagggttca atgacaataa tgaacatgaa aacacttcgt aatacgttac acaaatagca 120  
 acacctacct atacacaaat gtacygatgt ggcaggagag acagaaatgc tgtctttact 180  
 cactgttgac tatgcagggtg taaaggccag tgcattgcaa gggaaatgaaa tcgatagact 240  
 aagaggaatg tttctgggaa ataatgggtct aagttggcac acacagtatt ggaaccctca 300  
 aacgagtcaa aaaggcattc aaggtggact tgcctgcttg gcaattgtat gtcactgtga 360  
 taaacctgat gagagatgta agatgtagat ctaattatgc ctatTTTTTca ggtaactgag 420  
 gctgagagag gcagtaattt gcagaaga 448

<210> 382  
 <211> 473  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 407  
 <223> 18-946-408 : polymorphic base C or T

<220>  
 <221> misc\_binding  
 <222> 387..406  
 <223> 18-946-408.mis1, potential

<220>  
 <221> misc\_binding  
 <222> 408..426  
 <223> 18-946-408.mis2, complement

<220>  
 <221> primer\_bind  
 <222> 1..19  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 453..473  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 395..419  
 <223> 18-946-408 potential probe

<400> 382  
 aattagtttt tgtgtgcgga caagatggaa ggtaatggaa atttggcttg caaagtagtt 60  
 ctaacatgat ctacatccac aatctgggta taatgctata agaattattat gtgggaatag 120  
 tagttcaaat cagtatttag tatgaacata aaggggacaaa caatgcaaag ctaacttaag 180  
 ttgtttacac ttggaactta tttaaattaa aaaggccagt ggatgggtcat atgtttggct 240  
 cattcttctc aaggccttca ggaaaacatg cctatgaaat aaaagatcct caatattaaa 300  
 cattttactg catttggggg acacatgaaa tctggtaata aaggaagtgt tgggtcttcat 360

ttttctaatt cagcatggaa actatcttga ggaaaactga ctatgggctt agtttgtgtc 420  
tcagaaatat atttagtctg aatcatggcg tcgacatctg acttccaaaa ttg 473

<210> 383  
<211> 497  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 133  
<223> 18-787-133 : polymorphic base A or G

<220>  
<221> misc\_binding  
<222> 113..132  
<223> 18-787-133.mis1, potential

<220>  
<221> misc\_binding  
<222> 134..152  
<223> 18-787-133.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..21  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 480..497  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 121..145  
<223> 18-787-133 potential probe

<400> 383  
cactgtgaac tactttaata cttgcacatt ttccctaaag tcaattgcca tggtatcaat 60  
gatgcttaaa aatagagtga aattttgtta tgtgactttc acctcaataa attattaata 120  
aaaaataaag tgrgccataa gtaggtactt cccagatttt atttatattt atcaacactt 180  
tattctgggt cctttacagg ctgtagaaga ttctgatagg catgaaaact acaacatatt 240  
taaaaaaaca ttgcttagga tatctccggc ctttcaagtt tggtctcaaa aataactttg 300  
cttgatcaaa tgaactatat ttgggtttac taaagatggt ctcagaaaga agaatatgtg 360  
tacatcaatg atttgtaatg cattttaaag tcaatactat tttttaaaaa tttaagtatt 420  
ataatggtac tatttatagc tagcagaagt agatataggg ccaagtttta atttgcttgg 480  
aagggttgagg cattcct 497

<210> 384  
<211> 552  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 239  
<223> 18-1149-239 : polymorphic base A or G

<220>  
<221> misc\_binding  
<222> 220..238  
<223> 18-1149-239.mis1



<220>  
 <221> misc\_binding  
 <222> 240..259  
 <223> 18-1149-239.mis2, potential complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..21  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 532..552  
 <223> downstream amplification primer, complement  
  
 <220>  
 <221> misc\_binding  
 <222> 227..251  
 <223> 18-1149-239 potential probe  
  
 <400> 384  
 ggggactaga gcaagagatt gaaaaaagaa tgaaaataag catacattca cacagaaaca 60  
 cacacatgca cacaacttga gatcaccaaa gccaaacttc tcttttgctc ttcttgcttg 120  
 ggacataccc aaagtgtggc agttcaacag taagctgtag ggataagtgc tcgagctctg 180  
 gagttagaga aaatgggttc tgaccctaatt tcatttcttt gtatctatat tacttgctrc 240  
 aagttactga atctttctga cccttaattt ccttcactctg caaaaaggga taataacact 300  
 tattttcttag gagtgttgtg aagattaaat aagatgatgt atactgagtg attggcacag 360  
 tgcctaatac ataataaatc aaattaaagg gcagtgaagt tcagtataca tttgggagga 420  
 ctcttggtt ttaggaaaga agtcagaaga cccaagtcc ctcccatctc ctctgctgca 480  
 ttatttttct ggaacggatt agggaggggt tggcaagaaa gaacagatga tgtccctatg 540  
 ctattcacac tg 552  
  
 <210> 385  
 <211> 500  
 <212> DNA  
 <213> Homo Sapiens  
  
 <220>  
 <221> allele  
 <222> 291  
 <223> 18-1159-291 : polymorphic base A or G  
  
 <220>  
 <221> misc\_binding  
 <222> 272..290  
 <223> 18-1159-291.mis1  
  
 <220>  
 <221> misc\_binding  
 <222> 292..311  
 <223> 18-1159-291.mis2, potential complement  
  
 <220>  
 <221> primer\_bind  
 <222> 1..20  
 <223> upstream amplification primer  
  
 <220>  
 <221> primer\_bind  
 <222> 480..500  
 <223> downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 279..303

&lt;223&gt; 18-1159-291 potential probe

&lt;400&gt; 385

atgtgtcttg	tcagtgaag	caaacagcac	tcttctctgc	cttaaagtgt	acagattctg	60
acagaaaaat	atcttaatta	atcagacttt	atcatgggca	ttcaaagggtg	attgaaacaa	120
taggtgaagt	tcaacttgaa	ggtaatcaca	aagggcaatt	tacagtgttt	cttagagttg	180
ggtaggtact	gtcctcttg	ttagattcag	aaatgctgcc	tgtcgtttct	ttctgggttg	240
aggtatctag	tagccttgcc	tgctcttatg	tgacaagcac	aaattactcc	rcgtgatga	300
atctcatggg	atcacagaag	gtagaggtga	caaggagatc	tatcacatca	tatcagggtcc	360
aaattcccag	gtgccctgta	ctgcatttcc	tctgccttcc	actgtatttc	attttaacct	420
gggttaaagt	agcagcatct	tccactgggc	tgtactgttc	ggaaatgggt	ggctaccatg	480
ggttgcttta	ggattctaca					500

&lt;210&gt; 386

&lt;211&gt; 449

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 273

&lt;223&gt; 18-1135-273 : polymorphic base C or T

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 254..272

&lt;223&gt; 18-1135-273.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 274..293

&lt;223&gt; 18-1135-273.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..18

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 429..449

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 261..285

&lt;223&gt; 18-1135-273 potential probe

&lt;400&gt; 386

gcaagcgatg	agctaaagtg	gaagtgtagg	agaggtgagt	tgcttaggtc	taaggagaaa	60
gactgcttag	gtgtgtgttc	acccccagga	cgaagaaagg	aacactgggt	gagatthtgt	120
tcaactaccc	atagttacca	ccagatgggtg	aaactgatcc	cgggcctctt	gggtattgat	180
cagtttatgg	ggagatgggg	agaagactat	ctttcacttg	ttaattcatt	aatttctttc	240
gcaaataatt	tttcagtacc	tgctaagtcc	cayggactat	gctaggagct	gctgttaaaa	300
tgacaaacca	gataagggtca	ctgcccttaa	tcaacttaca	gttgggtgag	aagctatcag	360
gtacaagtat	ggccctagaa	caaattagtc	ttttctagtt	aataatctta	tgtgatgaga	420
tttggcttct	cctttgggtga	cttgccctca				449

&lt;210&gt; 387

&lt;211&gt; 450

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 108  
<223> 18-1136-108 : polymorphic base G or C

<220>  
<221> misc\_binding  
<222> 89..107  
<223> 18-1136-108.mis1

<220>  
<221> misc\_binding  
<222> 109..128  
<223> 18-1136-108.mis2, potential complement

<220>  
<221> primer\_bind  
<222> 1..21  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 433..450  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 96..120  
<223> 18-1136-108 potential probe

<400> 387  
gtattactaa attcctcatc cctggttaaca tttccatggt agctgttttc tatttgtttt 60  
ttcttttcca caatggtgcg gcctagaaac agttaacctt cttcgggsta ttacatacct 120  
tagacatata aaaaagctat gagcattcaa cactgaaata atcatataaa ccaaacatac 180  
tgcacactac ttcagggata ctctgaagcc catccttaga cccagactc aaacaaaaca 240  
aaatacgatg taaagaactg acacaaatca tcggagttaa gagaacaacg tgacgggcag 300  
cagaggagag gagagggttg aagcaaactt ttttggtttt ttttcctaa gtagggctgg 360  
ttctggcttg tcttccttct cccactttg cttcttactc ttgggcttac aaactgcctg 420  
gtttcccttc tccaagtcag ggcttcggtt 450

<210> 388  
<211> 450  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 68  
<223> 18-1147-68 : polymorphic base A or G

<220>  
<221> misc\_binding  
<222> 49..67  
<223> 18-1147-68.mis1

<220>  
<221> misc\_binding  
<222> 69..88  
<223> 18-1147-68.mis2, potential complement

```

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 430..450
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 56..80
<223> 18-1147-68 potential probe

<400> 388
atctggattt aaagttctgg gaagggaaaag ttgaccttct agacagggca acacttgccc      60
ttgccctrtg tatttacctc agtaagcaac aagctgtagc tgtaacctaa tgtgtggcca      120
aggaatggga atttcaatgg tttcactagg aatatttggt caaatgctga tgggtgtctg      180
tattaaagct aagctatgcg ttttctgata aatgtataaa tttattcttt cccttattaa      240
acaaatgttt attgagtacc tactgtgtac cagacacagt tccatgcact gagaatacat      300
cagctaaaaa cataatcaaa attcctagct ttcattggagt ttattatatt ctatttgggg      360
agtgggaatg aggtagcagt tggtgaaatg gaaacagaga ccatgactag tctgggtaac      420
agaaaactac agaaggacaa acactcagac                                     450

<210> 389
<211> 595
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 295
<223> 18-1157-295 : polymorphic base A or T

<220>
<221> misc_binding
<222> 276..294
<223> 18-1157-295.mis1

<220>
<221> misc_binding
<222> 296..315
<223> 18-1157-295.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 576..595
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 283..307
<223> 18-1157-295 potential probe

<220>
<221> misc_feature
<222> 568

```

<223> n=a, g, c or t

<400> 389

gagtcactag	agagtctttt	gtggacacct	gctccttctg	aaacaattga	cttgtctact	60
ttcacaaaca	gcagtatttg	tattaaagaa	ccagttggca	tcaatgcca	agtgcaggtg	120
tcctaataata	taagatgggtg	cttcattcag	aaaactcaag	gtagagtaaa	ataaattatc	180
aacatcttgg	ctccatgctc	cattcacaaac	tgtaattttt	acaggggtat	gcttccatct	240
ctgagcagag	aactcctggc	agggacagct	gctcctgtgt	ctcacattgg	gctgwgctca	300
tcccagtagg	agtcacaaag	agcagcaggt	tagcgagaag	gtgatagtag	atcagagaaac	360
tgagcagtg	aggagggaga	aggatggggc	tctccaaagt	gcttttcatt	tactccttta	420
atctttgtgt	gtatatacat	gcattgggtta	ctaaggaaaa	aggaaaagtt	gacttgaatt	480
tgactgagaa	aattatcara	cctgctttta	cttgtacatg	tagctcattt	tcaaaaatac	540
ttttgtgtat	ccactgggtat	gttgatgntc	ctatscagca	ataggtctgt	acgct	595

<210> 390

<211> 569

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 459

<223> 18-802-460 : polymorphic base A or G

<220>

<221> misc\_binding

<222> 440..458

<223> 18-802-460.mis1

<220>

<221> misc\_binding

<222> 460..479

<223> 18-802-460.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..21

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 549..569

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 447..471

<223> 18-802-460 potential probe

<400> 390

cctattagca	attcattgtt	ctccaaaaga	attcattcaa	atagacatac	cagagcagag	60
aggttcagag	catgagtttc	agagcatgat	aaacctgggg	ttaaattccat	ggtctgtcaa	120
gtactgacca	tgtgaatttg	gacaacttac	taacctcta	taaacttgct	ttctctttca	180
taaaatgggg	ttaatcatat	ttacttccta	gggctaatta	tttgataaaa	gaggatatct	240
aaaacctatt	agagtgccga	catgcagtaa	atgactatac	attaaatttt	ctattcagaa	300
tattattctt	ttataactaat	attcccaata	ttagtaagat	taaatgaatg	atattttatt	360
tcctagtcct	ctgttttgtt	accctattta	ttctgattga	aagagtcttg	ttattgggtga	420
tgtcagaaga	agaaaggccc	tattaatatt	ttcagaacrt	ggaattttga	attaatataa	480
actggaagag	tcctttgaca	attgtaagct	attccaaagt	cacataaaga	ataacaatgg	540
acctctctgt	gcagcatttt	tatgatgcc				595

<210> 391

<211> 455

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 109  
<223> 18-1064-110 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 89..108  
<223> 18-1064-110.mis1, potential

<220>  
<221> misc\_binding  
<222> 110..128  
<223> 18-1064-110.mis2, complement

<220>  
<221> primer\_bind  
<222> 1..18  
<223> upstream amplification primer

<220>  
<221> primer\_bind  
<222> 438..455  
<223> downstream amplification primer, complement

<220>  
<221> misc\_binding  
<222> 97..121  
<223> 18-1064-110 potential probe

<400> 391  
tctgtgactg taaatcccaa ggatttaaata gaaaaataga aaaatgccca ctaattagtc 60  
attcactttg ggcatttaac agaaattcct tgagtatat ttatatcayc tctattacaa 120  
tcacactcct ttctaaagtc atagcttgcc ttccagcaag atattcaaga ctaattcatt 180  
ctcagttacc acgagtcatt cctttgtggt tatatttccc ccagagtaat atatcctgcc 240  
acttccttct ctgtcatatt gtcattttgt tagaatgatg aattctagca tacttcccaa 300  
ataattattt tcagttaatc tgtctataaa atctctttat ttttaacaga gtcaacaaaa 360  
tgtactgagt gggcacagtc agcaaacatc tctacccagt cagacacaga gcactcttac 420  
agccccactg tataacacta tgggtgatttc tcagc 455

<210> 392  
<211> 516  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 327  
<223> 18-1068-327 : polymorphic base C or T

<220>  
<221> misc\_binding  
<222> 307..326  
<223> 18-1068-327.mis1, potential

<220>  
<221> misc\_binding  
<222> 328..346  
<223> 18-1068-327.mis2, complement

```

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 496..516
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 315..339
<223> 18-1068-327 potential probe

<400> 392
ctactagatt ttgcacagga aaaatattca catataagta tcaagggttaa cgttacccaaa      60
tgatttttaaa tttggattaa ccaagatatt tactaaatgc taccatctgg gataaatcca      120
ttctcactta atctttcaca cagattgagc ttcacatggg acaagatatt tcccacgaag      180
tataccagag gataagagct tgggatttaa attccaacag gcagggttca ggtaccaccc      240
ttgctagtag tagcatcact gcacaactgc tatcttctaa gcttgagtct gcatgtgtgt      300
aaatgggaat aatgacaata acatctycct cacagggtcca ctgtgaggat taaatgagga      360
aaggcacgta ctcccttagta gtcatcacat aatcatatat gtaaacattt agtcaatggg      420
ggttactatt tataaaccag taaaatctct cccacatgct ccttagccat tagcacattt      480
ttttaaatga taaaagtga aagcatcttg tgaatg      516

<210> 393
<211> 472
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 365
<223> 18-1069-365 : polymorphic base A or G

<220>
<221> misc_binding
<222> 345..364
<223> 18-1069-365.mis1, potential

<220>
<221> misc_binding
<222> 366..384
<223> 18-1069-365.mis2, complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..472
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 353..377
<223> 18-1069-365 potential probe

<400> 393
tcaggacagg cagataagggt agttgtcata tttcatttgt tattttttaa attgtaaacc      60

```

gattgattag	aaaacaataa	tttgatttct	taatcaaatt	ttttaatgtg	attttaatga	120
gatgctcact	gcagccaatg	ttcttaaatt	tgaaataaaa	acactgaatg	tattcattgt	180
ttaaagactt	cataattaaa	gggtaacaac	aaattttttt	tcttgccaa	aaatatgcta	240
caaaatatta	tagaatacaa	attctgcagc	acactgttag	aaaagggtta	tgacaggctc	300
tgtgtcactg	tgaagctttt	gtcttttcaa	tatagatgct	agagaatttc	catgtagtaa	360
cagtrgttag	ggtagcttac	cttttttaag	tttgttaaat	gctcaaaaata	tattatctca	420
aatagtcatt	tattaaaaga	aaatgtatgt	gaggcctcct	tttatttccc	ag	472

&lt;210&gt; 394

&lt;211&gt; 458

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 367

&lt;223&gt; 18-1073-367 : polymorphic base A or G

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 348..366

&lt;223&gt; 18-1073-367.mis1

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 368..387

&lt;223&gt; 18-1073-367.mis2, potential complement

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 1..20

&lt;223&gt; upstream amplification primer

&lt;220&gt;

&lt;221&gt; primer\_bind

&lt;222&gt; 441..458

&lt;223&gt; downstream amplification primer, complement

&lt;220&gt;

&lt;221&gt; misc\_binding

&lt;222&gt; 355..379

&lt;223&gt; 18-1073-367 potential probe

&lt;400&gt; 394

agagagacga	ctttcacggg	gcactcatat	caaaatctaa	cctgaggagg	aagctcactc	60
acagattggt	ggaaatcgct	agacctcagc	ctgagtttac	aaggatggac	agggcagctg	120
aaaacatgga	gccctgggtt	tagagacaat	ggtcattaca	gacctacggg	gtctagactg	180
acagatacta	aggctgcaag	gtcagggtta	cctcagcact	ataaaactcat	tcccatcacc	240
ccaagcgact	tgaattcttt	ataatcatgc	attgttttta	caaaaatggt	agtcatatgt	300
gttaggtaat	gtccctcctc	ccccccataa	aacaaaaaat	ccatttcatt	tccttctcgt	360
aaacaargtc	atgggtttggc	tcccctcttc	ctggctagt	agagcttaga	gactaaaaca	420
caattttcac	taccacagta	ctctttgtcc	tctctctc			458

&lt;210&gt; 395

&lt;211&gt; 475

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 272

&lt;223&gt; 18-1070-272 : polymorphic base A or T



```

<220>
<221> misc_binding
<222> 253..271
<223> 18-1070-272.mis1

<220>
<221> misc_binding
<222> 273..292
<223> 18-1070-272.mis2, potential complement

<220>
<221> primer_bind
<222> 1..19
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 455..475
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 260..284
<223> 18-1070-272 potential probe

<400> 395
atcagacatt tctactaggt ccattgacaa atttatttga cgggagtacc tcattttctt      60
catatattac cctgtataaa atccagaatt gttacagcag tacatttcac cattagctat      120
tagatacctt gtttaatcac ctttttcatt atttttaaat gtgtctcatc tgctaatact      180
gacattatct taaagattct ttgtatttga atcctcaaat tctatagcat actgtctaaa      240
aattgagata cacacacaca cacacacaca cwcacacaaa tttgtgtgta tctataactt      300
tggtaaagagt ggatggcctt tcagcgagag ttgagaaaaa ctagacttgg agaattcatt      360
tcaagccttg ttttaaaacc aagttcatat gacattgacc attaggccac tctagtctgg      420
tacttagaaa gatgtaggct gtatataata gataacctaca attagtattt gaagc          475

<210> 396
<211> 469
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 35
<223> 18-1057-35 : polymorphic base C or T

<220>
<221> misc_binding
<222> 16..34
<223> 18-1057-35.mis1

<220>
<221> misc_binding
<222> 36..54
<223> 18-1057-35.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 449..469

```

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 23..47

<223> 18-1057-35 potential probe

<400> 396

caagcagtc	attacacctc	tcataaattt	attayacacc	tgcattttta	taactattat	60
gctttttaat	tgttggccac	catttttagt	gcttctgaat	tgttatgggt	ctcaagcagc	120
agttgtcacc	ttggttttga	attaatgctg	tgacgcttgc	ttccaggacc	cctatgggtg	180
agccgtgggt	ggaactgtgg	ggcactgcct	gtgcacggga	ttggcagtaa	ttggaggaag	240
aatgatagca	cagaaaatct	ctgtcagaac	tggttaagtct	tgaaaattac	aaatcagata	300
acattttaga	atcactgaga	gattaaaggg	tgtagctttt	gattatttaa	atttctgctg	360
ctgaagtata	cttggttttt	ctaattacct	accatctctt	ataataagag	gtattaawcc	420
tggtatwgca	aatacggact	tttttcacct	gtgtagaagt	tagcaaaat		469

<210> 397

<211> 577

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 415

<223> 18-1062-415 : polymorphic base C or T

<220>

<221> misc\_binding

<222> 396..414

<223> 18-1062-415.mis1

<220>

<221> misc\_binding

<222> 416..435

<223> 18-1062-415.mis2, potential complement

<220>

<221> primer\_bind

<222> 1..18

<223> upstream amplification primer

<220>

<221> primer\_bind

<222> 557..577

<223> downstream amplification primer, complement

<220>

<221> misc\_binding

<222> 403..427

<223> 18-1062-415 potential probe

<400> 397

acagcacaag	tacctagcaa	attagataca	tctaacaaat	gactgtttta	taaagtagat	60
aattttatctt	tatatattaat	aatttttaaaa	gaaacataga	aattttttcc	agtttgagtg	120
tccaattgggt	taacaatgggt	gaaaattaga	atgtttaatt	ttcccttatt	aaatacagta	180
aagtttttatt	tataaattaa	taacaatata	ttgccagggtc	tcacttttgc	ataaaatata	240
gcttttatggc	ataatgggag	tccaggatgtt	attataacaa	ataagatggg	atttcaatat	300
acactgaaat	agattacaga	tttttaatat	ggtcacaatt	tcattttata	tatatatttaa	360
tattgaaaaa	ggaccttaata	gggcatatgg	agtaatgctg	tatttaaaga	agtcygtatt	420
tttcataaac	ttgcaaaagg	atagtgtctac	tgaatacaac	atttgacttt	tttgtttaaca	480
gctactactt	acatttttaa	tattctgggg	ttaatgaatc	actttccagc	agatgagtag	540
agagtatttt	ataaacctct	gaatgttccc	cttctggg			577

<210> 398  
 <211> 453  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 165  
 <223> 18-1082-165 : polymorphic base A or G

<220>  
 <221> misc\_binding  
 <222> 146..164  
 <223> 18-1082-165.mis1

<220>  
 <221> misc\_binding  
 <222> 166..185  
 <223> 18-1082-165.mis2, potential complement

<220>  
 <221> primer\_bind  
 <222> 1..18  
 <223> upstream amplification primer

<220>  
 <221> primer\_bind  
 <222> 433..453  
 <223> downstream amplification primer, complement

<220>  
 <221> misc\_binding  
 <222> 153..177  
 <223> 18-1082-165 potential probe

<220>  
 <221> misc\_feature  
 <222> 50  
 <223> n=a, g, c or t

<400> 398	
cctcattttt tcatggcgct tcagtcgtca ccctcgtttg agtatatttn gatttgacta	60
ctacttcacc caagtagcat aacagctgct ttctctcagc cttttatatt ctagaatcat	120
atgcagtaac attcccatta atagcctcac taaattgaag gacarttcta cagaaacatc	180
catgttattt gtgtgaggta taataggaga ccagagcaa ttcagggtta tgagctacta	240
caaaggtcca caatgtagtc tgcaatttga agagattgtg aaagaacca gttaatcatc	300
cagcactgta ggatgcagca attgtcctac atggtaactc tgtgaggaag atgatagcta	360
ctactgtgga gatcttaaga ggagttttca gcttaaatac caagttagaa gtagcacatg	420
ttggtaaaaa aggtcatatt ttagtttttc tgc	453

<210> 399  
 <211> 494  
 <212> DNA  
 <213> Homo Sapiens

<220>  
 <221> allele  
 <222> 363  
 <223> 18-1080-361 : polymorphic base C or T

<220>  
 <221> misc\_binding

```

<222> 343..362
<223> 18-1080-361.mis1, potential

<220>
<221> misc_binding
<222> 364..382
<223> 18-1080-361.mis2, complement

<220>
<221> primer_bind
<222> 1..18
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 475..494
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 351..375
<223> 18-1080-361 potential probe

<220>
<221> misc_feature
<222> 342
<223> n=a, g, c or t

<400> 399
ttatcggacc taaggctgca actttgcctt catatttatg atgcttttaa ataatatata 60
tatttaattt ttattaagaa cccaatgtgg taggcactgt tattcctatt ttctaaagaa 120
agaaactgag gccagagaa gttaacagct tgaccaagtc acacatgtgg taagtagggc 180
agcccaagtt tgaaccattc agtctacctc agggcccacc acgctcctgg ccacttaact 240
gtgccgctct aaccagctga gcgaacctgt gtgcagaagg cattgtctgt ctggcctcag 300
agtatttggt tttcatatag tcataactat gctcaaattt tntaatttaa aatatgggtc 360
ttyaggacat aaagtgaag aacgtgtgtg atttggtcga agatatagat tgctttctat 420
accataaaat ctgtagctca gattccttta aaaaatgaaa ctctctcata cttyagaaag 480
agggaagccc ataa 494

<210> 400
<211> 511
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 297
<223> 18-506-297 : polymorphic base G or T

<220>
<221> misc_binding
<222> 278..296
<223> 18-506-297.mis1

<220>
<221> misc_binding
<222> 298..317
<223> 18-506-297.mis2, potential complement

<220>
<221> primer_bind
<222> 1..20
<223> upstream amplification primer

```

```

<220>
<221> primer_bind
<222> 491..511
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 285..309
<223> 18-506-297 potential probe

<220>
<221> misc_feature
<222> 46,100..101,104,123,166
<223> n=a, g, c or t

<400> 400
atctccacct tgccgtgttg gaacaccccc acgcaggagt aggtgntgcc caggtcgatg      60
ccgatcgccg cggctttggc catgccggtk ccctgctctn ngtnngctcs gctctgagay      120
ysngggctgg aaacggmrsc ckggatccgc gasaagagct crgtcnttcs gracgccgga      180
aactcracrc gccggtgcct gcagccgcac aggttcgctc tggaaagcct tgggaccgcg      240
ggagtcactc tcgaaagacg aagcggaccc tcgcagcagc tcctcaggct ggccgkwtc      300
cggaccgcky gcccctsggc ttttataagt cgtcryggag acccgctttt ycccttctga      360
gccaatcacc ragctcgatg aggctgccag gtcgggaata ttccaggggt ttcgcctccc      420
gtcctgcccc ccagccttcc ttggaccaat cagaggscag rgtgccgccc yctgctcaga      480
astctccaga gtcttctggg attcactgga g                               511

<210> 401
<211> 400
<212> DNA
<213> Homo Sapiens

<220>
<221> allele
<222> 38
<223> 18-570-38 : polymorphic base A or G

<220>
<221> misc_binding
<222> 19..37
<223> 18-570-38.mis1

<220>
<221> misc_binding
<222> 39..58
<223> 18-570-38.mis2, potential complement

<220>
<221> primer_bind
<222> 1..21
<223> upstream amplification primer

<220>
<221> primer_bind
<222> 380..400
<223> downstream amplification primer, complement

<220>
<221> misc_binding
<222> 26..50
<223> 18-570-38 potential probe

<400> 401

```

```

gaagaactgc ttcattcggg gctcagtggg ccgatacrtg cagytgccag cagaygaggt      60
csacamacag ttgctacagg atgcrzcaag gaaggaascc ctgcagcaga aacagtgatg      120
gctcctcctc ctcttccctt ycctctttca ttggtgaccc ataaccccaa gtcccagccc      180
agaaccccta accccaata cttgaagggg ttttggtttt ttactaatga tggttttgtg      240
ggtttttttt aagggatgag tggatgagag gagtaatagg gaacagctat cctctcttga      300
gaaggggagg ataagtaggc tgggaaactt caaagccttc ccagtcccca gcacctgcct      360
ttctcactac ttctctggag atggtaggag agtttcttag      400

```

&lt;210&gt; 402

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 18-473-362 : polymorphic base C or T

&lt;400&gt; 402

```

ttcttagggc taagaaatca gaaygtgcct ttagaaataa taagtat      47

```

&lt;210&gt; 403

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-12361-88 : polymorphic base C or T

&lt;400&gt; 403

```

acctggcatt atttggaaatg cttyatttcc tctgtacctg gccttca      47

```

&lt;210&gt; 404

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-12368-335 : polymorphic base A or C

&lt;400&gt; 404

```

ggtgacagta atacctacca ctamggtggt gtgagaatta aatgagg      47

```

&lt;210&gt; 405

&lt;211&gt; 47

&lt;212&gt; DNA

&lt;213&gt; Homo Sapiens

&lt;220&gt;

&lt;221&gt; allele

&lt;222&gt; 24

&lt;223&gt; 99-12370-67 : polymorphic base A or G

&lt;400&gt; 405

```

tttaaaagga aaagcagagt tcartgcaaa ttctagaaat agttgtc      47

```

&lt;210&gt; 406

&lt;211&gt; 47

&lt;212&gt; DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32148-315 : polymorphic base G or C

<400> 406

gtggttctct ggaaaccgag gctsgttgca aaccctaaa aagtact

47

<210> 407

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-46-322 : polymorphic base C or T

<400> 407

ggccctggct gtccctgct gtgyactgcc caaggctaga catcaca

47

<210> 408

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-47-315 : polymorphic base C or T

<400> 408

cgctgttttg ggggaagtct ctcycacttt gggatcctgc tgaagct

47

<210> 409

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 19-51-347 : polymorphic base A or G

<400> 409

gtgtttctct ttcaattact tggrrgatca accttggggg gtgtgat

47

<210> 410

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 99-32052-262 : polymorphic base C or T

<400> 410

cctatTTTTT ataacgtatt aacyttatta ttttcttatt attttaa

47

<210> 411

<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 10-213-292 : polymorphic base G or C

<400> 411  
tcatcatgac ccaaagtact ggasagagcc tgagaagttc ctccctg

47

<210> 412  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-419-135 : polymorphic base C or T

<400> 412  
cacttcctt ctgttggggc aaaytcagtt ttttttgtga aaatggt

47

<210> 413  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-424-419 : polymorphic base G or C

<400> 413  
atttccaagg gtaaaaggta gagsaggggg tgtggaggtt tggatat

47

<210> 414  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-429-289 : polymorphic base A or C

<400> 414  
aggtaaagcg tcttttttcc cttmaactag cccatttgaa actcttc

47

<210> 415  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-246-256 : polymorphic base C or T

<400> 415  
tgggggtggca gtgaccgttc caayatggat gaggagaag cagggtc

47



<210> 416  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-355-67 : polymorphic base C or T

<220>  
<221> misc\_feature  
<222> 7  
<223> n=a, g, c or t

<400> 416  
gactagntcc cctagagctg aggyctgtct tgaaggactc actgggg

47

<210> 417  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-353-267 : polymorphic base C or T

<400> 417  
tggcctctag gggatctgca gtttygggagg tgggcgggttc tgattgg

47

<210> 418  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-338-305 : polymorphic base A or G

<400> 418  
cctgcagcag ttctttggct tctrccact cctgggggttg gggagga

47

<210> 419  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 24-243-346 : polymorphic base C or T

<400> 419  
ttccaggagg aagccactgc aaayagggcc tgcagctgcc ctctctc

47

<210> 420  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-62531-351 : polymorphic base C or T

<400> 420  
ccctagaggc agttgactta cccyctgcag ccctccctgc cgcctca 47

<210> 421  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-54279-152 : polymorphic base C or G

<220>  
<221> misc\_feature  
<222> 9  
<223> n=a, g, c or t

<400> 421  
accgcggcang ggctctataa atasagatgg aaagagggag gtgggcg 47

<210> 422  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-168-245 : polymorphic base A or T

<400> 422  
caagctatatt gcatataggg aagwttccca gtctgcccct gttctcc 47

<210> 423  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-171-291 : polymorphic base C or T

<400> 423  
ctgcagagac tgtcacagga ataytgaaga aagcatcatt cctagaa 47

<210> 424  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-172-346 : polymorphic base C or T

<400> 424

ccatccagtc aagccccact cagyatagat gtccctctgcg taccccc

47

<210> 425

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-177-406 : polymorphic base C or T

<220>

<221> misc\_feature

<222> 34

<223> n=a, g, c or t

<400> 425

ccccggaggt gcaatgaata gctyaccgaa gggnscaact tcattca

47

<210> 426

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-298-338 : polymorphic base A or G

<400> 426

ttccacatc tgcctcagac tggrrgggggc tcagctcctg ggggtgat

47

<210> 427

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-298-110 : polymorphic base C or T

<400> 427

ggaacttcca gattcagaga atsygattta gggaaackgt ggcagat

47

<210> 428

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-299-105 : polymorphic base A or C

<400> 428

taaacagtcc tggggagatg tccmgctcct gtagcccat catgggt

47

<210> 429

<211> 47

<212> DNA

<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-884-30 : polymorphic base G or C

<400> 429  
gctttcctta ctcttcagat agtsataaag gacattaaac ctaagca 47

<210> 430  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-299-343 : polymorphic base C or T

<400> 430  
tgtgtatgta caggaattgc tgaayggaagt ccaacaggct ctcctag 47

<210> 431  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-61513-139 : polymorphic base A or G

<400> 431  
gcctcttcac atcttctttc cacracatag tctggacttt gtacatg 47

<210> 432  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-61514-179 : polymorphic base A or G

<400> 432  
tacgaattca gtaaatactt ggaraataag tgaataatth caattca 47

<210> 433  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-61516-323 : polymorphic base C or T

<400> 433  
accagggtgac cttggggcagg agayggcttc aaatgcagac cggagtc 47

<210> 434  
<211> 47

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-204-70 : polymorphic base C or T

<400> 434  
ctcagagata actataggat ttttaatttg gataataaga agatggt 47

<210> 435  
<211> 46  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-207-441 : polymorphic base C or T

<220>  
<221> misc\_feature  
<222> 31  
<223> n=a, g, c or t

<400> 435  
aaatggaaat gtttgtaatt cttygatgtg ntacaaacct gaaact 46

<210> 436  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-210-65 : polymorphic base A or G

<400> 436  
agacaacttg tttttctctc tcarttaca aagtagacta caaatat 47

<210> 437  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-212-200 : polymorphic base C or T

<400> 437  
catactctga tacttgtgga ggyatatcc tgataaagca gcgattt 47

<210> 438  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24

<223> 18-229-334 : polymorphic base C or T

<400> 438

agaccagttg gactgttgga ataytgtagg ccagaactga gatattt

47

<210> 439

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-230-332 : polymorphic base C or T

<400> 439

gttcaaaatt cttgacataa agayaaagat gttgagttcc agaaaga

47

<210> 440

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-966-378 : polymorphic base A or C

<400> 440

ctaggaatgt tccaagctat gctmcaggat gttgagtttc tcaggga

47

<210> 441

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-987-308 : polymorphic base A or C

<400> 441

gctacagggtt tttaaaaaat taamtitttaa ttaaaagcaa ctcaaca

47

<210> 442

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-1169-118 : polymorphic base G or C

<400> 442

ggccatgttg aaccacttt ccastgggga gcagttcctt taattac

47

<210> 443

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele  
<222> 24  
<223> 18-1172-138 : polymorphic base G or C

<400> 443  
aagagtagga aggggtttct cagsttgtaa aactttcaat gctaaca 47

<210> 444  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1173-92 : polymorphic base C or T

<400> 444  
tgaaacttca gagggccaag attycccctt ggctcccaca ctgtagt 47

<210> 445  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1174-387 : polymorphic base C or T

<400> 445  
ttatctaagc ccttgggcta cacyaaatag tttaagctaa gaaagtg 47

<210> 446  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1175-416 : polymorphic base G or C

<220>  
<221> misc\_feature  
<222> 36  
<223> n=a, g, c or t

<400> 446  
aagagtagga aggggtttct cagsttgtaa aactbncaat gctaaca 47

<210> 447  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-542-146 : polymorphic base A or G

<400> 447  
caactgcttt ttgttgatt gtgraaagta ttacaattaa ttttaaa 47

<210> 448  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 8-42-211 : polymorphic base C or G

<400> 448  
ggaagaagac cgagtgtgtc ttcsttttta aaaagctacc tccgttc 47

<210> 449  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 8-45-389 : polymorphic base A or G

<400> 449  
agaccggcgg caacactact ggtrtctccg acgtgaccgt cagctac 47

<210> 450  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-994-270 : polymorphic base C or T

<400> 450  
gtaaatgtgt agcaattact gaayctgtgg tataacaatt ttctcca 47

<210> 451  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-912-165 : polymorphic base C or T

<400> 451  
ttgggttttt actgaacttt aaayatttta ttaggactta caaattt 47

<210> 452  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-991-124 : polymorphic base C or T



<400> 452  
tagcagaaga caaagccttt tcaygtttac cgatgaagct gcaaaag 47

<210> 453  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-920-219 : polymorphic base C or T

<400> 453  
gcatagataa aaactgcccc acaycccca gtaaaagtct gctctct 47

<210> 454  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-911-312 : polymorphic base A or G

<400> 454  
tcagtaataa aaacaattca gccrtagttt ggggataatg gacaaac 47

<210> 455  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-65963-368 : polymorphic base A or G

<400> 455  
atttgtgtct ttacagaat tgtrtgacaa tgacttttgg acatttg 47

<210> 456  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-65966-225 : polymorphic base C or T

<400> 456  
gccaccctgt tgcaactctt taayggtaa tgattctctc ctcattc 47

<210> 457  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24

<223> 99-65968-75 : polymorphic base C or T

<400> 457  
atcattctga caccagaaag cagyagaatg aacaaacata acaacag 47

<210> 458  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-5069-331 : polymorphic base C or T

<400> 458  
accccggaag accgctcgga cccygacgca tgcaccatta gcaagga 47

<210> 459  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 99-5070-176 : polymorphic base G or T

<400> 459  
ggttctctat gggcgcatat tcckagtgcg cgcttccgca tccgcaa 47

<210> 460  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-511-348 : polymorphic base C or T

<400> 460  
agaagggttac tacttgtcaa attycctgct agaccagttg gtaaatt 47

<210> 461  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-523-352 : polymorphic base A or G

<400> 461  
gacattg999g aggtggtaat gttrggctct gtgatgtaaa atcaacc 47

<210> 462  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>

<221> allele  
<222> 24  
<223> 18-545-478 : polymorphic base A or G

<400> 462  
aggaagcaag acctggcaaa cccragacga tgcgctctta cttgtgt 47

<210> 463  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-522-194 : polymorphic base G or C

<400> 463  
ttttttcaaa gaacaagttt tcasaaatac actggattca acaattt 47

<210> 464  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-524-284 : polymorphic base A or G

<400> 464  
gcattgcaat gagaacataa attrcaatga ctttgcattc taatggg 47

<210> 465  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-626-52 : polymorphic base C or T

<400> 465  
ggaaagtgg tttggttgag cagyagggga taaattgagg gggtaga 47

<210> 466  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-629-189 : polymorphic base C or T

<400> 466  
taagatgatt gcctttttcc cttygaacca aatgaaaaga tgagaag 47

<210> 467  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1131-71 : polymorphic base C or T

<400> 467  
gcatcatttc ctttgtgtgcg gtttyaggtta aaaataacct ctaatcc 47

<210> 468  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-534-126 : polymorphic base C or T

<400> 468  
tggacataaa aaaaaataaa aaayccttaa gataattata tttataa 47

<210> 469  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-596-59 : polymorphic base A or G

<400> 469  
tttctaatta tggttacttt tctrttctct tcacttttct gtttaac 47

<210> 470  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-597-27 : polymorphic base G or C

<400> 470  
tgggagcttg cgttctgtca agasctgaca ccaaacagtt attgggc 47

<210> 471  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-730-203 : polymorphic base A or C

<400> 471  
gaatcgtact ttacagttta caamgatgtg agcatccagg atcacga 47

<210> 472  
<211> 47

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-734-89 : polymorphic base A or G

<400> 472  
ggaagagaag gagagatgca gggrrggagga tataggggtc ctctggg 47

<210> 473  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-895-321 : polymorphic base A or C

<400> 473  
aacatcccca attaggaag aagmtaacac aaggcgctct tgccctg 47

<210> 474  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-896-69 : polymorphic base A or G

<400> 474  
catgcgtcta tttcccctta tgcraacagc aacagaaaag cattctt 47

<210> 475  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-903-58 : polymorphic base A or G

<400> 475  
tggaaaacat ggacaggcac cacrttgttt tatgaggctc tgagtct 47

<210> 476  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-590-216 : polymorphic base G or T

<400> 476  
ggcatggcag gcagggagcc agckcagcct ccaggccgtc catcctc 47

<210> 477  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-817-436 : polymorphic base G or C

<400> 477  
gactccaatc cctgaagtag aggsattttt gcatagtcac gttcctg

47

<210> 478  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-829-85 : polymorphic base G or T

<400> 478  
tgccctgcag tgcccagcac agakcagtgt ctgttgaatg cgtgagt

47

<210> 479  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-832-387 : polymorphic base A or G

<400> 479  
aaacaggggc agagggttag gttrtcagaa cctggaagct gggagga

47

<210> 480  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-833-259 : polymorphic base C or T

<400> 480  
ttagatagta ggaatgcact gagyttgtgc tcctgggaag actccac

47

<210> 481  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-839-271 : polymorphic base G or T

<400> 481

atgtcctttt gtgtcacctt atckaagctc actggtattt atacact 47

<210> 482  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-770-194 : polymorphic base G or C

<400> 482  
aaatgggatg tccctttcct ctgsaggagc agcgttctcc ccagaac 47

<210> 483  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-771-302 : polymorphic base A or G

<400> 483  
gtcctgtcca ctgtgctgca gccrcatata cagcccagaa aggatgt 47

<210> 484  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-827-53 : polymorphic base G or T

<400> 484  
aggacagcta ttgcacaaaa ttaktcattg acctgaacat tctcaat 47

<210> 485  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-768-318 : polymorphic base A or G

<400> 485  
tgggtccaggc cctcactcct ctctctctcag cagctgccac agcttcc 47

<210> 486  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-769-26 : polymorphic base G or C

<400> 486  
ttatgctgag agcaccaggc acasgttgaa caccgcagtc ttagaaa 47

<210> 487  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-709-321 : polymorphic base C or T

<400> 487  
gagggtgttcc cccacagctc tctygggaaa cgacacgtgc ttcttgc 47

<210> 488  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-714-280 : polymorphic base C or T

<400> 488  
catgtgagcc caggatcagg gcaytggggg aagaaccagc tgaggac 47

<210> 489  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-843-271 : polymorphic base C or T

<400> 489  
agcaacggcc gagcatagc agcygcactc accaccgctg gtacagg 47

<210> 490  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-850-265 : polymorphic base C or T

<400> 490  
tgccccagct gtaccatctc aggygctgag aacgcacca tcccttc 47

<210> 491  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele



<222> 24  
<223> 18-853-296 : polymorphic base C or T

<400> 491  
caggccacgc cacacctgtg ccayccaggg agtgggaagg aagcacg 47

<210> 492  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-867-331 : polymorphic base A or C

<400> 492  
tcctctcaac cagtgcattt tgcmtctgag acattgtggt tttcatc 47

<210> 493  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-877-73 : polymorphic base C or T

<400> 493  
tttacacca ctgcttgcca tccyacagct tccagaacac tgaggcc 47

<210> 494  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-856-85 : polymorphic base C or T

<400> 494  
gacacatgag agagactgtg attyggggga aaagctgctg tcggcac 47

<210> 495  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-861-101 : polymorphic base C or T

<400> 495  
agcaacggcc gagcatacgc agcygcactc accaccgctg gtacagg 47

<210> 496  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-635-323 : polymorphic base A or G

<400> 496  
agttgacatc ttaaaacttt atcrtgatca tcactccctt tactatg 47

<210> 497  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-636-205 : polymorphic base C or T

<400> 497  
caaatggctt tgaaccact tccyggccac acaagcctct tcttggg 47

<210> 498  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-649-427 : polymorphic base G or T

<400> 498  
ttaaaaagat gctaaatatg agckctgagt ctcaacactg tctcaag 47

<210> 499  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1134-316 : polymorphic base A or G

<400> 499  
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt 47

<210> 500  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-633-316 : polymorphic base A or G

<400> 500  
agtttagagt ttaagttgga aggraaaaaa aaagaaaaga acacatt 47

<210> 501  
<211> 47  
<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-489-425 : polymorphic base C or T

<400> 501

cagggttccc agccccctgg aaayggggtg ataacagctt ctcctgt

47

<210> 502

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-492-212 : polymorphic base C or T

<400> 502

ctgctgcaag aagccctgcc cttyggggct gatccggtgt gataaag

47

<210> 503

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-488-156 : polymorphic base C or T

<400> 503

gggagagcag gctgggcca gagyggccct tccccacccc atctcct

47

<210> 504

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-491-266 : polymorphic base C or T

<400> 504

tgcacgccac atgcagatgc acgygtgagg gcatacctcag tgcctca

47

<210> 505

<211> 47

<212> DNA

<213> Homo Sapiens

<220>

<221> allele

<222> 24

<223> 18-497-141 : polymorphic base C or T

<400> 505

taaaaagcaa caggacacaa aaayccctgg ctggaaaaat ccaaaaa

47

<210> 506

<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-503-174 : polymorphic base A or G

<400> 506  
tgcagggtgga gaggggtatgc ctgrctaaag tgggtgaaag gcaagggt 47

<210> 507  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-490-95 : polymorphic base A or G

<400> 507  
aatgatgtgt aagaccaagg gctrgtttay caagaacata cacaaac 47

<210> 508  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-699-115 : polymorphic base G or C

<400> 508  
ttttccctta ccgaccctcc agcsaagaaa actgtgttaa actgttc 47

<210> 509  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1099-293 : polymorphic base C or T

<400> 509  
gccatctggg gagagaagaa tgtygggcag agtcctgtct acctgtg 47

<210> 510  
<211> 45  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 22  
<223> 18-1105-22 : polymorphic base A or G

<400> 510  
ttctctcaag catagtggcc trtgccccag gaatgtagca taatg 45

<210> 511  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-562-418 : polymorphic base C or T

<400> 511  
ctccgaaact acccccagc accyggtaga ctttcacagc tgagaga

47

<210> 512  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-564-204 : polymorphic base C or T

<400> 512  
ttccttctct acagcccccg cccygccatg cacgtctctc tcagctc

47

<210> 513  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1032-262 : polymorphic base A or C

<400> 513  
tttaatatat aaatggtaaa aacmaaatcc atggggaaaa catgtct

47

<210> 514  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1035-412 : polymorphic base A or C

<400> 514  
tcttcagcag ctcccagtc ccmagacag tccagactcc ttactgg

47

<210> 515  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1036-293 : polymorphic base A or C

<400> 515  
tttaatatat aaatggtaaa aacmaaatacc atggggaaaa catgtct 47

<210> 516  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1038-95 : polymorphic base C or T

<400> 516  
aaactgtgaa tagcagtttg tcaytgatac ttaagagttg agaggct 47

<210> 517  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1040-361 : polymorphic base A or G

<400> 517  
ttattaagga gagttatcca actrctcatg aagtttaggc ggttaca 47

<210> 518  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-748-356 : polymorphic base C or T

<400> 518  
aatatacccc tctaatactaa tcaytaaata ctgaattcac taagaaa 47

<210> 519  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-937-181 : polymorphic base A or C

<400> 519  
gagagacaga aatgctgtct ttamtcaactg ttgactatgc aggtgta 47

<210> 520  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24

<223> 18-942-175 : polymorphic base C or T

<400> 520  
ttgtgagatc tgatcttttg ctaygagaaa agtctgagtg gtgactt 47

<210> 521  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1213-221 : polymorphic base A or T

<400> 521  
gcagtaccgt acttaacttg gagwccctgg acctcctcgg agcataa 47

<210> 522  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-937-147 : polymorphic base C or T

<400> 522  
cacctaccta tacacaaatg tacygatgtg gcaggagaga cagaaat 47

<210> 523  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-946-408 : polymorphic base C or T

<400> 523  
atcttgagga aaactgacta tggyccttagt ttgtgtctca gaaatat 47

<210> 524  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-787-133 : polymorphic base A or G

<400> 524  
aattattaat aaaaaataaa gtgrgccata agtaggtact tcccaga 47

<210> 525  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>

<221> allele  
<222> 24  
<223> 18-1149-239 : polymorphic base A or G

<400> 525  
tctttgtatc tatattactt gctrcaagtt actgaatctt tctgacc 47

<210> 526  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1159-291 : polymorphic base A or G

<400> 526  
atgtgacaag cacaaattac tccrctgtga tgaatctcat gggatca 47

<210> 527  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1135-273 : polymorphic base C or T

<400> 527  
ttttcagtac ctgctaagtc ccayggacta tgctaggagc tgctgtt 47

<210> 528  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1136-108 : polymorphic base G or C

<400> 528  
agaaacagtt aaccttcttc gggstattac ataccttaga catataa 47

<210> 529  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1147-68 : polymorphic base A or G

<400> 529  
agggcaacac ttgcccttgc cctrtgtatt tacctcagta agcaaca 47

<210> 530  
<211> 47  
<212> DNA  
<213> Homo Sapiens



<220>  
<221> allele  
<222> 24  
<223> 18-1157-295 : polymorphic base A or T

<400> 530  
ctcctgtgtc tcacattggg ctgwgctcat cccagtagga gtcatca 47

<210> 531  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-802-460 : polymorphic base A or G

<400> 531  
ggccctatta atatatttcag aacrtggaat tttgaattaa tataaac 47

<210> 532  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1064-110 : polymorphic base C or T

<400> 532  
ttcttttgagt atatatttata tcayctctat tacaatcaca ctccctt 47

<210> 533  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1068-327 : polymorphic base C or T

<400> 533  
tggaataat gacaataaca tctycctcac aggtccactg tgaggat 47

<210> 534  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1069-365 : polymorphic base A or G

<400> 534  
gagaatttcc atgtagtaac agtrgttagg gtagcttacc tttttta 47

<210> 535  
<211> 47

<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1073-367 : polymorphic base A or G

<400> 535  
tttcatttcc ttctcgtaaa caargtcatg gtttggtcc cctcttc 47

<210> 536  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1070-272 : polymorphic base A or T

<400> 536  
tacacacaca cacacacaca cacwcacaca aatttggtg tatctat 47

<210> 537  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1057-35 : polymorphic base C or T

<400> 537  
ttacacctct cataaattta ttayacacct gcatttttat aactatt 47

<210> 538  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1062-415 : polymorphic base C or T

<400> 538  
gtaatgctgt atttaaagaa gtcygtat ttcataaact tgcaaaa 47

<210> 539  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1082-165 : polymorphic base A or G

<400> 539  
tagcctcact aaattgaagg acarttctac agaaacatcc atgttat 47

<210> 540  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-1080-361 : polymorphic base C or T

<220>  
<221> misc\_feature  
<222> 3  
<223> n=a, g, c or t

<400> 540  
ttntaattta aaatatgggt cttyaggaca taaagtgaaa gaacgtg

47

<210> 541  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-506-297 : polymorphic base G or T

<400> 541  
cagcagctcc tcaggctggc cgtkwtccgg accgckygcc cctsggc

47

<210> 542  
<211> 47  
<212> DNA  
<213> Homo Sapiens

<220>  
<221> allele  
<222> 24  
<223> 18-570-38 : polymorphic base A or G

<400> 542  
ttcggggctc agtgggtccga tacrtgcagy tgccagcaga ygaggtc

47

<210> 543  
<211> 123219  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> 53695..55695  
<223> 5'regulatory region

<220>  
<221> exon  
<222> 55696..55860  
<223> exon 1

<220>  
<221> exon  
<222> 63298..63534  
<223> exon 2

<220>  
<221> exon  
<222> 72940..73022  
<223> exon 3

<220>  
<221> exon  
<222> 74834..74978  
<223> exon 4

<220>  
<221> exon  
<222> 77044..77214  
<223> exon 5

<220>  
<221> exon  
<222> 77764..77844  
<223> exon 6

<220>  
<221> exon  
<222> 80888..81036  
<223> exon 7

<220>  
<221> exon  
<222> 86504..89112  
<223> exon 8

<220>  
<221> misc\_feature  
<222> 89113..123219  
<223> 3'regulatory region

<220>  
<221> allele  
<222> 68753  
<223> 24-243-346 : polymorphic base A or G

<220>  
<221> allele  
<222> 108366  
<223> 99-62531-351 : polymorphic base A or G

<220>  
<221> primer\_bind  
<222> 68583..68603  
<223> 24-243.rp

<220>  
<221> primer\_bind  
<222> 69081..69098  
<223> 24-243.pu complement

<220>  
<221> primer\_bind  
<222> 108259..108276  
<223> 99-62531.rp

<220>  
<221> primer\_bind

<222> 108699..108716  
 <223> 99-62531.pu complement

<220>  
 <221> primer\_bind  
 <222> 68734..68752  
 <223> 24-243-346.mis

<220>  
 <221> primer\_bind  
 <222> 68754..68772  
 <223> 24-243-346.mis complement

<220>  
 <221> primer\_bind  
 <222> 108347..108365  
 <223> 99-62531-351.mis

<220>  
 <221> primer\_bind  
 <222> 108367..108385  
 <223> 99-62531-351.mis complement

<220>  
 <221> misc\_binding  
 <222> 68741..68765  
 <223> 24-243-346.probe

<220>  
 <221> misc\_binding  
 <222> 108354..108378  
 <223> 99-62531-351.probe

<400> 543  
 aggacagggg tttgagacca gcctgggaaa cataatgaga ccccatTTct ataaaaaaaa 60  
 aaataaaaaa ggtagccagg tgtggtggtg catgcctgta gtcccagcta cctgggaggc 120  
 tgaggctgga ggatcacttg tgcccaggag ttcaaggctg caatgagtta tggtcacccc 180  
 agtgcactct agccttgga acagagttag actttgtctc taaaataata atgataataa 240  
 tatagtcaat attttccttt gtgatgtgag ctttttTgtt tttgttaaag aaatgcttcc 300  
 tttctttgag gcaataaaat attctcccat attccctttt aaatgttttt aagttttact 360  
 gcttgttttg agaataaatg cttctggaat tgtgttttat gtacaatggg acctagagag 420  
 tctattttatt ttttctctca tggcaacaac cagttgccta accagttgtc ctggcattac 480  
 ttatttagaa ctccatcctt tttcaattca acctgtgaca tatattaagc ttccatgaat 540  
 gcatggcctg cttattttat tccattcgtc tatttccatg ctaatatcac actggcataa 600  
 ttccttttagc tttatagcaa gtcttgatat ctgtcacagt aagttcccc aacttgttca 660  
 tcttcttcag agcaattaaag ctattcttag ttcttttctc ttttatataa aatttggaac 720  
 tagcttgga acttttgcaa agaaccctgt tgggattttg attggaattg tattgaaccc 780  
 atcacacaat ttggagaggc atgacatctt ataagactga gttccctcat ttatgaatcc 840  
 tcctatttat gtaggtcttc ttaaaccatct ttctatatgg aagtataatt ttctgtgcaa 900  
 aggtccttga catatgccaa tagatttatt ttcagtaaatt tttatttcac tattgtaaat 960  
 ggtatcattc ttaaaattat gcgttcttta tgtgagaggc agaggattct gcatgtgctc 1020  
 attaaatcaa gaatattaat tgtgttggtc aaatcttttc tattcttacc aatttttctt 1080  
 ttttactctt tggcctgtca atgaaagacg tatgttgaaa catcacaccc attaggatgg 1140  
 ctgctatgat ttgaatgtgt cctcccaaaa tttatatgtt gaaacagaat cccaatgtg 1200  
 atagtattaa gaggtgaggc cctgtgggag gtgattaagt attgaggtgg gaccttcatg 1260  
 aatgagatta ataagaggcc caaaggagtc tgttttctca ttctggcatg taaagacaat 1320  
 gccagaaggc accatctatg aagcaaagaa caaacctca ccagacacag aatttgctgg 1380  
 tgagttaatc ttgtactttc cagcctccag aactgtgagc aataaatttc tacggcttat 1440  
 aaattaccca gtctatagt gttttttata gcagcccaaa cagactgatg caatgactat 1500  
 tattgtttta aaaaaaagta ggaagtgttg gtgagcatat ggaggaatta 1560  
 gaaccctcat atgctgttga tagggatcta aaatagttaa gtcaactgtg aaagcaacat 1620  
 ggctatttcg caaaaaaaaa aaaaaaaaaa aaaaagcata aaattaacat acaattctgc 1680  
 tgtgccactt ctgggtatac ctaaaagtag tgaaagcaga gacttgaaca aatatttgca 1740

cactcatgtt	catagcagca	ttagccacaa	cagcggaaag	gtggaggcaa	cccaggtgtc	1800
gtccatcaac	agatgaatga	gaatatgatg	tggcagggtac	ctgcaatgga	atgttattca	1860
cccttaaaaa	ggaagacatt	ctgacacata	ttataacatg	gattacatta	tgctaagtgg	1920
cataagccag	ttacaaagaa	ccaatatttt	atgattccat	tgatatgagg	ttcctagagt	1980
agtcaaattc	atagatacaa	tgtaacatgc	tgggtgccaa	ggggtggaga	gagaggtaat	2040
gggagtcagt	gtttaatggg	tacagagttt	ctgttttgga	tgacttaaaa	gttaaggaga	2100
taggttagtg	tgatggttgc	acaacaatgc	gaatgtactt	cataccactg	aacttataac	2160
cactgaaaaa	tggttaaaaa	ggcagatttt	atgttacgta	tattttacca	caataaaaaa	2220
aatttaagtg	atatgttaaa	atgctccact	aaagaatgaa	attgtcaatt	tatcctttta	2280
gttctctcaa	tcttcatttt	atgtattttt	gtttcatata	cagcatcatg	catgaagttc	2340
tagaattggg	atctcttcat	ggtgaattta	ttatttggtg	gtaaacctct	ttatcctaata	2400
tattacttaa	tctaacttta	atcgaatgat	tttggtcaat	attcagagct	gcagcagcta	2460
tcttttactt	cacgtgcctt	tttccatcct	ttgactttca	acatttctgt	gtcctcctcg	2520
tgctctgggt	acatctcttg	aaaacagcat	acagttgggt	tctgcatttt	tagccaacct	2580
gataaccagc	cagcgtattc	acctaacacg	actataatta	cagatatatt	tggagttcct	2640
tctacccatc	tgattttgta	tttttatttg	tcttgctttt	tctttacttc	cttttctccc	2700
tcttttctct	cttcttttgg	attgcttgag	cttttttctt	tatttctttt	tctctactctg	2760
tcttaaaagt	atacagttta	cttccatatt	tctcagtgact	aaaatagaca	ttttaccata	2820
ttattttatg	gtaaaaataa	tcaaatccta	aaggaatcaa	aatctcaatt	gtcatctcaa	2880
acaataaatg	ctttaacctc	aatttctttt	ctcacagaag	catgtgtaaa	acacatgcta	2940
tgacatgaat	tatattatgc	taagtggagat	aagccagtta	caaaggacaa	atattttatg	3000
attccattga	tatgaagctc	ctagagtaat	caaatttata	ggtacaatgt	agaatagtgg	3060
ttgccaaggg	gtggagggag	gggtaatcgg	catctgtgtt	tttgggtccag	tttttttagtt	3120
ttaacatcta	cattttttaac	atacaaatata	gaccactaat	tttatatgca	caatacgtat	3180
tatcattcac	tcttaaatat	gttattatat	ttcccccttt	ttcaatcatt	cttttgattt	3240
cttccttgac	ccatgtatta	tttaaagggtg	ttttacttaa	tttcctaata	tttgaggagt	3300
tttgtagaca	tctcattggt	actaaactcc	aattttcaac	tactatcatc	aaagaataat	3360
ttgaaaaagt	tcacattttc	atgttttcatt	tgtctaataa	tctttaatgg	aagctggaca	3420
ttgtgaacat	tatgccgttg	agtggttagt	tttggtttct	tcttttaaag	aatgtttggc	3480
tttcttctgt	ccaacattta	atttacttgc	agatcagttt	gatgcctttg	cagtttagtt	3540
ttaatttttg	ttaggttttg	tcttaggggt	gctttttacat	gagcacttgg	tcagcccttt	3600
acctaagtca	tgaccattct	gggctctcta	ctgaatgcca	agggaaattta	gcaagatctt	3660
tccactctga	ctgattagaa	ctcaaatgtc	tcccagcctt	gtgagagatc	cagtagttag	3720
tcaattttca	gctcccttgt	agcttgtctt	tgcctaaatg	caaaaagttt	catctgttat	3780
atgtttggct	tagtattcat	tcagagactc	aagaggaccc	aaatgtggcg	ttttagagct	3840
ctttatgtgc	atggctccct	cttgtctgat	attctacctc	tcaaatccca	gcttccttgg	3900
gtttctctgc	cttctacctc	tctcagctc	agcaaatgca	ccatgctctg	cttcagttcc	3960
tcttcttaca	ttacagttga	caaagtgcga	agtcgtcata	gagttcacct	tatttgactt	4020
tcttctctca	gagattactg	ttgtgctctg	tttggtgcc	aagatctgaa	aacaaaattt	4080
tttgcatata	gtttgtccaa	ttttcctcat	ggataggaac	agaaatctca	actcttcatt	4140
ttctctcagc	atcttgaata	tatttagttct	atgtctttgg	ctttctattg	ttgctgttga	4200
caactctgtg	gccagtttac	cacatttcat	tcataaatgt	tcataagata	ccactgaata	4260
tgcaatccat	cattatttta	ttgacagtaa	gagataaaaa	actgccaaat	ataattgtaa	4320
gactccatca	atgataagat	tagtcccaat	ttcaaactgt	ttaaattgtg	ggaaaataca	4380
tatcttgga	ttgatgaaat	acggctcaatt	ttattttttg	tagagtatct	tttctgtttt	4440
tggtgcttct	tgatttatct	tgatgtcttc	ttatttcatc	tgaaattatt	atatgtagat	4500
tatttttctt	tacactgctt	gatatacttc	gtttttccta	gatttgaaat	ttgtcatctt	4560
tgaacagttg	tgaaaaattc	ttaggcacta	tctcttcaaa	tattgcctct	cctcagcttt	4620
ctctatttta	gtcttctgga	actccaatta	ggcaagtgtt	agactttcat	attttatcat	4680
gcatgtcttc	aaacctctct	tatttctctt	ttcttgtcac	tttgcatctg	attctcggtg	4740
atatcttcag	atctgtcctc	tggcttattc	tgtcttcagg	caatctgac	tgctatataa	4800
cacaacaatt	gaggtttcaa	tttcaatcat	taaatttctt	tgtttggttg	tttctttgtt	4860
tgtttggttt	aaagacagag	tctcactatg	ttgcctaggc	tggctcctcaa	ccccggcact	4920
caacagatcc	tctgtcttca	gcctcttgag	tagctgggac	aatagggtatg	tgccaccatg	4980
cctagcacat	tcactatatt	tcttactaca	agatgcttta	gttggttctt	tctcaattct	5040
tccgggtcat	tttggttgac	ttttgtctct	tgaactttta	aattccattt	tttaatttctt	5100
aacacagttt	atgtttatct	atgattattt	ttgctctctg	aattagatgt	ctactatcag	5160
aaatgcttga	ggacctaaat	acattgttta	ttattcagct	gcttcttgct	tacattgagc	5220
catttcgccc	tgtgttggtg	aattttttatt	atgagctcag	gcaggatatg	tggtgatggg	5280
actagactga	ggatgctttt	ctccagacag	cactggcatt	tgcttcttct	aggctccagg	5340
aggcactacc	aatctgtaac	tataatattt	taatttcgtt	gcccgggtga	tgtttcttga	5400
cattaggggc	agtataaatt	tgaacctcag	tcacacgaca	gagcagtcct	ctggctacaa	5460
aagttcagga	aagactctct	agcttttgtg	acatgtttcc	accagagggc	agcagagatg	5520

gctgtgttca	tctgtcctct	atatccgtat	gaatccctcc	agettgaagt	tccgtgtgca	5580
ggtgcctgta	cccattgggg	cctggatttc	cattttcata	gccactctag	tttgggctga	5640
ttattcctgt	tttttgtgaa	gaggcataat	ctttgggcat	ttctctggat	tctcctgtga	5700
gttttagcagg	gcattttgag	tttgttgtaa	atagtttccc	atctccatat	tttagtctgt	5760
gaaggtgttt	cagttgacat	tttcagatga	gcataccatt	gggatcccaa	agccttcttg	5820
caaatttttt	attgtttact	ttattacatt	taagtattta	atctgtctaa	aatttacttt	5880
tgtatttggc	ataatgccag	agtccatttt	cccctttcca	atggctagcc	cgttaccagc	5940
aatattttat	attaatttat	tcctttttac	tgaatttaac	cattagattt	gtcgtaaaact	6000
agcttagcac	atgttctaga	tttaattcta	gttccatctt	ctgtttgact	catctatttg	6060
tccattccta	tatcaacacc	aattactgat	tagattccag	tggctctttg	tatcctctga	6120
tgtaggaaca	ctcgagtctc	acttgaatgt	tcttacattt	tgtaatTTTT	taactattct	6180
caaagattta	gtttcagaga	ctattttgta	ctcactttgt	taaggaggcg	gtctcagcat	6240
gtatttgcta	cacttaattg	gactaaattg	agaagcttca	tggggaggta	gacagaattt	6300
cacttggaaca	agccacttac	cctcttccag	actcagtttc	tgccactaag	gaaggatggg	6360
ctagtgccct	agacctctgg	gctccttgcc	ggctctagaa	tcccagcccc	gattggcttc	6420
tccttaagca	ctggacaaca	tgcagtgata	agaacagctg	tttgtatgtg	tgtatttttg	6480
tttgttttag	agacaaagtc	gtgctctgtt	gaccaggctg	gagtgcaatg	gtgccgagat	6540
agctcactgt	aacatcaaaa	ctcctggact	caagtgatcc	tcctgcctaa	gcctcccaag	6600
ctggctactag	aggcatgcac	caccattctg	agctaatttt	taaaaaagag	atggggctct	6660
gctatgctag	ctatgctgtt	ctcaaaccct	tgacctcaag	tgattcttcc	caccttagct	6720
tcccaagtg	ttgggattac	agggtgtgagc	caccacacc	agcttttttg	tgttcttatt	6780
ggccaggtaa	cgcatgtcag	gcgtcctgct	cagccagtta	tgtacattca	cccctcagca	6840
totcatttaa	tcctcaggca	tcctcgggag	gcagggtgcta	ttcatactat	ctccattcta	6900
tagagcaagg	aactaaagaa	tacagcgcta	tagtgactta	tttgctgaag	atattgggtg	6960
agtaaaaaag	gaaacaaggg	aatggagtgg	cgagctttgg	gggagtatgc	aaagaccaa	7020
ttatgttatt	acataattag	tgcacattgt	tcttgataca	tgaagaagcc	ctcagtaata	7080
atagcttact	cgtttattga	gtgcttccta	tgtacttttag	gaatattaaa	tcattaatcc	7140
cacaaccttc	ttagctaata	ggcactatta	ttatctccag	tgtacggacc	acgagattga	7200
gccccaggta	tgtgaagtca	ccagcccacc	ggcaccagc	agagggtggc	gatgagccca	7260
gaccgctagg	ctccagggac	tgtgccgtct	ctaggcaacc	gcaaaaatta	ccaccacag	7320
atatggcgaa	ccctgtgatt	gtcaccagct	cacctgtctc	gggtgggaag	gggatgtgca	7380
aacatggaag	cgttgccatt	ggaaggaggg	atggagctcg	tggccatttc	taatgtttaa	7440
aactatcggt	taaattatac	tttgaatgtt	tttatgtaaa	ggaggtgcac	caaagggtta	7500
acaggtgggt	gactctggaa	aggactcccc	gagagcagct	gctctgaatt	ttctaatttc	7560
gctacactgg	tgatgtatca	tgtattcctg	tgtgattcga	aaatgttaaa	agtcataata	7620
taatgtagaa	gacgaccctt	cgcgagcgag	gccccccacc	tctggccact	gagggcactt	7680
acgtaactgc	ggggcgggcg	caggcctcca	ctgggtgagc	ggcaggcggg	ggcggggctg	7740
cccgtagcct	cgcccccgcc	cacccctctc	ccccgcccac	tgtccccgcc	cagccccggg	7800
ctgctcgga	aggccggagt	ccggagcaca	gcaacgcgcg	gagcggcccc	gcccccttgg	7860
tggtccccgc	cacgcgaccc	gggcgcagcg	cgggcgcccg	gacagctgcc	ccggcgggcg	7920
aacgacatgc	agcggaaaccg	cgggaggctg	cggttcgggtg	gctggacttg	cgccccccac	7980
ctcctctgtc	gcgcgtgccc	tgtccccag	tgaggcgctc	cctgggatgg	gatctgggcg	8040
cccggcgcag	cgcggtgac	aacagccgag	cggttcgggt	gcgctggcac	gtggctcggg	8100
cctgcccccc	cggcctggcc	gcctccccgc	gcgttccccg	gtgcagggtg	ctggcccgtg	8160
ccccgccatc	tccgcccggc	gccgcctgtg	ctgaaggagc	cacgccccgg	gctccggagc	8220
ctgcctctgc	aaagtccagg	cccgcggcgc	gcaggtcagg	gcgctgctc	cgggcgggacg	8280
gggacgcgcg	gtcacaggca	actcctgtcc	taagggcaag	tgagacagga	tcagggtctgg	8340
tatgaaggca	tctccattag	cagggaacca	gacaccttcc	atctgactgc	tctgctatcc	8400
ttcgcatgct	gcctcatggt	ccaaagtggc	tgctgagcac	cagccttcgt	gtctgcattc	8460
tagccagcag	gaacgaggta	agagtgaaaa	aagatgccat	ttctttatga	atatgtccca	8520
gcagttcatg	tagatcacia	gaagccagtc	cactttacag	gcagagggtg	actccaaaag	8580
gtctgatgac	tctcagaagg	taatgtgtgc	agcgggggag	caggattcaa	atgtaagtgg	8640
actgccatcc	gtacaatagc	agccaaccgg	agggcttcc	gcagtcagc	acctatccag	8700
cgcttaccta	gtcgtttaat	cctcacagct	agtgaagaaa	gagctgggtta	ccctattgta	8760
cagaggaggt	cactgaggct	cagagagggg	agggtgatgtg	ctcaagactt	cagagccagt	8820
acatggagag	gttgggactc	caatccgggc	agtctgtctc	agaatccaca	ctttgaccac	8880
caccctccac	tgtcgctcag	ccttgtaaac	tctccccttg	gaatcctgtc	tgcaaacctg	8940
gttcaagttg	agatgagaaa	tgaggcaagg	gagggccatt	ggtgtctaac	agtcccgtgt	9000
tcaaaaataa	taaagtacag	cgtgggcaac	atagtaagac	caccgtctct	acaaaaata	9060
aaaattaact	gggcgtcatg	gtgtgtgcct	gtagtctag	ctacttggga	ggctgagggtg	9120
agaggatcgc	ttgaacctgg	aagattgagg	ctgcagttag	ccaagttcac	accactgcac	9180
tccagcctgg	gtgactgagt	gagaccctgt	ctcaaaaata	acaataataa	taataataaa	9240
gtacttcttt	tgcactgtat	tcgtcacctt	ggcctgccat	aacaatatgc	catagacgga	9300

gtggctgaaa	caacagaaat	ttccccagtg	tctagagget	ggaagtccta	gatcaagggtg	9360
ccagcagggt	ccagttctgg	taacgaacta	tccctggcct	gctggctgcc	tcgctatgtc	9420
ctcacatggg	ggagagaaa	atttctctgc	tttcttctta	gaagggtgaca	gtcctattgg	9480
attagggctc	cacctcatg	atctcattta	tccttaaata	ccttctaag	accctatcta	9540
cagatacagc	catattgggg	gttagggcct	aaacatctga	atgtgtgggg	gctgagtggg	9600
ggatgcaatt	cagtcacag	cacagggtta	gtttacttca	gaaataaatg	aactagaatt	9660
tcaaagtcag	gactacagta	tcaaaagggtg	agaaccagc	ctttaacagt	ttaacttttc	9720
tcatgggtgc	tagaacaatg	taatcaacat	tcccactgtt	cagatgggga	gagtgtgag	9780
tgcccttgac	aaagtctctg	ggaatagcca	ggatctagac	tttgctaggg	cagttgtttg	9840
taaaccacaca	gaggccatgg	gccatttctc	gacagtaact	gtaatcatct	tcgagccttg	9900
ggctctgggtc	ccaaatgata	cattgcataa	actaaaatgc	ttttcccttt	gaggcttgct	9960
cagcaagctg	cagaatctgg	ttgatcggtt	tgtacttgag	ttttttccct	tactggtaaa	10020
gagagagagg	gaaggcatgt	gctgagttcg	gccatgtgcc	aagccctttg	caaacattag	10080
ctccccgacc	ccaccactgc	tccttggtgc	ttcccagtta	gcagcttggg	ggtaaaggag	10140
ctctcagggt	cacaccatgt	cagagctggg	ggtgagccca	gagctgtcat	tcaagccctc	10200
gtttgtcttt	gtcctgtctg	acccccaaag	gagcttctct	tcgtaaaaca	aaattctttt	10260
taaaaaaacc	taaatatcca	aaattcacca	tctgttgcaa	tctcaatgta	ttacgttggt	10320
gcaaaagtaa	ttgcagtttt	caaagtaatt	gaaattgcca	ttgaaagtaa	tggctaaaac	10380
tgaaaatact	tttgaccaa	cctaataaaa	gggtgtgct	gggtgaaaact	cctgttgga	10440
tggttttttc	cccttggaat	cttgccaatc	aattaatttg	cagctctgct	actggccttt	10500
ctaaaacttg	aacctgggag	gttgaggctg	cagttagcca	agatcacacc	actgcactcc	10560
aacctgggtg	acagaggggg	accctgtctc	aaaataatag	gtttttcagc	cttcccttgg	10620
tgggccatgc	tctcttctc	tgtttctctc	gtagctgaca	cattactgtg	tgtgggcaat	10680
gttctccacg	tagtaacacc	ctgtactaat	gatgagtgcg	ctgtctacgt	gactctattt	10740
agggcaaggc	aatttggtgt	aaatcctgca	tgaggagttc	aacaagaaca	aaaagcttca	10800
gaggaaaaca	tcctgcagcc	ttcccccttg	tctcagtaac	tatggtttct	gggcaaatta	10860
agaaaacact	caagaagggt	ttcttttttt	ttaatggagc	tgaagcacag	agcctcagat	10920
gggcacaaaa	tgatgaacac	atttattttg	atttttact	tataatacta	gcataagag	10980
aagtacggta	aataataat	tccttccaat	taacaacaac	aacaacaaaa	aaccttctct	11040
gcgccagagc	agggaggctg	accaagaaaa	gagtagaaga	tgccactgt	gctccagggc	11100
agaggatacc	tgggccacct	tcctctgacc	ccagagagtt	gtggggcctc	tgtcaggagg	11160
caccggctct	aacaagagct	gtgggtgtgc	tctgggcttt	ctgcttggca	ctgctgtcca	11220
gtgatcaaac	cacatcatcc	ttctgagtgt	cttcttgtga	cataacgttg	atgatatttg	11280
cttcaaccag	aaaagggtgag	actcagattc	agggttttgt	gtgtatttga	attagagccg	11340
accaggggcc	ttgggagctc	tcgggggtgc	tgaaaggatg	gtcctcaaac	tccaaggatc	11400
agcatagtct	gtgcatagga	gtgagccagt	gagaatgtca	ttcattgagc	acctactgtg	11460
tgccctgggc	ctggcttctc	cattatctcg	ttaacacata	tggttgctat	caggctgttt	11520
gcctctgcct	ggcctcagct	tgccctcctc	gctcctgaag	tcctcagtg	cagccgtgc	11580
accaacatgt	gtgtggcctg	accgcctctg	tccttgggtc	tgtacaacaa	ctggcttggc	11640
tgtggcagtg	ccaccagacc	agcctgctgg	gccaccgact	tgctttgtat	cttctggcct	11700
tggaagggtc	gacttgggct	tgtttgtgag	ggagattgga	aaactggaag	gtgaggttct	11760
taaggctcag	tcttgattat	tctctaccat	ttttgtcatg	tgtgtttggt	tcaggaaaat	11820
ttgaaactga	accgtgagga	caggggcatt	caggctatca	tcctataacc	ccactccctc	11880
gtgctggact	gttacaatta	tttctataaa	atcagcctcc	ccatggcact	gtgagccact	11940
tgagggcaga	gcctgtgcct	tatccagccc	tctagcttct	gagcctggca	taggctcctg	12000
ataatagtgg	gagctcagtc	accattgatg	aaccagata	tgaaatggat	ggaagggtga	12060
gccacaact	tggatttctg	tcctgagagc	tggcgtctgt	gggagagggt	tctgtacaca	12120
gtcacggcag	cctctgcact	cactgagcac	tctgtgggct	tctggctctg	ctctcaaaa	12180
tgcatgaata	tcaacatttc	caatcctcac	tgaacccac	gatataggga	ctatgatcct	12240
cattttacaa	atggggaaac	tgagtcaaac	agctatgcat	aacttgccaa	ataccacaca	12300
gcaggctcag	tgagggtctg	agatgagaac	cccagcggag	ttgccatctc	agctgtcaac	12360
cctctgcacc	accggtcctg	gtgccaaggc	ttcatcccat	cccccatgga	cctagtaact	12420
aaaacttttg	gtgacttact	tgattgtgcc	cagtgaccgt	cacgcagctt	ggatgggagg	12480
gaaggctcctg	gtccccacac	tgctggggcg	tgctggggcg	aatcactgca	tctttccata	12540
cttcagttcc	ctcaacttca	gggggaggct	cactcctacc	atggaactgc	tgggagggtca	12600
taggccatct	gtgtgaagcc	cagggccctg	tggtggcatg	attgtatgct	gtgatctgaa	12660
tatgatcagt	cgttattgat	ggtcttgagg	ttttcccggtg	tggtatttct	ttttcagaaa	12720
aggaaagggtg	ctgggcctaa	aggcaagaa	agaaacccc	cgagggaact	tgtgttccg	12780
tgttcctacg	acagggttaag	atgcaggga	attactctga	cccaacgttg	aagctattctg	12840
cagggtcac	catgtggcct	ggggccacatg	gcggggttgg	tacgatccca	tctcagcctt	12900
tacctgttct	tttaggggtgc	ttgggttagct	agggggcctg	acaccactgg	gagtgtgggg	12960
tgggctgctt	agttctttaa	gctgtaatga	ggtcctgggtc	ctggaggaga	gaggacagaa	13020
gaaccagggtt	tgggttccag	acagggaaa	gggtaggtgt	gggcttgggtg	ggtctgcttt	13080



ccatcccagg	cttgaagaca	tgggcgctct	gtggccttgg	gtaagctggt	taaccttcag	13140
ggggctcaag	ccacccttct	cagcacctgg	gaccttgtcc	ctttcccatg	aatcttgccg	13200
catagaagaa	aggtcccattg	ccagctgctg	accagagctc	tgagggtcac	cttgccccat	13260
ctagaagctt	gtacacttta	tcctcagggg	tcacacggct	ctaacgctga	ggggcttcct	13320
tcagtattcc	tgtggctcac	atggatgaaa	ctgggttggc	cacagccttt	ctccctcccc	13380
ttcaaaagaa	gtccttgagc	aggaggggga	ggggcctgca	cctggagtat	tagggccacac	13440
ctgtgagcag	gtggcattat	gttcattata	caaaggggga	aacggagggt	cagatggggt	13500
acatggtttg	tcacacataat	gcagcatggc	tatttgaacg	tgtcccttgc	cagacacagc	13560
caccagcct	tcatacacct	cttgccctgt	ggggagcccc	tcttctcatt	cctaggcctt	13620
ttacgagact	ctgggttaac	aagccactgg	agggtgtgcc	cctcttagcc	ttcagttctc	13680
tggttagact	gaacaagatg	ggcaaaccag	tgactcgttg	tgaaaaccgg	aaagtggaat	13740
gagctgcccc	tggcggctc	ccttccccac	cggttctcag	agccagggtt	gtcccttctg	13800
tggcacaggt	acatgatatt	cctgaatgag	cagagaagtc	agctgagggc	cacacacccc	13860
gatctgcctt	tcacagaaat	catgaagatg	ctggctgttc	agtgggccc	gctgtctcag	13920
gataaaaagg	ggtaagtcct	gttctatgtg	gtgaatacaa	agcgagtccc	cccgtgagat	13980
ggggcctggg	cagcccgag	ccaccgccag	gggcccgttc	ctcctaatec	atttcttaca	14040
ccacagccag	agggaaacct	ctagagtgc	gacatgagat	gccactcact	caccatttta	14100
gagcaattaa	tgggtccct	tgcttttggc	agcatctcct	aaactgggtc	aggcagaatg	14160
gcccattccag	gaatcatggg	ccggctgtca	aataagtcta	ggaaattctg	gaggaaatca	14220
agatcgtaga	tttctccctc	agcaggacat	ttttggcgaa	tctacaatat	atttgtgtag	14280
cacttgttat	gcctggcacc	acgctagggt	ctggggatag	agccacaagc	acggccaatg	14340
ggggccctgc	tgtcctggag	tgaggctggc	gaggaagaga	ccgagccaag	caggttaaag	14400
ggctagagag	tctctacgtg	tgagcgctgg	tgtgcggtgt	ttctcaaat	aatttacc	14460
ggagcctctt	tttcacagag	cacctgttaa	cctctacag	aggcatgttc	tgggggccag	14520
gggaggaatg	ccaaattatg	gcataaggtc	aaagcccatt	tcgcatgaaa	tactgttaca	14580
ttccaatatc	acttctgcca	ccccagctg	taccttccag	ccacactgaa	caaacgtgtc	14640
atcttctgtt	caagccatgc	ctgcctcagt	gccacctcct	acaataagcc	ctcccacacc	14700
cctaagaata	tctgacctca	aagcccatac	tttctccaga	acagcacctc	gcctccagag	14760
tgtcatttcc	ttgagtcata	tacaaagacc	ctgacgtgaa	cttctttaaa	cctctacaat	14820
ttcatcttgc	tttagtcata	gaaaactcct	gtttaacaat	tgacaaaatc	ctaattgggg	14880
gctcagttag	taacatccct	ctccttcta	cccaggttcc	caaccaacta	ggaactatcc	14940
agtagccagt	cagatggaga	ttaaatgtca	gctgtattca	cgcaaagcga	gggggagggt	15000
gtctttggat	cagtggctcc	agctgctggc	agtgcgggac	aattcctggc	actaggtcag	15060
agcaggcccc	tgagcatgtg	gccaagagca	gtgcagagcc	ttcgctgcct	gccagcggat	15120
ggcaggggca	aagagagagg	gaggggctct	actcagcatc	ccaaggcctg	gggttggatc	15180
tgattcgtct	gtcactagt	cccagcccag	gacctgtgct	agggaaaagt	gctgatgttt	15240
gcatgaagga	tatttgaaga	gaagtctaag	gttccccctg	gcaggagctg	ataatgctgc	15300
ccttctctgc	agtcattcaga	ccaaacctgg	agaatggtag	tggccacagc	aaggcagatg	15360
ccagttgatg	ggaaggaaaa	cagtgccatt	caaacaagga	atgaacttgc	ttggaggtag	15420
tgaggtccct	gtccctggag	gtgtgcaagc	agaagctgag	tagtagcttc	ttgggatcat	15480
cctaagagac	cccaaggagg	ttggacaaga	ggatgccacg	cctccatccc	catcccaacc	15540
ccaaatctgg	agcgcctcag	aatctctgtg	ctcttctcct	cagaggtatg	tgtctcaggt	15600
ggacgaggac	aagtagggct	atgtctgcga	gctacaggcc	ttccagagct	ctgaggccta	15660
ccgagcttcc	ctgcagaggt	gtgcagccca	caaggcgctg	tgtgggatgc	aggagtggac	15720
tggagttcac	ctctcccaag	ccgggggtctg	ggatgtttac	gcagcagaaa	gtacgctggg	15780
aaagcccttg	gtgttactcc	acctccttca	gcgctcacac	cagtcgcctt	gattgaagag	15840
ccaaagcagt	tggacatcca	gtctcttcc	tttcagccca	tcctggaccg	gttaaagatt	15900
aaagataaga	ggcagcttgt	tcctctctac	ctgggagggt	cagtggacat	tcaggagatg	15960
ctgaggcagc	ggttactttg	tagtgtttag	aaaagggaaa	ggaatcacag	tgacaggcct	16020
ggcacttctc	aaattccagc	atgcacacgg	tcaccgaggg	tcttgctggg	aggcaggttc	16080
tgtctcagca	gggttcagggt	ggggcctggg	agtctgcatt	tctgacatgc	ccatgggcca	16140
tggctgctgc	tgtctcaggg	cccacactga	ctatgctgca	ggttgggttc	tcgagcactc	16200
accactccta	catgccgcgg	cacctccca	cagcccagca	tctctgcctg	gggcttttct	16260
cagatggcca	tggggccaca	tgtgcagggc	agagctagca	aactgagcat	ctatgtaaac	16320
ccacgcagac	agctttccac	caccaccgcc	atggtgagac	aaatcccagg	tgggttccat	16380
accccagaga	gttcccatgg	gactgagccc	cattcctgta	atggccctgc	ccagccagct	16440
gactcacttc	cagccctact	ggtgcttcc	gagatcaata	cccaaacaaa	ccattgacac	16500
caaaatcctc	atctgggggg	cctggctctg	tccccagagt	ctgaggcaga	ggagggaacc	16560
ctatccattg	tctactcact	atgccttcac	catggaggac	actttccact	catttttctt	16620
tttctcctt	tttgaaagta	ttctcaatcg	cagagcccat	cagcagcact	tttacattga	16680
gaccacaggg	gcggccaccg	gccaccagga	ttccagcttt	ctctgagggg	cacaggcctg	16740
cagggcagca	ttgaagtgtc	cttgtcagtg	ggggctccagg	cgccagcttc	tggcccccac	16800
agtggctgcc	ccagggcaga	ggtaggcttc	tcccagtggt	cctgggtcca	ccccgttca	16860

ccctgcatgt	tcctgccctg	cacgctccat	ggtcagggct	ggcccgcgctc	cctaggacgt	16920
cacagcaagg	cctgcctatc	tttcacgttg	ctgcctctcc	ggctgagcac	eggaggaagc	16980
atgcatcagg	ggctctgcc	tccacgagac	tccaggacca	gccacgtgtg	ttccatgctc	17040
ccaccgggac	tggctgagag	agctgccttc	ctggtgacca	gggtgtgggc	tccagagtcc	17100
aagtgccag	gttggaaatg	cagctctacc	actcggtggc	tctgtggcct	tgcacaaatt	17160
gctggaacac	tcactgcctc	agtttcttca	tctgaaaaat	ggggctgtca	caggcccttc	17220
tcctcagggc	tcagtggagga	tgaatgagct	aaaccacaga	gaggttggtg	ctcagcgcct	17280
ggtacatggc	aagtgttcac	acttgcggtg	agtgttcaca	cttagtgccc	ctccctgtgc	17340
gctggggcat	ggcccccacc	ctagcttcc	ccaaagcagg	ggtcagcaaa	ctttttctgg	17400
aaagggatag	atagcaactg	tcataggctt	tgtggggccac	gtggcctcca	tcgcagtcac	17460
tcaactctat	gcttgtagca	ggaaagcagc	catagacaat	atgttcacaa	agggccgtgt	17520
ctgcatgcca	ataaaacttt	atttataaaa	acatacagaa	ggctgagttg	gtccacaggt	17580
aggtctactc	tggcccatcg	tactttattg	gtttccacgt	aacctttgtt	ttcaatcaag	17640
tgctgtaga	taaaaataat	caactggaaa	atctctgggtc	tggcatagaa	ctagcagata	17700
taccacgca	tgggtggcgtc	tctgatgggt	ccaggggagc	tgcaaggcct	ctggctctca	17760
tcataaatgt	cagatctctt	ggtaccagag	ttaagcagag	ggtgcctgag	aacagctgtc	17820
attctgtctc	ctgggtttct	cccaaaatgc	catttgtcca	agcttagcag	agaacagctt	17880
gtcttgctga	attcttcatt	catgctgagg	ccctgcggcc	ttctccttat	ttgggggatt	17940
gtttgtaaat	tgctgctcatg	caaaaacctg	gtgtgttaca	aggaagggtc	actccaacac	18000
agcagcctcg	tctttaaaca	aataaaatat	atcactgcct	tatttaaaac	atagtaattt	18060
taagagtttg	ctgtataaaa	ataaattagt	agtcaatatc	cattttaaaa	gtatcaccta	18120
gaatctgcca	tgctaaaaaa	tgaagtttcc	atttttcttc	gtttctccct	catcttcatt	18180
ccatacctag	ccaggtgctt	atacattgac	atcagaggta	cctgggtgtt	cctctgggct	18240
cattgggggt	ttcagacctc	agattaaatt	gaaccgcatt	gatcctctc	cagcaggtaa	18300
catgaagacc	cctcgagatg	atgtttgcaa	tcaaagaagg	cacctctgac	cctctgattg	18360
gtgtcccca	aatagggctg	agccctttcc	tgagacaaat	tctgaaaacg	cacctctatc	18420
tactgaggac	ctagcacttt	ctctctcacc	ggatgacaga	ggtcttgaga	tgaattgaaa	18480
ttctcatctg	tgctcagaaa	ggtgtcacac	ctagcaagga	aatttacagt	ggggaaaggg	18540
agttgcaggg	cccagccctg	tccacacaaa	gcccgtgtgt	ctttttcagc	tgattttatg	18600
ttcagagaag	gctggatcac	ctgcgcctcc	tccctgtctc	cctgaaaccc	tttctgtcct	18660
caggagatg	aactcaatga	cctctactgc	gggacctcca	ggcagctctt	cagctccctg	18720
tgcaacaaga	aggaacctgc	tgcaaaggca	gcacctgcag	cgctctcag	gtaaccagcc	18780
tggggccaggc	ggctcagccg	caaacgctgg	ccttgactcc	acctgcgcca	gaggtcacca	18840
acaggcgggc	cacgtgacac	ctcttgttat	taaaatgcaa	ttttaagaca	gactctagtc	18900
aagcccactt	accaccaggt	gggtgtttag	gacagggtag	gtcttccact	atatctgttt	18960
tcctcttagt	tcgccaggcc	cgctgtctct	gggccacgca	ggacacggac	gtcagcttct	19020
cctggagcgc	tcgctcactt	tattccatct	ctacgagctc	ctcaagtatc	ccagagcatc	19080
cccaggcctg	tggccacctc	gggtctggat	gcccgtattct	ctgacctgtg	gcacattctg	19140
ggtgcccattg	attatgatga	ggttctgtgc	ccatgtggcc	tcagggctct	tgagaccacc	19200
cttcaaccag	gtctttgctc	acctgtctcc	tgcccaggga	cgccaccag	gtcaccgggtg	19260
caaacctcca	gcccctgccc	gtttctctcc	atgagtgcac	tgccacctcg	cagctctctc	19320
cacttgctca	ttcttggtgt	tattgcctgt	ctcccactgg	aagagaaggc	cctcgagttc	19380
agcaactgtt	ttgcctgttt	tgttcactgt	gggtgaacccc	gggcctagaa	ccacgctggg	19440
cactcccagt	aggtgtctca	taagtatcca	atgagtggac	aaatgaatgg	atgtgttcaa	19500
caaatagccc	tagagcgtgt	attccttcca	gggacagagc	gaggtactgg	ggacacagga	19560
aggacgaggc	agagctccgc	gctgacgaaa	ccaagggcca	agcgtgcgag	tgaatacgaa	19620
catcctggcg	ttaaaacgtc	ttgcattcta	gtgaaatgag	accatttga	cacagagaag	19680
ccccaccaca	attgcatctg	tgtaaaaatcg	agagaaagat	cgtgaaaaca	gccatggcag	19740
gtgctggact	aaggggtgac	attgggtttt	ctcttcccac	ctatccttta	gggttggttaa	19800
aacagaaata	gatctcacgt	aggcccttgc	tctgcaccct	gcttgtgag	tcacgcaggg	19860
ccagttacgc	agctaccgtg	tgcttaccgg	gctcatctg	taaaataagg	atgacactgc	19920
ctgcctggca	gggctctcct	gagaatacac	agtgcctcgt	gcaggggcca	gtgcagcaga	19980
gaggtcacct	cctccaggaa	gactttcctg	agctgggctt	gggggtgggc	ctccccaggg	20040
ctcctaaggc	ttccccacat	acccttcaact	ttgcaatgat	catccccctgt	tactgtccca	20100
caacacacat	tacacacac	accatacaaa	cacatgcatt	ctacacacac	acaacataca	20160
catgcactac	atataacaca	cattatacac	attacaaaca	caacacatac	cccacacttc	20220
acactcatat	acacacatac	accaccacac	tacactccaa	acactccgca	cacatacaaa	20280
cacatactac	atacaacaca	ctcataccac	acacatgcac	acacgggtct	ggagggcggt	20340
gctgtgtggg	gctccaggcg	catccctgat	ccatagcaga	tactgaatat	ttgctgaagg	20400
aatataccagg	agacttgtgc	tacgtctggt	gtttgaaagg	aaatgaactg	ttcttggtaa	20460
tgtcttgttt	aggggtgaata	atggcactga	agacagaaaa	tgcatcttat	cacctgtctc	20520
ggagcaaaac	atgtgtgctt	ggatgcatag	agttattcta	tgtaaattac	ccaccagaga	20580
gaattcaggc	atgtttcaaa	atctataaaa	ccgttgtctg	ggggaccatg	aaaagtgtga	20640

gatgcacgtg	gccgtgaacc	actgtaactc	tctggggggc	tgcgtgaccg	tttaaaagga	20700
aacagacatg	ggcaaacctc	gtttcatctt	ctctctaaat	cacctacaat	tttacagtag	20760
cagtcgggct	cttgagagct	ttcccatttc	caottttctt	ggtggatctt	gctggaaatc	20820
agtgtctttg	gcagctgcag	tctctgaggg	ggggccctga	ttggggatgg	ggtgttaacc	20880
ttgcattctt	tgggggttcag	gtctcaaatg	gctctttag	ccctgggatc	tgaggagcga	20940
gaccaggact	cagctatctc	caccccgga	gaaccttccc	tgctcttcca	catccagccc	21000
aggcctcggc	ttcctcgtct	gcaaacgcag	ggtgctgaga	agatgggagc	aggggtccag	21060
cgttttctac	agcagggctg	ttgagatgta	attcccatgc	catagtgcgc	actgggtgaa	21120
agtctatata	gttcagtggg	ttctagtgtg	ttttcagata	tatgcagcca	tactgtggtt	21180
ggacttttaga	acatctctgt	caccccaaag	agcaaccccg	tttccattgg	tgtcactccc	21240
ggggctccgc	attcccagcc	cagcagccta	ggacaagttt	tctgcctctg	caggaaagccc	21300
ccaagtttca	gatcttgatg	tctcctttct	gtggggagtc	cagcaggcat	ctccacctta	21360
gggacagctt	agtggacagt	gctgtgtcac	catcaagggc	ctgaatcccc	gctctgtcac	21420
ctactacctc	ttttaccttg	ggcaaattct	tcaccttttg	ccttggtttc	cttaggtgaa	21480
aatgggatca	tcgtgctgac	ctcaagggca	gctgtaggat	tcgatgttcc	tcatgtcacg	21540
gtctctaac	gtgtggcaca	ttctgggtgc	ccatgggttac	gatgatgggt	ttgggggctg	21600
gagggatcag	tgactttctg	cctccacccc	ctctctagga	acggcaggct	gctaaggaac	21660
cccacaggca	catgctgtgt	ggctccctgc	acgctgtcct	tctcctgccg	tggtttttca	21720
cctttgtgtg	ccagtcttgc	tctgtttcat	gcctcaaaat	cccacaaaa	agacaataac	21780
aggtgctggc	aagcatgtag	agaaactgaa	gccctgctgc	tctggtgggtg	acagagggga	21840
cactgcattg	gagaatggtc	tgacagctcc	tcaaaagggt	aaacgtagag	ttgccgtgtg	21900
accagccat	tccgctccgg	tggccaatct	gaggtttcag	tccaggctgt	ctggttccaa	21960
ggactctgtt	ctttaccact	ttctatgtgt	acacccaaag	aactgcaa	gtatgatcaa	22020
ccaaaaatat	gaacatgaac	gctcatcgcg	gcacagttcg	taatagccaa	aaagtggaaa	22080
caaaccacac	gcccacaaag	ggttgaatgg	ataaacacaaa	cgtggcccat	ccttacaaca	22140
gcgtaacctt	gggcccgtaca	gaggagtga	gtatgatgat	caccacgatg	cggaggaaac	22200
ttgagaacat	agtaagtga	agaaaccaga	cacaaaggac	cacacacggg	gtgattccat	22260
tcacaccaga	tgtccagagc	aggagatctg	tagaggcaga	aaggagattg	ctggttgtct	22320
agggctgggt	ttcggggagga	taaggagtg	atagccaaag	gctgcgagtt	tctttataaa	22380
ggatgaaaat	gtcctaaaaat	tgggtgatg	gttgcatgtc	tgtgaacctc	ctaaaaacca	22440
ctgaatcaca	cacttacttt	atttttattt	ccttatttat	atttatttat	ttattttattg	22500
agtcaaggtc	tactctgtc	gtccaggctg	gagtcagtg	gtacaatcac	aactcactgc	22560
agcctcaacc	ttccagggtc	agctgatcct	cccacctcag	cctcctgagt	agctgggact	22620
gctggcggtg	gtcaccatgc	ctggctaatt	attttgtaga	gatgggtttt	acgccacgtt	22680
accagcatg	gtttcgaact	cctggactca	aggggtctgt	ccacctcggc	cacccaaagt	22740
gctgagatta	caggcgtgag	ccactgcacc	caacctgat	atgtgaacta	gatctcaata	22800
aagggtgtag	gcaaaaaaca	aaacaaaaa	aaaaaacacc	atctcaatca	aggacctta	22860
ctccaggagg	cctcctctgc	tggcctctgc	ccctgcctgg	tctggcggtg	ctctgcttgt	22920
ctgtctctct	gtccacccaa	caggggaccc	tgaggcagag	gctgggtcgc	ccacatgtgg	22980
acagagggcc	agccctggaa	gtgctgctaa	ttctctgtc	gtgggtgac	ctctgtgaca	23040
ggatttcttt	gcttttttag	ggaatttaaa	aaagatcctg	ccacgtactc	aaagcactctg	23100
gagcctctgg	aggaagagag	ggacaaatga	ggtcaagtca	gaggaggaag	ctgagggccc	23160
cgagtccctt	ctgctcagat	gtccgcaccc	agagaggagt	tctgcttctc	tcaacctgtg	23220
tttcttgcaa	gagtttatct	ataaattgct	gaaaaatggg	taatcaagtt	cagcaactcc	23280
ctggcatctg	tgatgacctg	tggtttgtaa	tcctagtcag	aatcacctac	atagaggata	23340
taatattaat	cagaacaaaa	cagaaaagtc	gctagaggaa	taacaatagt	aaaatttaca	23400
atcagatgaa	gaataaagtt	ttcaatgagg	cacagttcta	agcacttcat	acaaataacc	23460
tgtcttaatt	ctcataaaag	tactgcaagg	caggtgataa	tatcatctcc	ttctaaagat	23520
aaaatgcagc	acagagaggt	taagtaactt	gtccaatggt	gaacagctag	tgagtgggtc	23580
atctgagatt	taaatccagg	ctgtctgggt	ccaagaactc	tgttcttcac	tacttctcaa	23640
caacatcaac	tatgtaaaat	gacacacata	cataaaccca	catcaatggg	aatgggtggt	23700
atctctggcc	ggcaagatga	aagaagatgt	tatgcaattc	ttcagtcctt	tctgtgtctg	23760
ccacattttc	cccaatggat	agatgtcact	taaattatca	gaggaagaaa	caaactctat	23820
taaaagggaat	ttcaaggggc	gggcaagatg	gatcacacct	gtaatcccag	cactttggga	23880
ggccgaggtg	ggcggatcac	ctgaggtcag	cagttcgaga	ccagcctggc	caacatggcg	23940
aaacctgtc	tctactaaac	atacaaaaaa	attagccggg	catggtggca	catgcctgta	24000
atcccaacta	cttgggaagc	tgaggcagga	gaatcacttg	aatctgggag	gtggaggttg	24060
cagtgaacca	agatcgcacc	actgcactca	agcctggggc	acagagcaag	gcttcatctc	24120
aaaaatgata	aataaaaata	aattattggt	ttattctgct	tataaaaatta	gcattatcat	24180
tgaagctagg	cacagtgggt	cctgcctgta	atcgcagccc	tttgggagac	cagggcggggt	24240
agatcacttg	aggccaggag	ttcgagacca	gctggcccaa	catggtgaaa	ccccgtctct	24300
aatgaaaata	caaaaattag	ctgggtttgg	tggcaggcac	ctgtaatccc	agctactcag	24360
gaggtgagg	cacgagaatc	gcttgaacct	aagaggcgga	tgttgagtg	agctgaggtt	24420

gcaccactgc	actccaacct	gggtgacaga	gogagactct	gtctcaaaat	aaataaaaata	24480
aaataaacat	attaattgaa	gaaaattttg	aaattttcaga	aaagtatatg	aagaaaatgt	24540
aaacactatc	agtagagaag	tggttgtagc	atttcagtgc	agtgtttcta	gtcttatttt	24600
ctataaatat	ctgaatctac	ccgcctatatt	ctctatctct	ctacctaaat	atatctgcat	24660
gttattttgta	tatctgcata	tttatcttat	atttatctaa	ataaatatat	ctaactatat	24720
ctctatatag	agatagagat	agaaagatgg	agagaaagag	agatagagag	atggacatga	24780
aggtaaaatc	cgtcctgcag	ctcccatttg	cagaagagcg	tgagcatttt	cacatctcct	24840
tcaacgttct	tttaggcac	gccccctctg	gctgcataat	atttcacat	atgcgtagagc	24900
cgcactggct	gcccagttcc	tcactgtgtc	gttgtttgtt	tgtttgtttg	ttttgaaaca	24960
gagtctcact	ctgtcgccca	ggctggagta	ccgtggcatg	atcttggttc	actgcaaaact	25020
ccgcctcctg	agttcaagtg	atttccggct	aatttttgta	tttttagtcg	ggatgggggt	25080
tcaccacatt	aaccaggctg	gtgttgaact	tctgacctca	agtatccgc	cctcctcggc	25140
ctcccaaagt	gctaggatta	caggcgtagag	ccaccgtgcc	tggccattat	gactgtacgt	25200
tttggtgaca	cctggttcct	acgttagaaa	tcaggctgct	gaacgttctg	ctctgtgtgt	25260
gtctttgtgc	ccattcctgt	tggcttcctt	agagggattt	ctggaagttc	aatgattatg	25320
taaaaagcac	aagccttgct	gggacctgg	agtggcggtg	gagtctctcg	tggtaggag	25380
cccaggccct	ggcctggcca	tcgggggctg	gaatcctggc	tgtgtcctcc	gtagccatgt	25440
gccccaggca	gctttcctca	ccgcctgcct	gtcatccagg	gatgcaggta	ggctctgctc	25500
catgggggtg	tcatggcgat	cacagagact	tgccgtgtg	gaccacctag	agcagtacct	25560
agcagggcac	ctggcgccct	ggggtcacct	tggatcaggg	ttgcagctga	cccactccca	25620
tccctcccaa	aggcccttca	gccagactt	ttgtgcaccc	caaattccat	caaaatcctt	25680
tttcccttga	gagtaacttt	attcatttcc	ctgcagctta	ttaaagaatt	ctgaagaaca	25740
gtgggtgtta	aattttttaa	aagaaagaaa	acattccagt	aatccaaagc	catcacgcaa	25800
tagcccaccc	gacagaggtc	cctgaaaaac	agcccacagg	ggtccttggg	gtttgcgtcc	25860
acgacctct	aagcaagggt	cctcacctgg	cggagctcct	gaagacggga	gctcctgaag	25920
acaggcgccc	cctcctagga	tgccaaagg	cagaggccgc	agtgggagag	gcctggctga	25980
cagcttgtat	tccagtgggc	tagagcctcc	agagccctca	ccactggatt	gccccctctc	26040
ttggctgggc	gggacctgat	ttccacctgc	acagccctgg	tgaagccacg	caaaaggaac	26100
ctgggaaagg	ctcaggtcca	gaattggatg	gacacaattg	tggaaactcag	ccctcctccc	26160
cggtcgggg	acctctggac	aggtccctga	gcccccttga	acttcgcttc	cccagcctat	26220
aaaatgaggc	aggcatgcct	ctctgagggt	ctggtagact	cttgagctcc	tgcaaacggc	26280
ccagagtga	gtaataggag	tttttgagct	gaattctcag	tctgttgctc	aggctggagc	26340
acagtgggtg	aatcgtaggt	cactgcaacc	tccacttccc	aggttcaagt	gattcttctg	26400
cctcagcctc	ctgagtagct	aattttttct	acttttagta	gagacagggc	ttcaccatgt	26460
tggccaggct	ggtctcaaac	tcctggcctc	aagtgatctg	cccatctcga	cctcccaaag	26520
tgctgggact	acaggcatga	gccactgcac	ccggccagaa	gtcataggat	tttaacgagt	26580
ggagacagtg	tgggtggggc	cattattcca	cttctggag	aggaagagag	atcctggcaa	26640
tgtctataga	tctcaggtgc	tctgcagggc	atgagtgtat	ttattttacat	attttattac	26700
ttgcttattt	atattttcac	ctattttatt	acttatgtac	ttattttacat	attttatttt	26760
gatttgctga	catatgtatt	tacttattca	tttacttata	tatgtattta	tgtacttcat	26820
tccctttctt	atttactctt	tcacttggtg	cccgtctatt	catgacatct	gagtgtctct	26880
ctcccagtag	aggccagggc	atgcacctct	catgttccct	tcagaaccag	cagtagaggc	26940
tggaggtgga	gctggcaggg	ctgaagacct	atggggggga	cctggaggag	tttgagaccc	27000
tcagcatggt	gctgatgctg	tcccacttca	gcccgcgaagt	gatggacacc	gggtgagccg	27060
ggcgtggag	ggcgctcgct	gccccctcca	ctctcccttc	tcccctctcc	cctgcctcat	27120
gctccttccg	gtcctcacta	ggccatacag	ccaaggccct	gggacactcc	tgtctgtcca	27180
ttgacttatt	cgtacatgct	tcactctttt	cttactcaa	caaacattcc	tgtgtgtcag	27240
cgcattcccag	ctatgctgtg	tgctggagga	tggggagata	gacaatgact	ccggtcatcc	27300
ctaaccaggc	cccatgggta	ccaggccctg	agctgggcac	tgggcagagg	aatgcagaga	27360
tgaaggagcc	cctggtaagg	agcctgtcag	gggacagggg	caggggggctg	gggagtctgc	27420
ctccatggac	aagggtgccg	tggcactcag	gtgggaggca	acgagttatg	cagcaggggtg	27480
gctcagcgaa	gggccagata	gaggccagag	ccttcacagc	gggcccattg	ggacagttac	27540
aaactccttc	atcaaagggg	acaccggcac	gcaggcaggg	aaacctgtgt	gtgcaaaggg	27600
aaggagattg	gaaatgcaga	ggaagggagg	gagggaggag	agcagtagat	gatgcacct	27660
tgtgcaggat	cggaggatac	acgctttttt	tttttttttt	tttgacgcag	tctcactctg	27720
ttgcccaggc	tggagtgcag	tggcgtggct	tctgctcact	gcaagctccg	cctcctgggt	27780
tcacgccatt	ttcctgcctc	agcctcccga	gtagctggga	ctacaggcgc	ccaccaccaa	27840
gccccgctaa	tttttttttt	gtatttttag	cagagacagg	gtttcactgt	gttagccagg	27900
atggtctcga	tctcctgacc	tcgtgatccg	ctgcctcgg	cctcccaaag	tgtagcagatt	27960
acaggcgtga	gccaccatgc	ccagccggat	acactctttt	ctttaaagaa	aaactcatga	28020
atgccatttc	gtcctaaaat	attcagacgc	aatccttttg	acagtcagaa	actggggcca	28080
ttccccttcc	tctccctgga	agttttcgct	gttaacattt	tcatgtgcat	ctttccttcc	28140
aggcattttt	ctattttatga	atgaatgggt	tgatagttga	atagttgaaa	actggcactt	28200

ctcaggacac	caccagcaag	caggctttgt	ccttgaggca	gggtccctgg	gggtcatgtg	28260
ctgagccagg	tttcagcacc	ttagatggtg	gatgggtctg	gggacatttg	ccaaacagac	28320
ctgatgtggc	cccactagt	cgtttctgac	cagccgtcag	caccatacaa	acactagcag	28380
agaagctcgc	ctgtcagcag	cggtattcct	atttcttacc	catgggaggg	cactgttcat	28440
attgttcttg	gtgtgctgtt	ctgcgcctga	cttagcactc	cttcccatct	acatgtagtc	28500
ccctttgttg	tcacctgtgt	atgggtgtgat	gcagccaacc	ccagcaccct	gtccccgctg	28560
atggacactg	cagtggggac	agcctacggt	tacaccagca	cacgatgggt	cagtgactcc	28620
tagggcacac	cacggctgga	cacaggctgg	agcactcctg	ctctcaaaca	gtgaagctcc	28680
gaccagggc	cctggcatga	gaggggtggg	tgggtcctgc	tgctgcagaa	gcttggagag	28740
acccttcccc	tccatgcccc	tccattcccc	ctaaccttga	gtgagagcat	tggccttggg	28800
gtgatttcca	tgtgaaattt	tacacatata	cctagttaga	ttggacaaaa	gtggtcaggg	28860
tcgagkgcta	ctaaggaaga	aggaataggg	agacttgggt	cttaccagat	gcaggagca	28920
ggtaggaggg	acactcttta	gtgttaataa	gcccaccagc	ccccattctt	tcttctttga	28980
cactcagatg	caattcctgc	agtcatgaya	ttggctgctt	tgggaagcag	ctgcagaatg	29040
ctgtgggctg	ttgggcagt	gggggctggc	taacgtcagg	tgtgttcaca	tgagcgtcct	29100
cacaggggaa	gtgtgatgga	aggtgctgga	gctgggtacct	gggcagtgtg	atgagaaagg	29160
aacgtggctt	tcagaaagca	gagttacaaa	tgcattctagc	atcaagtaat	gtccagaaag	29220
cagttttgct	agattcagct	ccttccctggc	tccagccact	ctctctactt	cctgcagttc	29280
ccactccagt	ccgtctacta	agttcattcc	ttccagaaga	catcttctga	gcacctactg	29340
tatgacaagc	cctgggcttg	gtgctggaag	tccagaaatt	agagatgttt	tatgacttca	29400
cagggtctcg	agtctcagaa	gtgtggcaca	ggggtagtga	atcaggggta	ctggtgtggt	29460
caaggcatcg	gggtgacctt	gagtcagtga	caccaggggt	actgggggtg	ccaaggtggg	29520
gagcagagct	tcagccttca	agaccacgtc	ccagggcaaa	gtgaacctec	gagttctttc	29580
ccaggcccag	taggtctcca	ggagggttta	agaggagagt	gaatgaatta	agatcaagt	29640
agactgggtg	tccccagct	ttgtcctggc	agtaactctt	cctctccctt	ccctactctg	29700
cagcataagg	ccatgtcctg	ccccaggacc	agcctccagg	acccctccca	ggtgctcaag	29760
tgtagctccc	atagcagcaa	aggaaggatg	caaagtctca	gggctttgca	ggtggacagt	29820
cagacagctt	tgctgaccaa	ggagaaaata	agtttgtgtg	tgtgtgtctg	tgtgtgtgtt	29880
catgagtgtg	catgtgtgtg	catgcatgtg	catgtatgtg	tgacgtgtgt	agtctgtgtg	29940
agcaaccagc	tcagtctgtg	tctgtgtctg	gggtcagca	gagcatctgc	tctgtaagt	30000
ttcctactgt	ggactataac	ctgggcagca	ttgatttggg	aagattttgg	taacatggct	30060
ccatctttcc	acacctgaca	tcccttagag	ggacatgtac	acaccactc	tgacctagt	30120
cacaggcgcc	aagcagccat	ggggaccaga	gcgcttacgg	tcttggcctc	tggagccctg	30180
attttgagcc	cattgtctacc	tcctgtgggc	caccacgggt	acttggggca	cagttgggtt	30240
tctccattga	ggagacaacc	aacaacatta	ggtcaataat	cgctacttgt	cagccttaaa	30300
tgggtggggg	aagatggagt	aaggcaatca	acttgtccaa	gtttcggtcc	ccaagaaacc	30360
aacccccaga	tcagcatttg	cctgcaagcg	ggttatctgg	gaggtaatcc	caggtagggg	30420
atgttataaa	taaattttca	tggcactcgg	acataaaatt	aattttctca	gcaaggcaat	30480
tttacttcta	tagaagggtg	tgattcgtgg	atggagcaat	ggcaaaagca	cacctgaaca	30540
agggaggggg	aggggttttt	atttctgact	caaggagccc	ctcctgctgt	gtcattcccc	30600
tattggctag	tgttggactg	cacagtctaa	gctaattcca	actggccatt	tcaaagagag	30660
caggggtacg	agctggagt	gcggggtgag	tagtttggca	ggaaagatgg	ttacagaaca	30720
ggtgactcag	gatgactcag	gtcagagcag	gtgaccaggg	gtaactcggg	acagagctgg	30780
tgatagaggg	aaggaggggg	ttgtttactg	aaactagggg	caaggagacg	aaaaaaacga	30840
ggaagttaaa	ctttaaaacg	aagaacaaag	aacagggggg	ctgaacatac	tgatacatta	30900
gttattttgga	gaggatctca	gaaccatttg	tactcaacaa	tttacagggt	aaaacctttg	30960
aagaggaatt	tatttatatg	tatagggagt	taggggaagag	aaactgggaa	gggaagacag	31020
ctttgtgagt	taggggggtta	tcctagccac	tggagctggg	aaagccagaa	gccagcgag	31080
cgcggtgcac	tgagagtcaa	cacgtgatgg	cgaggaagcc	aggggtgttg	tgacagagct	31140
ccctccagtc	tgcaggagga	ccgcttccag	gaggacttcc	ggcctgctgc	accagtggca	31200
acctgagcac	agaaggccag	aagagccctt	gggcaggagg	tgcggtgctc	cccctggggg	31260
gctgtgccct	gggtgctcgg	gtgtgggggt	gcgccgcgct	cctgggagcc	gagcaaggag	31320
gcgcaccccg	cagtggggaga	ggggcttcc	gcgcagcgcg	ggaggagctt	ccaggacggg	31380
agctgtctgg	ggcagagccc	tggctacggg	ggcctcgag	cacagcgaaa	gcacagggag	31440
tgcgagtcg	ggaggcgctt	gctctccgtg	cagacccccg	ggtgcgcggc	cgcagtgctt	31500
gcagccatcg	ccctacgggg	cctcgcgact	cgggcacatcg	ccctgctctc	caggcaggag	31560
tagagcttcc	agaaagtccc	agggcacccc	tcgcgcaccc	caggggcccag	gcgggcgctg	31620
caaagcctgc	tgggaggtgt	agttttcgct	gaagacgggg	ctgcccagag	ccaaagcagg	31680
gtgggctcca	gagcaagaag	ccatcggtga	cgcggcgtct	gcgggaggaa	agcagctcct	31740
tctggcttcg	cgaaggccgc	ctagtccagg	agccccagcg	cccttctccc	agccaggtgg	31800
atgacagttc	ccagcgcttc	gaaggcctgc	tctgtgccgc	gcgccttgca	cacacgattg	31860
catttctctg	acgcagcccc	ccggcggggc	aggtcgagcc	gtttacggat	ggaagagagg	31920
agccccacac	cttgttggag	gcgcgcgtcag	caaaggcgag	ggcttctttt	ccatcctgac	31980

tgtgtctgtt	ctctgctctg	accgcggggc	ctgcagggct	gttagcccca	tttgcaggag	32040
gaagggcacc	cttttcttcc	cagaccagtc	tctccctccg	ggcagttacc	acctcctccc	32100
taccggccct	gccctcccac	tttaccctcc	ccccacggta	tccggcattc	tccctgcttc	32160
ccctctgggc	tgggagctct	tccagagccc	ggacctgggt	gccagctggg	ccaaccttga	32220
tgagtgatta	acagtcagat	tctccaaatt	agactatgaa	taggattcac	agataaaagca	32280
gataaaaaata	cagacaccac	cagctaaatc	tcaatttcag	atagacaact	ttcagtgtaa	32340
gtcttacagt	aggtaggtag	tcagacagga	gcagggcagg	agagccacca	ccgcccccca	32400
tgcagccaagt	gccagggaaa	gttgggtctcc	cactccgtag	aaacactgga	agctggtgat	32460
cagcagcttt	ccgaatagat	cgcaggagtt	gggcagggtg	gctcaagcat	tcacgctaag	32520
aggcaaaatg	gtggagttta	actgggtctgt	aaccttctag	gagaactcca	ctggtaaggg	32580
aagcacgcct	caagagagca	tgcgtacaac	tctggtaaac	acaccgcaat	gcagcccctc	32640
ccaagtactg	gcaggccact	gtgaatacac	acagcccacc	ccaaaggaag	aatcaggggag	32700
aagggaacaca	acccgaaga	agcatgccaa	catataaaac	ccaaggtcaa	agggtgaaacc	32760
gcacacttga	tctctcaagt	caccacgtg	gccctcttcc	aagtgtactt	tacatccttt	32820
ccttctgct	ctaaaacttt	ttaataaact	gtcacattag	ctctaaaact	tgcctcggtc	32880
tcaaaactctg	tcttatgccc	ctaggttgaa	ttatttcttc	tgaggatgca	aagaattgag	32940
gttgcgtcag	accatattgg	atttgccact	gctaacgtaa	gtatatccct	tgcaatattt	33000
gggatatact	tatataaaag	ttatccgttg	tttatgtgaa	attcaaatct	aactggatgt	33060
attagctctgg	gttctgtaga	gggacagaag	taataggata	gatctatata	taaggagaat	33120
ttattaagta	ttaactcaca	tgatcagaag	gtcccacaat	aggccaaatg	caagctgagg	33180
agcaaggaga	gccagtccga	gtcccaaaac	tgaagaactt	ggagtctgat	gtttgagggc	33240
aggaagcatc	cagcgtggga	gaaagatgga	ggctggggag	ctaagccagt	ctctcctttc	33300
acatgtttct	gcctgcttta	tcttctagcc	tcactggcag	ctgatcagat	ggtgcctacc	33360
cagatgaagc	gtgggtctgc	ctttcccgat	tcactgactc	aaatgttaat	ctcctttggc	33420
aacacccccca	cagacacatc	caggatcaat	actttgtatc	cttcaatcaa	gttgacactt	33480
agtattaacc	atcacactgg	gcactcctgta	ttttatctgg	caaccctaac	actgactatg	33540
tagctcatctt	agctcagccc	cttctgtgta	ccataggaaa	tacaggtgcc	cagaggggga	33600
aaggggtcct	cccagacaca	cagcaaattg	gtagtagcta	tccccaggca	cctggaactg	33660
agacagggct	tttccacaga	ataacactaa	agtggcagtt	tccaagttag	gagggagcag	33720
tgccatggtc	caggaggtgc	agtgcgtgtc	ttgggcagca	agaggaagga	tttacctgca	33780
gatgggtgggc	aggggttaatt	ctggccttgg	tgctacctcc	agaagcctgc	aggacctgaa	33840
gcccacccct	tcgccttttt	tccccactgc	cacaagcgag	ttagaatagc	tgggggatct	33900
aatacttcca	gtctcgatgt	cagcagacac	gccagctccc	cacactcaat	cttatctcca	33960
ccttagctca	gggtggggcac	tgagcagggc	actccctctc	tcagcctcag	gtttcagatg	34020
tataaaatgg	gatatacaata	cctgacgggg	ttactgcaag	gatgaaagca	gatgcatttt	34080
tttaaagtgc	cctgtgtgat	gcttgatctc	tgacagggct	ctagacctag	ttattcatgt	34140
tggtattgac	agtcactctc	ccaggatcaa	tgctgggaga	tgacgtgata	acaaaaccca	34200
gatggactgc	ctggcatgtg	ccatgcctgg	gctgactgtc	tcgtgtaatc	cctgtgggtg	34260
agccttattg	ctaaagtgat	tccattcaca	gtgcaccttg	gggttcaggt	cgggccttgg	34320
gtttcatgtc	tggccagcaa	gcaagccccc	cagctgaggg	gccacacat	ctccacccaa	34380
tgagcccgcga	cttacaggac	ctagggccac	cattctgggt	cattggggat	gaaacagcca	34440
aacctggggc	ttcagcattg	cgggtgaggt	cgaggagcag	agaggagtga	cagacacaga	34500
cattgggtgca	catgcgcccc	ctcctagtgg	ctcgggtcgt	cgatgccagc	ctggcctgca	34560
cctggagctt	gggtcccaag	cctcagcagg	acattcttct	ctggccaaat	ttaaagtgcc	34620
ccaggaaacc	aaatcactag	gggtaacaga	gcaagcagag	ctgtggcatc	acagtctcag	34680
tcaccctgct	gggacaggag	gcaggtgaag	aaatgaattt	tacatatggc	ccagcacaca	34740
gatataacta	agaccaagcc	cttgcccaac	aatatttact	ccacttcaga	ggtgcgctct	34800
gaccctttgt	tttcttttct	atttcatatg	ttttagctac	tgacacacagc	ccactgaatt	34860
gctttcagga	cttcctaata	aagcatggga	tgacgcttta	aaatcttaga	caatcctcat	34920
cacagaccct	ttaaatttga	cgaccctact	ttatggccag	acaagttgaa	gtcgtgagcc	34980
gtgaactatt	tctctcttcc	acgcccggga	gtgcctagac	cacagtgggg	ggccggccag	35040
cccttccatc	ccaagagcca	gcccctgtgc	ctcctgcggc	ccctgcataa	atatgggaact	35100
ctcaggccag	gatgggaact	gccagggtct	aagcagtaaa	ctttataagt	tattacaaaa	35160
cagaagtgtg	cacagggaca	ctgtaataaaa	gcgtattggg	agttacggga	actctccaac	35220
aagtttagaa	tctctgggtt	caaaaactat	tgcaacatta	taataaacia	atatccaaaa	35280
gcttagaaat	agaaattaaa	gataaagatg	gtcacgtttg	acaaaaagaa	caatattttc	35340
gtactgagct	ttgatgatac	aattattaat	gaggaagatg	attttaaaat	taaattcccc	35400
ttgtaattca	agatacagtg	atacaaggca	taaaccgggc	attacgctat	agtgcattca	35460
atccttaaag	ccaccgctgg	ttttctgtat	aacccccaca	gggtgcagga	aggtcagcca	35520
tgaacatta	aaataccact	gtctgtctac	atttaaaatt	aaattcagat	tcacataaaa	35580
atgattttga	taaagagtta	aataattttta	gaaaaattgt	tctgcaagaa	tcacagctc	35640
tagataatcc	aacatttgta	tttcaaaatt	ataaaaaatg	tatctcaaag	ttattatage	35700
ctataagata	ctcttaatat	ctccaataaa	aatgcatca	gcagaaaggt	ccttcttaaa	35760



atggaaagtg	tcctaaaatg	atattgtgagc	ttgtattttgc	caacagcaac	tgatgtcaca	35820
ttcaattata	tcgattgaaa	acaaagttagc	taaaagtgtg	agcttttgata	acctaataaa	35880
tgaatttgca	gaaaagttag	ccaggggaaag	cttctaattcc	agttatcaca	taaagtatta	35940
tttgttttat	tgtataaata	atcacaccca	aaatattatt	tgacaaaatt	tgtaagttta	36000
tgttgttact	catgcatcac	tattatccct	attacattgc	ataagtaata	aatttttcaa	36060
gggaaaagct	ttctatttca	cccctgtaac	tgcactttcc	tcctgctttt	tgaataaggg	36120
gcctgaattt	ttattttgca	ctgggctttt	caaattatgc	agcaagggat	gatccagcag	36180
gtggagagct	ctgagctccg	agtggactgt	gccgtgctgt	ctgtgatata	tgctaacata	36240
gaatgtcttc	cgatatgtta	ctgtgcatgt	ggggagtagt	ggctttgaat	caaaagatcc	36300
ttggtgaaaa	cccctgcctc	accactatgc	gtccttgggg	aagtcacctc	tgcacctttt	36360
ctttgacgtc	aggtagttag	atggcacagg	gaagcgcctc	ctgtgggcac	ctgcatagag	36420
gggaattgtg	gtggctctta	agtgtcgaat	ctcttcccga	cgaaaagtgt	tgctctaagc	36480
accagccgca	tcgacatcac	ctgggaactg	gttacaaaatg	ccgaatctag	agctcgcccc	36540
agacctattg	agaaagaatc	agcatttttaa	taatatccca	agatgatctg	taggcctggg	36600
agtgtctaag	aagcgtggcc	ctagacaaac	ggcttgggga	ttacctgagt	actttgccgt	36660
ttaaatttag	tcctaactat	tgctattcaa	agagtgaaca	ctagagggca	caagagtcaa	36720
gtgattagtt	gtttgatttg	ccaaccagga	gcttggaag	agaaaaataa	aatgtcacia	36780
acagggctgg	gagttacctc	caagagtcaa	atcttcctct	acacccccga	tccccacccc	36840
aaagacaaga	gctttctgct	gacctcctca	aaagcatggg	ttttttttgg	gagggccaag	36900
gtgaggggtg	ggttttttgt	ttgtttgggg	ggttttgttt	ttgttttttt	gagggcagagt	36960
cttgctctgt	cactcaggat	ggggtgcagt	ggcatgatca	tagctcactg	cagcctcaac	37020
ctcccaggct	gaagcaatcc	tccccatcag	cttcccaggt	aactgaaacc	acaggtgtgc	37080
accacaatgc	ccagctaatt	tttttatttt	catttttgta	gagacatggt	ctcactatat	37140
tgctcaggct	ggctcgaac	tcctgagctc	aagtgatcct	cccacatcag	cctccaaag	37200
tgcttgggta	acaggtgcga	gcttcctgtg	ccggcctcaa	agcatgttt	aatcggaat	37260
gtgcattggc	catgggcctc	cagatctgag	gtcggaggac	tgatttccac	agcggaggcc	37320
ctacagttga	gccagcctgc	agggatgtgg	gaaccagga	ctggggggtt	tggggcttgc	37380
acggcactca	ctgccaccag	gtgaccttgg	gcaagtcact	tctctcctgg	cccgctgccc	37440
tctatcctta	aagtgcaggc	agttggcgcg	cgagattccc	ggggtccctc	tcggttttta	37500
agcctaggct	tgcatagtat	gggtcttttc	ctgttgcaag	tttctgggtt	gtgcccaga	37560
atattgccagg	gaaatagaac	caagcccca	gcttctgtct	ccagagataa	gatggccttc	37620
tcttctgtgc	atttaaggcc	ctgggaggcc	ctagaatttg	gagtgtctgg	caggcttgga	37680
ctgttaaggt	ccccagcatt	ccagaggcga	tggcacattt	gtctgtgtca	aggaggtctc	37740
gggcatgggt	agggagggtg	gaggtaagag	agggcagagc	tgagggcaca	aatccagcca	37800
tttcacagat	ggggaaacca	aggttcagag	gaggacatgg	ctatagccca	ggtccctgta	37860
gccccgagtc	agtggtagg	ccaggacttg	aactcaagta	ttggagtga	aaaggcagca	37920
gccccaaatgc	tgacggcatc	ctagcgaggg	ctctgagccc	tggagtgcag	tgggtgcttg	37980
ttgectgggt	ctctggggga	gtctgcactc	cctggcattc	tcatgggcac	ctcctgcccc	38040
aggcagagct	ccaagccttg	gccagcagag	caggacaggc	ctgcaggggc	tgcccacgga	38100
cctagtgttc	tcgggggttc	tgccaaggta	acaagagcag	ggagggctcc	ctccccacgc	38160
tggatcctgt	ccagtcctct	gcttggtccc	aggggcacta	actgggaccc	tcaagcctgc	38220
tgggccacatg	tggtaggcca	taccatcccc	gagcatggct	ctgaccaggc	cactccccctg	38280
cttaaagcct	ctaggggccg	ggcacagtgg	ctcaagcctg	taatctcagc	actttgggag	38340
gccgaggcgt	gcggatcaca	aggccaggag	ttcgagacca	gcctggccaa	tatgggtgaaa	38400
ccccatctct	actaaaaata	caaaaattag	ccaggcgtgg	tggtgcccac	ctgtaatccc	38460
agctactcgg	gaggcaggaa	aatcgcttga	acccaggagg	cagaggttgc	agtgaactga	38520
gatcccacca	ctgccctcca	gcctgggcga	caagagcaag	acttcatctt	gggggaaaga	38580
aaaagccttt	agaggctccc	tattgcctgg	gtgatacagc	aggtggcatc	ctcactcctc	38640
agcctgggtg	tcaatgcctt	tggcttggga	cccaccctcc	ttggccatgc	acaccaagct	38700
gtcctgcccc	agggcatctc	ttgctgggcc	cacctaaagc	cacgcatgcc	cgcccacctc	38760
cctctttcca	tctstattta	tagagccctc	gccgggtgac	aggcagtgtc	ctaggcactc	38820
ggggggcaatg	tgagcaaac	ggagccctcc	ctctttggac	tcagtgtcta	atgggaggca	38880
ggcgaaagaa	tcaacagcta	agcttatggc	accagcagg	gaggaaaggaa	gggggacggg	38940
atgggagggc	tgcatgttcc	cctagggtgg	ccaggaggag	tgtctgagaa	gggtggcacat	39000
gtgttgggat	catgaactct	gggcgtggct	gtgtagcatc	caggcagagg	gaacagcaag	39060
tgtaaggacc	tgaggcagga	gtaggctcag	catgttccag	gaccagcaag	gccagcttga	39120
ggccagttag	caaaaaaaca	gtggaggtgg	gagatggggc	ccacgggtga	caccgccagg	39180
ccacgcaagg	ccttgggggc	attggaagga	ctttggcttt	tacattgaga	agacagagct	39240
cctggagggc	tttgtccaag	gactgatgag	cccagacatc	actggctgct	ccgggtgagcc	39300
tggagggcag	acaggggagg	aagtggggag	accatggggg	gtgaccctgt	tccgtaaac	39360
tgaaccctga	cagatgccat	tccatctacc	tgagccctc	cctgcaagct	gtgttcggag	39420
aacgcctata	tgttcacgaa	agctaagctc	aaatgccacg	tgctgtctcc	ttcctgcacc	39480
ccaggtagaa	acaccctcgt	ttgcctctca	attccactt	tctttgagca	ctgtttttga	39540

aagcaoctgc	tttgtagacc	cctacagaaa	ttctcacttg	tgagcatctc	ctgctctggg	39600
accagatgct	gagcccttgc	aagagagcag	ggagctgggc	tggttttgcc	atcatggagc	39660
agtgcactcg	gccttctgca	caggccccc	agccaccag	cagggccttc	tgggtagcct	39720
caccagagcc	aacggaatca	aaatctgtgt	tgggggtggg	ggcttgagct	tctgctttta	39780
aaattcttcc	aggggtttgg	gttaattttg	ctccctgggg	ctttgtgtta	atattgtctg	39840
ctgggagtag	gggcccagcg	agatcgctct	aaattcaa	cctgcagcag	ccataggtag	39900
ctgtgggatg	tggctactta	atctcgctga	gcctcggtcc	ctctctata	gccccaggtg	39960
cccagcaggc	cgacagaggg	tgtggccgcc	tctcccacct	ctttgaattg	ggctgagaga	40020
cagacgcgca	ccttccggag	aggaccgtca	ggctgaagaa	gacacagcta	gtgtctaacg	40080
ggagggtagg	ttctaaggaa	gtgaagattt	atgagagaaa	tgagttagtg	tgatcatgtg	40140
tctcatacca	cagcgtgtga	gtccgtgcaa	acgccatgtc	tgtcccctct	caggagaacc	40200
ctctctcaga	gctatgaaaa	tccttaccat	tgcctcattc	agactctcaa	agtctgaact	40260
ctgtcacttt	agagcacagg	actcaaattg	gactgtgctc	aggaatcaga	tgggggttgg	40320
gttaacatgc	acattcccat	gggcaggtcc	agggcagggc	ccaagattgc	atttctagct	40380
catccttggg	gatgctggca	ccactgggtcc	acagatggca	ctttgagcag	caagattgca	40440
gcccctaagc	cctactgaca	tagaatctgc	aatgtaacac	tatctccaag	agatgcgttt	40500
gcacactaat	gtttgagaat	taccagtgc	gagacttgga	agaatgctta	ttttgggggt	40560
cagcatgccc	tagagagagg	ccaagaatac	gtttgtcatt	ctggctcctc	ttcaataact	40620
gtgagtgcct	cttgggttat	tgttagacat	tgagttatc	agataattcc	tagtcagctc	40680
cacaaaagcc	ctatgtgagt	gtgtgcagtc	atgtctggcc	cccagtggag	gagtggcaga	40740
gggtgtgtgg	tggcccggga	aaggtgtggg	ttctgcagag	agggaaatta	actttgggtt	40800
aggctgctta	ctgggtgcc	gctttttgtg	ctgatcactg	cgctggatt	agttmccgta	40860
tgtactcttc	acagcagcct	ttggaggcag	atattactac	tgtgttacag	atggggaaac	40920
caaggttggg	aggaggaag	gcacttgccc	aaggcaagct	ggctagcaga	gggtgagacc	40980
gggattgaag	tcaggcttgt	ctgtgtgtca	gatggggcaa	agctagctgc	ggcaacaaat	41040
caacccaga	ttgcaggagc	ttggcaaaca	gaagttcatt	tttgttccct	aacagtgcaa	41100
gctggctact	ctgggtgatg	ggccaccttc	ctccacatgg	tgactcaggg	atccaacctg	41160
catccagcct	gtggtatcac	tctcccaggg	gcctcggaga	gcccactcsg	tggctggcag	41220
ttggaggatg	actgtgtaga	gacggtagag	tcttctttta	acccatagcg	cagaagtggg	41280
actcatcatt	tcccaggcct	cccattgggtg	agaagcagtc	acatagtcac	acgcacgggtg	41340
agggcactgg	gagctgtcac	ccaggctgga	gtgcagtggt	gcaatcatag	ctcactgtag	41400
ccttgaactc	ctgggctcca	gtgatcctcc	agcctcagtc	tctagagtag	ctgggactac	41460
aggtgtgggc	caccatgctg	gctaattaat	tatttatgta	tttatatttt	ttgtagagac	41520
gggtgatatg	ttaggctttg	tgtccccacc	caaattctcat	cttgaaactgt	aatctccata	41580
atcgtcacat	gtcgagggag	agaccagggg	gggtgattgga	tcatggggac	cgtttcccc	41640
atgctgttct	cgtcacgggtg	agtgagttct	ttgagatctg	atgggttctat	agggggctct	41700
tctcccttcg	ctcagtgctt	ctccttccctg	ctgccttctg	aagaagggtgc	cttgcttccc	41760
cttcaccttc	caccgtgatt	gtaggcctct	ccggccatgc	tgaactgtga	gtcaattaaa	41820
cctatttcc	ttataaatta	cccagccttg	ggcaattctt	tacagttagtg	tgaaaatgga	41880
ctaatacaga	cgtgggtctca	ttgtgttgct	cagggtagtc	tgaaactctt	gggctcaagc	41940
gatoctccca	gcttggcttc	caaagcact	gggattacag	gtgtgagcca	ccgtacctgg	42000
ctgggtttgt	gatgttgaaa	aatcacacag	ccttggagcg	agaaaggctc	tgaggttctg	42060
ttcatccatc	cggcacctga	aggtgctctg	caagactggc	aagatgatca	tccagccctc	42120
gccagacatg	aggccacagc	cggcccagtg	acctggagtc	accctctggg	aaggctgctg	42180
ccctgggacc	tgcgtttctg	ggatgctgct	gacctctgcc	ctccaggctg	acccgaggct	42240
gaccgggaag	cccagtgggt	cgagaaacaa	ggaaagggtg	gagtgcgggc	cctcccagtc	42300
acctctcacc	ctcctcaggt	cacagtgatt	atctgattca	ttcattgatc	aatcaataga	42360
tacctgggac	tgggtgctag	ggacagttag	tgtactagtt	gaatggcccc	ctaaatccat	42420
gcccacttag	agcctcagaa	tatgacctca	tttggaata	gggtcttggg	agaggttaagc	42480
aagggaagat	gagttcatta	tgtgaccggc	ggcaataccc	tgacattcct	agtgggttgg	42540
ggaagccttc	tctgcccctg	ctcatgtctg	tctcaccacc	tgtagcagct	aggaggggccc	42600
ctactctgag	gactgggtgc	cttttaagaa	gaggaggcgg	gcacagtagc	tcacgcctat	42660
aatcccagca	ctttcagagg	ctaaggcagg	ctgaggtcgg	gagttcaaga	ccagctgggc	42720
caacatgggtg	aaaacccatc	tctactaaaa	atagaaaaac	tagccaggcg	tgggtggcga	42780
tgctgtaat	cccagctact	caggaggctg	aggcaggaga	attgcttgaa	cccaggaggc	42840
ggaggtcgca	gtgagccaag	attgcggcac	tgcactccag	cctgagagac	agagcgagat	42900
tctgtctcag	aaaaaaaaaa	aataaaaaa	gaagaggaaa	ctggatacag	acacagagaa	42960
gctaattgcca	tataaacaga	gacaagggaag	actgtggaac	aacggagacg	cgatgggagc	43020
gatgtgcca	caaagaccgc	cagcaaccag	cgaagccagg	agagaagcaa	ggacccagga	43080
aggagccaac	cccgccca	cctgggttgc	agactcctga	ccctaggact	gtttggggaga	43140
gtgcatttct	gttggccgaa	gccactcatt	gtggcgctt	gttacggcag	ccagggcacc	43200
accagcgagg	ggcagaaacc	agcgggtgag	tcatgtgcag	gccaggaacg	gagaaagagg	43260
aagaggcaat	tcacaggcaa	agacacgaac	aaaacacaaa	caaggagagac	caagagcgcc	43320



tgcatgtgagc	aggggtggga	gggtgcggtg	gagggcagca	ggagaggacg	ctgtgtgagg	43380
gtggggaagg	agggctgaga	gtgggcgctt	tcgtgaagca	gggactctgg	gcagagagaa	43440
tagcatggac	gaaggctctg	ggctgggaaa	gagcttggtg	tggtcagggg	acaggaagga	43500
ggccggtgtg	gctgagtggg	tgggaggggc	agagaggggc	ctgagctcag	cggggagggt	43560
cactctcgga	ggccacagga	aggagtgggc	attttcttct	aagtgcacat	ggaagtcttt	43620
ggaggggttt	aagcaagaga	gtgacatgat	gggattgatg	tcatttggac	tgctgtgtgg	43680
aggatgtgaa	agcattcatt	cattcattca	ttcattccct	catttcaaca	agtaataata	43740
caaacaacct	caggaccgtg	accaggcctg	tggacaaaag	aaatggcaga	gagatcacag	43800
ccttggggag	tcagggtctg	cagagaattc	ccctctaaga	tgacctggag	caggggcctg	43860
gaacagccat	aggagggctg	gggaagggtg	ctccaggggtg	cgcagtgcgc	acaaaggcca	43920
gctgggtggc	cacaccctcg	caagccatct	ctccctcagg	ctggagtcgg	tgcttccac	43980
agttacttct	cacgactttc	tcattttgtg	agaaattcct	gataatgatg	ctctcagctt	44040
tctgacaaag	agctcaattg	ttcctcaggc	ggtaccaatc	ttaatcgta	tagtcaagaa	44100
gttttataag	cactttttta	tttatttttt	tttaattttt	tgagacagag	tcttgctttc	44160
tcaccagtc	tggagtgcag	tggtaaaagc	tcactgcagt	ctctcctcc	caggttcaag	44220
caattctcat	gcctcagcct	ctcgagttag	tgggactaca	agcgtgtgcc	actatgcccg	44280
gctgattttt	gtaatttttag	tagagatggg	tatcaccatg	ttggccaggc	tggtctcgaa	44340
ctcccagcct	caagtgatcc	tcccgccttg	gcctcccaaa	gtgctgggac	tacaggtgcg	44400
catcaccatg	cctagttaat	ttttgtattt	ttagtagaga	tgtaggggga	ggggtttcac	44460
catgttggcc	aggctggctc	cgaactcctg	acctcaagtg	atctgccttc	cttggcctcc	44520
caaagtgtct	ggattacagg	tgtgagccat	caagcttggc	cttataagca	ctttataatt	44580
tgcaaaagccc	ttctgcaatt	cagttcaata	ggccttccct	ggcccagagg	tgtggggaga	44640
aggcagatgt	gcacacagat	cttatctcac	cttcaggaag	gtctgactcc	atctggtcat	44700
acaagataac	cgctgtgcaa	gttccaaagc	aaggccaaca	tagagacaca	tgcccagggtg	44760
cactgatgtg	aaacattcac	ccgtcattca	actcccagag	gggcctcaga	ggcagcagtc	44820
taaaatgtgg	caggttgata	acaagctggg	accaggtcag	gggtgtgtctg	caggcacaga	44880
gctccccgcc	aggagggaga	agacaacatt	tggtcccttg	ctctgtggcc	ttgaacaagc	44940
gtcttaacct	ttctgagcct	cagctgcaaa	agatcgattc	tatttgattc	tcacaggagg	45000
ctctgagcca	tcaagagtgg	gtcaggctgg	gcctggcacg	gtggctcatg	cttgtaatcc	45060
cagcactttg	ggaggccgag	gcgggcagat	cacctgaggt	caggagttca	tgaccagcct	45120
ggccaacatg	gtgaaactcc	atctctacta	aaaatacaaa	attagctgat	cgtgggggccc	45180
agcgccagct	acttgggagg	ctgaggcata	agaattgctt	gaactcggga	ggtggagggtt	45240
gcagtgcgac	aagatcgcg	ggctgcactc	cagcctggca	gatagagcaa	gactccatct	45300
caaaaaaaaa	aaaaaaaaama	aaagassccg	ggcscagrt	ggctmaacgc	catgtaaatc	45360
cmarcamttt	tsggargccr	aaggcgggcg	ratcacaarc	gtccargara	tcaagaccat	45420
ccwkgtctaa	cacagrttra	acccctctc	tactaaaaat	acaaaaaagt	tasmcaggcg	45480
cgrtgrcrrg	cgctgtagt	mccagmtact	cgggaggytg	aggcaggaga	atggcgwgac	45540
cccgggaggt	ggaayttgca	gtaagccgag	cttgcaaccay	tgactccag	cctgggcgac	45600
tctgtctcaa	aaaaaaaaaaa	aaaaaaaaaag	agtgggtcag	gctgggcatg	aattcgcttc	45660
tatcaactac	cacctgacct	cggacaaggc	agtaggtttt	cctgaaccat	aaaatagggg	45720
gagtgataga	accacctga	tagctattct	ttctttaaga	ctgagctcca	gtgtcaccct	45780
ttccccagcc	cctgcagtc	catctccgga	cctcacccgtc	catgctctgc	acttgccacc	45840
ctgagcctca	ttccgaaaat	acctgcccgt	gctgccctca	aagctcagca	tgtcttgggc	45900
cccagtgctc	tctccaggca	ggttctctgc	acagatgtca	ggccagactg	tccctctttg	45960
ctcagggaaa	aagaagatga	gctctcaagg	tgccagcctg	tagtccctgc	actggggcag	46020
gacaaaggta	agtagaatca	agaatcgcca	ccaggactac	actttcccca	ggaaaaactt	46080
gaaacgagtt	cacgtagcat	tttgatccc	accmkwwcag	cagcmctaga	gaaagtgcga	46140
agagaattcc	tatacccaag	tttcttctct	ttctcttacc	agaagctctt	tggcatttca	46200
caaagcaagt	tgcaaccaga	gtctggcagc	ttccattgta	tcgaacaatt	aaggaaaaca	46260
atgatctgtg	atcacggcaa	gcttctgggt	aatttatatt	tctaaagatt	gtcaaaaaaca	46320
atatctcctt	cgctaaaaact	gttcaaatgt	ctcccacaaa	catcaaaaagt	gtccccacc	46380
ctgcccccca	ctttctctgc	ccgtctctat	ggcaacgtgg	agctgtgcta	ttctgatcac	46440
tgctaccaag	ccaagcaggt	gtccggaaag	ttttggggag	gattttgagt	tgggtaattt	46500
ttggctcttc	ttgacatttc	ctaagtgcg	tgatgcctaa	aattttgttc	tattgtttcc	46560
tgctaaagtg	aacaagaagt	tccctctccc	accagctctg	gctttttttg	tgtggttttt	46620
tttttttttt	tttttttttt	tgagacagag	tcttgctctg	tcaccaggct	ggtgtgcatt	46680
ggcgtgatct	tggtcactg	caacctccac	ctcctggatt	caaattgatcc	tcttgccctca	46740
gcctcctgag	tagctgagac	taaagggtgca	tgccaccatt	cccagttaat	ctttgtattt	46800
ttagtaaaga	tggggtttca	ccatgttggc	cagaatggtc	tcgatctctt	gacctcatga	46860
tccgctgcc	tcagcctccc	aaagtgcctg	gattacaggc	gtgagccacc	gtgcctggcc	46920
wakmtytkrr	wtttgagawm	gatcacagga	gggactcagg	gctgaaagaa	gtgagggagg	46980
aggccaggcg	tggtggctat	tgctgtaat	cccagcagtt	tgggtggctg	aggcagttgg	47040
attgcttgag	cccaggagtt	caagaccagc	ctgggcaaca	tgtaagacct	catctctaca	47100

aaaaaatacc	aaaaaaaaaa	aaaaattagc	tgggaatggt	ggagtgtgcc	tgtagtccca	47160
gctacagggt	ggctgggatg	ctgaagtggg	aggattgctt	gttcccagga	ggctgaggtt	47220
gtggtgaacc	gagatcatgc	cactgcactc	tagcctgggt	gacagaacaa	gactctgtct	47280
caaaaaaaaa	gaaagaaa	aagaaaaaaa	aaaagaagt	aggagatgtt	gcaaattgccc	47340
ccccaccca	aaccacacct	cgggggtgtt	tgtctaagaa	aacatctttt	gtgacctgtg	47400
tgttatcttc	tttacagcca	cctgaaacgc	agaagggagc	ttgctgggtt	tcagacatgg	47460
gtaagtgtgg	ggtggcattg	cagcagagat	tggaggccgt	cggaccaaag	aggtgaccca	47520
gagtggccat	gggcacagga	ctcaacctct	cagagcctct	ggttcctggt	ctatagcctg	47580
aggacgatcc	tacctccag	gttgtcaggt	ggatttaatg	ggccaccagg	tgtaatcagt	47640
attcaggaag	ggatggtaat	ggtctgtggt	gtggttatgg	aggaagctga	tgtccaccaa	47700
ttccacgtcc	acgcagggtta	gctcccaggt	cttcccaata	accctttggg	gcaaaggatt	47760
tactgagttg	acgcccaggg	aggtccaatg	agttgctcca	ggtctaacga	cattgcctaa	47820
gcgtgtcata	gcccctcccc	atgctcagtt	cctgatttta	aagtcagtgc	ctcttggaag	47880
caatcacctg	gtccttcggg	aggtgagtag	atacataagt	ggatacgtaa	gctgtggtcc	47940
atccagacaa	tggactatta	ctcagcaata	aagagaaatg	agttatcaag	ccatggaaag	48000
ccacggagga	aactgagccg	catatcacgg	agtgaaggga	gccaagctga	aaagtctacg	48060
cactgcaccg	ttccaactct	gtgacattcc	ggacagggca	caaccatgga	gattgggaaa	48120
agatcagttg	ttgccaggag	gcagcgggag	ggagggatga	agcagtggag	tgtcaagagc	48180
cttaggacag	tgacgtgct	ctgtatgatg	ctgcagtggg	ggtccacgtc	attctacatt	48240
tttccaaacc	cacagaatgc	acaatgccca	gggtggaccc	cgatgtaaat	gctgcgtctc	48300
aggagatagc	aatgtgtcaa	tgcaggttat	ccattggaac	aggtgtgggg	aggctttgca	48360
tggggagggtg	tgggatctac	gggaactgtc	tgcactttcc	actcagcttt	gctgggaatc	48420
ccaaactgcc	cttagaaata	aggtctatta	aaaaggggta	gggggcggct	gggtgtgggg	48480
gctcacacct	gtactcctgg	cacttttggtg	gggcagagag	agatgggagg	atcacttgag	48540
ctcaggagtt	caagaccagc	ttgggcaaca	tggcaaaacc	ccttctctac	agaaaatata	48600
aaaagtagct	agatgtgggtg	gtgtgtgcct	gtagtcccag	ctactttgga	ggctgaggta	48660
ggaggatcac	ctgagcctag	gaagatcaca	ccactacatt	ccaacggagt	gagaccctat	48720
ctcaaaaaaa	aacctggggg	gagtaggggg	cagataaaag	ccagcacctc	ctccagggag	48780
ccgtccctga	ccaccatcac	ctgctgcaat	tcttccccct	gccaggaatc	cgcaggctgt	48840
catcacttct	cctctggtta	gccccctccc	agaataacag	tggctggggg	ttccagcttc	48900
cggacctaac	aagccccctc	agggcaggta	cggggctgtg	tgccttagac	ccttccacct	48960
cacaccaggg	caccagtgga	gacctgtgag	ggagcgggta	gcagggtgtg	aacgattgcc	49020
ccttctctgcc	agtgactgac	atttgaaga	gagactcagc	atgaaatgac	agctgcacgg	49080
tgtgggcaca	ttgatgtact	tagcaaatga	ggccccctgt	gctgccgtgt	cctgtgtcca	49140
gtcctggtga	cacagccctg	ggacctgaga	cctgtgccca	ggccccatgc	tggctgctgt	49200
catggtctcc	ctgcatccag	ggcaggctgg	gccccatttcg	aaggtagagg	ctgggggagg	49260
tgggggatct	cagctggcac	tgtcagtga	tgttaggggca	tgactgggac	acaggcaggc	49320
ctgggaacat	cgtctctccc	cacacgggca	ttttctctct	tctgcctcaa	agttgctttt	49380
gcactccctg	gttttttttt	ttttaattcc	ccaaatgaaa	cttcccagtg	cacttggtga	49440
ctcgtctgtg	ggctgtgaag	tggcgttcgc	tctctgcctt	cagagatgag	cacatcacca	49500
ctcagacca	tgggagggct	cagaactacc	cggcgacaat	gcagtgtgtg	tgtgtggcag	49560
gtgggtgtgt	gcacgggggt	gtgtgtggag	gtgcttdchg	ccvttgbcct	htgatgtdgb	49620
accamgkcb	tggtvacack	accgccgtgb	gcccavcacb	tvbcccchca	hgvacgccc	49680
hcchghcaca	acbhchgcyc	acthgbctg	tcaygagtc	tdgkgdtact	abavavcdgg	49740
hdgggdgbtv	dgggtbhtag	dgggtgdavac	tgggcaggvg	gdaggagtgr	tgggcbgagg	49800
gtgbgrtdtg	dghadtgadg	tgggavrggr	craaggabgv	gggtgggdgb	tgagagbcbh	49860
tabgbtctas	vdscvtgvag	stgbdgggwa	tgttwkgbtg	gdavbtttch	thhccbthad	49920
hccbtsggac	agtgagggaw	ggctgccccg	tgtgtcacat	tgtygttagg	aagatctgtc	49980
ggggtatagc	agcaaagagk	agcttcctac	cttagatgtg	gtcaaggcct	ggtgggatgg	50040
cctcaggaaa	gaggcyagt	gatkgggkkc	acatggcctg	kagtgaagtc	cagkaccttg	50100
ctaaattgca	aaggcaccca	tgcggttctc	ctgctgcacc	cctatccagg	actcccata	50160
gaatgcagac	ttctgggtcca	gctggcctgg	gcaggacaag	ctctccaggt	ggcgctatgt	50220
gcatagcctg	agctaagcac	ctccagcttg	cagcatggct	tctctagctt	gctttattta	50280
tttattttaga	aacagggtct	cactatgtca	tccagggtgg	tcttgaactc	ctgggctcaa	50340
gcaatcctcc	tgcccaagcc	tcccaggtac	ctgggactac	aggcatatgc	caccactggc	50400
tccaacctta	atgtgcatgc	aatcccaag	ggcatcttat	taaaatgcaa	attctgactg	50460
aggaggtcca	tgggtggcgc	gggattctgc	attcgtaaca	ggcgtccagg	tgactgagga	50520
atgctggatg	ctgatgttgc	tggcttggtg	gcaccatcac	actatgaacc	acactgcttt	50580
atactctctg	gtctcaaatg	ttcctatgtc	tcccaaaccc	cccaggaacc	tgttaaaatg	50640
cagattcctg	ggcctggctc	ccagggatgc	tgacaaggct	agtcctaggg	tttcgctgtg	50700
ctagaagtcc	aatgtgtggc	cgacatgcc	aaacatgttc	tgttcttttc	tattcttata	50760
tcttttactt	tttctttctc	tatctctttt	actttttctt	ttcttttctc	ttctcttctc	50820
ttctcttctt	ttgagacagg	gtctcactct	gatgcccgag	ctggagtga	gtgggtgcaat	50880

cttggctcac	tgcagcctca	aactccccag	ttcaagcaat	cctcccattt	cagcttcctg	50940
agtagctggg	actatgggca	catgccacca	cgtctggctg	atttttaaat	ttttttgtgg	51000
agatgggttt	ttgccatgtt	gcctaggctg	gtcttgaact	tctgggcccc	agcaatcccc	51060
ctggcttggc	ctcccaaagt	gctgggatga	caggtgtgcg	ctaccatgcc	caaccagccg	51120
cacatgttgt	ttttttgttg	ttgttttttg	tgtgtgatgg	agtttcgctc	ttgttgcccc	51180
ggctagagtg	caatgggtgtg	atcttggctc	accgcaacct	cagcttcccc	agtagctggg	51240
attacgggca	tgcgccatca	agcccggtca	atttttgtatt	tttagtagag	acgggggtttc	51300
accatgttgg	tcaggctggt	ctcaaactcc	cgacctcagg	tgatccaccc	cccacctcca	51360
ggcctcccaa	agtgtctggga	tcacaggcgt	gagccaccat	gcctggcccc	tggtgttctt	51420
atctcattaa	cccagtgggc	taaaaactca	ttgccacact	cagtagctta	aaccacagaa	51480
atggattctg	ccacagttat	gaaggccgga	agtctgaaat	cagtgtcact	gggcaaaaat	51540
caaggagaat	ctgttccctg	ctcttccaga	ttccaggggac	tgcttgcatt	ccttgacttg	51600
tgccacata	attcctatct	tcaatgccag	cgtcttggaa	tctctctctg	ctctatgtcc	51660
acatcaactt	ctccgtgtgt	ggtcaaatct	ctgtctgcct	ctctcctgca	aggagataag	51720
ccaggctaatt	ggcccttctt	caaaatcctt	aatcacatct	gcaaaaaccc	ttttctaaat	51780
aaggtagcat	tcacaggtct	caggaagtga	tctctttggg	ggccttgtac	accaatagcc	51840
tgtaaaccgc	cacactctgc	tgtctttcaa	atgacaactc	accaagcctc	tgctctcatt	51900
ttctttgaat	acttggcatg	tagtccaatg	cctggaacag	gcaggatgtc	actaaatgtt	51960
tatatTTTTT	aatttttatt	tattttatta	ttattcttat	tatttttgag	acagagtttt	52020
actctgtcgc	ccaggctgga	gtgcagtggc	atgatctctg	ctcactgcaa	cctccagttc	52080
ctgggatcaa	gcgattctcc	tgccctcagcc	tctgtgtgat	ctgggattac	aggcaatgtc	52140
catgacgccc	ggctaatttt	tttgtatttt	tagtagagat	gggggtttctc	catgttggcc	52200
aggctgggtc	cgaactgctg	acctcaagtg	atccaccac	ctcggcctcc	caaagggtca	52260
ggattacagg	tgtgagccac	cacgcctggc	caaaagtcac	taaatgtttg	ttgagtaaat	52320
ggaagttagt	tttaaatagg	tgtagggaag	gaagtggggc	aagaacttga	atgcagagtc	52380
tgaaaatcat	gggcagacat	caaaggactg	aattgtgggg	ggtatatttg	gatgtcaggt	52440
taaagagttt	ggacactgtc	ctatgggcaa	gaaagagctt	atatgaagtc	cttgcatagg	52500
tgattcatcc	atccatccat	ccattcatcc	attcaatact	cagcagcaac	atgcagagct	52560
cagctccttg	gggaatgagg	acagggtgtc	tagaaaagat	agcattgaac	agctggctct	52620
ttctcccacc	agagtttgtg	tttaataagt	ctagtatttt	ctagcagtta	ctgctttaag	52680
tgtgtggcta	ctagattttc	tggtcatttc	agattcatga	caatgaaatc	tttgtggatt	52740
gtgcctggca	cccttacata	ataccactct	tcccgtagat	gctttccatc	atgcgttctt	52800
ccttatcaat	agtaattttg	catttttcaa	atgtctgctg	tgatcttcta	cttctcaata	52860
tttttggtgt	gtttcttgta	aatagcgctt	aactggactt	tagttttttg	cccaatctta	52920
cagacttttg	atgggaaatt	cagcccattc	accgtgttac	gaaggcgggt	agccatggct	52980
ttatttatTT	tatctcatct	tatgtttact	attattaagc	ttattgttct	tgctattatt	53040
tactttcccc	cttaattttg	cttccttact	ctccctccac	ccctccccc	acttctacct	53100
agtaattcag	gagttctact	ctgcttcttt	cccgtgagtt	gctactttcc	aattcctgag	53160
agtacataat	caaccaatct	ttccctgata	atgtattaaa	agtaaatggt	aatgaagccc	53220
cctcccacc	accaataagg	ctttccttcc	ccagctgaga	gtcataatta	aaccaatctt	53280
tccctgctaa	tgtattaaaa	gtaaatggta	atgaagcacc	cctcccacc	accaataagg	53340
ctttccttcc	ccactcacca	aatcagatcc	ttttacttcc	tccttctccc	ctcaaccaa	53400
tgtgatctta	aaatattctg	acttctctgt	gataagattc	tatttttttt	tttagttcca	53460
ggctaataca	actttctctt	gaagcatgta	gcttatgttt	taagaatcct	tatgtggcac	53520
tgctagtaca	aaatcacagg	cacatgtgga	ttatccatac	tgatatattt	gcaagggtca	53580
ttgcttaaca	ccacttcctg	ttctgagcgt	ttgctctatc	ttgaaatctc	tactgtgatt	53640
gaactgtctc	ggtgacgggg	gaactctgaa	tatcttctct	tgaaagggga	catcactgag	53700
gtcctttctc	tgtcttgcca	cagtggatat	tttctctctt	ttgtccacat	agatgaatcc	53760
tgtagttagc	atggtaagga	tccttgatcc	tatcatcaga	gtccctggac	attgtctcaa	53820
agtcccttag	gaaccacttc	aacttttctc	cccttagatg	tgacctgttc	tttctggaac	53880
tctgcaagac	cgtctcttta	tccttggcat	ctgggatttc	cagggaacag	ttctctgggc	53940
actttgtctc	cctctgtttc	ccctccagct	cttctctggg	tacctgtcct	ttgtgcaata	54000
cacctcctgg	aactgtcttt	ccagtctctg	ctttttgtcc	tgatgatatt	catgtgcttt	54060
tcctctacat	catgaagcat	ttactccaca	ttatcttcca	gtttgtctcat	ttgtcctcac	54120
ctccactctt	ctctttctga	atttgctgtg	tgctttttca	gtctcttagc	tcctgtggag	54180
atgttcagtg	ttgctgtgtt	ctgatagagg	ctccttaagc	catctttag	attttttgtt	54240
gcacttctct	tcttccctta	gacctccaca	ggaggaactt	ttcaatctgt	cctcttctct	54300
ctgcttaatg	agcccttgca	aagggttttg	gaagtgtctc	agcctctctg	tgatttgtgtg	54360
ttcacattaa	tattttattat	tttcttaaat	gtgcataaat	ctcacaatgt	gaacagtgat	54420
catcttttag	tgattttttt	tctcctttct	acttttagta	attctccaaa	ttttctacag	54480
ttagtgtgtg	ataagggtga	aagacatctt	caagactttg	ggcaaaatac	tatgtcttag	54540
cctcaatttt	cacatcaata	aaaaatgggc	tcagtgccac	ctccctcctt	gggtcactag	54600
ggggggccctt	gaaagctgtg	aaagccctca	agccaacctg	gacagagcag	gcgaggctga	54660

cggcaggtgt	tcttccttcc	tctgtgagcc	tcacagggtc	acacgtgaac	attggggatc	54720
gggggtgggc	agtgggggca	gctggagaat	caaatgaggt	gactgacatg	aactacgccg	54780
ctttgacaaa	agtcctccga	agtagtgtgt	tcagaactca	tctccaaagc	catctggaat	54840
atttgctccc	aacatgttgg	taagcattat	ctctgacagt	cactccgagc	cccagtttct	54900
gctgtgataa	ctaggacagg	tagctcaggt	tggttgtggg	gaccagagac	agagcaggca	54960
gggtctcacg	ttccccaggg	cctctcaagg	atagaccctc	gccctcatct	ccaaaccacg	55020
cctcccagac	aggaaccaaa	ctcccagagt	ctccaaactg	cctgagcctt	gcccactccc	55080
tgggctaaca	cacactttta	aggaatccca	cagtcaccgt	gtgaaaagct	tgctacactg	55140
catttgatct	tgggactga	aagcagtact	tggctgcaga	cactcgtttc	aaacaggccc	55200
catttttcca	tctctgctgc	tgttattagg	ggagccctta	gactctcttg	cagcgccgga	55260
ataggcgctc	aagacgtgtg	ttaatatagg	aacagcaaat	ataatgaatc	tgcagttggg	55320
gacgctgagg	ccggagtggt	ggatgaaagg	tggccggagc	cttttccacg	ggtccaaacc	55380
acctgttaca	ggagaaggcg	agcggcctcg	ctaagcaact	ggacgttccg	cgggcggggc	55440
gggggccccg	ccggggcccc	agtccgctcg	gaaactttcg	ctgtgggcga	gcccgaacccg	55500
ccttctggcc	cctcgggccc	aaccacgcag	ggggagtgcc	gggcccgcagc	taggcgaggc	55560
gcaccgtgat	tggcggagat	gtggagtgat	tggcggctac	accggccact	cagcaggccg	55620
agctggcgcc	gcacccgggg	ggccgcgtyt	ggagtggagg	gaggccgaaa	ggccccgccc	55680
ctgycccgcc	ccctmgtgca	gaaggccgcg	ctagccggtc	cttcagcagc	gagtgcagat	55740
tgctcccccg	cgcccgagca	tctcccgctt	gcgcccgcgt	cagctgctcc	cgaacaactt	55800
ttctgcccgc	ccagaggccc	cagggcgtcg	cagcgccgcg	tgccggccac	tcacgggccc	55860
gtgagtactt	cggcgctggg	gcagtggcgc	gctggctgtg	ggcagcgcg	aggaggcggg	55920
caagagccct	gaggcactgt	cctcttcggg	cctcagtttc	cccttccgag	ctgatgggtg	55980
gctggcccca	aagtccccgac	aagggtcccc	aagttggagg	gcccgggggtc	ccgcccgcctc	56040
tgcaacgcgc	aaggcgaccc	ctgttccggg	cccgaacggg	tcacccgggg	ggcgcgcccc	56100
ggtccccgc	gcgctgtcgc	ctggagcccc	gcgcggggcg	ggacagcagg	cccagagggc	56160
ggagcggccg	gcgggcaggc	cccccccccg	cgccccgcgc	catccccccc	gagttgcccc	56220
gtcatgcccc	tcccccgccg	tcccgggacc	cacggccgcc	ctcgggtgcc	gcccggccgt	56280
tggaacgcgc	ctgggcccc	gggaggtgtt	gtggggggga	aggggggttc	agtccccag	56340
ggggaccggg	cccggccgag	gggcagctta	ggggctatcc	tgaatcccc	cagcccactt	56400
aggagcgctg	tggcagttcc	tctctctctc	ggggcccttc	agtagagagt	tgagggggtt	56460
cagtggcagc	acctggaccc	tgccctgtat	gaactccacc	ctctggatca	ttagcttttt	56520
gtttgatcaa	cgaaaaacttt	ctggagaatc	ctaccagcc	cttttggatg	tgatggcgcc	56580
ctggcctctc	accacttag	cagatgatgt	tatgaattcc	aaggaaagtgc	catttgtgca	56640
acccccacc	accagattt	aacctctca	gtagccttag	gcggagaagt	tatagtcccc	56700
gtttgacacc	ccaggaagct	gaggctcagc	agggtttggg	gccagcccag	gaccacgaag	56760
ctgatggggc	agagcctggg	gtgaggcctc	tgccctatct	ctccagaagc	agccccgtct	56820
ctcctcacct	tggacagtga	cccctggcat	ttggcccagg	gctttgcagt	ttgtaaaggg	56880
ctttctctta	tgccagcatc	catcaactca	ggagctgtgc	cctgggtacc	ccatgtgctg	56940
gctgcctgtt	ctctgcagca	ggagagggag	cccacgggaa	gcccagagge	cacctttgtc	57000
actgtgccta	cctgtttact	tctgtgtcca	agggctctgt	attcccattg	ggtctccggt	57060
gtatccaacc	agggatttgg	agggaggctt	ctccacattt	cagcctcttt	tcctacctg	57120
ctggtttgtc	ctcccttcgc	agacacagga	aaagtgggt	gggagacccc	atctcacctt	57180
ctttcccagg	atggaagagc	atggaggggc	tctctgactt	aggcctcccc	tgcccatccc	57240
ggaccagtgc	tggacaggct	tctggggctg	gtcacagagg	ggacctcagc	tcagtctcaa	57300
ccccagaga	tgtctgcact	gccagacaga	cccgaacac	ccatccttga	cgggtggcaat	57360
aagaatcata	ataggtcggg	agctttatgc	ctacacgggt	cccctcccc	ccacttccc	57420
tacttccgga	agtgttacca	ccacagccag	ccagccccag	ccacaaacca	gaccaccccc	57480
tgtgcccttc	attcctcaact	cccagttggg	tctctcctgg	ctcctgagcc	tcactcggat	57540
gctgcccctg	gttcaggacc	ctcgcccttc	cctggacgac	cccaggtctc	ctccctgggtc	57600
ccgatccggg	cctggctgca	cgcagccctg	gtggttcttc	agctgccaat	tccctctggg	57660
ctatcggggtc	aggtccgcct	cccagccag	gagccggcat	tctttcgggc	ctccagggac	57720
ccgcctcgct	gctcactcag	cctctccctc	ctgtgtcctc	tctccagcag	tcacctccca	57780
gccacctgcg	tggtcctggc	cacaagcctg	gctcactgtc	cctctgctgc	ctcctcttct	57840
gggcacaacc	cctgctggaa	tgcccagcca	cctcccagct	tgcttggttc	ctgctgctt	57900
gtccagaagg	ctcagtcaag	tctcctgca	ggatttctgg	cctgctctt	cccacagtgg	57960
agtgaggggc	cccttctgtg	ccgtctttgt	gggtgtctgt	ttaggtgtta	acccttccca	58020
tctagatgaa	gctgctccaa	tgctggccct	ggacaagact	tctctagggc	agggggggccc	58080
agcacagtgc	ttggcacaag	atggacctac	cctcagttcca	cacctgctgc	ccatccaggc	58140
caggcctgga	gcaggtgcca	ggtgtgtggt	gggggcttgg	ccactatggc	cgctcatgaat	58200
gctgcttggg	gcagtcccaa	ttcaaaccct	tctgttctctg	tgaatgtgcc	acattggata	58260
gagctggaat	tttccctggg	ttgtccctta	atactctgag	caaaaatagg	tacctgggat	58320
ccatcaaggg	ctttgtgccc	ttgtcttgag	gagcagccct	gtgccagggg	gctgggtcag	58380
gccaggccag	agcagacatc	ccagggccag	gacctcctgg	gcctgctccc	ttagagcttg	58440

ctcacagatg	ggtttttaaaa	taacatttgc	tttaatttca	aaaacatcac	acatttcatta	58500
tagaaaaacta	gggaaatatg	tttaaaaagaa	gaataaaatg	aaaccgcgca	taagctttat	58560
ccccagagac	aacaagtatc	tttttttaggg	ggcgttttct	tccgtttttt	ggcagataaa	58620
ttttgttttc	atcctaaaca	gactccggct	aatatcttct	gctgctttaa	atcctgcctt	58680
aacagtgtta	ggcccacett	ttccttgtct	caaaacgttc	atgtacgagg	tcacgtttac	58740
cagctgtaca	gcgttgccac	atatggaggg	gtgtaggctt	tatagccagc	ccctttctgg	58800
acagtgtcga	aagtgccata	tgatggacat	tgtgtgtgag	ccccgagggc	atctccagtg	58860
actcccctgg	actggcatcc	tggaggcaga	ggcactgatc	agagagagtg	aacatcatct	58920
tggtctccca	caggggctgt	ttctgaggca	ctggcttggg	agatgggggt	gccccccag	58980
agagaacaga	atgggggtgg	cctgggtgag	ggccagagcc	cttagggcag	aaggccacgt	59040
gtgggtcattc	tgctgcgggt	ctgagtggat	gcatggtgcc	tgcagccctc	tccaggtggc	59100
ggcctctcag	ctgaactcct	tgggtccgggt	gtttgtgttt	ggacgggata	aaaatatgcc	59160
tcattgctca	tgaggaaaga	atgctagcaa	ctttggtttt	gtggatctta	cacagtgcag	59220
gcttctaagc	cattgctgtg	gtcaccagta	gggagttggg	gctgagtgcc	ccaccgtgca	59280
ggtggggatc	tgaggggtgca	gagtggatgc	agctggagat	gcctggatgc	tgggggtctgg	59340
gggagggact	tgctaaggtc	ccacagcatt	attgcctgga	tgggtgctcct	gccctaggcc	59400
aggctgcctc	aggcttctgc	ccacatgcat	taagtgccta	acgtattcct	ggcaaggcag	59460
ccggctcttcc	gagtggataa	gctgcagccc	tgccctcagg	gctcacagtg	gctgtaacat	59520
gcaggaagac	tcagagaggg	aaggaccaga	cagcaggttc	ttccaccggg	agatcttttc	59580
tgatcttcat	tgctcctgtg	accaaccatg	accaggaatt	gttgtgcttg	ttttgaaata	59640
acaagccctt	tgatccaaac	cagacttggc	caacccccag	ggaacctgaa	aattaatcct	59700
cctgtattca	tccattctta	ctaaccagag	attttacctt	taaacagttt	ttttttaact	59760
gcagtgtgac	atacatggta	cataggccag	ctagaatctg	ttttcctgaa	attcctttta	59820
tgaagtgttt	tccaactgaa	catgcctttg	tttagcacct	gggagtaatg	gcttaggggt	59880
tttcttttcc	tttttctttt	ttcttttttt	tgagacggag	tctcgctttg	tcacccaggc	59940
tggagtgcag	tggcgcgatc	tcggctcact	gcaagctcca	tctcctgggt	tcacaccatt	60000
ctcctgcctc	agcctcccca	gtagttggga	ctactggcgc	ccgccaccac	gcctggctaa	60060
tttttttgta	tttttaatat	agacgggggt	tctactgtgt	agccaggatg	gtcttgcatt	60120
cctgaccttg	tgatctgccc	gcctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	60180
accgcgcctg	gccggccttag	ttttttttta	atgcccaata	gtttgctttc	tcttctgcca	60240
cacacgtaat	ccccatagca	cccctatgtg	ggaggtgcta	tccccatttt	acatatgggg	60300
aaacagacac	agtgaggtca	tgtggccact	agtaagggtg	accgacgccc	cacaccatgt	60360
tgcttccagc	tgtaacctct	agcagagggg	gggctctgat	ggagaggtga	tcgcctgagt	60420
gctgtgtgtt	tacctgagta	ggtgaggaag	acagggactc	gggacagaca	tagcttgga	60480
gctcccacaa	aggaggtatc	gctggagctc	ttgacttgaa	gggtgcttag	ggtctaggct	60540
ggggggagggg	ggtaagaagg	cattccggga	agagggccct	gcagaaacag	aagtgtggag	60600
gtcagcattt	gtatgctgat	gttgaagggt	agccagtgtt	ttgcagtga	tgggccccgg	60660
gagagagggg	gcagtggcat	ggcggctctga	tttcaaagtc	gtctttttca	gaaatgagct	60720
tgagagaagca	ttagaattgg	gcagggtctg	atttgatttt	caggtctggg	acctggagct	60780
gtttgacctt	gagcaggtcc	ctccccctcc	tgcacctggg	ttcctgtctg	tgaagtgggg	60840
tgaggttgaa	ggataaaaaca	tttccccatc	tataactctg	ggatgacaat	aggatctacc	60900
ttccaggtcc	atgcgaggaa	ctcacgacaa	taggacctac	cttccagggc	catacgagaa	60960
actcatgaga	aaagacaagt	acagagaaca	gagccgttgg	tcttgatggc	agagatgccc	61020
tggcgtaggt	cagccctcag	ttaaagggtgcc	ctctctctct	gtctgagaaa	gtgacacctg	61080
acttcggggc	agtgggaacc	atgggagaga	aggtagacaa	ggccacgtgt	catttgaaaga	61140
cctgactttt	caccatctca	ggtggtccgg	tggcctgcag	gaccgtgggt	ctgtttgccc	61200
acagcgtgtg	ggttctacgt	gcgatcctgt	atttctctgc	cacagctgac	taaggggaca	61260
cttaggtctg	cacgtgcagt	taaatggctg	cttttgtgga	aggtgccagt	tccggggagc	61320
tgggaacttg	gaaacaggat	ggagcaggct	cccaagcttg	accatgcatg	gtttgcacct	61380
gggggatgca	cccgggggtg	cttgacctatg	catggtttgc	acctggggga	tgcacggggg	61440
tgggggtggg	gggggggggtg	tgcttgacca	tgcattggtt	gcacctgggg	gatgttttac	61500
actaagggtc	cagtcctctc	gagggaggaa	cgtgtggatt	gaaatctgca	gagttcttga	61560
gcgacaccag	tctgatcttt	aggactcatt	tgcagcggga	atggagcaga	aattgttgtg	61620
tgtggagcct	ggggccactc	ctgactcttc	cagtcacagc	tgcccccaaa	agtgacctct	61680
gggcacctac	tcagacctgg	ctgctcagtg	ccaagcgtg	ggtgttcaga	ggtggccagg	61740
ggactccctc	gtgctgcccc	tgggtgtctg	tctcactggg	cctcacagtt	gccccgtccc	61800
cattttcaga	tgaggaggct	gaggtgcaga	gcgggatgtg	ggctgctcag	gaccacacag	61860
ctgggtgggca	cagagccagg	agtacagcgc	tgcggcagct	tggggctggg	agcgagactc	61920
tctgttacca	gcctctccct	gctctgtgcc	ctcagaggatg	gctgtggccc	tgagcttggg	61980
aggggtcattt	gggaatctga	ggaaaagtgt	ccacagcctc	acacagcagc	aggttcaagg	62040
tccagcagtg	ccaggggttt	gcatcccacc	cctaacgcgc	ctcatccagg	gcccctccgg	62100
gtccggggct	cgggatcctg	cagcgctttc	agctctgtgt	ctgtggccgg	tgggtgtcct	62160
tcattacagg	gatgggtggtg	tttttccatg	ttgctaagca	gcatgtgagg	gcctctgttg	62220

aataaaataa	agcccttget	ccggcgtgac	acgggtcacg	ggatctctgc	tcactctagt	62280
ctcttctgat	gccccaccg	cactgtttgc	cttagtttgc	tttttactct	ctgtgttggt	62340
ttctggggca	tcagtcctct	gacttcggtg	ctgtggcttg	ggcctggggt	gggggctgtg	62400
gagcggcaga	tctgggtatg	aatcccagct	ccacccattt	ggctccctct	cttctctccc	62460
ctgccctctt	ctccccctcc	cagctccctt	ccccctctcat	atttacttaa	ctttactcag	62520
taccagcgta	ttagttttct	agggcttccg	taagaaacta	ctggaaactt	ggtggcttaa	62580
aacaacagag	gtttgttctc	tgatgggtct	ggaggcagaa	gtctgaagtc	aaggtgtggg	62640
cagggtgggt	ccctcctgga	ggctctgagg	gaggtcagtc	tcctcgcttc	tgtccagctt	62700
ctggcagtg	ccagtgggtc	tcctgctcct	tggccactgt	caccgctctc	cgcaggtctc	62760
tgttacactt	ctcttcttat	aggccatcag	ctcttggagc	cagggtctcc	ctactccagg	62820
ctgatctcat	ttcaagatcc	ttaaatacat	cttcaaagac	ctgtttttcc	aaataagggc	62880
acattcacag	acattgggtg	gcacatgatg	tggggcccaa	ttcagccccc	tgcagccagg	62940
ctccacatgg	gtgggctctg	ggtgttgcta	tcacatccc	cgtttcttgg	atgagggaag	63000
gccagggttg	tgtggctcat	gcccagtgag	gcagggactc	caggcctcgg	catgtgcagg	63060
tctgagattg	taagtgccat	gccatctgta	gagtcacgtg	ggtgagtgct	ctcccatggt	63120
ttcctccctg	gaagcgggtg	tggcccatgg	ggactgtact	gagtgctcag	gagatcctgt	63180
atggagtgtc	tggcagctcc	cacctgcctc	cctctgcttt	tctgtctcca	gcagacacta	63240
agtgcagag	cgggtctctg	cgggtgctgga	tgtgcctgac	cttgactttt	cttccaggca	63300
ggatggactc	caacactgct	ccgctggggc	cctcctgccc	acagcccccg	ccagcacccg	63360
agccccaggc	gcgttcccg	ctcaatgcca	cagcctcggt	ggagcaggag	aggagcgaaa	63420
ggccccgagc	acccggaccc	caggctggcc	ctggcccttg	tgtagagac	gcagcggccc	63480
ccgtgaacc	ccaggccag	cataccagga	gccgggaaag	agcagacggc	accggtaagg	63540
gagcaggctg	ggaagccag	gctggggatg	ttcagggata	gctgggtggg	aacgggggtt	63600
agccacccct	ggagggtccc	cccggccagg	cctctgcagt	tcagcattgt	gcagctccca	63660
tgtgtgac	aggcgtccat	ccagtggggc	taccacctc	ctcagagcct	tgcacctgtc	63720
acctttgtgg	caccactcgt	aggtggtgct	ggtgccccca	ctcctctgca	gtccttctct	63780
ttccaggggc	tctgcagcac	ttcacagctt	ccatttgcaa	cagcgtccaa	acatgtggag	63840
taaatccacg	ggccctctgt	aaccaactag	ggtggcaggc	cagaggtgac	agccacactc	63900
tcgggagtga	ggccacatgc	gggcgaagcc	cttgggtgctg	agtttccctt	ctccctgagg	63960
gagacttgtg	agggacgggc	gtccttcacc	tccatctctga	ggcgggatgc	tggggccctg	64020
ggtgttcaca	ggcagagctg	actgaggccc	ttggtcttca	caggccgagc	tgactgaggc	64080
cctgggtgtt	caaagcagag	ctgaggccct	tgggtgtcac	aggcagagct	gacaggcttg	64140
ttggttctctg	ggtggtgatg	tgagggtggt	gggtgtgagc	caggggagtc	cgcccccctg	64200
gcaccttctc	cagctgactc	aggcctcggt	cagccttcac	ttttgctaga	gaggccgctg	64260
ccagggaggc	tcagtcccag	ctcatcactg	ccccctctgc	ccatgcagaa	gccccagacc	64320
catggtgagt	gcctgctgtg	tacaccagcc	ttttccatgt	gcctgcagga	ctcctcatgg	64380
cagtcttgag	aggggaaact	gagacaccga	gtctaggtga	cttgcccaag	agaccagcg	64440
ggtgagagac	gaggtgctcg	agtgggtccag	gtttccttct	tgtcccagtc	acccccactg	64500
cagggccgtg	gggcctccct	gctgtggtcg	cagcgcgtg	aggctcccat	gtaccactta	64560
tgctgggcgt	gccttggaa	actcactgca	gcccctgggc	ctgtttgtct	ttgcatctcc	64620
ttaaaagatc	actgtgctcc	tctgctttgt	tttggaggcc	tctgggcgga	tgagggcctg	64680
accccgggat	ttggggccag	cctcacgggt	tcaggggaaac	agataaccag	gctcggaagc	64740
ttggtttcaa	tctgggtaat	gagaacagcc	cgcaaaggac	agagtccaag	actgtgtgtt	64800
tcagataaga	agagtcagga	agcagctgtg	gtttgttttg	cttcggtctc	caatgtgggg	64860
gtggtgaaga	gcaagccctg	ggcgccgcct	gacagcccag	tccccaccac	tgggcctgca	64920
gctgggggca	gtgggcatcc	cgtctcccag	tcactggtca	ctgatgtggc	caaagcaggc	64980
ctggccctgc	atgcccagtg	gccgcaggga	gggcaggggc	cagggtccct	gccagtagca	65040
gctgctgca	gaatctgtta	tttagctccc	ccatccagcc	aacatagggt	ggtgagcatc	65100
agttgaaata	ccaataggta	acaacaagg	tagctattta	actgacactt	ccccgagcta	65160
ggcatctttt	tagggcatta	gcccacttgc	ctctttaaca	gccctgggag	gcaggctctg	65220
ctgctgccct	gtttttcaga	tgggaaaccg	agggatagag	ggcttaagta	gatgaccag	65280
cgtcccgtgg	ttggtgaagg	gtggaggggg	gatttaagca	taccgtggag	cctgtgtctc	65340
ctatgggcct	caggctcatct	gcgcccagg	atccccatgt	cccaggctca	gagaagtgc	65400
cagagcagg	tggcctgtcc	ctagatcagt	gcctggccag	gccctggtga	caggagtga	65460
ggctcagtc	tgcctccgg	gagccctgag	caatatggga	gacaggagt	aacaaggaa	65520
tacattctgg	ggctcatgta	gcgcggggga	caaccacat	tgcagtcccc	taggggcacc	65580
ccaggagggg	ctggctcactc	ttcagggcct	cagggaagact	gcctggagga	ggcatcgctg	65640
gagccccatc	tgagctgctc	cttggcctgt	acacttggga	aacaggagaa	gagcagcctt	65700
ggggttgccc	ttctctgggt	gcctccctga	ggaactgacc	cccttttcag	cccttcattc	65760
agcaaggctg	gggaggggct	gcttcagaaa	cgtcactggg	ctggagcccc	acacttcctt	65820
cccatcctgg	ctctgtggcc	ttggcaagtc	acctgccacc	tggggaacca	ctgccaacgg	65880
gtcggggcct	ggaagctcag	gggctcctgg	gcccagacag	gtaaaggaaa	cagtgactcc	65940
ggctagaaag	gagactgcag	ggagttgtga	ggctcttggg	cgtccctgtg	ccagggcggg	66000



actcctcatg	gcagccctga	gaggggaaac	tgtgtcctgt	gtggagcgtg	gatgcccacg	66060
tgctgagagg	tggtgtctgt	cctgattttt	gacagcagcc	caagtgatgt	gccagtgggc	66120
cagggccggc	acctgcctgt	cggtggctgc	cccagggctg	atgggcaggg	gccgtttctt	66180
cacaggcagc	tggtgtgagt	cctgtgatca	cctcagtggt	gtctccagcc	ctggggggat	66240
ctgttgttct	gctcaacaag	agaataaagc	tgggcttgtc	acacctgggtc	ccaggtgacc	66300
cagcaggcac	agagaggtag	agttgacacc	aagcctcact	cagccaccgt	gacacggctg	66360
tgcgagtcca	cgccctggca	gagagcctgt	tctgggcctg	ttctgtttag	ccctgggggt	66420
aaagggcggg	ctcagatgca	cagagggaca	ggcctgggtg	aggtgggagg	aaggaaagca	66480
gactgtgtca	tcgtctcagc	ttcaggctgg	gcatgctgtg	gctatcatgt	gcttggcctg	66540
tgctaagtgt	gtgctaagca	tgtggccctg	gtgggcactc	aggcctcctg	ggtaccagcc	66600
gagggccccc	cccttcccac	tatgcggccc	tgagctctcc	tgctgtctct	gtcattcacg	66660
gggtctaccag	taggacaagg	cctgggggtg	gtggaggagg	gaaggaggtg	agattcgggg	66720
gctttccgag	tcgtaccgcg	cactccgtct	ccgagcagca	gcactctcat	ctctacaagt	66780
ctctacagca	gtgctgccac	cgccctgacc	agggaaatcac	cctactgtga	ggtggcccag	66840
ctcactgtga	gactctgggg	cagtcatatg	ccctttctgt	tgaccccagt	gggtggccag	66900
cccacacgac	tgctgaatct	gccaggcctc	ccagccattg	ggggtagggg	gatttgctttg	66960
gcagccacag	ggacacagat	gcggacagga	gcaggagccc	tggggaggag	gtgcacccca	67020
ccagaaagca	cccaccaatg	ctgactgagg	ctgcactgcc	agttagagcc	gctgggcgag	67080
ggacaaagaa	gggccttcgg	gtgtgggaaa	agcaggcacc	ccagctccta	actaaagggc	67140
accctgggca	gagagggagc	ccagtggggg	gcacccaaga	cccatgagga	attggctgtg	67200
gtgtcaagag	gtcagccagg	ccaagcaggg	ccctgagggt	cagggaaagg	agagggcatt	67260
gtcgtgagtg	gggctcagct	gttagatgga	ttgtttacat	taaaggccag	ccaggaggcg	67320
gagcagagag	aggagtagcc	aggccacaag	aaggctgagg	gacaggtaga	catggagggg	67380
agaaagccag	gggtggcctcc	aggtttctgg	ctggggctgc	caggtggacg	gtgggtggcac	67440
agcctgaggt	agggctcctg	gggtgggtcc	cggcgggggtc	cgagcttagt	cttagagggt	67500
acaagggggc	ccaggaggga	ctggggctct	gatgcagatg	tgggagtgcg	ctgagcccct	67560
gctgcccctg	ggacaggcac	agcaggagggt	gctactcagg	gcacccaccg	ttgattatatt	67620
aggcaagcagc	gtcacgcct	gttctttatc	ctgacctggc	ccatctgatt	gctgatgtgc	67680
tcctgctgag	ccccccacac	cacactgagg	actggccaca	ggatctggtg	gcactcagtc	67740
ttctgggaac	ttggcagtg	gcctgtccta	ctttgcgtc	caagcctcgg	acgtcacctc	67800
caggaaccct	cccactgtgg	gtgatgtcta	cagtcacctc	cacagcccca	actctcatgg	67860
gtggacgtgc	tcgttcttgc	ctggcccagg	gcaggccgtg	gtgagctcag	gggtcctgcc	67920
tgtcagtttg	gtgccctcgg	ctacgcaggg	cctgttagaa	gggtgccctc	cctgccaggg	67980
cctccagcca	ctgtctgtcc	tgttcccgcc	tcagagttca	gccagcatag	aaagagaggg	68040
ctgaggacca	ttcagcctgt	ccattcacga	gaatcattgt	cagtgtcaca	gaggctgatg	68100
ggatgcctgt	ggtgcagggt	gacccagct	tcccatgtg	ggggatgcgc	cggtggtgca	68160
aggccaccac	ctgtgcctc	gtctctggca	cagggatgat	gacagcacac	agcacatcct	68220
cttttcttcc	tacctttccc	tttggcacag	ccccttgttg	tgggcgtcac	gagaggcgca	68280
gagagatcgt	ggagggtcaag	ggcttgccca	ggaccagtga	gggaggagg	gagagggcag	68340
cagcaccctt	ggagacggga	ggattacatc	atatattatt	accacatgcc	taagatcgca	68400
ctcttaagag	catttgacat	acatccaaaa	atttttaaac	actatggaag	tatgtctgga	68460
tgcatcagta	atatgaaagt	ggaagccagc	tgccctgtct	ccagccact	ttgggaaaat	68520
tttgtgcatg	ttttgagcca	gctgtttggg	aagggaggcc	ccagccactg	ccccttgggt	68580
gggtttgatg	ttcattgtgt	gggaagaagc	cttccctcca	tccttttcta	tttctgcaga	68640
atatctgctc	aatcagggag	ttgagcttgg	cagttcagct	gctcagccag	ggagggtgctg	68700
tgtcctggac	tatgctagga	tttcagaagg	agagagggca	gctgcaggcc	ctrtttgcag	68760
tggtctcctc	ctggaatccc	cgtctgctcc	ctgtgtactg	tcagcgtcg	tagtggaaagc	68820
tggtggcgag	acgggtgaga	cccacggaca	tagatggcat	ccacgaaggc	tgggcgagcc	68880
tgtgatagac	gatggacgat	gacccagggt	ccagcaagat	atggcagtgg	gctgtgccgg	68940
gaagggggcg	atcctggagg	atgccctagg	tagtgccctga	gaaagtgagg	gtcattgact	69000
gattccacgt	ggcatccatg	aatctctcaa	atccataggg	cccgtgcatg	acaaataatt	69060
aaaaagatgt	aggggtgttct	ccatagaacc	tcacagaggg	aaggagacct	gcccattggt	69120
tcagctctg	atcacactgc	tattttgtga	ttgataggca	gactttcaaa	gaatgagtta	69180
gattcaggac	ccttttagtt	gtaagtgaca	aaatctcaat	ataaattgac	acaagccaaa	69240
aaagtagagg	ggcaagggat	tgatgagtc	atagatctgt	agagcctaga	gtagtttgct	69300
tcaggccagg	ctggatccag	gggtcagat	gatgtcatca	ggaagtactc	ccccgcccc	69360
attccactct	gctttcctgt	gctgcctgtg	tctcaggggc	tctgccaca	gggtgacctt	69420
ccacagttca	agctggcatc	cacgtgccaa	gatgagcaga	aggtgaaagc	ccatttccca	69480
gcagttctag	cacaaactcc	gctgggctgt	gtccatccct	gaaccagggtg	ctgtatgcag	69540
ggagatgacc	tggcaactct	gattggccag	gtgggggtgc	gggccttctg	tcgagcgag	69600
gggagggggc	agtgccaccc	agaccatgag	gactgagagt	ggcgggggtc	cccaaaaggg	69660
acatcaaggt	gcagtcatca	gaaaaagcaa	ggaacggagg	tcgagcacac	agaaaacacg	69720
tgtgtttgat	ggttcttggg	ggtccacact	gatgcagccg	gcttctgggg	gtgatctttc	69780

tggcactgag	cagtgagcat	gctgggattt	gcctttgagc	ccacgaaggc	tcctacttca	69840
tggactgagc	taactggtct	gcaggacgag	cccaccactg	ccatatggaa	gctggaataa	69900
tgaagagggg	gtgtgtccat	ctcaaagaga	ttctgggctg	ggcgagtg	ctcagacctg	69960
taatcccagc	actttgggag	gctgaggcag	cagatcacct	gaggtcaggg	gttcgagacc	70020
agcctggcca	acatggtgaa	accctgtctc	tactaaaaat	acaaaaaac	ttagctgggc	70080
atggtggcgg	ccgcctgtat	tcccagctac	tcaggaggct	gaggcagaag	aatcgcttga	70140
acccgagagg	cagaggttgt	ggcgagccga	gattttgtca	ttgcattcca	gcctgggcga	70200
tgagagtga	actctgtctc	aaaaataaat	aataaaaaag	agagagagat	tctgtatatc	70260
ggggagatgt	cttgaaatgt	caggctgtga	ataacttctg	tgaaaaatta	attatggact	70320
ggaagaatct	tttttagacca	ccatatagac	ttggaccttc	catgttttga	tttttttaaa	70380
aaagggaaga	ataatatgac	ttgtgaactt	aggtcaagta	aggagacttg	aattcactag	70440
aggtgctggc	gttgtggtgg	gaagtacagc	aacagccctg	gggtctcctg	gggaagtggg	70500
ggaggggaaga	gaaagcctcc	tcttgtgaac	agcaactttg	gaccactcac	tacaaagcat	70560
ctcttttcat	cataaaccat	cctatcagat	tgatgttaac	gatcagattg	aagctgcttc	70620
ggagcagtga	tgtggcctgc	accaggtcgc	acagcacctt	actgtggagc	atggatccac	70680
acgtgcgtct	gtgtcattgt	gacgcctcac	gctgctctgt	gggcccattg	ccttgggtgcc	70740
tgaggctctc	gtgtctgcag	ttcctctagg	gatagtga	ctgctgctga	gcccgcagcc	70800
agaaaccagc	ctggggggct	ggcagggtga	cggcagcaag	gaaggagaac	tgtccttgat	70860
ggattcaggg	agcaccaagg	tctgggggct	ctggggagg	tggtgtcca	aaagggtgc	70920
cctgcgggac	ctgatgccat	ctctgagcag	cgctcctgag	gaccccgga	aggaagctga	70980
gcccgaact	ctgtgcaaga	gttgctcca	gggagagtta	catccaggga	gagttacgtc	71040
caggagagg	ggcgtccagg	aagaggggca	ttcagggaga	gggacattca	gggaggagtc	71100
ttccagggac	ggggacatcc	aggagagg	gcgtccagcg	agaggagcct	ctagggagg	71160
gtacatccag	ggaggtggcc	tgtcaggag	ggtggtgtcc	agggaaagca	gcatcaagg	71220
agaggggtgt	ccagggatgg	gggcatccag	ggaggggggc	ttccagggag	aggggcttt	71280
gtgttggcga	gttgtccatc	cacagggctg	gagtgcgtgt	gcctgaccac	gagagcttgt	71340
gaagaatcca	tctgattctt	tccttctcca	aacagatgcc	tcaccacac	agccttacct	71400
gtgagggcct	cactgccac	ctgcgacttt	tgagtgtcc	cagcctccct	tgcctctc	71460
caaaactggg	gtgaccttc	ctctctgcct	ttgcacctgg	ccacatccca	tggctctcca	71520
ctggagtcct	gtctcctgta	cacctgggtc	atctgaaggc	agtggccagg	cagcacttgg	71580
tgctgcagag	ccggttcaga	gcctggcacg	gtatggttct	gggaaagccc	tgggtgagtt	71640
ggaccagaaa	ggctgggtcct	cagtgtggtg	ttactgggaa	ccatgcagcc	tgtcccgttg	71700
tcagccagcc	ttgggtgaaa	tgggtaaagac	tgcatgatgc	ttttgtaaat	tcaggtaact	71760
tcttaggaag	taaaatgcag	cacaaactgt	agttgatgtt	ttgaccttg	gtctaataat	71820
tcaactggag	aacctgtgct	aggaaaatga	cttcccaaaa	gaaaagaaac	ggttcatggc	71880
accaccgtag	aaaacaagag	gttattggaa	gcaacctaca	gacctgatgg	agaggagg	71940
agggtcagta	acctgactct	gtctccttga	tggatctagg	agccaccaa	atggtgagct	72000
gactgcagcg	catcgaggga	agccagagaa	caatccactg	ctgtggactg	aaagtttgtg	72060
tctctcccag	attcatattgc	tgaggctctc	acccccagtc	ccatggtgtt	aggaggtggg	72120
gcctttggag	gtgatgaatc	atgagcgatg	gctttacgg	ggaattagt	cccctataaa	72180
agaaacctca	gggagctccc	ttgccccttc	cacctgtga	ggacacagcc	agaagacctg	72240
aaacaaaag	caggccctca	gtagacacgg	agtctgcaac	actatgatct	tggacttccc	72300
agtctccaga	atcgaaagaa	atacatttct	gatgtttgta	agccaccagc	ttggtctatg	72360
gtattaatat	ttttgttata	acagctcgaa	cagactaagg	cattcactct	taagaaggaa	72420
aaggtaatat	caagatgtat	atacactgat	tataatatcc	aaaaaatgtg	gtttttgttg	72480
gtacaatcat	ggaaaacatg	aacttgattt	gttgggggtc	tgggcttcgg	gtacaggtgc	72540
tttgtattat	ttaggtcatg	ggctgtcaaa	cttgagtcct	tggatcttct	tagagcccca	72600
gctagagcag	gcctaggcca	aggggtgtga	tggctctgtg	tggtctctgt	ctcgctcct	72660
tcccattgct	cccaccccca	gcgctttgag	ttgctggtga	accacctcac	ccgcatagag	72720
tttgctcatc	ttgctctggc	gctgcttgtg	accggaaggc	aaacagtggc	tttctgggca	72780
tcttccctgt	ctgtgtctgt	gtctctctgt	actcctggcc	tggatttgaa	agtgacaagc	72840
agcagcagat	ctgaagaccc	tcatgccttg	tcccctccat	cctgacaagt	gacaaagtct	72900
ggctttgtga	catgtgtgtt	tgtttcttct	gtgttaaagg	gcctacaaag	ggagacatgg	72960
aaatccccct	tgaagaagtc	ctggagagg	ccaaggccgg	ggaccccaag	gcacagactg	73020
aggtgaggac	tgcggtgccg	gcagggactt	cgggacgcgg	ccccggcac	aacaggcctg	73080
gccacgagct	ccacagccca	cagagaagtg	tccgtgcctg	agatcgggg	caggagccag	73140
cgtggtgcac	ctacccccc	ttgagcccca	tgttggtagg	gtgcccattg	tactgtgccc	73200
agttttctct	ctggcactcc	tctggggagc	agcgctcatc	cccccttctg	ccaactcaca	73260
cctcatcttg	ggcatcacct	cctccaggat	gacctcctgg	cttcctgcag	ctgcctctc	73320
agtgccaccc	ctcaacatac	actgtgtatg	ctgcccactc	ttgtctccct	gactggcctt	73380
tcacctggct	gttagctgtg	tgcacggggc	cctcagagcg	gtgaccattc	acttgggcat	73440
cagccaaggg	ctgggctttg	tgccagtgtc	ggggacatga	tgtggccctc	tcttcatggg	73500
tgacagggtta	gtggaagaag	cagacccaaa	aaacccaagt	agacaagaca	cagaaataca	73560



gtgattttga	attctggtga	ggggagaagc	cagcagaacg	ctgagacggg	aggtggcagg	73620
gggtcctgtg	tcctctgtgg	aggcaagttc	tcaccacctc	actctgtccc	cttgccacagg	73680
gctcaagcaa	gtgaccacag	ttatcctgag	cagtttcctg	ccccctcttc	tccttaaaga	73740
ggagaaaagc	ttccacgcga	aaccataaat	taagaatttc	tggctgggag	cggtggctca	73800
cgcctgtaat	cccagcactt	tgggaggctg	aggcgggtgg	atcacctgag	gtcaggagtt	73860
cgtgaccagc	ctggccaaca	tgatgaaacc	gtgtctccac	tacaaataga	aaaattagcc	73920
agacatgggtg	gtgcatgcct	gtaatcccag	ctacttggga	ggctgagaca	ggaaaatcac	73980
ttgaaccacg	gaagtggagg	ttgcagttag	ccgagatcgc	accaccacgc	tcaccaactga	74040
gcaacagagc	aagactctgt	ctcaaaaaaa	aaaaaaaaaa	aattttctttc	ctgacctcac	74100
agccatattg	tactttaaag	ttcctcccac	atccttttgc	ccaggcattt	ggaggcgggg	74160
ggagcatagt	aagccctttt	atgggctctc	tgtgccctgg	gcctcacttt	ttccatctgt	74220
agaatgagaa	gactggacca	tttcagcagg	gattcttttt	gcaaagggcc	agatagttaa	74280
tattctggac	tctgcgcaat	ctctgccgtg	ttgctcagct	ttgctgtgga	gcacgtaaaa	74340
gcagcatgga	caacatgtaa	atgaatgggt	atggttgtat	ttcaataaaa	ctttattttgc	74400
aaaaacaggc	agtgggccag	tgctaaccct	tggtttagctg	gcgtctctcc	agccctggct	74460
ttctatgggtc	ccctgactgt	tttgagagggt	gtaaaggacc	cagtcattgg	tctgattttcc	74520
atgcattgat	ggtgagcctt	ggcaggcagg	agcaactcaa	ggaagagaac	ctgtaccagt	74580
accagtggga	gcccgtgtct	ccctcgccgt	tgggatgggg	tggccacacc	ttcctcacccg	74640
tgttttgagg	agcgagtggc	cggaggctca	gtagggccta	gcctagtgga	catgcctggt	74700
gtgaccccat	ttctgcccct	tccttcctgg	cctgggtgac	aaagggaggt	gggtgaaagg	74760
aggtgggctg	gcaggagca	tggggtgga	gagggtcgga	gaatctggag	gctgactggt	74820
gtctggcttg	cagggtggga	agcactacct	gcagttggcc	ggcgacacgg	atgaagaact	74880
caacagctgc	accgctgtgg	actggctggt	cctcgccgcg	aagcagggcc	gtcgcgaggc	74940
tgtgaagctg	cttcgccggt	gcttggcgga	cagaagaggt	gggtctgtgt	gaggcttaga	75000
acagcctctg	gagggttag	cagcttgtaa	tgctgcttgc	taactgaaca	actaaaatct	75060
taccaaacctt	aacgctgggt	atgctgttgg	gaaatttcag	tttctgtttt	gctgggtggcc	75120
ttctcattttt	agacactgtt	tctggactta	acatgggata	tttaacagac	caagccattt	75180
tcattctctt	tggctgtgt	tggatatctc	aagtgtaaac	tatacatcct	gcttccctgc	75240
tgggttctga	tccaaactga	gacatcgatc	ctgggttcag	ctgagaggca	gtttccctga	75300
ggcaaagctg	gagactgtaa	tgtggcctgc	agtcagagt	gcccattgcc	ctgagctgat	75360
gtccgtcgag	tctgggcaga	ccagctgagg	ggctgtgggc	ccacacagac	ctggacaagc	75420
atgttcactt	tgggaggagg	caggctgacc	cttcatagat	aatctctttc	aaacagagag	75480
gcaggggagg	aaagggacgc	agctcaggcc	aggggtgggt	agttaggacg	ttgtcctgcg	75540
caagggaggt	ggctgtccct	ggtgccgtgg	ggcagtgctc	ttcctgaagg	ttccacgcct	75600
cagggaaaga	tgaaagtggg	tgtcaciaag	gtgttttttc	taatgatacc	ttttttttca	75660
gatttgaaga	gtattttatg	cttatcatag	aaaacttggg	ctatgtagaa	aacataaaga	75720
tacaaattac	tcataacctt	gaagcccaga	agcaactccc	catatttttg	tgtatttctt	75780
tctgtgtttg	ttgttgttgt	tttgagatgg	agtcctactc	tgtcgcccag	gctagagtgc	75840
aggggtgcga	tctcaagtca	ctgtaacctc	cacctccctg	gttcaagcaa	ttctcctgcc	75900
tcagcctttt	gagtagctga	gattacaggc	gtgcattacc	acacctagct	aattttttgta	75960
tttttagcag	agacagggtt	tcacaggtt	ggccaggctg	gtcacaaact	cctgacctca	76020
ggggatccac	cctccttggt	ctcccaaagt	gatgagagta	caggcgtgag	ccaccatgcc	76080
cagcttgat	catattttta	gagttacatt	tattatacag	agtcttctct	ttgaaaatta	76140
aactgatgat	tttgaaaaac	taacagtggc	attgttagcc	agaattttct	accaaccagg	76200
cctgctgatt	ccagagcagt	tggaaatgacc	tggagggggc	tcaggcggcc	cacacggctc	76260
attgttgggt	gccagggata	gccagaggc	tgtctgggca	gagcgtgcaa	gggaggaggc	76320
cgggttggccc	cgtgttcccc	cagctgcaca	caccttctga	tgtgcagttg	tgtatttctga	76380
tttgaaga	aatacatgct	catgtggaaa	attttggaaa	tgttcaaaaag	gagaaaaaca	76440
tcagacccc	cgtgccagtc	ctcctgccct	ctgcttgggt	gtgccagtgt	cccaggccgt	76500
tgggggtaaa	gggaggaagg	cagctgctga	ccagcggtaa	aaactgctct	ccctctcccc	76560
gctgtccaag	ccttccttag	aaagggtgg	gctgtgtgtg	agacagagga	aagctctgta	76620
gacacagggg	tggccctgct	agtgcaccca	ggctggtgac	tgcagttagt	ccaccctggg	76680
ttcaagacag	ctctgcctct	ttctgactgt	gtgaccttga	gtgagccaga	acacaggcct	76740
gtgcctccgg	gtctgcacct	ctgagagagg	ggaggaacag	gaagaggctg	ccttcttccc	76800
gccagcatgt	agggggcact	tgggggcgtc	tgggtgggaga	ccagtctggc	ctcccagctg	76860
gagatgggg	gtggcgcgat	gtcctcttga	gtcagatgtc	catgcatcct	tccttggtta	76920
ccaagtccctg	acaccttcta	tgagtctcgc	tcgaagccct	tccaggcaga	gttggcaggg	76980
tcagagtggc	accgaaagcc	taggcagggc	acacaaggcc	tttgaccaca	tcctatccct	77040
caggcatcac	gtccgagaac	gaacgggagg	tgaggcagct	ctcctccgag	accgacctgg	77100
agagggccgt	gcgcaaggca	gccctggtca	tgtactggaa	gctcaacccc	aagaagaaga	77160
agcaggtggc	cgtggcgagg	ctgctggaga	atgtcggcca	ggtcaacgag	cacggtgcga	77220
ggattcaccc	tgggcaccag	ccttcctctg	gcgccagcct	tcacacagga	gccaggacct	77280
tcccataggg	gctgggacct	tccttcaggg	gctgggtctt	cccacaggag	ccgggacctt	77340

ccctgtgagg	acagggccct	tccttgtggg	gaccagggga	ccagaacctt	cctgtagaga	77400
ccgtgcccta	gtggtgaggt	gtgtgggtgg	cattttgaca	gcatctgccc	tggtctcaagt	77460
gctcactcat	tgaataaacc	agaggggtatt	ctgcccagtg	ctctgtgacc	acgtctacca	77520
atgggacgga	ctgtgtccat	caccaagtgg	gagcacgcta	cgtgggtgctg	agtccacccc	77580
agctactgga	ggtacagagg	tgtggccctt	gctctgcctg	ccctgggggc	cctatgatcc	77640
ccagaacgta	ggatgcccct	ggaactggcg	tgccttagga	acagtgcgcc	agtttctggt	77700
gggctgcagg	gcacgaggag	atagtcaact	tgtctgactg	ttaatccacc	ctgtcccctg	77760
cagatggagg	ggcgagcca	ggccccgtgc	ccaagtccct	gcagaagcag	aggcgcatgc	77820
tggagcgctt	ggtcagcagc	gagtgtgagt	gcagcccctg	ccccgtctca	cccatgcctc	77880
ccagcctgca	cctgcagggc	gacctctcct	tcctgtgcga	ctccatcctg	gcctgcccta	77940
tctcaccctg	gcctcccagc	ctgcgcctgc	aggcgagcct	ctccttctctg	tgcgacccca	78000
tcctggccct	gctaggatct	caggcggtcc	gtttggggct	cagtgttctg	gacgtgggga	78060
gtagaccctg	cccacctgga	gcgcacgcac	tggagggaag	gcagaccag	gacagaaacc	78120
atgatgtgcc	agtccctctt	ggacaaggaa	atactggggg	tggggactgg	cgggggggtc	78180
ctgagtgggg	aaggatgagg	agggcattag	gggaaggggc	tccgggcaga	gggaacagca	78240
tgagcaaagg	cccaggagac	ccagcagggg	gtggaagggg	ctctgcccc	gcgtaggccc	78300
tttgtaggtg	ggcagggaac	agagtgggca	gagcctaggt	tgggggatag	agtctctggg	78360
gcacactgag	ctgggggtgc	ctctgggatg	tttgtggtca	aagactgaga	agagacgtca	78420
catcctccac	gtgcagctgg	ccagcctcac	tgtcttccat	ccacgtgggg	tagactctgc	78480
agtctgaggc	actgggagct	cctgtcctgg	agaagataga	caggcaggag	gcttgggggc	78540
tcagtatcaa	tggggggatg	ggccaagacc	caggtctgcc	acagactctt	cttgtgacat	78600
gggcagggtct	catttttctt	tctgggtgtc	agtttccctt	tctgaacagt	gagatgatca	78660
gacaagggga	ctgaaggacc	tcgcccctcc	tagaagcctc	tgtggcatgt	agggcagagt	78720
acagggtggga	gcacagatcc	caccttccca	ctggggccct	gaggaaaccg	tccatagggt	78780
gtggctcagag	ccctcgctc	tgcgtgggcg	gacatgggtg	cttgcgctgc	tgttttctctg	78840
ctccatttgg	gggagacaaa	gaaacacctc	acatggaaagt	gggaagaaat	ctgtgactct	78900
aggaagcccc	aggaccagag	aggctgtgac	agtgtcctgc	caccgagggtg	gcattggtgcc	78960
tgctgtcctg	aagtgaggtg	cctctgggca	ggagcagccc	agcctgggtc	tccatcctgg	79020
ggggcactcg	aggcagagtc	tggaccccaa	cctcacttcc	cagtccca	gggggttctg	79080
atgagccggg	cacacctgct	gctgggcccct	gtcgtgtgtg	ctgggggcga	gtaggagtc	79140
agcgctgcca	gcctgtggtc	ccctccgcca	ggccctcagg	gacagggccc	cagcaccccc	79200
attgtttccc	ctctatcaga	acgttcccat	caggcatcat	ctgtttctct	gccagctttt	79260
ccaacagaa	tcccagaaag	gggcgtctgt	catcccttc	tctcgtcctc	cgctcttctg	79320
tctcaggcct	ctgccatgtt	attccaccaa	agcggtcctg	ctaggccatc	agtgaccccc	79380
cttgctcagt	cacttcttgt	ccttgtctga	cttgatctgt	cagcagcgtg	ggcagagatg	79440
actgtctctc	tccttagagc	cctctccccc	accaggccc	gggcccttgc	tgccacactg	79500
gctgtcctt	cttgggggtc	ctagactgat	gtcctgtctc	tcaggacagg	acatctctgc	79560
caagggtattc	atccctatga	ggacaggggc	cttcttctgt	gggaccaggg	tcttcccgtg	79620
gggactgtgc	tctggtaggg	agatgtgtgg	gtggcattgg	tgaccactct	cgtgtgtcag	79680
acgccgtcct	gaacccgcaa	gccccagcc	cgcccaggct	gcatccagcc	cgtgtcctt	79740
ccacatctcc	tgtacctggc	tgtcccatgg	tcacctcaca	gctcagtcta	cagttagcta	79800
ctgaggcctg	tgctacctgc	cacttgtgtg	ggccccccca	aggctgcctc	atctcttctg	79860
tgacgttaca	cctgggtgct	gccccgactc	ctctcctctt	gcacacacag	ctgatccatt	79920
aggaggctctg	tcagcgccca	ctatcacggc	tgccatcttg	gatgcagcct	gcctcctccc	79980
taggggtttct	gcagcaccct	ggcttgtctc	cctctgccct	gccccagcat	ggctccttct	80040
ttcccatcct	tccccggag	gccctcctgg	tcacctctc	accacggcaa	ctggggctcct	80100
tcaggggcct	cattccctcc	taggggatca	tgttgatag	aggggtcagt	gggcagctag	80160
ctctcgcgga	tcacgttggg	tggagggtatc	agtgggcacg	tagcaggctc	ttggtggaag	80220
atgttggtg	gaggggtgag	tcggcccatg	gcaggacgca	tgttgatgg	acgggttagc	80280
aggcatgtag	tagggccatg	gcagacactt	gttggtgga	ggtgtcagca	ggcacatagt	80340
aggtgtgtgg	cagatcatgt	tggatggagc	ggtttagcag	gtgcacagta	ggccctgggt	80400
ggatcacgtt	gaatggaggg	gttggggcg	cagatcatgt	tcgatggagc	ggttggcagg	80460
gtactgccct	acagggcggc	ttgtcacccg	tgtgtgaga	agccccacgc	tggtgaga	80520
ggagggtgtc	agcatgcact	ggagggtgat	gttgtaaggc	ttggcagggtg	aactgggtga	80580
aaggtgtggg	tgagtggccc	caggcataag	gagctaggca	gagagggaca	cttgggggtg	80640
gggacagcac	acccaggggc	cggggggcag	gagtgaggc	tggcacttgg	caaacctgcc	80700
cccttctctc	tcacccagcc	tggctcctcaa	ccctcaggcc	gcccaggga	gggtttctct	80760
cacctgaacc	cactcagctc	ctttcttagc	ttggccccac	gccaccgtcc	ccagccatt	80820
gctctgtgtg	aggggtggcag	tggggctgca	gtgtggggcg	cccatgtctg	tttctctcat	80880
gcttcagcca	agaactacat	cgcgtggat	gactttgtgg	agatcactaa	gaagtacgcc	80940
aagggcgta	tcccagcag	cctgttcctg	caggacgacg	aagatgatga	cagctggcg	81000
gggaagagcc	ctgaggacct	gccactgcgt	ctgaagggtg	gtgaccaaga	ccccggtcag	81060
gccggagcct	gcctcccaag	gactcgcgca	cctcaggcag	ggcaccttcc	aggaagctgc	81120

aggtggggag	gttcgcgcct	aacaaagagt	gtcttacagc	cgtgccgctg	gtacctttgg	81180
gtcatcatct	atcgtcataa	ggatgtgtcc	tccggagaga	ggcctttctt	ttctgcgccg	81240
tcaggctcag	aaaccagggg	cgggtgttggg	caggagtgtc	aggatggcaa	gcaagggggc	81300
cctgggtctt	tctgtgcagt	gtagggggca	gtggggcggg	ctggacgcag	actttcatct	81360
agacttcata	acttagcaga	tttctccatg	tatgtccag	agtggaggcc	agtgccttga	81420
agatgccttc	cccgaataca	aagtgccgtg	tccgtcaggc	cagggaggac	gtgcagaggc	81480
gcctactgcc	cctggatctg	caagggctca	gggagcgagg	ccagtgtggg	agcgtgggtg	81540
gtgacacttg	tgcagggtgc	cattgggcac	acctggagga	catgagcagc	tttggcggca	81600
ggaggaaagc	ggggagcggg	gagcgggaag	cccagcagtg	cgggccctac	tcctggcctg	81660
acagcttggt	ttcttggcca	tgtggcccta	tggcctctca	cagagttgct	cacagttcag	81720
ctcgcatggg	tgaattagat	gtgtgcctgt	ctcactctgc	agagaacacc	aggatttcca	81780
gaagcttggc	ctcctgaccc	aggatcccca	agctgaggcc	agcacagggg	gccccagcag	81840
atgattgtca	cagaggctgc	gggcagtatc	atgcaggcac	cctgggggtt	tgtcttctga	81900
actgactgag	aaactggagg	aactgccatc	attgtattca	gatgggcgcg	tgagtcaggg	81960
ccaggaccag	gagatgggtg	ggccaccaac	tgtcaggcag	gcagcaggct	gaaaggctac	82020
cgtcctcgag	ccaggagaa	ggtcagagta	ggcccgccct	ccggtggggg	ggaagagcag	82080
gaaccaggt	gctgcaggag	cagcttcagc	ccaaagagca	gcaggcacag	cagccctgct	82140
gcagggactc	ggagccagac	aggtctgagt	gtgagccccc	cgagtggcca	gagctgcgag	82200
tccttttagg	tggcagggtg	aaggctctgc	tcctccact	tgggacaggc	tgtatgtcca	82260
gggtatgaca	ccgaccggtc	tgcagagggt	ctgagacatg	ggccaggatg	gccaagaact	82320
tgaaccaagg	gagcacatgg	tttttactga	tggctctgctc	agagctggcc	ctaggcaagc	82380
atattcacag	attgggtgcc	atcatctcct	tactaatggg	agatgaggaa	gctgggggtg	82440
tggcatgggt	ttggcaaaag	cactcccga	atgagagtga	gggtcacagg	tgaacgggtt	82500
aacttggaga	agacccttgg	gccaggcgcc	catggcccag	gtgtcccagt	ttatgccatc	82560
tgggtgaagt	actattataa	taatgcctcc	tgtcatatgc	gtcctgttcg	gaaaattatg	82620
tcacctagtt	attgagtggt	agtctagtgt	tgtgtagcat	ctgaaaatcc	tatttattta	82680
tgttacttaa	tgacagggtc	tcgttctgtt	gcacaggctg	gagtgacagt	gcacgggtcac	82740
agctcactgc	agcctcaacg	tgccaaactc	aagtgatcct	cccacctcag	cctcccaaat	82800
agctggacta	caggcatgtg	ccaccacacc	cagctgattt	ttttgaaaac	attttgtagc	82860
gatgggggtc	tcactattgt	tatctacgct	ggctcctaac	tcctgggtca	agcgagcctc	82920
ccactttggc	ctcccacact	gctgggattc	aggcgtgaga	cactgtatcc	agcctgaaag	82980
tccttttttag	aaggagagaa	tttaagctgt	tttgacaaga	agtaaacaag	actctgtttc	83040
ccttttagtt	tggatgctgt	cagagcactt	cgattccttt	gcagtttgtc	ttcttagaag	83100
tctcttgtag	gggaggcaat	gaatcgtcac	aagcgtctcc	cagggctgag	agctgtccca	83160
ccttttagta	gccttttcta	gaacaaggag	aggctctcac	tcaaagtga	aatgacagac	83220
acctctttgt	gagccaccct	tactcccaca	aagaatgttc	cagactccac	acagtctctc	83280
tctggagcct	ggagggtgcaa	gctgtcatcg	tagatagaat	cctctgaaaa	caaacttaat	83340
atcttaaaat	cgtaacattt	ttaacattac	ataattggaa	gatccgacac	gggaacattt	83400
ttgccacag	gtttgagcag	aatctcgtct	cggctccctt	ccccagcctg	ccttcttcac	83460
gggtccgctg	ggccatcggg	gtggtgacgc	tgcttcctgg	tttctcgtgg	cagcagaagg	83520
gccgatcacc	acaggcccag	acagagagct	ctgcagtgtt	ctattcatag	aggcagactc	83580
ctcatagttt	ttaagtttcg	ttctttttcc	atctcaggag	ttgaatttgt	ttggaccttc	83640
tttgagaaa	aggagactga	actttttta	cccatgtcag	aggaaaggtc	tgggtgtaca	83700
ttgcaggag	cagaaattgg	ggcttttaaa	agggagctga	tccctggtea	tcaggttcag	83760
gtgggggacc	agcccctcca	cactgtccaa	gcataggcta	gacgccatcc	aacgtaatgt	83820
tctagaatat	tccttgtcct	ttaaaggccc	tctcaaccag	gtggttgtgt	gtgttctagg	83880
caaaagaatg	tgcatggctt	tgagtaagac	aggatttcag	atttattttt	accaaggcca	83940
cccccttgct	accgtggcgg	tcgtgcgtga	aactgggtgg	gagcagtggc	gggccaggcc	84000
accttttagt	gtcctgctgt	tcgcaaggcc	cccatacggg	gattaactga	gcagcctgcc	84060
ggctgacgca	catgttgact	cgtgtagctg	ttgattttag	ccagctggcc	tggcgtcata	84120
ctacaggggc	ttgccccaaa	caaaccctgg	agtaggttgg	ttttcataaa	tgccctctgg	84180
ctctctggca	agcgttggaa	atgccctcaa	accctgtagt	gcctgggtct	ccctggccat	84240
ctcctggcag	tgtgagcgcc	tctctgctca	tgtagaaggt	tgttgacccc	agagagagct	84300
aggggagctg	ttagctgctt	taatcgttta	tttgcctgtt	ataaaacaga	gattaaagtgg	84360
actgtcacaa	atatacatga	agcagcagag	ctgttccccc	acgtgtagac	gtgcatagcac	84420
acactcctaa	acacttcogt	ttcttccatg	agcctgtcct	tctcatctgt	ggaaggctca	84480
gtctgtgtag	acatgcatgc	acacactcat	aacacttccg	tttctccat	gagcctgccc	84540
ctctcctctc	atctgtggaa	gactcagctc	tctggttgtt	tccaggtgtc	ctggctctcc	84600
agagctgata	gccaggctgt	tggcagggtga	gggccacatt	ctggtgttgt	cacctagtgt	84660
ccattcacct	gggatccctc	cttggccttc	tgggtggcct	ggtggagaga	acctgcccc	84720
ggggatttgt	ggggctctgt	gcttccccga	ggcccgagc	tgatgggggg	ctccagcctg	84780
gatgtgtcat	gtagcccttc	agtgggccc	ggacatgcag	ccaggcttcc	ctacccccat	84840
gtggggccgc	cccttaggcg	tccacttctc	ggtgttggtc	caggccctcg	gcacttctga	84900

agatgcacag	aacctgcttt	gtatgccacg	ccatgctgtg	tgagcactgg	caccatggcc	84960
actttgtccc	ccatcccctc	cagtcccctc	gcctggctgc	cctgtgttct	ggcagggctc	85020
agggcctctg	agttctgcac	agaccaggaa	ggcatgaggg	ctggccctgg	gtggcagcgc	85080
tgcttcaccc	catcctgagg	ctgctcccag	catgcctccc	tcagccctct	gctcctcttg	85140
gctgtggtga	aggccaagag	ctctttctga	ccttagcgct	gcatgcagag	caggggagca	85200
ggaccacacag	gtcgggggaa	ggcagccctt	ggccttgact	atggggaggt	aggggtgcgc	85260
tggtgtgtat	gtgtagggtg	acacgtgtag	gggtgggtgt	gcatgtgtga	gggtgcacgt	85320
gtgggggttg	gtgtgcacgt	gtgtgtaggg	gtgggttgcg	tgtgtgtgaa	tgtgtatagg	85380
ggtgggttgt	gtgaatgtgt	gtgtaggggg	gggttgctgt	tgtgtgaatg	tgtgtgtagg	85440
ggtgggtttg	aatgcaggta	ggttgctgtg	gtgtgtaggg	gtgggttgcg	tgtgtgtgaa	85500
tgtgtgtgta	gggttggtgt	gtttgcgggt	aggttgctgt	tgtgtgaatg	tgtgtgtagg	85560
gggtgggttgt	gtgaatgcgg	gtagggtgcg	tgtgtgtgtg	taggggtggg	ttgcgtgtgt	85620
gtgaatgtgt	gtgtaggggg	gggttggttt	aatgcgggtg	ggttgctgtg	gtgtgaatgt	85680
gtataggggt	gggttggtgt	aatgcgtgtg	tgtagggggt	ggctgcatgt	gtgtgtgtag	85740
gggtgggttg	tgtgtgtgtg	tatgggggtg	gtttgtgtga	atgcgtgtgt	gtagggggtg	85800
gttgctgtgt	tgtgtgtgca	cgtgtgtgtg	cgggcagaag	gtggcctggc	agctgcttct	85860
caggggtctcc	ggccataggg	agggcagctc	acccggcagc	cccgtgcagc	tgaacgggat	85920
ttttgctggg	agagtgggtg	tgggcccctc	gcctgtgtct	gcactgaact	ccctttccct	85980
aatgcttgct	ctgccacccc	tccggggact	gcctgcccgt	tctcctcctc	gtaaggatcg	86040
ccatttccct	tcattggaggc	tcaggggagg	gacatccttg	ctgtagtgcg	gagctgggtc	86100
acaaaaccag	ctcccagaca	ggcatctcag	ggctccgtca	tctcttcattg	tgggtgaccc	86160
tgaggggagg	gaagtgggga	gcccgtgggt	ccctccagtg	ctggagggtc	tgcagggaga	86220
gaagcacaca	tgcatctagt	cacgctggta	gaagggtggg	agccaggcac	ggggcagagg	86280
ggggctccag	gcccagaaga	gggagggtc	acaggggaccg	cgagcatggg	gagggccacc	86340
tggagaaggg	gggaggggagg	accactagga	tggggctggg	gatgggaaaa	cgcaagggtg	86400
cgggttccct	ttgccagag	gcagggtggg	cagaggggagg	cgtgagatgg	gagcagtggtg	86460
ggtcctgtcc	cagcctcgtt	cccacgtacc	atctttccct	caggtgggtc	agtacccctc	86520
gcacgccatc	atggagatca	aggagtacct	gattgacatg	gcctccaggg	caggcatgca	86580
ctggctgtcc	accatcatcc	ccacgcacca	catcaacgcg	ctcatcttct	tcttcacgtg	86640
cagcaacctc	accatcgact	tcttcgcctt	cttcaccccg	ctggatcatc	tctacctgtc	86700
cttcattctcc	atggtgatct	gcaccctcaa	gggtgtccag	gacagcaagg	cctgggagaa	86760
cttcgcgacc	ctcaccgacc	tgtgtgtgct	cttcgagccc	aacctggatg	tggagcaggc	86820
cgagggtcaac	ttcggctgga	accacctgga	gcccattgct	catttcctgc	tctctgtctt	86880
cttcgtcatc	ttctccttcc	ccatcgccag	caaggactgc	atccccctgt	cggagctggc	86940
tgtcatcacc	ggcttcttta	ccgtgaccag	ctacctgagc	ctgagcacc	atgcagagcc	87000
ctacacgcgc	agggccctgg	ccaccgaggt	caccgcgggc	ctgctatcgc	tgtgcctcct	87060
catgcccttg	aattggccct	acctgaagggt	ccttggccag	accttcatca	ccgtgcctgt	87120
cggccacctg	gtcgtcctca	acgtcagcgt	cccgtgcctg	ctctatgtct	acctgtctca	87180
tctcttcttc	cgcatggcac	agctgaggaa	tttcaagggt	acctactgct	accttgtgcc	87240
ctacctgggtg	tgcttcatgt	ggtgtgagct	ctccgtgggt	atcctgtctg	agtcacccgg	87300
cctggggctg	ctccgcgcct	ccatcggtca	ctctctcttc	ctctttgccc	tccccactct	87360
ggtggccggg	ctggccctgg	tgggctgtgt	gcagttcgcc	cgggtggtca	cgtctctgga	87420
gctcaccaag	atcgagctca	ccgtggcggt	ctgtagtgtg	cccctgctgt	tgcgctgggtg	87480
gaccaaggcc	agcttctctg	tgggtgggat	ggtgaagtcc	ctgacgcgga	gctccatggt	87540
caagctcatc	ctgggtgtgg	tcacggccat	cgtgctgttc	tgtgtgttct	atgtgtaccg	87600
ctcagagggc	atgaagggtc	acaactccac	actgacctgg	cagcagtatg	gtgcgctgtg	87660
cgggccacgc	gcctggaagg	agaccaacat	ggcgcgacc	cagatcctct	gcagccacct	87720
ggagggccac	aggggtcacgt	ggaccggccg	cttcaagtac	gtccgcgtga	ctgacatcga	87780
caacagcgcc	gagtcctgcca	tcaacatgct	cccgttcttc	atcggcgact	ggatgcgctg	87840
cctctacggc	gaggcctacc	ctgcctgcag	ccctggcaac	acctccacgg	ccgaggagga	87900
gctctgtcgc	cttaagctgc	tggccaagca	ccctgccac	atcaagaagt	tcgaccgcta	87960
caagtttgag	attaccgtgg	gcattgccatt	cagcagcggc	gctgacggct	cgcgagcccg	88020
cgaggaggac	gacgtcacca	aggacatcgt	gctgcggggc	agcagcgagt	tcaagagcgt	88080
gctgctcagc	ctgcgccagg	gcagcctcat	cgagttcagc	accatcctgg	agggccgcct	88140
gggcagcaag	tggcctgtct	tcgagctcaa	ggccatcagc	tgcctcaact	gcatggccca	88200
gctctcaccc	accaggcggc	acgtgaagat	cgagcacgac	tggcgagca	ccgtgcatgg	88260
cgcctggaag	ttcgcccttcg	acttcttttt	cttcccatte	ctgtcggcgg	cctgaggatg	88320
gtccgccacg	aggagcttcc	agtgcattgt	gccatgaggg	ctttccccag	tgtggcccca	88380
gcccgcagc	catgcaccag	tgcgcctgtg	gcccacgtgt	gcagactgtg	gctgcagaga	88440
cctctacggc	atgtgtagat	tgcgtggacc	ccgacaaagg	gaaggctgct	gtgtagctct	88500
gtccactctg	aataaccaagt	gtgttgggaa	ttgtcatgcca	tctccaccct	gagcctgacc	88560
tttctgagtg	acatgggtgt	gcccaggctag	actaggaggt	tccggtgtct	ggaaaagcac	88620
tttacagatg	agattccctc	tcctccccc	ccttcaagca	ccctgttccc	tctttctttc	88680

ttttgtgttg	gattttgttta	aaaaccaa	aagcatctgt	gtaacctcca	cagtagcatt	88740
tcttatttgt	ttgggtcactg	ctacacctta	gcagctcttc	ccctttcctg	ggggatgtgc	88800
acggcagctt	gagcctgtca	cgtgggtcaag	gccccggccc	atcagaggct	gggggagggc	88860
gcacattggc	agtgtgtcac	actgagctgg	gcaccacagg	ctgcctcatg	accctcctgt	88920
ccagcaggta	gtgggtgaat	gtgtgaaggt	cttgccctgaa	tccatcagga	cttgggaaac	88980
agagaaccct	gtggggggcgg	ctgtggggga	ggtccctgcc	agtgtttaga	agagcctgac	89040
tgtgttcagt	gccttggagc	agaaagccag	ggtcctgagt	ggctgaaata	aaagcctctg	89100
gtggaacctg	cagcgctttc	cttcctttct	ttaccgaaaa	gaagtcttct	ttgtacgtgc	89160
gtgagaatca	gcagagcctg	cactcctgtt	gaatgaaatg	caagtgcaat	ttgagttata	89220
aaagagcaag	gttgatgttt	cacagttgat	ggcttctctg	cacagcgaga	ccctggcttc	89280
atctccagct	ggagggggccc	ctggggcatc	tgccgtaact	gtgggggtggc	ctggggcatgg	89340
gctgcctgtg	cagagagacc	tgtgctgaag	gtgaccatgg	agtgtcagcc	cagccatctt	89400
cagatcttac	tgagcggaaa	gtgcacggtc	ataattatct	ttgaattcca	gttaccatg	89460
aagtggagcc	tacaggggtga	ttgatggcgt	gggggctgct	gtccatgcgg	gagtgtgttg	89520
tgaaaccacc	tcctgtgttc	cctaacctgc	agtgatgacc	ccatgggatt	ataatcagaa	89580
cttagtcatt	tgggggcacc	cgagcagctg	caggcccttc	agcaaacctc	acccctcttg	89640
ggcagcctgt	ctgtcccage	cccttgggtc	tttgggtgtct	tccttgaggt	tgaggacgtg	89700
gcctgtacct	gctcctgtcc	cccgtaggct	gggctgctct	ctgctgggca	ccaggcctca	89760
cctctttgtc	gtgggtggga	agcgtcagat	ggtcacacga	tctggcttgg	ccacctgggtg	89820
ttgccatgca	ggatgtgggt	gctccatttt	ccttggacga	cactgggtgg	tggcagctac	89880
acccgacact	gtcctctcat	ccctgtttgt	cctgcctgga	ggggctgcgt	gaaaccacac	89940
gagaggctca	ggtggtgtca	tcactccgag	ccacgggtgg	tggaaagctgc	acccccacac	90000
tgtcctctgc	gtgaaaccac	acgagaggct	caggagggtg	catcactccg	agccacatgc	90060
tcgcccctgg	gtttctttcc	caggcaatga	gatgagggtg	gggttcagcc	tcatttctct	90120
tccccattct	gtggatttgt	gaagccatgg	aaggccctcg	ccctgtgact	ctgccccag	90180
gatccccact	gactgcagag	gagggaaagtc	gcctgatgct	ttccaagtga	acaagatga	90240
caacacagca	tctccctcac	aacccctgga	tgaggaagat	gtcceaacat	ccccatcta	90300
cagaagacgg	caccgagggt	cagagtggag	gccatagcac	attagcacgt	tatcacatgg	90360
cacatagcag	agcaggaagg	acagagctct	gcctgtcccc	ttccctggg	ccaccacact	90420
gccactcagc	atccacaatt	agtttctaac	caaccggcag	aggcacaggt	tggaggagaa	90480
gtgggtgctg	cttttgggca	gagtcacaga	tgggcctggg	cccgggttcc	actcattctg	90540
ccacaaaccc	ctgtgccacc	cggcaccatt	taacacctgt	cccaggcct	cagtgtccca	90600
atctgtaaaa	cggaaagcct	gggctaagtt	agtggttttc	aaaacttctt	agcaacaccg	90660
tttttgtttg	tttgtttgtt	tgaaataggg	tctcactttg	tcaccaggg	tggagtgtag	90720
tgctatctcg	gctcactgca	gcctccacat	ttgttctggg	ttttacagag	aggctccccg	90780
ggccccgcgg	accaccccac	ccaggaaaga	acctgcccgt	tgcaggaaca	gccattattt	90840
aacaccccg	cccgcccacc	tgctctgggt	tgccccctca	ccgtatggag	ctgtaggaca	90900
cccaggggag	gaccgggggg	agggctctcag	tttgccttca	cgaagtagta	gcatttgaga	90960
gaatgagtcg	ggaaagaccg	aattgggtgg	tgccacttca	agtgccaa	gagggtttgg	91020
cgccagagtt	tccaagccct	ctggaagccc	agctccctag	gggcattctt	tcaggggggc	91080
ttcactgtcc	attcttgggt	agcgaagcca	tcagaaagac	ctctctgcct	cctttggaca	91140
tgctgttaaa	gaccagtcac	tcaaagctca	atcattcaag	tgctctcttc	cttttttttg	91200
atcctacatc	atgcaagtac	actcccaagt	gaggtgacaa	aaacgcacat	ttctgcagat	91260
gccccatgaac	caggacctgt	ctctcaagtc	tgccacctga	ggacagaatc	ctgttaaccac	91320
cccagctccc	aatcagcagg	atgggggtgtc	agggctatta	aacaaacagc	cacgtggccc	91380
aacacgtctc	atccggcagc	tcgggggaaag	cacactttga	cagccaggac	cctatccgat	91440
aaatgggtgt	tctcttctat	gacaaagaaa	atgaacactc	attcactcaa	aatattcagc	91500
acctgctgtg	tgcttctact	ttcctggcac	aggggatgca	gaatgaacag	agagcccctg	91560
ccccactggg	aggggtgttt	gtggggagat	ggaccaggta	ccagttagtg	aatatagcac	91620
aatggcaggt	agagaaaagt	gctacagtca	tctaccgtga	gcgctgtgat	gctctgcccc	91680
gtttcaccac	attaatggag	caccactat	atgctggaca	cataccatgc	attttctcat	91740
cctagcggct	gttgcaaaat	agacacgtcc	attgtgaaga	ctgcggggcg	tagaatcgca	91800
gcccccaaag	gtgtccaggt	cctaattccc	aaatcctgtt	tgtgtgttcc	cttgcatggc	91860
aggaggggatg	ttgcagatgg	gattcagtta	aagatcttga	taccggggag	atgattctgg	91920
actttcctat	ccagaagggc	ccaaagtaat	ttcaagtgtc	cttgtaagag	ggaggctgga	91980
gggtcaggg	gtgagattgg	aagatgccac	cctgcaagct	tcaagatggg	ggaagggggc	92040
atgagccaag	gaatgtgggt	gtctctcacg	ctggaaaagg	tgaggagatg	gttctcgcct	92100
gcagcctcca	gagagacaca	gctgacagag	tcagactggg	ccactgacag	ggctctagcg	92160
tcccagatcc	ccatgcccc	acccctctgc	atggctctat	agccccctct	tgagggtgtc	92220
cctggaaaac	ctttgggctc	ctgctccctg	ctgttctacc	ctgaatgttg	tgcccttttg	92280
cagcttgtct	gtccctctct	gaggtcatg	atgtcatctg	cgggggcccc	ccgcgttaatt	92340
ctaacagcac	ccaggtaaag	ataaaggtgc	tttgttgttt	ttctaaaaag	gacttcgctg	92400
ttgcttgagt	cactcataac	ttgatcaatt	atttggagct	ctaaaagctt	cccagttgct	92460

aggaaaccac	accttgagg	ctggcaaacc	attgttaaag	ttgttcctaa	agtgtgaac	92520
ttctacagt	actttggaaa	gtagcttg	gaacaaaaca	aagcaaaaca	aacagaaaag	92580
actcgggttc	ccttttcttt	ccgtccagaa	gtgatcaaat	cagctaaact	cactgtttcc	92640
agctttcttc	taactagatg	tgtttttttc	tgccgttagc	cagaaaggcc	ctttcttccc	92700
tatttttagtc	acagaataac	ctgtctcttt	aggacagtgg	ggtcctgtgc	tgaatcccac	92760
cccaaagat	gggaagaact	cgggtgctgc	gttttgggaa	gccccggctg	agatgagtgt	92820
ataactgggg	ctgagagccg	agagcctggc	ccagcaagcc	aggcagttag	gtgaccgggt	92880
atcccgctcc	ccatttctgc	tggagctgga	agagcccaa	ggacaccagc	cccatcagag	92940
ggagctgggc	ccagagctgg	gtggggcagc	cgactactcc	ctgcagaaca	cctaccgcct	93000
gcctgacact	ggtggctgct	ttgtggacat	gcttttgaaa	acctcgtgag	ggtgatgtta	93060
ttgtccccac	tttatccagg	ggtacctggg	cacggagcag	ggcggtaact	caccttggat	93120
gtctgtggca	gcctccaaga	tggctcccagc	aatccccacc	accttcctgc	tgctccttcc	93180
atgtagcagg	ataggtctgt	gcgaccagta	gaatatggca	gatgtgacga	gatgtcactt	93240
ctgaggtttg	cttacaaaag	gctgtggctt	tcagtttggc	tgctctctct	cggatccatc	93300
actctgggtg	aggaagccat	gccgcgagca	gccccgtggg	gaagcctgca	cctcaaggac	93360
ctggagcctc	aagccaactg	ccacatgggtg	cacttggaaa	cagggatggc	tgccacggcc	93420
cacactcgcc	tgcggtctcg	gggagacacc	cagccagaac	ctcctggtga	atccactcct	93480
ggattcccta	ccccacaga	gtataagatg	acgaatgtgg	ctttaggctg	ttaaattcgg	93540
gataaccgat	acagtgccaa	cactggtaag	tgacgaggct	gcaatgaatc	ccaggatatcc	93600
tgtggctgca	tctccacctg	catgggccat	cctgtacctg	gcaggcccca	tccttagcct	93660
ctttaaaagt	ccaggaacct	tggaaatgttt	ttctgacatc	tcctaggctg	ctggatttac	93720
caggaaaagg	gacggaccca	caccttttcc	ctgtttgaat	ccattgcatt	tcttccaggt	93780
gtttcaatcc	cttctgactc	gatttgcctt	aatgaagctt	gaggcaagtg	caattttctg	93840
cccatggggc	tgtaacactg	ttcaaagtca	tccgtgagct	aagctaagtg	gaaaaaacca	93900
tatggcattg	tcgccttctc	agcctgacct	ggcatgcact	ctcaccctca	tctgtcatgc	93960
ctcctgcctt	tccacctggg	gggctgagaa	gtccggccat	cgaaaccttg	gttcctgccca	94020
gccacgggag	tttggaaact	ttatcagatt	cctgaagcct	cgtttcctca	tgggaacagt	94080
gcagggtgaaa	gcaccttccct	ctcggaaaccg	gggggaagat	gagaggaaat	taaatagatg	94140
tatggccccg	cagcaggact	ggcgctctcc	attgtgtctg	aaattggcag	gttcttggctc	94200
tcacttactt	caagaatgaa	accacggacc	ctcgcggtga	ctgttacagt	tcttaaaggc	94260
ggcgtgtctg	gagtttgctc	cttctgatata	tcagatgtgt	tcgcggtttt	cctccttctg	94320
gtgggttccct	cctctcgctg	gttcaggagt	gaagctgcag	accttcacgg	cgagtgtcac	94380
agctcataaa	cgagtagacg	acccaaagag	tgagcagcaa	ttagatctat	cacaaagaac	94440
aaaagaacaa	agcctccaca	ccacagaaga	caacccgagg	gtgtcaacat	tactggctcc	94500
agcagcctgc	ttttattccc	ttatctggcc	ccaccacat	cttgtctgatt	tggtccattt	94560
gcagagagct	gatttgtctg	ttttacagag	agctgattgg	tcctgttttg	aggggtgctga	94620
ttggtgcgtt	tacaatccct	gagctagaca	caaaagttct	ccaagtcccc	actagattag	94680
ctagacacag	agcactgatt	ggtgccttta	caaaccttga	gccagacaca	gagtgtgat	94740
tgggtgattt	acagtccctt	agctagacac	aaaggttctc	caaatcccca	ctagactcag	94800
gagcccagct	ggcttcacct	agtggatccc	ccaaccgggc	tgcagggtga	gctgcccgc	94860
agtcccgcgc	cctgcgccct	cactcctcag	cccttggggc	gtcgatggga	cccgccgtgc	94920
cgcgaggcag	ggggcgggcg	ttgtcgggga	ggctggggcg	cgcaggagcc	cacggccagg	94980
gggaggctgc	ggcatggtgg	gctgcaggtc	cccagccctg	ccctacgggg	aggcagctga	95040
cgcccggcga	gaattcgagc	gcagtgtcgg	cactgtggg	ggaccggcg	aaccctccac	95100
agctgctggc	ccgggtgcta	agccccctca	cgcccggtgc	gggcggcgcc	gacgggcttt	95160
tccgagagcg	aggccagctg	agcccccgcc	caccgggaac	tctcgctggc	ccgcaagcgc	95220
agcgcgcagc	ccggttccc	cccgcgctc	tccctgcaca	cctccccaca	agccgagggga	95280
tccggctccg	gcctcggcca	gccagaggg	atccggctcc	ggcctcggcc	agcccagaga	95340
gggggctccc	acggtgcagc	ggcgggctga	agggccctg	aagcgcggcc	agagggggcg	95400
ccgagagcga	gcggggctgc	cagtacgctg	tcacctctca	ccatcactgc	ccttgcttgc	95460
tctacggctg	ctcagaccca	aggggcaagt	ttctccaggt	atttccaaac	cagggagggc	95520
tttgtgttta	gtttaagtca	aggaggctgt	cccccttttc	aggctgtttg	gatttctttc	95580
agcaaaaact	agcagaagtt	attacgcagg	aactttttgt	agcatataaa	gaatgaatcc	95640
cgataggtag	tgtgatgggt	accgttaggt	gtcaacttga	ttggattgag	agatgcctag	95700
aaagctagtg	aagcattggt	tctgggtgtg	tctgtggggg	tggtgccaga	ggagactgaa	95760
atlttgagtca	gtggactggg	agaggaagac	ctctcctcca	tgtgggtggg	caccatccaa	95820
tccgctgcca	gcgcgcctcc	aactaagcag	gcagaagaag	gtgggagaag	ctggcttgc	95880
gagtcttcca	ccttcattct	cctcacatgc	tggatgcttc	cttccactcc	tctgcctt	95940
ggacatcaga	ctacaggttc	ttcgcccttt	ggactctggg	acttacacca	gtggtttgc	96000
gaaatctgtg	ctttctgcca	cagattgaag	gctgcactct	tggcttccct	acttttgagg	96060
cttttggaact	cgggctgagc	cactactggc	ttccttcttc	cctagcttgc	agacagccta	96120
tcaggaaaact	ttgctttgtg	atcatgtgag	tcaattctcc	ctgataaacc	ccctttcata	96180
gacacataga	tcctataact	tctgtcactc	cggagaacc	taatatagtt	accaatagaa	96240



acettacaac	tttccctaga	ttctgcaggc	tgggtggagt	tcaccaccct	ttgctttgag	96300
gtatcagtgg	aggaagaaca	gaggcactgg	ggtcaggaca	gaatggggcc	agaccccagc	96360
tccagaacct	atgaccgcat	aggtttgaga	gacctgcgtt	ccagcctggc	ctctgccttt	96420
actgtgtggc	cctgggcagg	ttccctaacc	tctgaagctc	aagttcctta	cctctagaac	96480
aggagcaata	ataggacctg	cctcatgggt	ttatgtagaa	tacgatagag	tgcaaagtgt	96540
gcgacacaag	gcccagcaca	cagtaggtgt	caatcagtgg	tcacacttgt	cactatccta	96600
taggatgggc	cttgggcaca	cctccctaact	tttccagcct	cagttggctc	ctctgtgaga	96660
tcaggattat	aaagatctgc	ttttcagggg	ggctatgatt	tgttgagaaa	tgaagtatct	96720
atcacacccat	catttacaca	atcattcatt	catggagcca	ttcattcctt	caatcattta	96780
ttcaatcatt	catgaattta	tggatttagt	ccatcatcca	ttcattctcc	agttctcaag	96840
gctcctgtgc	tgggcatggg	caagacacgc	tcccttccaa	tgggcagata	ggtaagcggg	96900
ggcctgagga	agtgcaggga	ctgtcatcag	caaaccctgc	tccagagtgg	agacagagca	96960
gagcatgttc	caccagggaa	ccccttgggt	tggaggcatc	tccatctcct	gccagcccag	97020
ctcaggttct	gccagtccct	gaacccttct	cacactctcc	accccaacca	tcaggagtca	97080
tatggcaggg	ctgtcgaggc	gtgtgaacca	gagcaactcc	atcttgaata	ggagatgggt	97140
aaaatgaggc	tgaaacctac	tgggctgcat	tccagacag	ttaaggcatc	taagttacag	97200
ggtgagatag	gaggttgaca	caaaatacaa	gccatacaga	ccttgctgat	aaaacagttt	97260
gcgtaaaaga	agccggccaa	aatccaccaa	aaccaagatg	gccatgagag	tgacctctgg	97320
tcgtctttgc	tgccacactc	ccaccaccgc	catgacagtt	tacaaatgcc	atggcaatgt	97380
caggaagtta	ccctatatgg	tctagaaaagg	ggaggcatga	ataatccgcc	ccttgtttag	97440
catatcatca	gaaataacca	taaaaatggg	caaccagcag	ccctcgggct	gctctgtcca	97500
tggagtagcc	attcttgtat	tcctttactt	tcctaataaa	cttgctttca	cttttctcca	97560
tggacttgcc	ctgaattctt	tcttccacga	gatccaagag	ccctctcttg	gggtctggat	97620
tgggacccct	ttccggcaac	atctttgctt	cctttctctt	taaattaaat	taaatgctca	97680
tggtttttaa	agccctatc	cctttgctct	cacccccagt	tgccatgcct	cagaggaacg	97740
gcccaccacc	ctttcagctg	tttcttctgc	taattacctt	catgttttgg	aataacatgt	97800
tcaaatgcta	tttctgattt	tccagtttga	gataaatgt	gtagacacca	tgaagaaaa	97860
atcgtctctc	atatggcccc	tctggcctcc	ttcaacgaga	ctttaatgga	caagccacct	97920
tcccagtatc	accatctcac	tgggtcctgt	taaatcagtg	tccatcattt	ctgtgctgtg	97980
taaataggat	tactgctgg	gccacggaag	gcactatgat	tatgtttctt	tctttttttt	98040
tttttttgga	gactgagtct	cactctgtca	cccaggctgg	agtgcagtag	catgatctca	98100
gctcactgca	acctccgcct	cccgggttca	agcgattctc	ctacctcggc	cttccaagta	98160
gctgggatta	caggcacaca	ccaccacaga	gacagggttt	catcacgtta	gccagtctgg	98220
tcacaaactc	ctgacctctg	gtgatccacc	cgccttggcc	tcccaaagtg	ctgggattac	98280
aggcgtgagc	cactgcggcc	ggcttatgat	tactttttgt	ttatgctgtg	cctaataatt	98340
atctagtttt	tgttttgtct	agttttctcc	acattgacca	ctaattcatt	tgtgaaaaat	98400
agaaaaattt	tctcaatgtg	ttaaaactat	catagaagct	ctcaatttct	gcttccccag	98460
ccccgtagat	ttgttgtttg	gaacttccca	tcttctctgt	tcaatctgga	ctgttctactc	98520
tctaggccca	ccaccagct	gtcaccctgg	ggactccctc	actgtcaccc	gggtgttctt	98580
tttgtgtctc	tcctccgtgg	tatccctggt	tctgggatcc	cagatggatt	aactgggaaa	98640
caggctaggc	tgctataaca	aagagacccc	ccaatacaga	agtttatgca	aaccagaatt	98700
gtatttctct	ctcaggtcac	catctgagta	gggtggcctag	gctagtgtgc	tggctccagg	98760
caggtttctt	ctctcttgtc	gctctctctc	ttttgaccca	cattttctat	cttgagatct	98820
aaactagttg	ctccaggtcc	tgaaccacc	tttacaaaat	tataactgag	gaaattatga	98880
cagtgaaaaa	aatcagacct	aaccgactcc	atcttctctc	taaccttta	gctgtccttg	98940
ttcattcctg	gacataggcc	aaactaactt	tggaaaggaa	ttcagttcat	ggtttgactg	99000
aaacaaaatt	gataaacagcc	ctttcccaaa	aagaccctcc	ttcttgccca	gggtccagtc	99060
tgcctttgca	ggactaacia	attagctaca	agattagaaa	tcacagttta	gaggtcatgc	99120
agcctctggc	tctaagagtc	tgaacctcgg	catattgtct	ctggggataa	catcattatt	99180
gtaaaacctc	agatcagtgc	ttgagatatt	ttgcaggccc	tgtgctcgat	ggattagcca	99240
acaccaccca	gaccagtaat	ctggctcaac	cagttctacc	attgcacctc	ggaagagaag	99300
acattaagaa	aacctcactt	caaccacta	tgattccatc	tccaacctga	ccaatcagca	99360
ctctccactt	cccaagcccc	taccaccaa	attgtcttca	aaaactgtga	tcccgccgg	99420
gcgcagtaac	tcacgcctgt	aatcccagca	ccttggggag	ccaagatgag	cagatcactt	99480
gaggtcatga	gtttgagacc	agcctggcca	atgcagtga	accccatctc	tactaaaaat	99540
acaaaatta	gccggtcatg	gttgtgggtg	cctgtaatcc	cagctactcg	ggaggctgaa	99600
gcaggagaat	gcgccgaacc	caggaggtgg	aggttgacgt	gagccaagat	cgtggcactg	99660
cactccagcc	tgggcgacag	agtgagactc	tgtctccaaa	ttaatttaatt	aataaagtta	99720
taattgaaat	taacactctg	atccccgaat	gcttggggag	actgatttga	gtaataataa	99780
aactccagcc	tcctccacag	ccagctctgc	ataaattacc	ttctccattg	cagttccctt	99840
gtcttgataa	atcggctctg	tccaggcagt	gggcaagggtg	aaccactgg	gtggttacac	99900
tttcagcact	gtgtctacag	tctggccagc	ctttaggatg	ggagggcagg	tgaagacag	99960
gcttctcccc	tcttacagta	gtgcctggag	cagatcactt	ccattgtcct	cgctgttggc	100020

cccacctggc	tctgggggac	aatcctgtgt	ccagataaca	actccaatgc	gacgtacgaa	100080
gggaaggtca	gatgtcaggg	acaaccagga	gtccctgcct	catgtgtttc	cttctttcct	100140
ggtttcgtgt	tagtggcgca	caccctccag	caacttcctg	agaaattgcc	tttatgtgaa	100200
cgggagccag	tctgaaaact	tcccaacata	ggtccatacc	tttgggtcat	ctccccctac	100260
ggtgacctgg	gcttgctcct	gtgacttggt	ttggcccatg	agacgacagg	aaatatgaca	100320
caagcagaga	cttgagaggg	aggtgtgcct	tggggcttat	cttactgaca	ctggggggctc	100380
cagtgtcaga	gacattggaa	ccagagtga	tccatcttga	ataggggctg	ggtaaaatga	100440
ggctgagacc	tgctgggcta	tattcccagg	aggttaggca	ttcttagtca	acaggagatt	100500
cacagatggg	gaacaagtga	acgatgttta	ccaaacagac	cccggactta	acagatccag	100560
gagatgtcct	gatgtcccg	caccttaaga	acaaaagcat	tcttagttca	aaaataagtt	100620
tgggtggctgg	gcgtgggtgg	tcacacctgt	aatcccagca	ctttgggagg	ctgagggtggg	100680
cagatcacct	gaggtcaggg	gttcaagacc	agcctagcca	acatggtgaa	atgcatctct	100740
attaaaaata	caaaaaaata	gcaaggtatg	gtggctggca	cctgtaatcc	cagctacttg	100800
ggaggctgag	gcaggagaag	tgcttgaacc	tgggaggcgg	aggttgcagt	gagtggagat	100860
cgcaccattg	cactccagca	ctccagcctg	ggcgacagag	caagactccg	tctaaaaaaa	100920
aaaaaaaaaa	aaaaaggttt	tgctttaaag	attcttgtag	aagacagtag	ttgcacaaag	100980
atgaacaatc	cttagtcacc	agccctagta	gcagagcaca	cctccccccag	gattttgtgc	101040
ctttgtctta	tatatgaaca	agcactgtac	ctaaggcaca	tgtgttcctc	atcttgctct	101100
tgggaacacc	gtacgtgcc	tatggagtag	caattccttc	ttgcctttac	tgtcttaata	101160
aacttgcttt	cactttactc	tgtggactcg	tccgaattc	tttcttgctg	aagaacccaa	101220
aacctctctc	tgagtctgga	ttgagaccgg	tttctggtaa	caactggggc	gatcacaggg	101280
ctggcctggg	agagcccgt	gggtgagaga	gatgcctgct	gatggcatct	gtgttgctct	101340
gagccaacca	gcaaacctgt	gagtgaggcc	gttctaaaac	attcatcctc	agctctgcct	101400
cccagcccac	acacggaatt	gtaagaaata	gtcaatgttt	ttactctttt	ttttttaaga	101460
cactaaattc	tggggtgttt	cattacacac	caaaagctaa	ttggtacaaa	accttgcatg	101520
ggtaaaaagc	cttcatttcc	ctctcacgtg	taatcaatag	tttgaagggg	catagccagc	101580
attcgaggtc	caagaatttc	ttcttagagt	ttgaaagcag	cgctcccttc	ccttattgct	101640
gctgggaagc	ctgaagacat	attctgatcc	tcctaageta	tcgtttacag	tgttctcagt	101700
ctccctgagt	tctgacccct	aaagggatgg	ccctggaagt	gggtaggctt	tccaccattg	101760
cgccgggcac	tgtagtcttc	tttcatctgc	aaagtctgat	tcttcaggtc	agaaacattt	101820
tgaatatattt	atctcctcca	ttttctttgt	tgaactcctc	atatctgtgt	gctgagccct	101880
ctttgaggag	gttagctttg	tttgtttggt	tatttatatta	tttatattatt	tattttgaga	101940
tggagtctca	ctctgtcacc	caggctggag	tgcagtggca	tgatctctgc	tactacaag	102000
ctctgccttc	cgggttcaag	ctattctcct	gcctcagcct	cccagtagtc	tgggattaca	102060
ggcacgtgcc	accacgcccg	gctaattttt	gtatttttag	tagagacggg	tttcaccatg	102120
ttggccagct	tgggtctcaaa	ctcctgacct	caagtgatca	gcctgccttg	gcctcccaaa	102180
gtgctgggat	taacaggtgt	gagccaccac	gcccagccga	ggttatctct	ttttctcacc	102240
tattttcttt	gggattctct	ttgatatttt	ttgttctact	tcctgagaaa	tttctcacc	102300
cgtatcttcc	aatctttgca	gagatcttta	tttttgcaat	catgcttcta	atttccatgg	102360
tttctctaga	gttcccttgg	gtttccttgg	ctatgttttc	catattctct	tatctctatg	102420
cagatatcca	ttatccgagt	tttgaaaacg	gtattccacc	tggcactgta	gctaaggttt	102480
gcagcttctt	ttccttcctc	tttgcttggt	tgcttggttt	tgtcttggtc	ttttccacag	102540
cagggtgtgc	cttgagtgtc	tggcattctg	ggctgtctgc	ttctatctca	gcagctgcct	102600
ggaatctctg	tgtgcctgtg	gcagagtggg	gatgcgtgtc	aaactgccag	cttcccagtt	102660
ggatgctttg	gtggagcagt	accttttttt	tttttttttt	tttgagatgg	agtctcactg	102720
tcgccccaggc	tggagtgcag	tgggtgtaatc	ttggctcact	gcaacttcca	cctcccatgt	102780
tcaagccatt	ctcctccctc	tcagcctccc	gagtagctat	gattctaggt	gcatgccacc	102840
atgcctggat	aatttttgtg	tttttagcaa	cgacagggtt	tcgccgtgtt	ggccaggctg	102900
gtctcaaaat	cctgaccact	ggtaatccgc	cgcccttggt	ctcccaaagt	gctgggatta	102960
cagggttaag	ccaccgtgtc	tggccgatgg	agcagtatct	cgagggacct	ccaagtgtcc	103020
aaacctaggt	cttttctctc	cagctggcca	gtttccaggt	gagggggcct	tttaaccttcc	103080
ccgggggtgtg	gggtgggttg	gtgtgacctg	ttctcagttg	gctgcctgcc	gccaggctctt	103140
cctgggggtcc	cgggtccccgc	agcctctcgc	acaatccctg	gggaatgaac	ctccgcctt	103200
ctgcagggtc	gggagaggga	tgcttgctga	ggaagacatt	cagaaaacct	caattttctc	103260
cccaccctca	gaggtccctg	gtgcctccag	gcccagagcc	tttctggggg	tctatgatgc	103320
aaaccagttg	ccttggtggtt	gccccccacc	cgggcttggg	ctctgctctc	tcagtctcta	103380
agctgtttcc	actcccccat	gtgccttctt	gcttcccatc	ttcaaggcca	cgggtccagct	103440
cccgttctct	ttgttttgat	cccttctttg	actctcgagc	ctgtgggagc	gaggggtgtt	103500
gatctgcagt	gttgagcagg	gttctctggg	ctcctgcagg	ggaccagtg	ttgagccac	103560
atacacctcg	ctcagtaagt	agtcacctag	gactgtgcag	ggcaccaggg	acacgggtgg	103620
gagtgaatga	tgggtccctgg	tctcacatct	gtgtccgtgc	cagtgccagg	gggcctgggc	103680
tgtggggaaa	ggaggaatcg	aggcgctcag	ctcaggaggc	ttttcaggag	caaagggtgc	103740
acagttgggt	tcaggcaggg	aaagggtgta	gcagcggctg	ggaaaacaca	caccagaatg	103800



tcaccttccg	aggcctgagg	ccccaccagg	tagccagaag	gtccaggata	cagtttagta	103860
attaagacct	tggggctctg	cggacacgct	gcctgggggtc	agaccctggc	cccaacactc	103920
acagtttgtg	gccatgaggg	actcaccac	ctcttcacgc	ttcagtttcc	ttatttataa	103980
aatgcgcgga	aaaatcacag	aatcctcttg	atcaggtggc	tgtgtggatg	gatgagatga	104040
tgtgtacaca	gccctccgta	tagagcctgg	tgtgtcctct	gtgaatacta	ggaatgacat	104100
ggagggcagg	tcagggagga	agccaggcca	cccaggcttc	ccccaccccc	cgccaagcca	104160
atccctggac	ctagcccagt	gggtggaggt	caggtcgggc	aggagggtag	gtcaccagg	104220
ggcgcccccg	ccaagccaag	ccccggacct	agcccagtg	gtgtcaggaa	cgtcaggacc	104280
cgctctccgg	agatgagctc	cggagagatc	cagggaggga	aagcattgag	catcatttct	104340
cccagccctc	tcaaggccat	ctctgcctgc	cacagctctg	agcgcagggc	ctggtgtgga	104400
gtgggggccc	atccatgtgt	gcagaccccg	ctggagcagg	ccaagctgtc	cctggccagg	104460
ggccagctcc	ccaccactcc	acaggctcca	gccctcacac	gcctggccct	ctagaagccc	104520
tgctcactac	ctctgccacc	atctggctgc	ccctctgtcc	tctgcagccc	cataaaccac	104580
caccagaaac	tccccaggaa	agagccctac	ccttgccctg	ctcaagaaag	gcaacgtggt	104640
gccaccagg	ctacaggccc	cgctttgctg	cttccctgcg	tgctgtggac	ctcccaagg	104700
cccttgccctg	tgagcaggga	aaatccctac	ctaaaggggt	ggctttgtca	ccaggacgaa	104760
gtgcccagg	atatgggggtc	cctggcgctg	ccatgacaaa	tgactgcaaa	ctgagaggct	104820
taaaagagca	tatttattat	cttccagctc	ggaggtcaga	ggtctgacac	aggcctcagt	104880
gggtgaaac	caagggtggtg	gcagggctgg	ttccttccgg	aagggtcccag	gaggatctgt	104940
ttccttgccct	tttccagctt	ctagaagctg	cctgtgttcc	taggctgggtg	gccccctcct	105000
ccatcttcac	atccagcacc	gctggctcag	tcttcatgtc	atgccttgct	gagccttttt	105060
ctgttgctac	agctgtctcc	aatacaacca	ggaacgggtc	tacactttca	cggacttggg	105120
tgattagatg	ggtcccat	ggataatcca	ggctaaattc	catcttcagg	tccatgacct	105180
taatcacatc	tgcaagatcc	cagagctggc	aattgggtcaa	tggtggctga	agttgggttt	105240
ggggaggctg	aggctgcagg	atccatcacc	accctggggc	tccgcacatg	cctgccactt	105300
ccacccctgg	ggtttgaatc	ctgaccctc	cacttattaa	ttctactaac	ttgggtatca	105360
gttaaattac	ctcatctctc	taggcctcct	gttctccatg	tgtacaatgg	gtataacaat	105420
agcaaccccc	atgctctgca	gaaaggatag	actgcagcca	caatgagaca	tccttccctc	105480
gtaggggccc	ggtgacctcc	agcacagcag	gactgcgggg	ttcagtcgag	tcacccccaca	105540
gtactgagga	ggagcggcat	gccctccac	tatgtacaca	cacagtcaga	gaggtttagtg	105600
agtggccagt	gacgcacatc	caggaagtgg	ccacctctc	cctgtgctct	gtcctggagc	105660
tgtggaactg	agcgccaatg	aagccctgc	cagcagaccc	gcagaatagc	acctgccttc	105720
ctcctgctga	acctgaagcc	cagaattccc	tccctgaaagc	cagaggcagg	gcctggctcc	105780
aggcaggggtg	cagggaaacc	caggcgctgcg	tgggacactt	accacacac	tctcctgttt	105840
agctcagcca	ttgtggcagg	tggggcgggg	cctctctggc	ttcctgaaga	atccaggtag	105900
cctgtggttt	ctctcccccg	caggcttcca	ttctctggga	ccctcaggca	cgtctgtggg	105960
ggagcaactg	atgaggagtt	atgtgtacc	tgtgtgattg	cgagctaatt	ctttaacctc	106020
tctgaatcag	tttctctatc	tgtatcatat	tctcatggag	agtgtgagtg	tgtgtggaga	106080
tcatgatggg	ctatgcacac	ctgctgccag	acaaaacaag	acaactatca	ttacggagtg	106140
tcatgtgcca	agcactgtgt	tttgactat	ccaagttaat	cttgccttc	ctctcccacc	106200
acaaacctac	aagataggtc	gtcttattag	ctccatttcc	tcagtgatga	attcagagct	106260
agggaaagt	aagagctgca	ttaggagcta	gagggagcaa	acccttgacg	tgaacccagc	106320
ttcccagtg	aaagcccatg	ggcatcccca	cccactgtat	tgccctcctga	tgggctccac	106380
ctccatgagg	ttggactcac	taaaaacaaa	cagcattctg	gacctcgttt	ttgatgtaac	106440
atttgttatt	ttattggaaa	aagctggtat	taacatattt	atagttttat	tcaacaattg	106500
ggtaatttgt	gagacaccaa	agaaaaaaag	aatgcacctc	tgagttacag	agtccaaact	106560
gatcagggct	gacaacttga	ccaccatgta	tcccacacca	ccacccccac	caccaccacc	106620
accaacagct	tcgtcctcag	agaagagcta	aattaaaaac	aaaaccacaaa	aaaccccaac	106680
aacttcacaa	tgactatgtg	aacgcccgtc	cattcgagag	taccaggaaa	tgtaagcaga	106740
gccaggatgc	aagtctgtga	ctattacact	ggctccttcca	cggtttctgg	ttttgtccct	106800
cccctcgaca	ccttttctta	acacacattt	gatcttcaca	atttgccttg	gacatcatta	106860
ttttccagg	atccagagac	atacttttct	tcaaagaaga	tcttttccct	tcttttttct	106920
tcttttttgt	ttggtaccca	aagtttaaaa	cagaagtaag	gaactaggaa	ctgtattaag	106980
acctcctttt	gaaggacatg	taagatttgt	actttgaaga	tggtaaatgt	taaatctatg	107040
atgtgacagt	aacctctagc	tgcaaataca	agtttcttct	cttaacattt	gactcacaaa	107100
gggagatgga	tcgtagcaaa	tatccaagta	atgggtaagg	ccctcagagc	tgggttttgg	107160
ctttaacacg	ctatctatac	aattgaccac	attctcgaac	ctctttacaa	gggggaaaaa	107220
agtaatccaa	tcctttgatt	gttaaattta	attagaatag	atatgtacat	ataactctgt	107280
ccaggccaac	tggattttat	agtgatatat	aaacaaacat	tcttcattca	cgttgattaa	107340
aaaaaaatca	atgatccatt	tcctgtgtga	aatgttatat	ggccagaagt	gagtacacat	107400
gcactttgtg	cttttacaca	cacaaaagta	tactgtaatc	cactgagaat	aacctcagct	107460
gggtctgttt	cctgggttat	gttatatctt	gtaaaaaaca	aaacaaaaca	aaacacaaaa	107520
aaaagtttgg	atttggctgg	gtctctgctc	cccactttct	gaatcaaaat	gccaaactac	107580

gtggctctgc	tgcaagtcca	tgagcaaaga	cgactcagag	gggtgggag	gtttgggtatc	107640
accagaacag	gagcatctac	catggaaaca	ccaccttctc	tgtggccctc	attgtcagag	107700
gggcagaggt	cccagggat	gtgtcctctg	ggactgtgtg	gtccttaaag	taaagggtatc	107760
ctaaaatggt	cagaacatgc	aatttccttt	caaggcagt	tcagtgcatt	ggctcaagg	107820
gggtgcaagc	ccaggatgaa	gtggagtcc	ggggaggcc	acactcctga	agccaccaag	107880
cagagcgagg	agctccgggg	ggtcttctct	gtcttccatc	ctgctctca	gttctcctgg	107940
acccttgctg	tcgccaagtc	tgccatgtcc	tacttcacaa	gacagaggca	ttcctttcca	108000
aaccttccat	ttgaatgtcg	ctctaaccatg	agccgcccac	gagatggact	ggagagaacc	108060
ttgtgtgaag	acccggacgg	gttcctgaca	ccactgcacg	gcacctgcca	tgggtgacct	108120
gtgcatccgc	tcagagcctc	agcttcttct	cgtggacaga	ggggatccta	agggttccc	108180
cttatcccca	gcatccagcc	cagagcctgg	cacgcttcga	gaagttggtg	tttatggagg	108240
aatgaatga	acaccacac	cacagtcagg	aggaagattc	caaaaaatcg	tgcatgggag	108300
tcagtgtccg	ctccgggaag	gtgcccagtg	aatgctgaag	ggtgaggcgg	cagggagggc	108360
tgcaargggg	aagtcaactg	cctctagggg	tgagcaccac	gcctggtaca	cagcagaggc	108420
tcagcaaatg	gcaggtgaat	cagatgagga	cacaggcaca	cagaagacaa	acccactcc	108480
gctcctctcg	ggaaaccgca	ccagacctgg	gacctgggat	gtttcaagac	attcagaaga	108540
cctaggagag	gagcttgcat	ctgcaaattc	tcagcatgaa	ttcaccatcc	aaaaaacaac	108600
ggtgagggtca	tcagctctga	gacagggcga	attgccccat	ttataaccaa	aagaacccct	108660
ggctggctcg	tttgagactc	atcatctgtc	cctggagccc	tgatctggga	ccagtgaggc	108720
atgggggaga	agcagctccc	atcagctccg	gtccctgcaa	caggacgcac	tggagtgaag	108780
aattaacccg	gacgcataaa	aagtccattt	gatgtggtaa	agaccgcaga	ccgagacagg	108840
aagggacgtg	aatgaaagaa	ccctgaactg	taagactcca	cagtcatgtc	cattttatga	108900
tttgtggcgg	tgaacgcttc	ctttcctttt	tattttttta	aacagacaat	tactgccaaa	108960
cacaatttgc	gcctaggaag	gctggggcag	ggagggggcc	caaacttcct	gtgtccacac	109020
actgccacct	ctgcagctgt	cctcatcagt	gctgtgactt	tcttccctc	cttgcatgtc	109080
ggtcgtgaag	gtcatgtcgg	ggatgacttg	catgaggctg	ggtggcaggg	gccgggaact	109140
gcacatacct	agtgcagtgc	agagtttacc	ttgtcctgga	agatgtacag	gttgttggtg	109200
gcggcgatgg	caatgatgtt	ctcagccggg	tgccaggccg	tgtgcaggat	cttcttggtg	109260
aagtccaagc	tgtccacact	gatgtcatca	cgccggcgct	tgccccccac	gcacacgcgc	109320
cgtggcttga	gcacagcccc	gggcttgctg	ctttccctcg	aggcctccag	ggtcacgtcc	109380
cgcttggtgt	tcggatcgaa	catgcggaag	aagttgttgt	aggccccggt	catgatgacg	109440
ctggtgggag	aaggagaggc	atcaggtgag	gaggagcaca	agcccttctc	cgagaaataa	109500
gcccaggtgt	gggggctcac	gcccataatc	ccaggacttt	gggaggcccc	ggtgggagga	109560
ttgcttcagc	ctaggagttc	aagaccagcc	tggacaacat	agcgagactc	cacctctaca	109620
aaaaaaaaatt	aaaaatgacc	gtagtccag	ctattcagga	ggttgaggca	ggaggatcac	109680
ctgagcctgg	ggaggcagga	ggatcacctg	agcctgggga	ggcagagact	gcagtgaact	109740
gtgatttacc	actgcagtct	agcctgggtg	acagagtaaa	actctgtccc	aaaacaacaa	109800
acaaatgaaa	aagcaatccc	agagcctaca	gagccatcac	tccttggaag	gggaaaccac	109860
acctgcctct	attcccctgt	atcttggggg	ctcttatacc	ccctcacatg	tcagctgcca	109920
ccaacatgca	gactttgggg	ccaggagcta	agatcctttt	tatcctctgc	cccaatcatc	109980
atgaaaatac	cctcctggcc	aggcgtgggt	gctcacacct	gtaatcccag	cactttggga	110040
agccaaggcg	ggcagatcac	ctgaggttag	gagtttgaga	ccagcctggc	caacatgatg	110100
aaacctgtct	tctactaaaa	atacaaaaat	tagctggaca	tggtggtggg	cacctgtaat	110160
cccagctact	caggaggctg	aggcaggaga	gttgcttgaa	tccaggaggc	aaggtgtgat	110220
tgagccaaga	tcgcccact	gcactccagc	ctgggcaata	agagcaaaac	tccgtctcga	110280
aaaaagaaaa	gaaaagaaaa	gaaaagaccc	tcctgtaatt	tctgttagtc	caggagagaa	110340
agctctggcc	ttccaaacag	actgtgcaac	cacagcagga	ggtagacatg	gaagcagctg	110400
ggacagaaaa	ccaccaggcc	ctgcttccct	ccaggggccc	gcctgtccc	aggactcggg	110460
cgaataaaca	aacatgcatc	gccatgaggg	tcggggcgag	cagtgtctgac	gtgcaggggc	110520
tcgctgcct	caccgtccc	ctaaagagaa	ttccacacca	tttctctgct	ctccctgctc	110580
ctaaggagaa	ggggttccct	ccggtgggag	gaagggttaag	ttcatccaca	tagtaagagg	110640
caggagagaa	agcacagttc	tgtgggcctg	cgcccagagg	gagggttttg	gggtttggcc	110700
tctgcagggc	cctggagcag	ctgtgaggtg	caaggtaact	ggggaggaag	aggatgttac	110760
gaaaagcgac	cataaagaag	ttgtcctgct	gaaggctctt	caggaggagaa	atcctgtttc	110820
cttttggaag	ctgagctggg	cttctctgag	gtgacactgc	tctgtgacag	aaccaggtgg	110880
atccctgggt	ctccaggggt	tatgcacaga	ggacaaaagc	tcacacgtga	gctccggcac	110940
tgcagtcagg	ggcttgggct	ctggccagtc	cgctgggtc	cggatcccag	ctctgcccta	111000
ccctgacatg	cgcactctct	tagttttcta	taagaactgg	gatcaacaag	ggaacgcagc	111060
ccctgggtgag	cgtgaatcag	gggacatagg	ctgaacaccc	cgcacagtgc	tgggcttgag	111120
gcactttgct	tcttggtatt	taccaggtag	tcctcgatcc	taatcgtcca	tgtgacaaaa	111180
gccgcacccg	ctttatatgt	gactcagagc	ctgggacaag	ggaagcagca	tgcgaggggg	111240
gccgggtgaa	cgagtcacc	agaaggggcc	tgcccaggcg	ccacaggctg	actgggggag	111300
gccacaccc	ccccgcgcca	gcacagtggg	gaggcagccc	cctttgttct	tcagggaaca	111360

gttcacagaa	tgaacctggg	tgatttcaca	caatgctggt	tcttctgac	catttagtgg	111420
aaggagagcg	acataattaa	agtcatttgc	aaccacacaca	gttcctgac	ctccccctgt	111480
tcgggtgtgg	aattcagctg	acacgtgctc	tgggggagag	ggaggggccc	ctctcatcct	111540
agagcaccag	gccgcaccac	catgagagcc	attcctcaca	ttcaggcagg	tttcttaaat	111600
tccagaaggt	tcctttaaca	gggaaaaggg	caggggagct	gcttcacctc	tcctagcctc	111660
atctgcatgt	gggaccacaa	cgccggctgc	tttcaggcccc	agtgtccgc	tcctctttcc	111720
tttggggaaa	gaaaggctcc	tgccctcgcc	acccgtggcg	cctgtaatcc	cagctacttg	111780
ggaggctgcg	gcaggagaag	tgtttgactc	caggaggcgg	agggtgcagc	gagccgagat	111840
ggcgccactg	cactccctat	ccctgtgagc	ggtcaatcac	agtgtctctc	tcgccccttg	111900
gcctggccaa	cttgggcatg	tgatatccct	gtccatgctg	attggtgcaa	aaagtgggca	111960
agtgacctac	acagagccaa	tcagatccct	ccatgagagt	tttacacagt	ccctgggagg	112020
ggttggctgg	ctgaggataa	tggaaagggg	aatgatttgg	gggtcatctc	tgaagaggga	112080
gaggtgaggg	ccagtgtgta	agaagaagca	gggaggagcg	gagatgggga	agcatggaga	112140
gaagaaaacg	gccggagaga	aaaaaacagc	cctagggata	cagcatgggc	ccctggggga	112200
gccttgccca	ggactcctca	gagcaagtgt	agggtgtgtt	gactcccgca	cccagcacg	112260
ctcggtggc	acaaatctct	ccccccaggc	aggacagatc	aaggagaact	tcattggagg	112320
gggggctgtg	aagcctgttg	tgggagggcc	tcggggattc	ctccgggtag	gtaacctggg	112380
gaagggcagg	cctgccaata	ggatagtcca	cgcaggatca	ctgcggcacc	cctgcgcata	112440
cgaactggga	tcttgctgaa	ggcatcacac	atggtctcat	ccccaaagcg	gccacgaagg	112500
ccagtttctc	agaaccactt	tccagccgag	ctgacttagg	ggcttctctc	agcacacggg	112560
ggcgagggta	gaatgtggac	cagagactga	gagagtccag	caggagagct	gctgcctctc	112620
cacagcacgc	tgccccatctg	cgttctgccc	gtgctaggaa	gccccacggc	aggggccatc	112680
gggcagccac	cacgcggcag	cagcggcgct	ctgcgggccc	gaccaactgt	cagagggggg	112740
caccaggaat	aagagggcag	caactgggag	cctgccagga	ttcgagtttg	ctttggtctg	112800
caaggatgtg	ggaacctggg	gggaatcctt	gcttctctcc	tgagcctctg	aggccctgga	112860
aggcaggacc	caggggtctg	ttatcttggg	acccctgacc	atggggcatg	ttgttctcag	112920
aacagtgtct	aaagtgaact	gggaggtggc	acacctctat	gccttctaga	aacaccacaca	112980
gccactggac	acacctgagg	tccccagtga	agggctcaga	acaggttgag	tcatagtagc	113040
cccccagggc	acccccacca	ttgcgggagg	caaacaagga	cagaggttcc	agccgggcag	113100
agcagagcca	gctgtggagc	gagagacagt	gaggcgggtg	ggggaccact	aggacagggc	113160
gtggctggcg	tgtaaagtgc	acgcaggaag	tggcgggtgg	gaggcaggac	aggagagccc	113220
aggcctagac	accactgtca	gcctggggat	gcttggcgcc	ttctccagtc	ctgggagcag	113280
gcatcacctg	gccgcgggtg	ccccctgggt	gcagcttgaa	ggaaggacgg	gcagtgggtc	113340
gcagccagcg	gggacctacc	ccgcaaaacg	cacataaaag	ctggaatcag	cttggttacag	113400
ctgcaggctcc	ctctcgtccg	atttggtatg	accctcttgg	gaccactgc	accagggaac	113460
cccaaagtca	gctcagcagc	atgggaggag	ccctgtctgc	tgggggtgtc	tgggatctat	113520
ctggggggcag	ggcctagaga	gaaggctcctg	tgctctgctg	accagctgtg	gccagcccag	113580
ccccgggtcg	ggcctccatc	ctggttttct	aagcatcctt	tagtggcccc	ctgtgatcac	113640
catgccagcc	ccttgccctga	gctcgggctc	tgctgagaga	ccctgcggg	ctgggggagc	113700
tccaggatgt	tggcaactct	ctcagaaatc	tccttccctg	gacacaatga	cttgggcccc	113760
cacttggatc	cagccctgct	tccagggggc	tcctcctctg	tcctgtctct	gccatgtcca	113820
gccctcccct	catcccacac	accaaccctg	atggtcccag	ccctatgccc	agagccacag	113880
agagtcatag	tgcggcagct	ctcacatgac	caccacagtg	ccagccaccc	tcagaggtct	113940
gggagagccc	agacctgtca	gtttgactga	tgccatccac	aggggtggaca	gccccccacc	114000
agggtgatgcc	caagtcaggg	ctgctggctc	tcactccacc	ctccttgccc	accactctg	114060
acaggactgc	ggggaggagg	tgacagtaca	tgggctcctg	acaggtggta	ttctgatcta	114120
gcagccagtg	tagtctttat	ctccacactg	tgtatcatct	ggagacccac	ttctgaatct	114180
gggcgggtgg	acaaagaggc	atcctgtcct	tgaggaagca	gctgtaggag	acactgagag	114240
gccacctctc	agcttctgag	atcgaaactc	acagatggag	agtaggcttg	tccattttcag	114300
aatcttacgc	ctggcaggac	cctgagcaca	aagctgatgt	gatttgggag	ggcagaagag	114360
ggattttccc	acctccagaa	tggaggaaga	atcccagaga	agagacacag	aggttaaggac	114420
ccacgggtag	aggtcaggct	aggagccctt	gccacagccc	ccttgtccat	gcccgccttg	114480
ggctgagccc	aggctaggga	gacacaggaa	ctcacttctg	gcactggggc	gccactttcc	114540
aggcgggtgg	ggttgagaga	cggctggact	tgtggattgt	gacaagccct	ggagggtgta	114600
ggagctccaa	gggtgcccctg	agcctcagcg	ggcccgagtg	gggtgtcacc	aggaagagag	114660
ggagacagta	gtggtgatgg	gaggaggggt	gagtagaccg	atggtcaaag	ccacaggggt	114720
gcagggtgtg	ctcaggacat	acaggtgtgg	atggatgatg	gtgaccgggt	gctgggctat	114780
agccctcgcc	cccgacaagc	tgggagaggg	gagcacatca	ccggggaccc	tgaattaaact	114840
aaacatgttc	ccactactgc	ccatagggca	ggcgccaacg	tggctgtgag	gttcagtgc	114900
agaagatgaa	gaatttcatg	tcctgcccct	tgaatctgag	cgctgagagt	tggacctgct	114960
ctggaaagcg	tgggcttcac	ccagacacct	ggacccattg	aggctgagta	gccccatgct	115020
gcgggtcacc	ggaatcccag	cccagacccc	tgcagggcag	aaacctccc	tacggtgagg	115080
tgagggtgcg	gctgaggtca	gggcttacct	gtcgtccccg	ttccaggcac	attcaaactt	115140

```

gtcgaaaatg cagtcgttct cgtacagggg acagagcttg ctccgaaggt agtcatggac 115200
ctgggtgggat aagggatgag gtgagtggac ggggcgtccc gaccatcctg gcccttccac 115260
aagaaggggtc tcaaagagca gcgagggtct gcatgccctg acatggccca gcgcagacct 115320
gctcatctca gcgaggggtct gaatgctctg acacagcccc acacagccct gctcatctca 115380
tcgggagggcc catgaccagg cacacggctg accccgaccg tgacacagcc caatacacgc 115440
ctgctcatct tatcgggggg cccacgacca ggcaacaggc tgacctccac cgtgacacag 115500
cccaatacacg ccctgctcat cttatcgggg gcccacgacc aggcacacgg ctgacctctg 115560
agctgtggcc agagacggga gtagcaccag ggagcagagt ccactgtgac aaacagaacg 115620
ctcacagcac agggggccagg accacctggg gtccagatcc tggctctgcc ctcccagctg 115680
tgtgatcttg gacaagtgat ttcattctctc tgagcctcag tttcttcaaa cttaaagtga 115740
taagagggcg aacctcacag tggttctggc attaagtga gggcaggcct tttgagggtg 115800
atgatctccg agaacacagg gtggcgccca tcaagaaagg ggaagaggga acccacagag 115860
gtttctcatc catccacagc acgaggcact gaggtcaca gggtcacaca gcctctaaga 115920
ggctgaccag gacccttccc caggattccc gtacccca ggaagagagg tgacaccca 115980
ggacctgcat ccacctgact gcagccggte ctacaagccc tgtaccggga gggccgcatg 116040
agtgccagcc ctctgctgag gctggagctg ccaggacaac agggcacggg ctctgccctc 116100
tgggtgcgga agggaaagga actgggtgcc atggagcctg gtttcaactc ccaggagtgt 116160
aaattaacaa ctccaacgaa cacagaaaat gtgaagggtg gtgtgaacgt caatttctgt 116220
tgtcagcttg gctgggcca ggtaccaga tacttggtgt ttctgtgaag acattttgta 116280
ggggagggtta acatttaagc tgatatactg agtaaagcag gctgcoctcc atcatgtggg 116340
gggccttgte caatcagtcg aaggccctga tagaacaag acagacctcc ctgaggaccg 116400
ggggattccg ctaacagatg cgtgtgggct cgcatagtca ctctcccctg ggtcaccagc 116460
ctgcccgcct gctctgcaga tttagaacat gccacgtgag ctaattcctt caaatctccc 116520
ttctttctca gtctctatcc ccactctgtt ggttctgttt ctctgagcca tctgactaat 116580
atgggtggcaa ggactacaca ggaaaacaga gtggcactag gggaaagcagg attggaggga 116640
agggcctgct attcactgca cacaggatgg ttagacaagg ctacctgact cccgcctggg 116700
gccctgctca tccctcccca gcccctgtg cctcctggtg acccttgctt tcccctggg 116760
cccctgggct gcagccccac caagctgagg gtcactgtgt tctgtctgt ctgggacctt 116820
cgaggggtgag gccgaggttc ttcttctct ctgggtccag ggtctagcac tgtgttggg 116880
acaggggtact ggctcagtat gtgtaacaac taaaatcaag ggggatgaat ggcagcaggt 116940
tttagtggtc gtgtcccacc cccggtctct catttttgtg tgtcctcctt actcagctcc 117000
cagcagcctt ggtgatgcac gcgtccaaat gcgcatgctg ttctctctgc cgtgcactaa 117060
gcatctcctg ccctctagt gagggtgag gaagagctct ggagaaagac tgtcaatcta 117120
aggtccgctg cttgctggct ctgtcacaga tttgccattt aactcaattg tcttccaata 117180
aaatgggatg gggagaatac cggccccacc tcccaggaca gctgggaggc ttagatgagg 117240
caaagcatat tatggactta cctcagtggt gctcattcaa caaccgtccc cagccccttc 117300
acccttgctt tcttcaacca cagaggctgt taaaccatta atcttcccag ccactatggt 117360
ggctgccagg gacctattct agacaatgag gtgtaagaag tcttctgaga agcattctgg 117420
ggaagatttt acaatcacag tgaaacacgc aacagacccc aggggtgaga tctagtgcac 117480
ttctattttc ctgcctggaa tgtaggcaaa gtgcttgagg gtgtggcagc cactttgcca 117540
ccatgaggta ccacatgtga aggtggaaaa ccaacgcccc aatgatgggt gactggatca 117600
cagaaggaac cactgtggcg ctgcccgggt catggagccc cccaccttc ctggactgcc 117660
ctctccagac tccctgttgt gggagaaaaa tagccccgat ttgttaagca ccgcacacca 117720
gccgaacgca gtctgtctac acacaatttc tagcacatca caagccacca aaaaattgtt 117780
gttgttgtg ttgttttatg tagttattgc tattatttta gcatcaatag gtcagctggg 117840
ccagatggca agtgcccagc ttacggcctc accgtccaga acagtcattc cctcctctcg 117900
tggggctcct catgagaatt tcagaaagct gtgtccccct cccctgaaa atgctcatag 117960
aacacatttc acgtagtttc aggggttcat gggcctttgc tgacctcagg gatggaggta 118020
agtgaccgga caaggggccc gagggggttg gaaatgttca tttccctgag ctgcctccag 118080
agggagccag agagttgctc ctgcaggctt gagccgggct tatcctgtcc ctctcctagt 118140
ctggggtctc tgccattccc acagggacag agggggctg agtcctgcct ggggtgtgca 118200
gtgtgaggag ggggcctgag ggaggagctg gggcagtcgc aagaactcaa gtaaacacac 118260
gtggctgaca aacaggcggt ccccatagcg gtccttgttg gtgtgtggct tccaggagcg 118320
tgagctgttc ctctggggcc caggtcagat cagagcagcc caccctctga gctctgcacc 118380
agtcccagc gaggcctgcg ccaccagga cgctttccta ctaggtcttc gcacggagga 118440
aaggaaagcg tagggctctg agcctgggct ctgaattctgt caccgcccag ccgagagaca 118500
cctccctcat ctccctacct ctcaagtccc gagttccctt tccaccaa ataggatgatg 118560
ctccttgtca ccggacagta aagaatggag gtgacagatg tcaagcacgt ggcaccccat 118620
gtgtgaggag tgacacgggt aggaaccggc tggggtttct ggtggggtgt tttcccacc 118680
atgtttgcac ggccagatct taccatcct tcaaggccca gcacaaatgc cactcctcc 118740
aagaagcctc cctgatctcc ccacctaact ggaaccagct ttgaagccat cccacatttc 118800
tttcaagtcc acattttatt ttaacatcac atgagttttg ttgtctacce cctaacatat 118860
ctgaatggat gataatagca agataataaa taatactgtc caagaagggc ccaggcttca 118920

```

cctagactcc	aggettatatag	gcctgtgctg	aggatctgga	aaggaaacat	gtgctcagtt	118980
cacctctgcg	tgcactgctt	acggatgcac	cctgggaggg	caacgccttaa	ccctcttttaa	119040
tggtacagct	ccgatgcagg	ctcccaggga	gtggggaggg	aagccatcgt	ctacatgctc	119100
cagctggggcc	cagcctgacg	ctcatctctg	ttcccacatc	tctttcctcc	ctggaattga	119160
ggccccctggg	ccctgggactg	caggccttgc	tcaggggacat	ccaaagctcc	ctgtgaggca	119220
agactgagca	ctcctgccct	ctgccaaagt	acgtgtgggg	atgagttgct	ggatttcttc	119280
agcctccgtg	tcttcaccta	cataccgggc	atatgaaagc	cacgcctggc	taggaaggcc	119340
ccctccatgg	ggatctcagc	atagggaaaa	aagaccgggg	attgggggtc	tctgtctgtg	119400
gtgcccacct	ggtaggtctc	tatgggtctt	gcctccatgt	tcagggtcca	gaccttgact	119460
gtaaggtagt	cccgggtgag	catgtagcgg	cgcgtgtggc	tgaacttcac	gtcggacacg	119520
gaggagatga	tttccgagaa	gaatgagcgg	ttactggggg	cctcaggctc	ttcaaagact	119580
gtggagacag	agaagcaatg	gccgtcactg	cgctgtctcc	gcccattggg	ttggcacgac	119640
ggatgactct	gttttgaccc	tgggcccattg	ctctgtttat	tcagtcatte	attcattcct	119700
caaaccctaga	actaaacact	taccagggaa	caagcctggg	aagattctgt	gctgtgcaga	119760
aatagccatt	actatcccca	ttcatagcca	agaaaatgga	ggagcagctg	gctaaaaccc	119820
atgcctgggg	agtcagtgtc	ggaagaagg	ggtagagtcg	ggatttgaag	ccaaagctat	119880
acttgatgtg	ctgccctcta	ctgcccccta	ctggtgatgc	tgaatgccag	attgcaaagg	119940
tgtcctgaca	ttctcaaatg	tgtctgacaa	tgtcctctac	cagactgggc	actgcttgtg	120000
gctctggcac	taactggccc	tgggaccttg	ggccagtagt	tatctctgtt	catgggtgtc	120060
tgggcaggca	tggctgagcc	ctacttatag	gtgggttttg	tttcattgcc	atggggtttg	120120
taacaaaatc	aaatctgact	gccacagagt	tggtacagtc	tcctgtatgc	catccactga	120180
ccatctcctt	ttttcttgga	gcacctgtct	tgcacaggaa	gttgcttate	tggtccctaa	120240
aggcaacggg	ttgtcgccca	cctggacaat	tatagactgg	gacagagtgg	gcaatgagga	120300
ctcccacagc	agtgtccct	cccactggc	cccataacct	ggccttcctg	agctgcagaa	120360
gttccc aaag	tgggacaagg	tctctaagct	catcttctgt	ggatctgttc	tcactggtag	120420
cagtgcacct	ggggctgaag	tagcgtgggg	actaggaccc	ctgttggggc	aggcactaac	120480
tccctaggac	ctggggccaca	gagagaccca	gggaacgatg	ggaagagaac	agggtgggtg	120540
agttgacagc	cattcaccag	ccaatctgga	aatacctaaa	cctatgacaa	cctgtccagc	120600
tgtccccatg	gaaaccggct	gagtggcagc	cttgccctgt	ggcctgtctt	ggtctctacc	120660
ccagaaacag	ggaagcagag	ctgatcacag	caccctgagg	ctcccagag	gccccctcct	120720
gctggccccct	ctcagccaca	agggtcctgt	tcctgcctcc	caggctctgtc	ccagccccct	120780
atccccctcat	gggaaatggc	agcaccctcat	tctccctcct	gtccaagggtg	gacactgtac	120840
ctggccactg	cctctccaga	aatacaactc	ctgtccagct	cccctctgca	gggcccactg	120900
gatgccctga	tggactcatt	cattcattca	ttcatttatt	cactcagtca	accaatgcaa	120960
acagcaccta	ctctgtgccca	ggccctggga	tgatgcagtg	accagcataa	agccactgtt	121020
cctgtgcagc	caacattctc	cctgcagata	cagacaataa	aactaagtgg	cgccctccac	121080
cgccaggag	cagcaagtgc	tggggaggaa	gagccagcag	gcagataggt	gctgggggct	121140
ggtagtttag	gtgaacagg	cctccgtggg	agggtgtgtt	tgaccaaggt	ctgagtgaag	121200
ttggggagag	attggtggcg	atgcctggag	aggggtgtgc	tgggcagaa	ggacggcaca	121260
cgcaagggcc	ctgaggcagg	gacacgccaa	gggcccgtgca	ggcagagaaa	ggagtgagca	121320
gggggaacag	ggacgcaagg	ggccaccac	gcaggatctc	atggggccacg	gagaggggtg	121380
aggaagtac	cattagggaa	acgggagcca	ctgagggttc	agagacagg	aggatgaaat	121440
ctgagtcaag	gaggtaggga	ggggcaggca	ggaggctgga	gtccccctcc	gacggaggaa	121500
ggaagttcca	gcacccgggtg	ggccagggtc	gcagagccca	gggtgcacca	tctgtatccc	121560
aggccactgc	atgcaggag	gtgaggggag	gtgagaggag	ggggagggaa	gctgcttaca	121620
gggcaggaaa	aggctccac	gtttatgttc	atgcctctgg	tatcccccca	aatcagagca	121680
ggcagcagga	ggaaggctcc	ccccacctct	cctgagagca	aggcctccaa	acacctgtct	121740
ctgaagcaga	cccctgaagc	tcaggagatc	tatatccctg	tccttagcct	ctccacagcc	121800
tctggtgagc	agtggcagcc	ttcaacccca	cacctctgcc	ctcaaagcca	tggcactgca	121860
ccgggtatcc	tgagggcagg	tggtcgctcc	ttccagtcct	ggcgtcaaga	tcagggaagga	121920
gggaggggagc	ctagttttatc	cactaataag	tggtgtcata	ttttggaatt	agaatgctat	121980
caggctggca	ggtgttttaac	gaaactcaaa	actgacagta	ggcgccctccc	tttccaggag	122040
cccaacccac	ccctccacac	gccccagtc	cccaggcctg	cctgcgacct	caatctccct	122100
ccatcgttca	cagggggcgcc	cttctcagtg	gcccagagctt	tctcttttcc	acaagggcac	122160
attgaaggga	ggaccagaaa	gaaaatcagc	accatgggaa	ggaagggtga	ggccgctcgc	122220
agagggagct	gggagagaa	aggctgccag	ggtctcaatc	cccagacccc	tcgtgtggcc	122280
ttgaacgcct	tcacctccct	gagccctggc	cctgtctctc	cctacaacag	gagccaagg	122340
cgcttttcag	gaaggggcag	gaggagggg	ttgcagccag	gcctggcacc	accctgggta	122400
caggcagggc	cgcaggcagc	aaagatgctg	tacagagtga	gcccagtgca	cgatgagtgc	122460
tgagcccta	ctgacttact	tccctccctc	cctmccctct	taacgaactc	ctttttctct	122520
ctccctcctt	tccctccctt	tttttctttt	ttctctcctc	ctctctccct	cttctctctc	122580
tccctctctc	tctctctctc	ctccctctct	tcttttctct	cttctctctc	cctctctctc	122640
ctcctctttt	ctctctctct	tccctctctc	atttctcttc	ctctctctct	ttctctctct	122700

```
ctccctcttc acacactccc ttccctctctc ccccccctttt tttttttttt ttctatcctc 122760
ttccctttttc cccctcctcc catctttctct ctccectttc cttcttctct cctccctctc 122820
ttccctcccc cccccccctc ccttcttctct tctctctctt ttctcctcc ttctcctctc 122880
ttttctcccc cctccctctc ctccctttctc tttctctctt tcttctcttc tttcttttct 122940
ctctctcttt cttttccctt tccctttctc ctctctctcc cctctctctt tctttctctt 123000
ctccctctctc cccctttctt cttctttctc ctccctcctt cctcctctc tctttctctt 123060
tctcctcttc ctgctctcc tctcttcttt tctctctctt ccttctctt ctctctcttc 123120
ccctccccc tactccacta tccccccctc ttctttcttc cctctctatt ctctctcctt 123180
tcttctttct tcccgctctt ctccctctct ttctctctc 123219
```

<210> 544

<211> 160755

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> 19206..21206

<223> 5'regulatory region

<220>

<221> exon

<222> 21207..21387

<223> exon 1A

<220>

<221> exon

<222> 21864..22188

<223> exon 1

<220>

<221> exon

<222> 34799..34930

<223> exon 2

<220>

<221> exon

<222> 37172..37409

<223> exon 3

<220>

<221> exon

<222> 50385..50523

<223> exon 4

<220>

<221> exon

<222> 57261..57395

<223> exon 5

<220>

<221> exon

<222> 59355..59458

<223> exon 6

<220>

<221> exon

<222> 60623..60747

<223> exon 7

<220>

<221> exon

<222> 61570..61682

<223> exon 8

<220>  
<221> exon  
<222> 63244..63372  
<223> exon 9

<220>  
<221> exon  
<222> 63817..63916  
<223> exon 10

<220>  
<221> exon  
<222> 64902..65002  
<223> exon 11

<220>  
<221> exon  
<222> 65487..65654  
<223> exon 12

<220>  
<221> exon  
<222> 67211..67282  
<223> exon 13

<220>  
<221> exon  
<222> 67671..67928  
<223> exon 14

<220>  
<221> misc\_feature  
<222> 67929..160755  
<223> 3'regulatory region

<220>  
<221> allele  
<222> 31547  
<223> 99-32148-315 : polymorphic base G or C

<220>  
<221> allele  
<222> 50558  
<223> 19-51-347 : polymorphic base A or G

<220>  
<221> allele  
<222> 63270  
<223> 19-56-140 : polymorphic base A or G

<220>  
<221> allele  
<222> 65025  
<223> 19-44-251 : polymorphic base C or T

<220>  
<221> allele  
<222> 67348  
<223> 19-46-322 : polymorphic base C or T

<220>

<221> allele  
<222> 67963  
<223> 19-47-315 : polymorphic base C or T

<220>  
<221> primer\_bind  
<222> 31412..31432  
<223> 99-32148.rp

<220>  
<221> primer\_bind  
<222> 31844..31862  
<223> 99-32148.pu complement

<220>  
<221> primer\_bind  
<222> 50215..50233  
<223> 19-51.pu

<220>  
<221> primer\_bind  
<222> 50613..50631  
<223> 19-51.rp complement

<220>  
<221> primer\_bind  
<222> 63131..63150  
<223> 19-56.pu

<220>  
<221> primer\_bind  
<222> 63543..63561  
<223> 19-56.rp complement

<220>  
<221> primer\_bind  
<222> 64775..64793  
<223> 19-44.pu

<220>  
<221> primer\_bind  
<222> 65176..65194  
<223> 19-44.rp complement

<220>  
<221> primer\_bind  
<222> 67027..67045  
<223> 19-46.pu

<220>  
<221> primer\_bind  
<222> 67435..67452  
<223> 19-46.rp complement

<220>  
<221> primer\_bind  
<222> 67649..67667  
<223> 19-47.pu

<220>  
<221> primer\_bind  
<222> 68051..68070  
<223> 19-47.rp complement



<220>  
<221> primer\_bind  
<222> 31528..31546  
<223> 99-32148-315.mis

<220>  
<221> primer\_bind  
<222> 31548..31566  
<223> 99-32148-315.mis complement

<220>  
<221> primer\_bind  
<222> 50539..50557  
<223> 19-51-347.mis

<220>  
<221> primer\_bind  
<222> 50559..50577  
<223> 19-51-347.mis complement

<220>  
<221> primer\_bind  
<222> 63251..63269  
<223> 19-56-140.mis

<220>  
<221> primer\_bind  
<222> 63271..63289  
<223> 19-56-140.mis complement

<220>  
<221> primer\_bind  
<222> 65006..65024  
<223> 19-44-251.mis

<220>  
<221> primer\_bind  
<222> 65026..65044  
<223> 19-44-251.mis complement

<220>  
<221> primer\_bind  
<222> 67329..67347  
<223> 19-46-322.mis

<220>  
<221> primer\_bind  
<222> 67349..67367  
<223> 19-46-322.mis complement

<220>  
<221> primer\_bind  
<222> 67944..67962  
<223> 19-47-315.mis

<220>  
<221> primer\_bind  
<222> 67964..67982  
<223> 19-47-315.mis complement

<220>  
<221> misc\_binding

<222> 31535..31559  
 <223> 99-32148-315.probe  
  
 <220>  
 <221> misc\_binding  
 <222> 50546..50570  
 <223> 19-51-347.probe  
  
 <220>  
 <221> misc\_binding  
 <222> 63258..63282  
 <223> 19-56-140.probe  
  
 <220>  
 <221> misc\_binding  
 <222> 65013..65037  
 <223> 19-44-251.probe  
  
 <220>  
 <221> misc\_binding  
 <222> 67336..67360  
 <223> 19-46-322.probe  
  
 <220>  
 <221> misc\_binding  
 <222> 67951..67975  
 <223> 19-47-315.probe  
  
 <220>  
 <221> misc\_feature  
 <222> 11925,11927,11929..11930,11933,11947,11975,11989,12068,12278  
 12350,12475..12574,12622  
 <223> n=a, g, c or t

<400> 544  
 gaattctttc ttctgaggag gcaagaattg aggttgctgc aggcccgtag agattcactg 60  
 ctgctaaccat aatcaaacat gcctgaccct tgccctcccg tcatggcccg aactagtttt 120  
 tcagatttac ttgggaatct ccttgcccaa gaggcagggg ggctccattt agtagtttg. 180  
 taggcttaga attttatttt tggtttacac tccaaacacc aggtttgcct gatgtttgta 240  
 cagtgatgta caatgtccct tctgagtggt tgtcactctg gagttcattt ctgcttcgtc 300  
 caggacacca taaatgtgaa cacacattga gactctacag tcctttaagg gtagcaattt 360  
 caattatttt atcagattat ataattctct gtttcacgtg tgtagatctg agatcacact 420  
 gcctgcaggg gctctgcttt ttcttctttc ctgtgggaaa gatgctaaag catgaaaaga 480  
 tgcaaacaca taaaaacaac aaaaaaagta tgctaaggga gccccaggga gtgaagggtcc 540  
 acaccacaac accacgcact cagagaaagg gacatcaaag ctgatcctgc aggatggata 600  
 ttcccttatc agacaatggg gtgggcagtg gggtagcggt gtggagggtg ggaagggtgc 660  
 cctaggtgga gagaatggca tgtgcaaaga cgagtagggc agggaaacagc aggcaacact 720  
 cccacaggta ggagttcagg tggatggcca gcaatggcta aggagggttg tgggaatgga 780  
 gaatcctggg tggtcatata gaggcaaagt gatagtcctt tcccacacag tgatagccct 840  
 ttccaccatc atcaggtcag tgctggtgca aagagatgga agtgtccagg gcagggatta 900  
 caaactctca aacatcacag aggctggtca gaaacataac gcaggtagga agtaaggagc 960  
 ctgaggccca ccagaagagc ttgtgccctc tccaaaactc aagagtggcc agacagccgg 1020  
 gcacagtacac tcacgcctgt aatctcagca ctttgggagg tggagggtgg cagatctttt 1080  
 gaggtcagga gttcgagacc agcctgatca acatgacaaa atcttggtg tactaaaatt 1140  
 acaaaattag ccagggtgtg tagcacaccc ctgtaatccc aactactttg gagcccgagg 1200  
 caggagatgc acttgaactg ggggggcaga ggttgtagta agccaagatt gcactattgc 1260  
 actccagcct gggagaccct gtcaaacaca cacacacaca cacacacaca 1320  
 cacacacaca cacacacaca tacacacaag agtggtcaga cagagctcct gatgctttat 1380  
 gagaagccag aattgcaggg gttttatgtg aaatttcctg gattgcaaag cactgggtgt 1440  
 accaaataaa caccactggg ggctgtagct ggcccacaag gcactggctg gtggtgactc 1500  
 ctgctaataa aggttaactc ttccatgatc cgccttgaac attgggctct gcaatgccac 1560  
 agctgcccta gtgacccttg gcaggcacct tcttgagtga ttccaaatag ttatgacctg 1620  
 tccttggtga gagaggaggg gcagggtctt tgagggtagt gaagcagtag aaatgtttgc 1680

atctctcagg	gatgcaatcg	atgtaaacca	gataaatgaa	accacagaaa	gtcagtagct	1740
gaggcagggg	tgaaatgtgt	ccccgtggcc	tcttaagcaa	ttagctttga	tgccccctggc	1800
agctgctgaa	ttccaaaggc	aattccaggg	gctttgattt	gaagccagtc	tcttaagacc	1860
cacttaaagg	caggggggtac	ccagagaaga	gcaaaaccag	ggtgggtggt	ggtgatgggg	1920
gtggggagag	ggagtgggtg	ttcctgtcct	caatgtctgc	agagtgtgct	tggttaaagg	1980
tgagtaccca	cttcttttgt	gtagatctag	gagctaaacc	cagggccagc	tggtggaagc	2040
tacagggagg	cagatcttga	cctaaagaac	tccctaacaa	tgagagatgt	ctgaaggtgg	2100
aatcagttgc	gtttggaagt	agcaaacact	tcgctcatggg	aggccttcaa	gcacatggga	2160
aatggccact	cttagggcta	caatggtaaa	gagaagtgtt	gttttgata	aactctgaag	2220
tcctttctat	cctagagatt	ttgtgattta	tcttattagc	aatatttcat	ggtgttcaac	2280
tgaccggttt	atctggggtc	ttgacttttt	attttaagaa	aatgtgcaga	aacttcagaa	2340
ctctctttct	actccggaaa	tgagactctc	tgcacgtaaa	atataacaag	tgccaggtaa	2400
tccagaacca	tgatacttta	gaggcacagg	taatagggag	tgactggcag	tggtctcatc	2460
tgtgtctgcc	tggaagagt	taaagtatta	tataagccag	acttctgaaa	aacgggaagg	2520
ggaatggaca	gatgggatac	gggagactgg	aagtaataag	aagtcaaatg	gctgagtcac	2580
tgaactaatt	tcaaagtctg	aaggtaacag	gaaaacagaa	aatcagacaa	ttggaaagta	2640
atgaaggttt	tgtaaagacc	ccaggtggcc	aaaacaacag	gagaagtcag	gaaaacgtaa	2700
ttacaacact	gatgtgagcc	ctctgagcca	gaccatcctg	tctctggccc	ttccctctca	2760
cccaggtcct	gcctgggtcag	tagcagctcc	ccactgcagg	acacagttag	aggggtgggg	2820
ggctcaccat	tactcaaag	cactctcggg	taatgccggc	agtgatagtg	tctgtaagtc	2880
caccatggcc	agtcactccc	tcttggttaag	aatctgtctc	cccgtgacaa	agaaagtcag	2940
aacagatgtg	aatgctagga	attgtttcac	ccattacaca	gagggaaaaa	ctgtggcccc	3000
aagagtggat	cgtgtgtaaa	gtgcaatggg	gaggattgag	gtatatgaga	ctcaattcat	3060
ttctacctcc	tgaatttaaca	gaaaaggccc	atactggcaa	agttagagct	ttagctttgtg	3120
cttctgcttt	aaaaagcatc	atctctgggg	atgaatgtag	acagtctctc	aaactcaata	3180
actggctttt	gaggaacaga	gatttctcat	gttccacatt	ctaaaaagcc	acctttttgt	3240
tgacaggggtg	aggtttgagg	acgtacttaa	gaaccatcaa	aatctgtgct	ctctcctggt	3300
cacagactga	tgaagagagc	cagcggcctt	tgaagctgct	cgtgtttgtc	tgattttaag	3360
aggcagagaa	aggcccaaag	atgggtttccc	agcaggatgg	gacaagtcag	caagtttccct	3420
gagccagggc	aatcgtatct	ctaacgaact	agagagagaa	tgttcattta	gtcttttaaat	3480
ttattttctt	atattttttt	ttagaatcag	aaaatgtccc	cagatgggtcc	ttgtgtgatg	3540
gacttttagaa	agtcattaca	aacacttttg	ttttctggcc	aatctttctc	ctcctgcctg	3600
ggagaagagc	ctcaactctt	ctcacactct	ccccctcctg	gtggctccag	ggcctcctga	3660
ccagtcctctg	cttcacccctg	gcccaccgct	ctacacacgg	cagtgggaca	gaccctttaa	3720
aatacaaaact	tgatcacact	accgagctat	gaagtcttca	gtggctttcc	cactgtcttg	3780
agagtaaaag	ccatcctcct	tacagtggcc	aaaagggtggc	ttaaaatcag	gtcactgaca	3840
cttcttcatt	cactctcatc	tgcccttgct	cacaacttgg	gtggcactgc	ccttctttct	3900
cggctcaggg	cgcttctctc	caacccttac	cagtcctttt	gaacctggtg	ctgccacttc	3960
ctaactcact	cctccctggc	tctctgcagg	gctgagctca	actcaagaga	acttgaagag	4020
gacatttctg	agcacctggc	cacagatcct	tcccagacaa	tcggagtcta	actcaccact	4080
ctggggactt	gtcaatatct	atccacatct	tacttatttc	cttgtttatt	tgtttctaga	4140
cttttctcct	ggcttgactt	taagcaggaa	tctcatctgt	attatttacc	actatagccc	4200
tggctcatag	aattgttctt	gatacatagg	gatgactcaa	gaaatgcttt	tgagagggaa	4260
ggaaggaagg	gagagaagga	gggaagaaag	aagatagga	ggagggagga	aggggaaggag	4320
agaaaaagaa	agattggagg	gagagaggaa	atctctctct	ctctctctct	ctctcttttt	4380
tttttttttaa	catattctag	ttgggtttta	gccagagaag	ggtgatactt	aaaacaagag	4440
acttaaccat	ggactttatg	gcctaagaac	aacaatgttt	gggacaaggt	aagaatagct	4500
ggggactcct	caagtctcac	cttgcaagca	gccagctgtg	ttgcctaggg	gtgggacaga	4560
cagatgctag	ggaaggcaaa	gggagccacc	agttggggca	gaagggaatc	agtggaggac	4620
ctgggaaatc	ttagccctta	taggtttgca	ggacctcttc	ctgcttgagg	gactccagca	4680
tctgcctttc	aatgaatagc	atcaggacta	gcattgcccc	caaggaaacct	ggaatcaatg	4740
agagggttgg	tggaagtgtaa	atgtttgggc	cagagaaagt	gagcaccttg	gagacggagc	4800
tccgaagtgc	tgcaaatgca	atatcttcat	ttaaagactg	gtctgtaagt	ggcactccgc	4860
acacagttgt	gcaatttata	gatgatggca	tgggggttctg	gaggctggct	ccagggagat	4920
gaggttgcat	ggaccttagg	cattgacagc	cacaagactc	ctatggatgg	aaataaaagc	4980
agctacagcc	accagcagag	aaatctcttc	ttgtttgttt	gtttgtttgt	tttgttttgt	5040
tttgagacag	agtttcatct	ttgttgccca	ggctgggggtg	caaaggcatg	gtcttggtctc	5100
actgcaacct	cttctcctg	ggttcaagcg	attctcctgt	ctcagcctcc	caagtagctg	5160
ggattacagg	caccgcacc	catgcctggc	taattttttt	gtatttttag	tagagatggg	5220
gtttcaccat	gttgccagg	ctggtctcga	actcctgacc	tcagatgatc	cactcaccat	5280
ggtctcccaa	agtgtgggga	tagagaaatc	tcttctaagc	aagagagttg	tgcacacagc	5340
actggacaat	ttgccgggtg	gggcatgagc	tggttaaggc	attgggaagg	ggctgggtgag	5400
gatggtggtc	agaggcgctc	ggcaaacctc	agattctata	acattcagac	caggtccatt	5460

tccctgctgat	gaccaagtgg	actctcagaa	gccatcagga	gggtgctcgg	ctcatcaggg	5520
gaaagtcaat	tccctggggc	tttcacttat	aactttgttt	gcagatagca	agccttttcc	5580
gcccggcttc	tcatcctgag	cctttctgcc	tgtaacaatc	acattattta	atttagatga	5640
gtgaagttac	cctagatcaa	ttatacttat	ttttcctgtg	taatttccaa	agcttaatat	5700
ctccattcgg	gcccagcctg	ggggacaggt	tgtctagcag	agtcctaaac	gatttcagcc	5760
tttaattcaa	ttgtactttt	accatagccc	agcagcgagc	ataattcttt	tatccctaag	5820
atgtctcatt	agcaataatc	taatagcaca	tattaaaata	taggtcactg	aggtgggctg	5880
ccaagtggaa	ggcttgtcat	aactttgaag	gttggacagc	tgcttgggtg	ggacttgggtc	5940
ccccataaac	acaccaccct	gactctaggg	ttaattctaa	aatgatcaat	aaaacacaaac	6000
aaaaacagct	tactttctgc	agttcaaggt	taagaaccga	cggtggctag	gaaatagagc	6060
tgtggggtag	ggtaagggag	aggggaatgt	tcttgccaac	atgacgtagt	aggaaagatc	6120
tccgacctca	ggaacttggg	ctggaacctc	atcccagttg	tgccgtgaac	atgcagactg	6180
acctgcagta	cagctgttat	ggcccttgac	cttgggtgtg	acacctgtaa	aaggggaaga	6240
tactgggctt	aaagccaatg	tttcctgaat	tctggcactc	cctgatcaac	ttgtcctagt	6300
atgcatttga	tgttttcctt	taaatcaact	cattcttctt	aattaaacac	atttgtttta	6360
aaaaggaagc	tcaagtatca	acatggaaaa	acctcaagaa	tatttgcagg	aggattcatg	6420
cggaaataag	ccaactgtat	aaactttaaa	catgcacaaa	agtgtgcgt	aaaaatgggt	6480
tagacaggga	aaataaatct	aggggggttca	aggtccagat	agcagttacc	tttggggagg	6540
aggagatgt	tgacagggag	gggcaaccag	ggggactcct	cagattctgg	tcatTTTTTT	6600
aatggcctgg	atgtagtctt	atgagcgttt	ttactatgta	aaaagtgcag	ttataattac	6660
ttcaattttc	tgtgtgttaa	gcctcataca	aatatatata	tgttttatat	ataaaaaatt	6720
atatatatgt	tttcatatat	agtttatatg	tataaaattt	taggaatata	cgcaacattt	6780
taggtatatg	taaatgtacg	tgtgtaattt	taagtaataa	tatatacata	tcgtgtatac	6840
ataggtacat	atgcagtata	tgtatatatt	gagtatgtgt	gcatgtgtgt	atatagtatg	6900
tatatgtatt	attctttaata	atatatatatt	atatttaata	ataaatacat	attgtttatat	6960
aattatgcac	tatatgtatg	tataccatac	atttaatatg	tgctattagg	tatgtattat	7020
gtatgtattt	agtgaggatt	attcccaaat	gtgtatctaa	gctttcacta	tctggccact	7080
atgaacacta	gagagcaggt	atctagttag	agcagaaata	ctctatagtg	acagtgtaga	7140
tacatgcttg	ggaataatcc	acattttttt	agttaacagt	aagaaataat	gaaagaaatt	7200
ttatactgtc	atcatgtaat	aaataaaaaa	ccaaaatcac	atgccataaa	tagataacta	7260
aaaataaagc	aacgaaaaga	aagcactgat	aggagattct	agtttcatgc	ggtttggggc	7320
tgaaagttct	gacccaaagc	ctggcttcct	tctgttgaaac	tggggattag	taagtttagag	7380
tcattacaga	cacatgaaca	ccagatttag	actcactcct	tccgtaatca	gggctaaaaa	7440
agcatgaaaa	gcagtggaaac	tttctccctc	tgtgattcaa	agtaattcaa	atcagggcct	7500
gcatagccct	gagccattgc	cccttttctt	tggggctgta	cttctctact	tcaggagaga	7560
tctgagcggc	ccctccaagc	tccaactatc	ctagcttcta	agggatgcgg	gcattggcgaa	7620
aggctctgtt	acaggtgggc	tggaggatag	ggagaaaaaa	atgggagaga	gcctattagc	7680
aaaattggaa	aattttgaaa	caaagcccca	ttcctttctc	cagctccccg	gactggttct	7740
cacaaagcct	gagccagagg	caggggtggg	caggcacaca	ctccttggag	ggcagccccc	7800
agccttccca	gacacagccg	ttccacctgc	ctcctgggct	acactgagct	ggagcctgac	7860
tccttgaagt	gcgtgtttgt	ggctctgggc	ctgctcttgg	gccacacgga	atatatgtgc	7920
agcaccctct	gggtgactgca	tgtccactcc	tgaggccagc	aggtctgtcc	ctcagttctc	7980
tcctaaggcc	taagtctctc	caccaactgc	ctgacctgac	tctccccagg	acatgcactt	8040
cagcttttagc	ttcatggccc	acatccacac	gtgggcagtg	tagaccagct	gccagtcctc	8100
ttacaagaga	actgcgtgtg	ctggagggct	cagtggagat	tcctgtggcc	cttggaaacag	8160
gcagggtggc	ctcatgatga	cctctcccca	cctttgttat	caccaaggat	ccttcccagc	8220
ctggatccct	ccctcactgc	tgccccaacc	tgacccccga	agtcttccca	gcctcctcat	8280
caaaacctat	ctttcgtgca	cctccttctc	tcagagtgtg	gccagggcaa	tgttcaacta	8340
tctgctctga	gaaatgttcc	aaagagagga	cgtagggtgtg	ggaagaccct	gggaccacgt	8400
gtcggagccg	gttctgatct	cttgcctctg	tactaccctg	tgtaattttg	ggagtggag	8460
tgaggcaggg	aggtacaaag	tggggcaaag	aagtggaggg	ttcttctgcc	agctacctgg	8520
gaggaagggc	aaacctcatg	acacacagca	ttgaggggag	actggcagtg	gatgctgaag	8580
acctggaaga	tgcgcaggac	aaaggcaaaag	ggggcagaga	agaaaaatag	aagagaaaca	8640
aatgggcct	tggggcagat	cccagaactg	gtgggagggg	tggatctaag	ggcttgagggt	8700
gggaggtgag	ccttgaagag	ggaaggactc	tagctccttg	aggggaaagg	gccagaggag	8760
atggtggctg	acaaaccaca	atgtctgggt	tcagaaatgc	atcagccatg	gcctcaagtt	8820
tcccagccaa	aaagagttag	gagccctact	gagaaatagg	agctcgagca	gagagatgga	8880
gtgaggcaaa	tgaggcccaa	actggcaacc	gctgagccat	ggagatagaa	caggggtgaa	8940
gagcgtaagc	cctggagcct	gccaggatct	gggtcaaac	cctaccctct	gtccctctct	9000
agccatgaag	tccaggacag	gacgtctaac	cactttcagc	atggctctca	atctgtaaaa	9060
tgagaataat	gattgtcttg	tatgaaatga	tacttagcat	agtgcccaca	cccagtttgc	9120
taagtgaata	gaactgccaa	gtgtatagca	aatgtctatc	gtgtttatag	tacgtgctaa	9180
tcactgctga	tgcactttgc	agtcgctgat	gcatttaagc	cctccaactc	ccccaacaga	9240

tagatactat	cataagccca	atatttattat	cattattatt	attgcccagg	ctggagtgca	9300
gtggcatgat	catgcctcac	tgcagccttg	acctcctagg	ctcaagcgat	cctctcatgt	9360
cagccttcct	gagtagctgg	tactataggt	gtgcaccacc	acgcccggct	aattttttgta	9420
atattttgtat	ttttttttgta	gagtcagggg	cttgccacgt	tgcttaggct	ggtctcaaac	9480
ttctgggccc	aggcaatcca	cctgcctcgg	cctcccaaag	tgctgggatt	acaggcgaga	9540
actaccacac	ccggccctaa	gaccattttt	ataagtgaga	aaactgagcc	acgcatacgc	9600
tcgaggtagc	aaagccttgta	agtgaaggtc	aggatttgaa	ctcccaggca	gtacagaagt	9660
tgagtgccac	tactcctgct	gatcacatta	agggagccag	agatcaaggg	cctcctaaga	9720
aactaggaag	ggagggtggt	ggtattacca	gaaagagggg	tagcaaatca	ttaccctgca	9780
ccctacctcc	tagttccctt	gtccttacct	aaagaccacc	cagctttcat	tttgagggct	9840
gagaatacaa	aggaggcaaa	cttctgaaga	acatgtttca	ggtaggtggt	ctctgtatgt	9900
agtccacaga	gggtgaacta	ctgcgtgtac	caccatcact	aaacaactta	gtaggttcag	9960
gatcctgggc	acgaatgcag	agcaggacca	gcccagacta	ggtgcatccc	ccaggccttg	10020
gcttcattgc	agacaacctt	gagccaaggc	ctcatgatcc	ccttgaagag	ggtgcaattc	10080
acacctctgt	cccttcactc	ttccacgcct	ctgttctggg	gtattgatgg	atgctcctgc	10140
tacctcctag	atggtaccct	agacagtga	cgtgaagcag	cttttctccc	ttccatgtct	10200
cagaagggac	ccattcatga	cttcattgga	tagacagccc	aggcaggaaa	tggctatggt	10260
ttttgccaa	cagtcagagc	aaaaggagga	cacaccagtt	tgaggggaga	aaggcattca	10320
aattgggcaa	agctgaattg	cccacaaatt	gccacagcca	ctctcaactt	gggacaaagg	10380
ttatgaaaca	cgctactaat	actggagttg	ttattttttt	aaagagcaac	aattattttat	10440
tttactcatg	agacttcatt	tggggcaggg	tttaaaggga	atgacttggt	gatgttccat	10500
gatgtcaagg	gtctcagctg	ggataacttg	gttggttgaa	gctaaaatgg	ctgggggacg	10560
gctggacatt	tctttctctt	cctgtggtct	cagagcctct	ctctctgcga	tctctccagc	10620
atggcaacct	cagggaagtt	ggacttcaca	catggagact	gaaggttcca	agagagagtc	10680
atgggcagag	ctgcaaggct	tcttttactt	acctcacttg	gaaagtccca	gagcattatt	10740
cctaccacat	tccactgctc	acacagagcc	atccctgaca	tggtgtggga	gggcattcca	10800
caggggacct	agtattggga	agtgagatc	actgggaagc	catcgtgggt	gctggctata	10860
tgatttcttt	gctttgggca	ttaccttact	gaatagattc	tggtgtgatt	tcacgtttac	10920
cattttatta	tagaggctat	tgcaaagggt	atagatgaag	agataagtag	ggtggctttt	10980
gggggaagg	gattggagct	tcagtctctc	cctggtgcac	aaccttccag	gaacctcccc	11040
gtgttcaact	atctgaaagc	tcaagttatt	tttttttaaa	caagaatata	catgccacaa	11100
acatgcagat	tcttggtctc	cactgcagac	ccactgaatt	caaatttctg	ggttggggcc	11160
caggaatctg	cacttttaac	aaatctgcca	gaggcgtag	ctgtaaaagt	ggaaaagagg	11220
caaaaggcca	ctaggaagaa	agagtgaact	tgaggactca	actgccactg	cattgtagag	11280
gctaagaaa	tgtgacctt	catacagtgc	taccgctaa	ttatcttcac	aggtgttgct	11340
atccccattt	tatagttggg	aacgctaagg	cttagaagcc	aaaagtcacc	cagccagcaa	11400
gtaatgaagc	taggctttca	acccagcttt	tattttttaa	gtccaaaggc	cacagttgta	11460
atagttatgc	caaccatat	ttgctatttt	atccagctct	tgtaatttga	agtcagataa	11520
atctaaatta	aaattctgga	gaagatccct	gcctcccaca	gacatagaga	aattaaatgt	11580
tttgataacg	acaacaataa	gaagtaacat	gtatgtgata	ccaggcattg	tctaggtgct	11640
ttacatgtat	ttactcattc	aattctctca	gcaattctat	gagctaagtg	cccttatcct	11700
cctcatcatc	ttatccattt	cacagatgaa	gaaactgagg	ccaggctctg	tggtctcatgc	11760
cagtaatcca	agcatttcaa	gaggctgaga	tgggtggatt	gcttgaacct	aggagtatga	11820
gaccagcctg	ggcaatataa	caagacccca	tctataccaa	aagggaaggaa	agaaggaaaa	11880
aaggaaagaa	ggaaggaagg	aaggaaaggaa	ggaaggaagg	aggangngnn	ggnaggaggg	11940
gagggangga	aggaaaggag	ggaggaaagag	gggangagag	ggaaagggng	aggggaggga	12000
gggaaggggg	gggagagaga	ggggggaagg	aaaagagggg	aagggagggg	agagggagaa	12060
gagagganag	agggagaggg	gaagggaagg	gagaaagaga	agggagagga	aggagggaga	12120
gggaagagga	gaggggaggg	ggaaaagagg	aaagggaggg	gagaagggaa	aggaggagac	12180
gaaggggag	aggaaaaaga	gagacggaga	agcagagaag	gacgagcgcg	cgcagggaagc	12240
gggcaagacc	gagaacggag	gcgagcgagg	ggcgaagngc	agagcgggaa	agcgacggac	12300
ggcacagagc	ggacgacaga	taacggggcg	agcgaggcgc	gcagcacagn	acgcgagcgc	12360
cgccgcacca	acggagaaag	agcgaagatc	gaagagagat	acgagagaga	gaggcaagag	12420
cacgcgaaga	gaagagagga	gagcgagcgc	gccaaaagga	cggacagcga	ggcannnnnn	12480
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	12540
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	12600
cgccatcccc	ccccttcccc	cncgggttac	atgtatggca	gacagggaaa	accgggtgctt	12660
atgacatacg	cacatagccg	ggggtttgaa	gggaggggaga	aacagctcaa	gccaagaagt	12720
gcaagagaga	aagcaaagcg	acacgaggag	agaaaggagg	aagaagtacc	ggaggaggga	12780
agggaaccag	agagagaaag	aaaaagaaga	aagaaataaa	ggaaagagag	aaaggagaga	12840
gagagaaaga	aagacaaaag	aaagagaaga	aaggaggaaa	ggaaagaaag	aaggaaaaga	12900
aactgagaca	cagagaagta	ggggaacttg	gccaggattt	cacagatagt	ccacagtggg	12960
gtcaggatta	aaattcaggt	tagtggctcc	taagttcatg	cttttagcct	ggataccatt	13020

ctgcctctcc	aggctccaca	aaagcttaat	ttgctgtttc	ccaagaatag	acatcagaag	13080
gccagtgaga	caagtaagaa	agaagtggga	agatagctgt	agaatcact	ttgggtccaaa	13140
tatattcctg	gtgaagccat	tggaaagtgt	tttctgagca	aaaagaaaag	agctcagaca	13200
ctagagggca	atcattttta	gagactctga	gatggatttc	atgcaggagt	ttgcaaattc	13260
tccccaact	ctatttaaaa	tgtgtgttac	attagagaag	acaaatacat	ggaaacatgt	13320
actgtgttct	tggatgggaa	gactaaacac	tgttagtatg	tcagttctcc	ctcaaattga	13380
tctgtagatt	taatgcaata	acaattgaaa	ttccagtggg	gtttttcatg	gaacgctgca	13440
agatgggtca	gaaatttgta	gggaagagca	tggccaagat	atttccaaag	aaaaggagct	13500
cgagaatctt	gctccaccag	ataggaaagt	gtattataaa	acaatgttaa	ttaagactgt	13560
gtggtaattc	ttgggcacag	ataaatagac	caacagaaca	gaagagagag	tccagaaaaa	13620
aacccaactg	tacaaggaaa	cttggtttat	gatagagaat	tctctgatga	ttagagcaga	13680
gaaggtgtaa	ctacttaagg	actggggcag	gacaatttgt	tatctgttat	tcaaataaaa	13740
aataatgaag	tggatccct	acctcacacc	ctatacaaaa	atcaactcca	gggtggacatc	13800
aatatgaagg	acaaaactgt	caaattttta	aatataactt	tggaaaatat	cagctaggga	13860
cagatttctt	aaaccagaca	taaatataga	aaccaaaga	aaaaattgct	acattaaatt	13920
acattgaagc	taataacctc	tacttaccaa	agtcacccaa	cagagcaaaa	agattttacaa	13980
tgcagccaag	aaaagatggt	ggcaacattt	caaagattag	taccaggat	atattattaa	14040
gtactgtgaa	ttaataagaa	aaacattaat	aagccaatag	aaaattgctc	aaacaatatg	14100
tatcatcatc	tcatagaaga	aaaagaaaca	caaataacct	atatgtattt	gtgagaagat	14160
gttgaacatc	attagaagtc	agggaggtgc	aatgaaaac	tacagtgaga	taccattttca	14220
cacccaaaag	tttggcaaaa	gttaaaagcc	taggtaatac	caagggttag	ggaggatgtg	14280
gagaaattag	atgtgaagaa	ctgacacggg	gctagaggga	gtttcaattg	gtacaaacac	14340
tttagagaat	ggtttggcat	tgcttgataa	agctaaataa	atacatactc	tacaaaccag	14400
caattcactc	ctaagaataa	accctaggaa	aactcttgca	catttgtgta	ggtgacatcc	14460
taaagcggtt	atagacagca	ttgttcaaaa	tccaaaaaga	aaaaaaaaact	ggaaacaatc	14520
caaatgtcct	tcacagttgg	atgaataaat	aaattgttat	tattcataca	atagaatgaa	14580
tataaacaac	actgaaaaca	agtgaactgc	agccaacccc	atcagcaagg	atgaatctca	14640
gaaacatatt	gggccaaata	agtcacagaa	caatatctgt	agtgtgattc	cttttacata	14700
aaatttgaag	agaataaaac	taacaatgta	ttgtttagaa	atatattcat	agatagtaat	14760
attataaaga	aaaaacaaag	aagtgggtgt	tgccaaactc	aggatagtgt	ttatttttaga	14820
gcaggggaaca	gggggtgaatg	tgcttagggg	gcgtgggggtg	catgtgggct	tgtcagggtat	14880
gggatattct	atttcttaac	ccggaagggg	aggtgggttc	ttgtacgttc	atattattat	14940
tattatttga	actgtgaaaa	agataataca	tgttttattt	taagagattc	cgagatgaat	15000
ttcatgcagg	atttgcaaat	ctgccccaaa	ctctatttta	aatgctgtgt	acattaaaga	15060
agacaaatc	atggaaagat	gtactgtgta	cacttttttc	ttaagtacga	gaaatttcac	15120
actaaatttt	aaaatgctgt	gtgtgtgtgt	gtgcgcatat	ttctgggagg	aaatttccatg	15180
tctcatcaga	ttatctaagg	aatacctggg	gttctaacag	agtgaacaact	ggatgtaagg	15240
tttctgagat	tctgtccaga	tattctcggg	tggatagagc	ccctgtgcag	gctggcagcc	15300
agggtcaactg	gccaaacctc	cctctgtctt	agagagggaac	ctaaaccagc	tgtgagtcct	15360
ctccctccat	aactcacatg	actatcttaa	ggccaaagga	tgtatctggg	gtctcatgta	15420
ggggaggggca	agttcctctt	tttctcctgg	gagactgagt	ccctttgccc	tgggcacctc	15480
cttccctttc	tcttccctg	gctcttcgac	atgtgctctg	cctctttctt	ctttctatgg	15540
tccacctgca	tattgctaatt	ggacttggcc	attattgcac	agcctgagaa	cagcaaagcc	15600
tgagtcaggga	cccatggtgc	tgtctcacag	cccagtgtct	ttctgccatg	ccactggtca	15660
ctctatttct	cttctcccc	aacacctctg	tctctgtcag	atctggcttc	ccatggggac	15720
tgcagggtctc	agctgggctt	gcattggcaa	gtccaccaa	gaatgcattt	atccattcat	15780
ccctgtcacc	cacggaagga	ctttgggttt	tgtttgcttt	tgagacaagg	tctcactctg	15840
tcacttaggc	tggagtacag	tagcatgacc	acagccact	gcagcctcca	cctcctggat	15900
tcaagcaatc	ctcccacctc	accctcctga	gtagctggga	ctacagggtg	gccccaccat	15960
cctcgggctaa	tattttttta	aaaaattttg	tagagacagg	gtctcactat	gttgcccagg	16020
ctgggtttoga	acacctgggt	tcaagcactc	ctcccacctc	agccttccaa	agtgttgaga	16080
ttagacttcg	gattttattc	tgaaggagat	aaaagccatt	ggggagagac	agtgtataggc	16140
tctgaacttg	tttccaaaag	gtgtttctag	ctgctatgtg	gaacttaaac	ttcatggaat	16200
aaggggagaa	gtcaggaagc	ccattcggag	gctatgacat	taatccaggc	aagaggtgac	16260
atggcttgga	acagggacac	caccatgagg	tggggagggtg	tgatgtgatt	tggaaaccagt	16320
cattttgcagt	aggattggat	gatggtcaag	agaaagagga	gtccaggctg	actccaaggt	16380
ttgtggccca	aggaactaga	aggaagaaga	tgccatcacc	ttggtaggga	gactgtgggg	16440
aagcaggtgt	ggtgtgggtc	aggaagggga	ggccaaggat	cttactttgg	acatagtgc	16500
ttccagggtgc	ctttgattac	ccaggtagtg	atgtccagtc	tgagtttga	taaaggcaca	16560
tgaagttcag	gggagcagcc	cagggagagg	atgtgaatgt	gaagtcagca	ggcaacagat	16620
gctctttaat	gccagtgcc	gaatatgggtc	agctgggcta	ggaattaaga	gaaaaatcta	16680
aggactgagc	cacaccgcac	agatcggaag	tctcaggtat	cccaagggca	cttttagtggg	16740
tgggtgtcctg	aaggaggcgg	atttcagttc	atggaggctc	tatgctattt	gtaaatccag	16800

cacaacttat	gccaatgatg	aatgaattca	gggcaggtca	gctgcagtg	aatatatgcc	16860
tattgtcccc	tgatcaagac	agaaagacag	aatgaaaagg	aagaagggaag	gaagggaagg	16920
agggaggagg	ggaaaaaaga	ggaaggaaa	aatcaggga	gagaaagaag	gaaagggaagg	16980
aagggaaggtg	ggaaaaggaga	gagaaaagaa	gggactaagg	gagaaaagaa	aaagggaagga	17040
aggaaagaaa	agagaaaagaa	aaagaaaagaa	agaaaagaa	aaagaaaagaa	aagaagggaag	17100
ggaggaggagg	agggaggaag	aggaaggaaa	gaagtgaggg	agggaaaagaa	gcaaagggaag	17160
gaakkyaggr	maggwsagmk	aaagmarkgk	arkawakgms	wawkrwmmmm	kgawsaaaga	17220
maagararas	agaawgaaaa	graagaagga	aggaagggaac	ggaggaaaga	aaagagggat	17280
ggaggaaaca	aatatgtagg	caaacctctc	ctcctttttt	tccttagtct	cctcattggt	17340
gccatggagg	tgtaggttct	gatagcgtcc	tcagcggaca	caggcccttg	gattctaaat	17400
gtgtcccagc	ccagctgttg	tgtgtcaggg	ccccagtgtc	tgtggggaga	tggtccagaga	17460
tggactcaca	gcacagcca	ttgcctttta	ccccatggcc	tgtgtcacca	agtgccatgg	17520
taagtgaag	tgatggctcc	ccagagatca	cattagctct	gataatgctc	cagcctccca	17580
tgcacactt	gcctcaggc	cacctggctg	ggcaggaaga	agggtccca	gagaagccac	17640
atggccccc	ggcgggtgag	ctgggcgaga	gacgccttcc	cttttagccc	cttttagccc	17700
agtcccagcc	tagtgtcctc	actgtgacc	cccggtagtc	tctgaaacca	cagatggagc	17760
tcccagactt	gctgattggc	ccccgtgatg	gcgtgcgcac	taggagggaa	tgccctccctc	17820
cacccttgta	gcaaactt	ccagctccat	gcccacaccc	cttatcatcc	actgttcctg	17880
ccagtgcaga	cccaacccaa	tggcttcstg	ctgccagtac	ctggggctct	gctgttagcc	17940
tttctctggc	agcaggacag	gctcatccct	cttatcagac	aggctggact	tgstgggaag	18000
ttgacactct	gggggcggcc	ttcatggata	aatactstag	ttttcttgcc	cctcaagtga	18060
gacaaccccc	aggcgtgctc	tgtgcagctc	cccgaggccc	ccaccagggc	tgagcaccwg	18120
tttccccagc	agcaagtgtc	ccttaatcta	ctttctcctg	gtttccttcc	ctttgtctgc	18180
tcacttctcc	tctcccac	gattgtctcc	aggattatct	cctaaataaa	ttacttgtat	18240
tctaactctt	gtttccagtt	gtttcttgag	gaatccaata	caaaacgaaa	ccaatcaaag	18300
acaccaaac	caacaaaaga	aagagaactc	ttctgttct	gtattgtaca	tgtttctgga	18360
gcaccattta	agtaacagaa	tacatcacgc	actgtctttg	acgctggtag	ggaggtctca	18420
caaataactg	tacaggcaaa	taaacagcag	tataaaagag	gagtttgact	ctgttgtagg	18480
aggtgggttat	cagggaaggc	ttcacagtga	gggtgactgg	aggttttgga	ggatgggtag	18540
gagttctcca	ggtagaaaaa	agaatgatgg	aaacagcata	ttaaaaaac	cagaagtgtat	18600
aaaaagcaca	aggtactcag	gggaaccact	agtagtttag	tatctctcat	actactggag	18660
aataaagcat	atthttggaag	tgataaagga	ttttagaggaa	aatgaggag	agaattagaa	18720
tagcaggagg	tgtggttaaa	tagccagagt	cttgtctata	ctcctcaaag	tgtttaggca	18780
ttatcttgga	aagggtggag	gattttttta	aattgtgggt	tatctttttc	tgattgcata	18840
aatatcaaat	gctcattgtg	gaaaagttgg	catatacaga	gaagtataga	gaagaaaaata	18900
aaattacctc	aaatccagag	ttaattaaat	cacatttatg	tggtggtgtg	tttcagagga	18960
gtttcaggca	gaggagttag	gtggtcgcac	ttgagttcta	ggtagagctc	tggtcagctgg	19020
tgacgatcat	gcagctggaa	agatactgaa	cgtggggtga	ccagctagga	ggctgctgca	19080
gtgaggggtg	atgaggggtc	tctgttgtgg	ctttgcaggg	tgtttcagag	gtgggattct	19140
cagcacttga	aaactagtgt	gatggggtgt	ggggtagagg	agagaagggg	accatgacta	19200
ctagagagat	tctgagtgtc	tccaccatga	cttggtggag	ggagcagagg	ctggaggcca	19260
ggagacttgg	gttctcattt	ccactctgtg	acttccaatc	tgtgggacct	tggtgacagtc	19320
ccttttagtcc	acagagccac	agtttcctga	cctgatacgt	ggaaagatga	ttctcttccct	19380
gcttttctta	caggattgtc	atgatcgtcc	aatagatcaa	aggagataaa	cacctttcat	19440
gtgtggaaac	ctacagttct	gaagctcttg	tctctcaaac	tctgctcaat	cttttccctc	19500
acctgccttc	tgtcatcttc	cccagaagcc	agggggaacc	cataccctc	taggtttccc	19560
ttcctctccc	ctctgcatcc	tgcccagagg	acatttgtca	ygattgtccc	tctggtacag	19620
atgctctaaa	caccgccaca	caccaccatt	ctttcattca	ttactcatt	cacttcayag	19680
gctgggtgat	gctctagtac	gttccagggtg	ccagaacacg	tgctgtaaaa	gacagacaag	19740
gtccctgtgc	tcatggagct	cacataccac	ccaagggggg	acataaartt	aaacaactag	19800
gacaaattcg	gatagcgatg	taacaaatga	ataaataggg	tgataggata	gagtgagcgt	19860
gtattttcga	tttgagtcgt	cggaaggga	cctctggact	gagactgaa	caactcaggc	19920
agagaaaaca	gcaagtgtaa	aggtcttggtg	gtgggtttga	gcttaggatg	tttacagaat	19980
ggaaagggtca	gtgtggctgg	gctgatccaa	gccccacca	accacttag	cacggccacc	20040
tctctgaagc	ctccttggtg	caacaggatg	ctcccttgct	tgattcagct	ccacctact	20100
tccacacatc	tgtggtcaca	acacatcctg	accacactgg	gttggtgatg	actctataca	20160
ctgggtctggg	agctccttga	aggcaggggc	tatctcctct	ctagccagca	ctgttcacgc	20220
acacagcaga	tgatcagcat	ctgctaaagg	gattaataca	ttaatcaata	gatgagttaa	20280
tgaatgagaa	aacgactctc	aggtccaaat	ggctcactcc	ttacttgtc	taattgttac	20340
cttctcaaat	tccctgaccc	cgtatgcaaa	ctgcagcccc	actgtcccc	sattccctca	20400
cccatcatat	aacgtgtgta	tttattatgt	ttcccgtttc	ctctgtctcc	gccagcagaa	20460
tggttaaactc	catgaggtca	ggaatctccg	agttatgttg	cgccagtgtg	atccaagagc	20520
ccggaacagt	gcctggcaca	cagcgggcat	atggaagaac	aatgtgtgta	aggtgtgaat	20580



gaatgaataa	ttgaaagaat	aaatagtagt	tctcagcctc	acagaacacg	ggtcacaacc	20640
tcaaatagacc	tgctaccctg	cccataaata	acagagatgc	aggagtaagt	gctgggctgt	20700
gacctgtcaa	catgctaagc	cgctcaaaca	aaactgcccc	acagcccgcg	ggccgcctat	20760
ttgcagcact	gggccctgag	ccgcacattc	ccatttcggt	gataaagaaa	ctgaccagat	20820
agtttaagt	gcctgctgcg	gaagacagrg	ctgggtgctgc	accggctcgc	gcttccccag	20880
tccttttttg	gcctcctttc	tgacgcgacg	cagaccccag	ttctggagag	tctgtcactc	20940
gctccccgtg	gtgggagatc	agaggcctgg	tgctcctggg	agcggcgagc	ggtgctcggc	21000
gcaggataga	aagggagtg	gcgcccagat	ccccagatc	cctgggaacc	cgcgccaccc	21060
tcccgccct	gcccaccccc	ggccgcgctg	tcagtctcca	ttagcgctaa	caggctccag	21120
acggagcggg	ccgggcgctg	ggttaatgca	atcggcgcg	tacctggggc	gcaggctaca	21180
ttaccagccc	ggccccgc	aggcacggcc	agaaccagtc	agcccgcgcc	ctgcccggcg	21240
cccgccgct	ccagctcttc	ccggggcccc	gcccgaacgc	cacacggcgg	agcccagccc	21300
cagcccgcgc	cctagagcct	gccaaaggcg	cgccggctcg	gggcccggcag	ggcgcaaggc	21360
accagggatc	ccctcgccgc	cggacacgtg	agtgccgct	gagcgcgga	cagggttagg	21420
tctgcctggg	aggcccgggc	cgagacgcgc	cagcagaggg	ctagcgagtt	tgtagtgcag	21480
tgacgttaag	tgtccgagaa	ggctcctgtg	gctgttgaag	tgtcgcgac	ctgagcttgg	21540
ggaggggggc	ggcacgctgc	cctcagcctc	ggtgagttca	atcccagcca	tttggggcag	21600
gagaragtgg	gtgaaacgag	gaaaagtgt	gcarggtctt	cagccgcccc	casarggctg	21660
tcagaagtct	ccaactcttg	agttccggcg	tgcccccaacc	tctgtttccm	aatttttcca	21720
gcgagcgcgc	gctcttttct	gggaaccctg	cgtccgctca	gcgcgcgctc	atcccagtg	21780
ctaaggcgct	cccggtggt	cttgggagtt	gcaagtaggg	aggaacggcc	gggtaaccac	21840
ctcttttccc	tttatccaag	cagagcctcg	gcgtgcccc	aggaccggt	aagtctctct	21900
cgccagcgc	atccatgctt	ctggcgcgga	tgaaaccgca	ggtgcagccc	gagaaccaacg	21960
gggcccgcac	gggtccagag	cagccccttc	gggcccgcga	aactgcggag	ctgctggtgg	22020
tgaaggagcg	caacggcgct	cagtgcctgc	tggcgccccg	cgacggcgac	gcgcagcccc	22080
gggagacctg	gggcaagaag	atcgacttcc	tgctgtccgt	agtcggcttc	gcagtggacc	22140
tggccaacgt	gtggcgcttc	ccctacctct	gctacaagaa	cggcgcggt	gagcgtgggg	22200
tcgggctggg	aatttgaatc	tgggaggtcc	actgtctgca	gcggtggctg	ggacaggagc	22260
tggaaatacac	acggaaggga	ggcgaggaga	cagggggcaaa	tctggggcgc	agaaagaact	22320
ggacagggct	aacgggaaaa	aaaaaagatt	ggagtcctct	ggaaggtcat	tttcccaggc	22380
tctttgcaga	gtacctcgag	ctcattccag	cggaaagtgt	aggattgggc	accctggaag	22440
caaaacagca	gaagagtga	atcgagtc	gacctaaag	tcattgtagg	ggtaggtgag	22500
gaaaggacag	aatctgggt	gccaggttgg	tggggggagc	ctgacctttt	gtggtctg	22560
tggaaaggag	gtggagattc	caagagctct	tgaaggggca	ccagaagtgg	gtgggatttg	22620
acaaccaggc	ccacagtgc	cctaaatcta	gcactctgag	cctgggggca	ggaacctttg	22680
ggccagaagc	agtgggaata	cttcggtttt	ctgaaggcac	ctggggaggc	cctgtggtct	22740
tggggataga	aacacacaag	aagaagccag	tatcagaaat	aatgccattc	tcaggaggca	22800
cagcccaggt	ggaatcaggc	cagtaggtgc	caagaactgg	cctggtcctc	aaggcaggag	22860
gcccagatga	ttggggtgaa	acctctacct	cctcaagttc	tagccgcatt	gcaggaggga	22920
gtgggagagg	ggcctgaaga	agactccagt	ggaacagcca	cactctctcc	cccttctgct	22980
ggatggtcca	actggccacc	tgctgaaaa	tgagagccta	gagatcacct	acagccaatc	23040
caggaagaat	aacatagaac	cccgggccag	ggaagcggtc	tggaagtcag	ggtgtggcc	23100
cccacccct	agctccttcc	tgaggggctt	tgctcctgcg	gtgccagtc	ctgccacttt	23160
tgctgggatg	agctcagagg	taccttgcaa	agagtgtggg	aaaatagacc	ttttgaggaa	23220
gaaattggag	aagggggacc	cagctctgaa	agcctctctc	tctccactgg	gctgcattgc	23280
ttggcggtag	ctgtgactct	ggacttaagg	gaggtcagag	ggaggaaggg	caagaatttg	23340
gagctgggta	gagggaaaagc	tcattgacctg	ttcacaggct	ctaggactta	caactctgct	23400
tctatgtgta	ctctggacac	ttgctttggg	acgggcaata	cctggtgttt	gcaaaaaagg	23460
agtggggccg	ggcatggtgg	ctcatgccta	taatcctagc	actttggaag	gacaaagtgg	23520
gcagattgcc	tgagctcagg	agttcgagac	cagcctgggc	aacatggtga	gacctcgtct	23580
ctactaaaaa	tacaaaaact	tagctgggcg	tagtggtgca	cgctgtaat	cccagctacg	23640
caggaggctg	aggcaggaga	atcacttgaa	ccgggagtg	ggaggttgca	gtgagccaag	23700
atcacgccac	tgactccag	cctggaccat	gggtgacaga	gcaagactct	gtctcaaaaa	23760
aaaaaggagt	gggatcacca	tagagcacag	tggtgctctga	gcagaggatc	ttgagtaaga	23820
aagcagttag	ctcttccaac	gagaaagtta	acccaagggt	ggagctgaca	gatggagggt	23880
tgctccatg	gtctccctga	cacctctgga	gatgggtctg	tcattgtcag	atactctgag	23940
accagatagc	tgggacagca	gtcctgagct	tcaggggcat	ctgaggtctg	gggcctgac	24000
cgtggggaaa	caacttgtga	ctctgcgggc	tcaatgtttg	tgtctggccc	tgggatggtc	24060
atgggcagag	agagaaagg	gagaaaagg	gaagctaata	cagaggtgaa	actttccac	24120
ctttggcggc	tgacgctct	caggcggttac	tgggcagggt	taagcatggc	tgtttgggccc	24180
caggaaggga	gaaaatgcag	attctctgta	tcttttaaga	ggcagggaga	tgatgaatga	24240
gagaccttaa	gaccgcat	cccgctgtc	ctcagtgacc	gcccagact	gcttgtctct	24300
agacagtgga	aggctctgtc	attaatcagt	aatatttttc	tggttcctct	tggcgtgagg	24360



cacaatgcta	ggctctgcag	gggtcacggt	caccaagagg	catgaaccac	cacttctgcc	24420
tgccaggagc	tttaatcacc	cgagtcttta	ttgtcatgct	gctagaagtt	cttcccattg	24480
ctctatgtgt	ttgttgaaac	taaaagcacc	cgatggcca	atttgacaag	tcagctagat	24540
ggatattcca	gggctttcat	tgacactgtg	tgctctttag	tcattgccag	caaaaataag	24600
agcacctgtt	gtatgcagtg	tactataaac	caggttctta	ggatgcaaaa	tggagcaaac	24660
ttgtcacgag	ttccagtctt	taggtgaagc	tgaccgaggg	cactttctcc	cggtctgtct	24720
atctcaaaac	acagctcact	ccaagttggt	tggtggtttg	tctctttgtg	ggtctgtctc	24780
ccaaacagga	aaaggcacia	tgagggcaga	gactgtgact	ttttaatctc	tgtgtttcta	24840
atgcccaaga	taagtcctag	atcacaggaa	tgtggtagaa	ggtgcccag	aaactgctgt	24900
tgaataagct	aatgaaatgc	tccaagccct	caaagacctc	caaccgtatt	cagaaacaac	24960
aacagaaaca	ctcagtggta	actaataaag	tgaagccaca	tacaacagtg	gggcaggggc	25020
agcctattca	ttagtggctc	tagctgtgga	gtcctggggt	ccagtttcta	gctgtaaggc	25080
tttggcaagt	ctccaagcct	cagtttcttc	acttgtcaaa	tggaaataat	ggtgctcagc	25140
tcagaacatt	gttgtgggga	ccaaacataa	taactcatcg	agagcctggc	atggattgtg	25200
gccttaggaa	aggtggctgc	tgattttggt	aatgtcatta	tgatgatgta	tgaattggat	25260
ggagagacaa	gtgctttaga	caaatgtctc	aaaggcctga	ggaagggctg	cttaggaagg	25320
gctgggagga	ggtgggctgt	ggttgaagct	cagctgctct	ggatggggaa	ggtgcagaca	25380
agcgggtgaga	agggaggaga	tctccagctg	tgacactggg	gcaggaatgt	acatggaatc	25440
atctcagaga	acaggagtgc	aggctggctg	cagggcaagc	caggagagat	aagggtgcag	25500
gggcaagttg	gggccaggct	gcagaggcct	tgaagccag	gctaaggggt	ggggatatta	25560
taccagtga	tttccctttc	tggttaggat	gttcacagtt	ggtgtcaggg	agcagtgcag	25620
ccctccatct	cagactatga	ggtaactcct	tctctcactt	acccctcatc	ccttcagaca	25680
tgctcagcta	gctccctctg	ggcttttatct	ctgctggaggc	ctcctggctt	ctctgtcttt	25740
ttgtggatga	attctcatcc	agtaattccc	aaattagccc	cagagatgag	agtgagtggg	25800
caggaagggtc	ggtctttgca	gttcgagaag	cagccgttta	agactggagt	ttgagtctga	25860
gctctgcctc	tcactgtgtg	atctcgggca	tagtacagcc	cctctctgag	cctcaagttc	25920
ccagccatag	gtgaacatga	cctgagataa	caccacaaga	tttattcctt	tccaatgccc	25980
tggtctcagg	ttacactgaa	gccaggactc	accagctctg	ttatttaaca	gccctcagtg	26040
tgctcttctg	gtgccagtat	taacactgta	acctctgcaa	ttctgactgt	tcatgtctggc	26100
ccagaatgga	ggatattttg	aaatgatgaa	ggtggcaatg	gtttaggccc	ctggctaattg	26160
ttttctgaat	gaattactgg	aaaagatcag	cctgtctgaa	catcttcccc	atggccagct	26220
gctgggatgc	acgggctgca	ggaggctctg	ggaggggaaa	gccactctca	gaaattccgg	26280
agctttgttc	agaaccttct	caaatagtct	gtctccatga	ggaggcagta	tcaggcagtg	26340
attctagagt	ttccctttgc	acctgtgatc	ctggtctgtg	ctgatccctg	gggaagagca	26400
ggaagattga	ctgggtgctc	atttttgctt	ttctccagg	gaagtggcca	ctgtgtaatta	26460
acctttgcac	atggctgctt	ctgtttgagt	cctgtcctga	ggccagctta	gagctgtgca	26520
ttgtagagaa	atatagtctt	taggttcagg	gtctgagtct	aacttttgct	agaaaggtaa	26580
cgatagacaa	atcactcacc	tttctgtatc	tgagcttcag	tttccttaca	cagaagagga	26640
gaataaccac	agcaccttct	tgacgggtga	gatggcatca	gagacaatat	atgtaaactc	26700
cttgaaatga	tgtaacataa	taggggctcc	ataaatgtag	tcattagtat	tttgttattg	26760
ttcaatgata	ttactgcat	gctagactta	ggagtggggc	aggatcctga	ttttggaagt	26820
agcagaattc	atcctaagat	gaaattgata	aaaggaaata	aggctggaaa	atagtccac	26880
ttgggtctgg	agcccaagca	tgatagactc	aggaatcagg	ggatgggctt	tgctccattt	26940
cctaacagcc	taaccttatc	tcaaaataga	tctcatcact	ggtaaatggg	gttttaaat	27000
cctgactggg	gtcccatgac	cttctgtgat	tctgcgtccc	cagcggactc	cttctctccc	27060
ccaaggaagc	tcagagtctt	agggaccccc	agccctttgg	gagcccttgt	ggccaaaata	27120
tctgggatcc	ttaatactga	gtatgaagca	gtagctgcta	cagaggtcag	gagtctgcaa	27180
actcagtgtc	cttatatctg	gcctggctgc	agggggctat	ctacacctg	ggcttgccaa	27240
gccagacact	gattgtcagc	tcagatgcac	aatgagccag	ccagctgggtg	tggcactcag	27300
ctgacaagtc	tgtacatccc	ttggcagaaa	tgtggtgctc	atctgggacc	ctgatctgag	27360
gtcactggca	tggtttggct	tgttactcca	agcttgtcaa	aaggatctga	aaggggctgt	27420
toctgacaag	attgggattt	aatagggata	aatgttatat	cctgccctgc	agtcccaaac	27480
ctaactgcct	aagtaaggat	tagggccacag	cacaagtggg	gaaaggcccc	agggctttca	27540
ttagctgcct	cttcatgtg	agtcactgct	gagatccatt	atttagccaa	aaaaaattta	27600
ctaaatgcct	atcatatgcc	aggaatatgg	agatgagcaa	aagaaaatcc	ttgcctttaa	27660
ggggctcatg	atatgctgca	gatctcgtaa	aagtttgtca	tttttgattc	caaatattgga	27720
ggtattaatc	ccaaatgggg	gaggtgaggt	cctgctctgt	tattttgtggg	tcatatttcc	27780
ctctgtgatg	tagttctgag	caaccctctg	atgtgtttct	cttaaagaga	ctaagatgga	27840
ggaaatggaa	accagaatct	tcacagagat	tttactaaag	ccacagcttt	attaggaaaa	27900
atcaagtcca	gatcctccaa	agtgacgagc	agatggagaa	ttaccacatg	aggaggggta	27960
gcccggcgcc	agtttccctg	aattccaccc	ccatttttct	acttagagca	gctgggttta	28020
atccatcagg	ggagtgggtg	tgttccctca	gtgggcctgt	ttccaggtct	ttcactcagc	28080
aacaacaatc	aacacagaag	acgtctgtga	ccacatgttt	gggggtttct	cccagcacat	28140

caggcaagta	atcaagtctg	cagcagacac	cagctgagtg	cctccgattc	aattcaattc	28200
tggtgctgtc	tacctggaga	tagcatcaga	tcccacaggt	tgaggcattc	ccacaagaat	28260
gcccctcact	ttgtgttctc	ataatgagcc	ccaggttggt	ttactgtgct	tctgaccac	28320
tgtctataaa	tcagggttcc	ccccaccct	tgcttgggtt	tgattaattt	gctagagtg	28380
ctcacagaac	tcagaggaac	actttattac	attttctgct	atgggtttaga	tatgggttgt	28440
ttgtctccac	taaaactcct	gttgaagttt	gaacccaggt	gtgggagtg	tgaggaggag	28500
ggcctagtga	gaggtgtttg	ggatcatgaga	gtggatccct	tataaatgga	ttaatgtcct	28560
ttggagaggg	taagtgagtt	ctcacgccac	tctcttggtt	cccccttgc	catgtgatct	28620
ctgtaccctc	gatccctttt	ccttttctgc	catgagtggg	agcagccaga	ggccccacc	28680
agatacagct	gcccacacct	gaactttcca	gtcaccagaa	tcatgagaca	tataaacctc	28740
ttttctttat	agattcccta	gcctcaggta	ttctgttata	gcaatgctaa	acagaccaag	28800
gcactccctc	accttcacct	tggttccctc	cagctgaggt	cttaccatag	ctctgtgtac	28860
tactatgaaa	cctatctgtc	tatctatctg	tccatctgtc	tatctattgt	tctattgttc	28920
ctggctcaaa	ataccaatag	cccttgttgt	aaccttgggg	cacgttaggc	ctcagaaaa	28980
agaacctctc	tctctttgac	ccttctctgc	cctccttcca	tctgtccctc	tatctctcca	29040
aggtaggatt	tttccctggc	ttttctttct	tgagctggc	agtaacaaaa	ttctctgacc	29100
cactttctaa	ttgtgagtca	taaaaccccc	atttcagaag	gagtcctgcc	ccaggccctg	29160
ggggaaggaa	tgctgcacag	ggagaccgag	aagaatctga	acagacaggc	cttgcctggg	29220
tttccactc	agcttattag	tattacatca	tactccattc	aatcatgggt	gccaaacatg	29280
cctatctaata	gacatctcca	tagaaggccc	aagaggacag	gggttcaggag	cttcaggaga	29340
ggcaaacaca	tgagggttcc	tgagtaggaa	atgtctgagg	ggccatctca	gcttcagaac	29400
tcttctaggg	tcagctaagg	tttggcctgg	cgtatcctgt	cccccgctct	ggccgggtgt	29460
tccattccct	aaatctcttc	actgcatgca	tccccctccc	actaccttca	tgccatcctt	29520
catgcagcac	tacagggcat	tcttcttagg	taattggggc	ggctgtggcc	tgggggcatc	29580
ccttgtcctg	catttgctca	tggtcagcac	tcttgtttgc	acacaagagt	agagtagcca	29640
gccccacttg	ggacagggac	ttggggatcc	cagagcactg	ccgcagagtc	ctgtgtgtgg	29700
cctccagctg	gcgttcatgc	tgtgtctccac	aaagggccca	gccaccctcc	accacacaag	29760
acagccttta	cttctgtgtt	ccagtggaca	gagctgctgc	acatctgctc	ttgagtataa	29820
tgacaagaca	tgagtcccat	ttacggagca	cccactaagt	gcctggcact	tcacctctgt	29880
catctctgat	tatcacagca	aaccagtgc	acaggtatta	ttatcgcat	tacaaagggg	29940
gagctaaggc	tcagagaagg	cacattttaga	caagtccat	agctatacat	agcagggctg	30000
agggacagga	ttatcttttag	gtccaggcat	gaaggcctgc	cctacctcca	tgcttcagag	30060
agcacactc	tgcccccttt	ccatctcatg	ggagccaagt	gtgctgccc	accagcaca	30120
ctccccatc	gaatacccca	ccaccctcca	ataccgggac	gggtggaattc	cctgccccaa	30180
cagcctcagg	cacccttctg	gggtctacatg	aacatcttgc	tggttccctc	cctctgtggt	30240
gtgggctgtg	ctgcgggagg	tggtgtgtgc	tgcaaggcgg	gtggacatag	cttggacacc	30300
tatgtgcaag	agccctgaca	tggttagatt	gagctgggag	gaagtagggg	cagggcaaac	30360
gggtcttccc	ctgtacctcc	acattccagc	ctggagctcc	aagagctgag	aattccaacc	30420
ttgaacttta	taatagaact	actacaaagg	tctctttgtc	aaagtaggaa	gacagaacat	30480
gttttattta	acagttgttg	atttgtcacc	tttaaagtgt	tcgaagtgtg	agcagccttg	30540
tctctgact	aaagtttcac	ccttctcctga	tgctactgt	gctgttaggg	cacccttggg	30600
gtgttgggga	agggggacaa	atctagcttc	cctaagtgtg	gaccaagggt	ttcttggggg	30660
ctctggtgca	tgacaccagc	agcgacagcc	tgtagctgag	ctgtgtgtat	caagggaact	30720
attctgtgga	ttggcacttc	ttgcataat	caaggtgtgg	ccagaattca	cagttcgagg	30780
aatcctgtcc	tcaacaaact	aggtgtcagg	ggagcctctc	tccttccctga	agctcctctt	30840
tgaccacact	acctccacct	cccccgagat	cctcagcagg	tcttggccac	tgacccctc	30900
actgaaccct	tcctccaggc	tttccagccc	tctacctggg	gtcctcctca	cctgctgggg	30960
gctgctccag	cacatcccac	tctaaacct	atgaccccg	gcttcccttc	ctgggtactt	31020
ggcatttgca	cagaggcttc	cagagccctt	ctgtaccag	aagagtttct	ctctaacagt	31080
gggatgggag	gcagtgtggt	tgggccagag	gtgatgggac	taatgctttt	cttactaaat	31140
tcacccaaag	gccactgttc	agagtttctt	tcatgggtcg	cagttctttt	tctcatgtgg	31200
ttgtgtgagt	gcgttgacat	gcaaaagtgt	gtgtccattt	tgcatgagta	tgacagggtg	31260
tgcatgtgtg	tgcatgtgca	tggttttttg	agactcccag	gcactgggca	ctgagctcct	31320
catgaggcat	ggcctgcctg	tggttttcca	ggctgcccct	caccagccca	gcaccatgc	31380
agccagggca	ttccaagata	agattctggc	cctgcagttc	tgagactctc	ggaccctgtg	31440
tgaggctggg	tgacgtggc	actgccacac	atggagatgg	agcaggacca	cacaagtatg	31500
gcagttacaa	gccttgacga	gcagtacttt	ttagggggtt	tgcaacsagc	ctcggtttcc	31560
agagaaccac	tgacagctg	tttataaaag	aggcaacttc	agttgacttc	actcatccct	31620
ggagctcctt	cctgactctt	caacctgaag	agtttacttc	tgcaagagga	gaaggaaact	31680
ctcccagggt	tccttctgca	agagtccttg	ggcaagctag	ctgtcctctt	ttagaataag	31740
gcactggcca	cgggtagctg	gctgtttttt	cattcctact	tagccatttc	accactcttt	31800
ggtcttctta	atctgtttcc	acctgaatga	agctttgggt	ggccacatc	aaatgcactc	31860
acagagaaga	gccgcaggca	catgcagacc	catcatcttc	cctccttttc	tcatgttact	31920

gtgcctccca	gccagcagag	gaagaataac	tccaaactgg	gcagtttacc	tatgtgttgg	31980
cagtgtcacc	cagaggttta	gagttgagga	aactggccaa	agtgagatgc	ctgggttaact	32040
ggctgatgct	gcttttcccc	ttccttggcc	atgcagcaga	gtattgagtc	gctgggggca	32100
accacagtg	gcgaggtcgg	agcagcgact	cctagctttt	tccttcccca	cggtcccttg	32160
ggccactgac	ttccatcttc	aggcctatca	aagatttttt	gtttatttgt	ttgttttgtt	32220
ttcttctctc	tttttctctc	tctctaaatt	tttttttttg	agtcagcatc	tcactctgtc	32280
accagggctg	cagggcagtg	gcatgatcat	agctcactga	gcctcaaact	ctgatgccca	32340
ggctgttctt	gagttcctgg	gctcaagtaa	gcctcctgcc	ttggcctccc	taagtgtgg	32400
gactacaggc	atgagccact	gtgcctggcc	ctattaaaca	gtttaataca	gctatctaac	32460
tgcccccttg	cctggctcta	gatcctcaag	gggagtagca	gttggccaca	aggcagagtg	32520
gggctgcgcc	agatccaggt	ttgaagccaa	gcttcatact	tgctagttag	acaagcaact	32580
taacctttct	aagcctcagt	ttcctcatct	gtaaaaggga	ttgtggtaat	tctctctcag	32640
gggtgggttt	aaataaataa	ttatgtaaaa	acttgtgtgc	agcttggcat	ataacaggtg	32700
ctcaacaaac	ggtacttggt	actttcacca	acccactgc	ctacctccat	ctacatcagc	32760
acaccagcac	caccattact	gtcagcaatg	tgcataggga	catgggtcag	gtggcacaacc	32820
agccctttct	atgtgggaga	gggagaaagg	aagagaatga	aaggaagaaa	tgaggaaggg	32880
gagaaatagc	acatggccac	tccagagact	tccagcctgg	agcagtggct	gtagcattgg	32940
gccagcctat	gaccaataga	ccacatggct	tagctggctc	cagatccccc	atttcagAAC	33000
aacctaccct	ctgatcctat	tcagactcat	gtccttcctc	taggctggaa	tggtccagaa	33060
tctgtggggc	atgttggaaa	cagctctgga	gctcttgagc	caggcagacc	tggaacccaa	33120
tcctagatcc	acaacttata	agcaggataa	ggctgggtcag	gtcattttaat	ttctccaacc	33180
ctcagtttcc	tcatctgaaa	aatgggtata	gcagttgcta	tgtagagggt	ttctctgggt	33240
gtgtaagtgg	gatcaagccc	aggctcctgt	tgatacacag	gagatgttca	tttcccagta	33300
gttttaccct	ttcccccttt	ctgccctgcc	ccccactgc	gatccatctt	ctactcaca	33360
gggactaggt	ctctcagcat	tagggccaac	acttcatgct	tcctacttag	gagaggcacc	33420
ctgagaaaca	agtggagact	gatagtctga	gtagctgagt	gagtttgacc	ctaggtatca	33480
tgtgactttg	ccacagttct	ttgctatctt	gaaaccttag	tttccatata	tgtaaaatgg	33540
aaataataat	gatctttgat	ctttgtgggt	aggattgaat	gaaagtgtct	ggagctcaga	33600
aggggacgag	caagtgtgag	ctgctgggtat	ccattgttaa	tattgctaata	gttaccattg	33660
ttaaagtatt	tcctgttttc	ttgatgtggg	taggtcagag	agtatttggt	ttccagggtt	33720
acaacacctt	agctaaaggc	cagtggtaac	aggagtttgg	atctggcctg	gccacctcca	33780
gctgtgcgtg	gaaaggagct	gggtgtgttg	tttgggcaca	cttgcaagct	ggggctcata	33840
tgacatgtgt	cccagtgagt	cacctgcgag	agtcagaatc	cactaagcac	atccccgact	33900
gccagggtgt	ctctctgcaa	ctcagacacg	tctaagtcca	ccaggaattc	ccaggaattc	33960
tcccaggaat	taattgctgc	ctgggtgccc	gggaccccat	caagtttctg	tgatgttctg	34020
gggtgggtgac	ttccctgggt	agagacttga	acctctgccc	ctttgcttca	gccacctgta	34080
acagtgggga	cctagtgggt	cgcaaggccg	gaatgtgaat	ccggcttcca	tcacctacca	34140
gcagcaccaa	aaggagccat	tagactccct	tctctgcccc	tcagtttgcc	ctgggggtac	34200
gtaatgaccc	tgactgggtta	ttatgtttgc	aggctgttgt	gaaactctaa	gaagaatcca	34260
gtgagatcat	gcttgggaaa	gcaagccaca	tataccccta	tgtgatagga	tgccagcaaa	34320
attagaaact	ccgtcatgta	aatttaggca	ctgtctcttt	ttctctgggt	tcaattttct	34380
tgctgtataa	aggaagggtt	tgggttagat	tggcattccc	agagtgatga	ttcataaaag	34440
aaaaagttca	gtgtttaaat	aaatctggta	aaggctacac	ctgtgatccc	cctctgggca	34500
catcacagca	tgcacttggt	tatcaaaggc	taggagaagc	ctgcaagaag	caaacctatt	34560
ttgcttttgt	taacctagat	tttactaatt	tgaccacaga	acctcactat	tatggttatg	34620
attattacta	ccacaaatat	tcttactctt	atgataatta	gwattgattg	ctgcgcgtcg	34680
cctttggaat	cagccagctg	agcagacgcc	caggatcttt	gcagctcttg	cagacacgga	34740
tccaagactg	ggaggggcag	gggtctgtca	ggtcacactc	tgccccctgt	tcctccaggt	34800
gccttcttga	tcccgtagac	actgttcctt	atcatcgctg	ggatgcccct	gttctacatg	34860
gagctggctc	tgggacagta	caaccgggag	ggggctgcca	ccgtttggaa	aatctgcccc	34920
ttcttcaaag	gtaaagaagg	gggtgggaga	agtcacgggt	gttcataaag	gcttccctgt	34980
tgcccttggg	gaatctgtct	cagtgggtgag	atctaaggta	gacctcctgt	catgtgggat	35040
tcacaggtat	tgacaaggct	aacagtgtcc	cccattccaa	gttacgtgga	gagcattcag	35100
tgtgttggga	atagcattag	catagaaatt	ctggaaacct	gggttctaata	ccagcttacc	35160
tgctgagtac	ccagagaatc	tatttctctg	atgggaaatt	tttacgtaag	tatcagaagt	35220
accagcacca	tacaccacta	ctctctcctt	ttgtctccat	ggcaggcggt	agaagttgat	35280
catggatctt	tttgagccca	gccggaaagc	tgattcaaaa	tccttagtac	aatagccaca	35340
actagttgat	tgagctgaa	atacaacatg	aagcctactt	gcatttggga	ctaagaacac	35400
atctgcagaa	agtaggcaga	gcaactgcta	tttcttggcc	cctatacagc	tgggagaagg	35460
gcatggagga	agagttagtc	tctcccaagc	actgggttga	gaactgggca	cagatggcaa	35520
cgagggccag	tgtgactccc	atgagcctct	tctccgctgg	cacgtgcctc	ctgagtacct	35580
cttgtgtact	cagtccctgtg	ggagatacag	ctgggtgcaag	agtcttataa	gacatgtgca	35640
ttcgttactt	tttttgttgt	taattgtcag	aaattcaact	caaactggct	tcagtataaa	35700

agagaattga	cttctgttac	agtaaagtcc	ggggattggc	ttcaggtata	gatagatcca	35760
gatgccc aaa	taatgatgtc	tggaatctat	cgctcttctt	gtgtttcaga	tctgttgttt	35820
tctgttagca	tcagtctcag	gtaaattctt	ctcaagtacc	tgcaaagatg	gccatcagca	35880
accccgagct	taaattttac	caagtttaaa	ttttaccaaa	agcaaacaag	taaacaaca	35940
aaaaccctta	tagagtcata	gtttccttaa	aggctccaga	gaagattctc	attgggttta	36000
cttgagtcac	atgcccacat	actaaccaat	cactgtggct	gtcaggaagc	agtgtcttga	36060
ttggccaggc	atacatcttg	cgatggagga	agagtgggga	gtagcctcgc	caacacctca	36120
caggctaata	atagcttaag	gctaattcct	tgaaaagcaa	tggtgggcag	gtaaacaata	36180
catctaccct	agaaaaaagc	tatagaacta	cccctaaaag	agcttgtgat	acattgagga	36240
acacgatact	ggcacccgaa	gcaggtggct	gagagtagga	cccagaaagc	acacagggct	36300
gaagttccaa	tcagggagtg	cttgcttggg	tttccccaga	agcagttcgg	agacaaggat	36360
ataagtgtaa	agagttagtg	cggggaagtga	tccttaggga	gcagcaactg	gggatagggga	36420
aggggaggca	gccataaagg	gtgtgcacca	agtcaatgcc	actctgggca	gggagctcag	36480
tcccatcagg	ggagaatgtg	aacacctgtc	agtgttatcc	tgcccagggg	gcgagggagc	36540
tggatactca	cgatccagct	cctaactgtg	ctgcccactg	ggggcaagca	gggtggtgag	36600
gggcagggga	gctccagtg	aaagagagag	ctctcgggca	aagagatggc	aggggcctat	36660
ggactctggc	aatctgctat	agcacgtttc	ctcaatcccc	gggccacgga	ccaataaccg	36720
gcctgttagg	aaccgggcca	cacagcagga	ggtgagcagc	gggtaagtga	agcttcatct	36780
gtattttacag	ctgctcccca	tcgctcgcac	gaccgcctga	gctccgcctc	ctgtcagatc	36840
agccgctgca	ctagattctc	ataggagcgc	aaccctact	gtgaactgcg	catgcgaggg	36900
atctaggttg	tgtgctcctt	atgagaatct	aactaacgcc	tgatgacctg	aggtggaacg	36960
gtttcatctt	gaaactaccc	ccaccccaaa	atctgtggaa	aaattgtctt	ccatgcgaca	37020
ggtcactggg	gctgaaaagg	ttggggaccg	ctgttctgca	ggaaacgaga	gacagagggga	37080
atgggagtg	agtgggtggg	ccacacccaa	ggagaggtgg	ctgtggggct	gggcctggga	37140
gactcctacc	ttacccctg	tccttgccca	ggcggtggct	atgctgtcat	cctgatcgcc	37200
ctgtacgttg	gcttctacta	caacgtcatc	atgcgcctgt	cactctacta	cctcttctcc	37260
tccttcaccc	tcaacctgcc	ctggaccgac	tgtggccaca	cctggaacag	ccccactgt	37320
accgacccca	agctcctcaa	tggtctcgtg	cttggaacc	acaccaagta	ctccaagtac	37380
aagttcacgc	cggcagccga	gttttatgag	taagtacacag	accccttggt	ctgggcctgt	37440
tgaggccagt	gcttggtatg	acctgagcca	aacactaagg	aaagtcacag	accaaggaga	37500
cgcagccgt	caggatatta	atgtttactg	agcagccact	ggcctgatgc	tggtgtgagag	37560
gctgaggaca	cgccacggtc	gaggtagtgt	gagaagcttg	cgttctgggg	cagggaagtg	37620
gagggcggga	agataataca	caaataaaca	ggtaagggag	tgagaatgtt	ttagagtgtg	37680
tgmcttcag	ggaatgcaac	actttctggg	gtatgttaact	gctcttaaag	aactgaaacc	37740
aggtatgtgg	gaaaaatcaa	tcatggaggg	aaaagaacgg	ttgcgtgggt	agtcaggaaa	37800
ggcctctctg	aggaggtgac	ataggaactg	atgatgtcag	agaagggaag	agctggggct	37860
ccagggcagg	cgatgagctg	caggttgaac	ccgagttgat	ttgaccctga	agctgtagt	37920
tgactcacc	tgggctgctg	tccttctgga	gttcccatgg	gggaacataa	tcagagcttg	37980
gagaaaattc	aagaagcggg	aagcaggcca	gctgtatgca	gctctgagaa	attatttgga	38040
ccatgtgtgc	acgagaagca	ctggccattg	gtgcaagaca	gaatatcatt	taaaaaaaga	38100
aacttttatg	ttgaaatacc	gttatacatt	aaaagtagta	aaaatagtgc	atatacccat	38160
caccagttt	cccctaattg	tgacaactta	cataaccatg	gtctgagttt	gaaaccggaa	38220
aattaacatt	gatacactgt	tagctaacca	gctgcagacc	ttacttgaat	ttaccaatt	38280
ttcccaactca	tgttcttttc	aggtatttag	ttgccatgtt	tctttaatct	tctccaatct	38340
ttgctcttcc	ttgattttca	tgaccttgac	acttgaaaag	tacggtcagt	tactttgtga	38400
aatattgatt	tgagtttgtt	tggtgttttc	tcataattaa	actgtgggtt	tgcattttgg	38460
cgtgattacc	ctaggaatga	tgctgtgccc	tcctcagtgc	attccatcag	gggggtggga	38520
gacatgctgt	caatatcttg	ttacttgtga	tggttaacct	gcacacttgg	ttaagggtga	38580
gactgccagc	ctcctcctgt	gtagagagag	ttattttcct	tttttaagta	atgtgtcttt	38640
taaggacata	cactgaattt	atgcaaatgt	cttgattctc	atcatacttt	tgccacatt	38700
tcttagcatt	tgttgatgat	tcttgcaagt	aaggactatt	accatgatgt	ttatctagtt	38760
ataatttctc	atttccatca	tttcttctat	tttattttat	ttttttgttt	tttgagacag	38820
agtctcggtg	tggtgccac	gctggagtg	agtgccacca	tctcagctca	ctgcaacttc	38880
cacttcccac	atttaagtga	ttctcctgcc	tcagcctcct	gagtagccgg	gattacaagt	38940
gtgcaccacc	atgcctggct	aatttttgta	tttttaatag	agatgggggt	tcaccatgtt	39000
ggccaggctg	gtctcaaact	cctggcctca	gggtatccac	ccatttttgg	ctcccaaagt	39060
gctgggatta	caggcgtgag	ccaccacccc	agcttatcat	tccttctaga	ttaatgggaa	39120
ttcttcttta	aggaagaatt	gtcccttctc	ccctgtttat	ttattttttc	agttattcat	39180
ttatatcagt	atgggctcct	ggatatattat	tttattccgt	agtcttaatt	cataactatt	39240
attgttgttg	ttattattat	tatttatttc	aactttcatt	ttagatttgg	gggtacacaa	39300
gtaggttgtt	acatgggtac	attgcatgat	gctgaggttt	gggtgtgat	tgaacctgcc	39360
acccaggtaa	tgagcatagt	acccaatagg	tactttttcg	actcttgctc	ccctccctcc	39420
ctcactcctc	actcttggtg	tccccattgt	ctactgttcc	tttctttatg	tccatgtgta	39480

ctcaatattt	agcttccact	tataagtaag	aacatgcagt	atttggtttt	ctgttcctgg	39540
attaatttat	ttaggataat	ggcctccagc	tacatccatg	tccctgcaaa	ggacatgatt	39600
ttgtcccttt	tgtggctgca	tattattcca	tggtacatat	gtaccacatt	ttctttttct	39660
tttttttttt	ttttttgaga	ccgagtcctc	ctctgtcact	caggtctggag	tgcagtggtg	39720
tgatctcggc	tcactgcaac	ctctgtgtcc	caggttcaag	tgattctcct	gcctcagcct	39780
cctgagtagc	tggtgattaca	ggcaccaccc	acaacgcctg	gctaattttt	gaatttttag	39840
tagagacagg	gtttcaccat	gttggctagg	ctgggtctcaa	actcctgacc	tcaggtgata	39900
cacctgcctt	ggcctcccaa	agtgtctggga	ttacaggcat	gagccattgc	acccggccac	39960
cacattttct	ttatccaatc	catcattgat	gggcacctag	gttgatgaca	tgtctttgct	40020
attttgagta	gggtctgcaat	gaacatccac	gctcaggtgt	ctttttggta	gaatgattca	40080
tcttcctttg	ggtagatgcc	cagtagtggg	attgctgggt	cgaatgggtg	ttctattttt	40140
agttcttaga	gaaatctcca	aactgctttc	cacattggct	taactaattt	acattccac	40200
caacagtgtg	taagcattcc	cttttctcgg	cagccttgcc	agcatctgtt	atttttttga	40260
ttttttaaat	aatagccatt	ctgttgggtg	tgagcttata	accatcatta	tttaatttgt	40320
ggcttccttg	aatcctctca	gcctctactt	catccattta	tgtccttgag	gagggcgatg	40380
actgacttgt	tttcagccac	ctgatttaaa	atgtttgcat	agcactctgt	tcacaatgta	40440
gcatccattg	tcttcatccc	tcaggcgtgg	gtcaattcca	ttttatcaat	ccctacacaa	40500
acatgctagc	aggtaagcag	aaagtacctg	atacaacttg	tggggcagac	aggatagatt	40560
ccaccagaac	tccaccctca	gggcattcat	ggtctagagc	agaggtcccc	aaacttttct	40620
gcttaagatc	atagagtaaa	tattgcagaa	tttgaggcc	acatatgttc	ctgttgcatg	40680
ttctttgttt	tattttacct	ctggaaagta	aaaccattct	tagctcacag	gtcgtacctt	40740
aacagtcctt	agctcagatt	tggcctgggg	gccgtgggtg	gctgattcct	ggcctagtgc	40800
aagatttccc	aataaaactt	cccgccatga	tagaaatggg	ctatatctgt	gcaatccacc	40860
agagtaccac	cttgccacag	gtgggtaccg	agcagttgaa	atgtggctag	tgtgactgat	40920
gagatataat	tctaatttaa	ttttaattta	tttaccctta	aatagacatg	tgtggccagt	40980
tgctactgta	ttgggcagtg	caaaaaagtg	tggaaaaaaa	aaacatattc	acaaacaaca	41040
aaacttttagg	gctcctctcc	ttcagtccta	tggattcccc	aagcccagaa	cctgggaatg	41100
agtccagatt	atctggagat	tggggttatc	ctgggaccaa	ctctttccct	gccatcttgg	41160
tgcagcaggg	ccagggggat	ttagtttggt	tgaagagac	ctctggaaag	tctactgcct	41220
cctggggctc	aggggagtca	gtgttctcag	gatccaggaa	ataccctcaa	tggttcactg	41280
cagagaattt	gctaagggtc	ctgtacctgc	atccacctgt	ctccatccat	gattcccatg	41340
gacttctaac	aggcatatgt	aaaaattatg	tgttttagaa	tttttcttgg	agagggctctg	41400
cagttgtcgt	caaattctca	aatacctctg	cagccctccc	agaggatctg	aatcactgct	41460
gtcactgaac	atcagcatct	gctgtaagaa	acctgtcttc	ctcaccatca	cattaatagc	41520
taacctctta	ccatgtgtat	gaggttttct	gctaacttcc	tcctatgtat	tcttttgatt	41580
taagcctcac	ccacctaatg	aggtttttgt	aactcttatc	ctcatcacac	tcttggggag	41640
gcttcatttc	acagttgaga	caatacagtc	cacaaccaca	caactattac	tgcacagagc	41700
caagatttgg	accagccag	tgtgcatttg	caaaaccctg	agagtgcgca	tctcccatth	41760
tgcaccgtag	gagcttactt	ctcctcactc	taaccccagc	cctgtctggc	agggaaactt	41820
cacagcatgc	acccttaacc	tctgtgttat	gttggectct	accattata	catgtttgtt	41880
attatgcaga	aatattgtca	tggtcacaca	tcacatttac	ccagcttggg	ttgtattcca	41940
gccatagttc	aaagcacctt	ttctatacta	catttttaatc	ctgaccactg	tgggtataaga	42000
ttatttttat	gaatgggaaa	acaggcacaa	atcagtaagt	gacttgtctg	aggtcataga	42060
gtttataagt	ggcattaaaa	gtctatttgg	atccaggcag	tctatctcca	aagcccaagc	42120
tcttagccca	gggttcaaaa	ccttgactgc	acatcagaat	cacctggaga	cactggatgc	42180
ctggattcta	catccagaga	ttctgatttc	attgggtccg	gtacaaccag	ggcatagaaa	42240
tttccatcag	tagctcccc	tgcaattcta	acatccagcc	aacgttggaa	gcccttgttt	42300
acacactgcg	ctcttctgtc	ttggagtagg	actcctactg	gaatcaggct	gacatctcta	42360
tagactcatg	tcatggaaaa	tctagggcct	ccttcactct	tctgaggagg	agtatggcct	42420
cagaaaattc	ccgaaccatc	agagagcttg	caggtggggg	ttttaggcct	ttctgtctta	42480
tgaacatggg	ttggagggga	aggtggtaaa	gatagtggag	cagagtgtctg	ccgacacatg	42540
tgatttggtg	caccctctcc	ccctcatcct	cccataaagg	aaaaagcatg	atttttcttt	42600
ttgctctcgg	caacccttgt	tttaciaaatt	aaaattgggaa	atgatagctt	tgcctctagt	42660
ccagtttagc	tttgattcct	ccgctgatgt	cttcattggc	agtatgtcgg	ccccagaga	42720
ggccccagca	gagacacca	gccagagggg	gaggtgagat	aggttttgag	accctactta	42780
ctttaattac	agccctaagc	ttcctccagg	ctcagctata	aggagagtgg	tgggaaaaga	42840
tggcatcttc	aggctgaaat	ggttggggga	tgcaggtaga	actgaatgca	gagttgtttt	42900
ttgtttgttt	gtttgtttgt	ttgttttaaa	aaagacgggg	tcttgcctctg	tcacccagtg	42960
gcacagtctc	ggctcaatgc	agccttgacc	tcccaggctc	aagtaatcct	cccacctcag	43020
catcccaagt	agctgggact	ataagcatgt	accaccacgc	ctggctagct	ttttatattt	43080
ttttagagag	tgggggtttca	tcatgtttca	caggtgggtc	ttgaactcct	gggtctcaggt	43140
gatccaccca	cctccatctc	ccaaagtgat	gggattacag	gtgtgagcca	cctcaccctg	43200
cctacagggc	ttatttttagg	agccttctgc	cctacagatc	ttccctcttt	ttttcctctc	43260

cttaaccttc	cctccactaa	ccatgcaaac	cttcattgct	accatcagcc	aagcactgag	43320
gatctcctca	catccaaatc	ccatttaate	ttcacagttc	atggaggtag	aaattattcc	43380
caatcttacag	ataagagagt	gtaggctcog	gttttaggta	agtggcagag	ctgggagtg	43440
aggggcctct	gcaagtagat	aggagtctct	ctcatgtctg	ccttgccctt	tctggcctgg	43500
agcctgcctc	tgtgctttgt	aatgcacagc	actgtcatca	gctgcctctg	gacttttttt	43560
tttaatggcg	tgatgccctt	ttgtctaaat	gtttctgctt	gaaaaacatc	ccctcaactc	43620
agtttgggga	cccagtgagt	gggactccta	gtgccaaccc	tgaggaaata	gaaaattttt	43680
tctctttctg	ccaacctgct	ggccaatttt	gttaccatcc	tgtactcatt	taggctgatg	43740
gactgagcat	atcattcaag	ggaacaaaac	tgctattctc	cccaggctcc	aggcctgaag	43800
ccaagcagcc	coacagctaa	aagaaactct	gcagctctgt	aactttatgt	gtaaaaggcc	43860
acctttgggtg	aacatgtgcc	tggcaataga	aaacttccac	cccatgccgg	tccctgggtg	43920
ggaagaaaaa	tctccctcca	gcctagtatt	aatcatctgt	gctaaatata	aagtgaagaa	43980
ttgagctttt	ttagtgtgta	gacttcggaa	agcctggaca	gtacacttaa	cgatgattca	44040
ttttcattaa	acttctggaa	aactaaaact	gacgtgaagt	tcttgtaact	aaccccaagg	44100
tttgggcctg	ctggggggaag	gaggctgcat	tctcattgat	tttcttgggt	gtaagcttgg	44160
gagtcagat	cttttactg	atgaaatacc	tagacaacct	ctacaacctt	gaaagtggac	44220
tttgaatgca	tgggacatca	gctgggcctg	ttggggggca	tttcaacctt	gagattggac	44280
accagaggca	ttttggcaag	tttcagggca	aggatgattg	gttccatgcc	tttttattcc	44340
cattattttg	atagtcaagt	caaccaaagt	acaattgaca	caattcaaca	cctgtcccat	44400
aaaggcacag	gaagaagcgg	aattaaagcat	cagatagggt	cagtacatgc	ctctgggttt	44460
cttttttctt	tttctttttt	tttttttgag	gcagattctc	actctgtcac	ccaggctgga	44520
gggcaatggc	tcaatcttgg	ctattgcaat	ctccacctcc	caggttcaag	tgattctcct	44580
gcctcagcct	cccaagtagc	tgggactaca	ggtgtgtgcc	accacacca	gctaattttt	44640
gtattttttg	cagagaggcg	gtttcaccat	gttgaccaga	ctgatgtgga	actctgtatc	44700
tcaagtgatc	caccgcctt	ggcctcccaa	gtcgtggga	ttgaaggcgt	gagccaccac	44760
accagcctg	gtcctctgtc	tttttaata	tgcgtacgcc	ctgccacctt	ttcctcttct	44820
ttttctctct	ctcttaggac	atagcagagg	ggtctaagtc	aggggattgt	tttgagttag	44880
gactaacagg	atgagaagtt	agccaggcag	acaaattgag	ctcggacgtg	tggtctggct	44940
gaaggaaacag	aagggtccaa	ggcccagagc	catggatgca	ccctataact	ggggactgac	45000
aagtagcttg	ctgctgctgg	ggtgaaagcc	aggggtgtgg	aaggccaggg	atgaacttgg	45060
cacgggatgg	actgtggaag	gcctcagatt	ctgagagact	ttcattgtta	tcctccggac	45120
ctcgatgctt	tcgacttttt	cggttggtg	attctttggt	gggggacagg	ggtgcacact	45180
gtcttgtgta	tgtgtgatgt	ttagcagcta	gcagcatccc	tggcctctac	cctctagata	45240
ccagcagcat	ctccctcctc	tccagatgta	acaacaaaaa	atatctctct	agacatgcca	45300
aatgcctctg	gatggcaggg	gcaaagtgtc	ctccagttag	aaccactgtt	ttaggtgcta	45360
agaagcctct	gaggcttttg	aggcaggaga	gtggcaaggt	tagaacagca	ctttggatgg	45420
atggttctgc	agtggcacag	acagtggatt	taagggggct	gacaggaggc	agagagactg	45480
ggtttgggag	aggggtgggag	tcatttacia	tagctctgga	aggacagtgt	attagtcagg	45540
gttctctaga	gggacagact	aatgatatag	atctcatatg	agtttattaa	ggagtatcga	45600
ctcacacgat	aacaaagtga	tgtcccacaa	taggctgtct	gcaagctgag	gagcaaggaa	45660
gccagtccaa	gtcccaaagc	tgaagaactt	ggaatccgat	gttcgagggt	agcaagcatc	45720
cagcatggga	gtaagatgca	ggccagaaga	ctaaaccagt	ctagtctttc	catgttcttc	45780
tgcctgcctt	tgttctggct	tcactggcag	ctgactagat	ggtgccacc	cagactgagg	45840
gtgggcctgc	ctttccgagt	tcactgactt	aaatgttaat	ctcctttggc	aacacactcc	45900
cagacacacc	caggaacagt	actttgcata	cttcaatcca	atcaagttga	cactcaatat	45960
taaccatcac	agacagaatg	tgggtctggc	ctgggatgtg	gacagtgggg	gtgggggtag	46020
agggagcaac	caagagacag	gattagcggg	gaccagacat	ggcaactgat	tgcatgggga	46080
agatgatgca	gggtgagagt	ttaaggccac	aacagctggc	ctgggagctg	cagggatggg	46140
agccattctg	gggagggggc	attggtctgg	gtagaccttg	atgaccacc	caactctgct	46200
cattcattca	cgcagtctca	catccctctt	ccccattgct	ccctccccta	cacctgtgca	46260
cctcctgtca	gctttctggc	cagcagagaa	ggcacctgcc	accttcacag	cggagtctcc	46320
ccagccgacc	ccctctactg	agttttctgg	gtacccttga	ctctcttget	gacacctgct	46380
gctccttgaa	gcttaggact	caaacataat	gatcattata	attaccattt	attgagcatt	46440
tcctgggtat	tattatctga	tattctgtaa	ctcagccctc	atcacagccc	tttactgaa	46500
aagagaaaga	ctcagtgatg	ggaaatgctt	acacgcacta	ctgtcccctt	gcctgtgatc	46560
cccagggggc	tggagccatc	acctgcttct	ccacagccat	gccaccagcc	cccggcacac	46620
tgcttggtc	agagcagagg	tgcagagaga	gtttgtggaa	tcgatgaaag	gattcgggtc	46680
acacaggatc	tgggtggaag	ggctaggatg	ggaagccagg	tctgtctgac	cccagagctc	46740
agacaatttc	tgtgccacat	ttttctgttt	tccttcatat	tctttcaaata	aacatacatc	46800
tattttgagt	ggataaatga	tgaaagagtg	aatgaaacag	catcgtctgt	ggtcttcagc	46860
ctttctttca	cctgcctgga	aacaaatttt	aattcctacc	caagggtgaag	ctaagtaagt	46920
ttccagactc	agggatatatg	ttttccttac	aagcctggaa	tcttcttgca	tcattcggga	46980
tgattccagc	aagggtctgc	atctgcctct	ggcagacaga	caattgatct	tatcccctgc	47040



aggtgtgtac	aatgttgcca	ttaatgtgtg	ttttggaatt	aaagccacct	tccaggggaag	47100
gacgatatat	taagctgttt	gcctttaaca	ctttagtgtg	aatttggttt	gttttggttt	47160
gtttttgaga	tggagtctcg	ctctgttgcc	caggctggag	tgcagtgaca	agatctccgc	47220
tcactgcaat	ctccatctcc	caggttcaag	caattctcat	gcttcagtct	cccaagtagc	47280
tgggattaca	ggcatgcaact	accacaccca	gctaattttt	gtatttttag	tagagacagg	47340
gtttcgccat	gttgaccagg	ccggtctcga	actcctgacc	tcaggtgatc	cgctgcctt	47400
ggcctcccaa	agtgtggaa	ttataggcat	gagccaccat	gcctggctat	ataagctcat	47460
taagcagctg	ctttctgaat	ggacctctag	ttgagcgcaa	atgcctatag	aatgagacag	47520
ggaagtttcc	gtatgggaaa	atgtgtggtg	ccctgggcag	tatgaaagat	ctgggcaaaa	47580
gggttagaaa	tttgccacaa	gtgatgggag	gagttgctaa	gagaaagatt	gagagtgtgt	47640
gggaaactga	ccctctttcc	ttactcgttc	tccttggggt	gatcctggga	tctcattttc	47700
tatagttaga	gggattgttg	ggttttagcaa	gaaaggctgg	gagcatttat	ctgtttctaa	47760
tcctatgatc	tctcatgagc	taacaggtct	aactgccagt	tctgggctta	gcactgggga	47820
ccaggaatgg	ttaattcacc	tcctcatcct	gggagaccct	tgtatacagt	tagccctgac	47880
cttgacagaaa	caggcaggct	ctccttgcaa	ctgagtcagg	agccacagga	actggaagag	47940
ttgaaagatg	cctatcaagg	atgattgggg	ggcctcccag	gagaggtgac	actggatctg	48000
ggccttgaag	ggtgttgggc	aatgtgcagc	tgactgttgc	ctctgagtgt	gaggacaga	48060
gaagaaccca	gtgggatcac	gttttggggg	cccttgagc	tcccttgaac	ctcccaacat	48120
gtgtcatgct	ttattgtgaa	tttgcggtgca	gtgttgccct	ccatgctacg	atacaagccc	48180
accaaggcag	agtcaggacg	gtgcacgagc	agttcctgtg	tgtgtccgag	gccagatgg	48240
gctggctcac	agccggcctt	cagtgcacaa	tgaacgatta	gggtgcagag	caaataccac	48300
accaagttgt	tcccatttct	gcttgctttg	ccttgcaagg	gtgcagagt	gtcagggaaa	48360
cccttctctc	ctgggacttg	ctgtactgtt	tcagcagtc	gtcttacttg	accttctctt	48420
agctcctaac	caactttgat	tagattctca	ttagcaaacg	gtcattttgt	tttcaattct	48480
ctttatcatt	tcttcattgt	agattgtaca	agggacccca	atattctcag	accaccttgg	48540
attgtttgtt	tttcttactt	ataaaaaacc	aggcctggcg	cagtggctca	tgctgtaat	48600
cccagcactt	tgggaggcca	aggcaggtgg	ataggctgag	gtcaggagt	caagaccagc	48660
ctggcgaaca	tggtgaaaca	ctatctctac	taaaaataca	aaaatttagc	cgagtatgat	48720
ggtgggcttc	tgtaatccca	ggtattcagg	aggctgaggt	atgagaatca	cttgaacttg	48780
ggaggcggag	gttgacgtga	gccgtcatcg	caccattgca	ctccagcctg	ggcaacagta	48840
gtgaaactcc	gtctcaaaca	aacaaacaaa	caaacaaacg	aaacaaaaca	aaacaaaaga	48900
aaaaaaaccc	aaacacttta	ttgatagcta	acataattaca	aaggagtga	tatcatcaag	48960
cgacaactca	gcaaatgtta	cccgttgaac	gcacccagta	acctcaccga	gctcaggaaa	49020
gagcatgatg	aatgtcctga	agtcctcatc	atgtcctctc	ctagtacgta	acccctcaa	49080
ccccatccca	gggtacacct	ctcctgactt	ctaatecttt	aggtcagttt	tgctgttgt	49140
tgaattttat	atgactggag	tcagacggaa	gtgctcttct	ggctttgact	tctttctctc	49200
agcagtgtgt	ctagagcca	tccctctgga	ggtaattgtc	gtataatact	ccacttaggc	49260
caggtgtggt	ggctcacacc	tataatctca	gcacttttag	aggctggagc	agttggatca	49320
cttgagccca	ggagtccaag	aacagtctgg	gcaacatggc	aaaaccagct	ctctacaaa	49380
agaatacaaa	aattagccag	gcatgggtgat	gtatacctat	attcccagct	acttgggagg	49440
ctgaggtggg	aggaccacct	gagcctgggg	aggctgagtc	ttcggtgagc	cgtgatgggtg	49500
ccactgcact	ccagcctggg	caacagagt	agagcctgtc	tcaaaaaaaa	aaaaaaaac	49560
aacaacaaca	aaactccact	ttataaatat	atcctaattt	atccattcca	ctgttgatgg	49620
atgtttgagt	actttgcgat	ttggggttat	tatgaaataa	tgctgccata	aacattctag	49680
agcatgtctt	ttggtgaaca	tgtgtacaat	attctattga	gtcaatacct	agggcacagg	49740
ataagcctat	cttcagcttt	agtagctatt	ccccaatagg	agaaatgttc	acttttgtct	49800
cagtctctag	accaggtatt	ctcagattca	gcaatatgga	ccttttgggc	aggatcattt	49860
tttgttattg	gagactgtcc	tgtacattgc	agtatgttta	gcagcaccca	tagtctctat	49920
gccagtagca	ccacctctcc	tcaagtcagt	acaatcaaaa	acatctcaga	tattgccaaa	49980
tatcctccgg	ggtgggggtc	agggacaaaa	cagtcttccc	tcctgctgag	aactgctctt	50040
tatagtgtga	gttctgtgag	gacagaaacc	ttccctattt	attactccaa	ggccaggcga	50100
gcaataggca	cttaagagat	ttttgtcttt	taaaagcagc	catgagcgtg	gaatctcccc	50160
agatgatattg	cctcttctag	gacagagtgg	tcctgggcac	aggccatggc	tgaccagggtc	50220
gggcccattgt	ggtgcatggc	agtggctagg	gtccctgagt	taggggagag	tgggccagggtc	50280
ctgtctccat	cagcatgcat	ttgcagggac	tggtctgtgg	tcacggcctc	tgctcgtcctc	50340
cctgacgaca	tttaccctgg	tccctcccc	tctcctctgg	gcaggcgtgg	tgctcgtcac	50400
cttcacgaga	gcagcgggat	tcacgacatc	ggcctgcccc	agtggcagct	cttgctctgt	50460
ctgtatgtcg	tcgtcatcgt	cttgattttt	agcctctgga	aagggggtgaa	gacatcaggga	50520
aaggtaatat	ctctgtgttt	ctctttcaact	tacttggrtg	atcaaccttg	gggggtgtga	50580
ttattttctag	caataattat	gtagctgggtg	gacaaaaaag	atggagctgg	aagtgcgaagg	50640
cctgggttca	agccctgttt	ctgccactga	cctggacaaa	tcccttccct	tcctttcctt	50700
tcccttcccc	aaatctgtgt	ctccaccaca	ataggttgaa	ggggtataag	tggatcagag	50760
ttcctcatat	tttctgcca	aaacctccct	aatagcagag	accagggact	gggatactgc	50820

caagggcctc	acgacaaaagt	ctagagatac	tatcaacatg	cccttgataa	atcttgaatc	50880
ttgacctaaa	tcttcatgca	aatgttgcac	cctactctgg	aatatgacca	taaaatcaat	50940
aaatccccc	tctgaatttt	tgagaaaaaa	ggatgctcta	gaagatattc	agatgtatgc	51000
tggattttgt	gtttcctcgg	atacagaaat	aagtgcctcc	agggttccag	gtgccttgga	51060
gagaagagca	taggtttaga	tgacccatga	gggcccagtc	ggagttggca	ttctgaactt	51120
gggtgacact	gtcctcctat	agtcagcctc	tcattgggtg	gaatattcag	gaaatggctc	51180
ctgttgattt	ttagcccaag	gaacatcatg	ggaacaacaa	ccccatttgg	actctacagg	51240
gtctatttag	aagcttgact	attaaagagg	atatggatgg	gaaattttct	ttccagtgtt	51300
gtgggtagct	aatgctgtgc	aacaaaccac	cccaaaatgt	agtgactcaa	aataacaacc	51360
atatttattgt	ctctcacaat	tctatgggtt	gattgggata	agctgggtgg	ttcttctgct	51420
ccatgtgata	ttccctggac	tacatggctt	cactgggctg	gaatattcta	gatgggtgat	51480
acacattgct	agcatttggc	actagctggg	agctaagttg	gagctgcca	ccagagcatc	51540
ttgggatgtt	tccatatagc	ctttctatgg	tgcttgggct	tctcacagca	tggcggtgta	51600
gttccaagaa	catgtcccaa	gcagacaagc	cccagtgatg	tacaagtagc	tcttccagtc	51660
actgcttgca	tcattcttgc	tattgtccca	gtggccaaaa	caagtgttga	ggtaaaaccc	51720
accgtccata	tgggagggga	ttacacacag	gtgtgagttc	attggggggc	acagcgcaac	51780
agtctacctt	aatcaggtgg	gtgtcaattt	gggagaatcc	tcattaggca	actgattttg	51840
gaaagggggg	gtgcaccaga	gttctctctg	atactcttag	agttcttggt	catgccattg	51900
agagcaaaga	aagtagcagg	ggagcagcag	ccagtagaga	tgaaatccat	caagaactgg	51960
agagagaact	tcctatcagc	atgttggggg	cacagtgtct	accctaagaa	agcactcaaa	52020
caaaatgcag	accagggtct	ggagaaagtc	tagcgttgag	caaaaccagg	ataggaccac	52080
taacattctg	atgcctggca	cctagtaggt	cttcagtaaa	tatttattgg	gtaattgaag	52140
gatgggtggg	tatataagtt	tggggaactt	cattaagtat	tcttttgaat	ttagttcaaa	52200
atatcaacat	aggagaccta	ctgtgtacca	ggcttgatgc	taatactagt	gatgcaagaa	52260
taagacaggt	tccttcttca	attgctttag	tctatgtgta	ttacaggcag	gttatggatc	52320
aaccaatgtc	actagcttct	tgggtctcta	tccagagAAC	atatgtgtgt	gtcctcattt	52380
aataaaaacc	tgtggtcaca	aactatgtgc	actattatat	atcttgctat	tttttaactc	52440
taactttacc	ttgaagtcaa	tttcacatcc	agtagtcgaa	ttacatttca	atagaaatac	52500
aaactgtggg	ttcaaaaact	gtaattaaat	cagcttaaat	ggtcatacaca	tacacttttc	52560
aaaaatgaaa	aagtctagat	aataagagtt	cattgcacaa	gtaaagtaag	agctgtttct	52620
tgggattttt	gtttcagtta	cagcaatctc	taagtttatg	tgtagtttgt	cttgatattg	52680
aaggcatttc	ttagcctgag	ttgtgggtcaa	aaagtgtgag	atgctgcatt	agtggagaaa	52740
ggaagctctt	tcaactgaaa	gtgtctccaa	agaccataga	gaaggtggca	ttcgagctgg	52800
gtctacaaag	tcaggtgcag	gtagaggtgg	gggtggaagga	agggattctt	agcagaagga	52860
actacatgag	caaaactgta	gagatgtgga	agccccaggc	cagccttgct	tagcactctc	52920
tgtgcctttc	ctgggtacca	ggagcagagt	tctcctggcc	tctgcaggca	cagacagaga	52980
ccctgagggg	agacagggct	caaccctgtg	aattgcagaa	gatatatgag	ctttatactg	53040
cttctggcct	tggcatagga	ccaccacaaa	cttctaacat	tgaccccaa	gattgggttc	53100
cccttagcca	tcaccaaaga	gggtagagcc	gtccccgtct	agtttagctt	ctgagttagag	53160
tggagtatat	gttgtctgca	ggcaggctga	tgcaaaagag	actgggagga	gtaaggctga	53220
gcatgctcag	ttctttccaa	aatacacctt	cagagaaggt	aatgaggggc	gaaccagagt	53280
gttacactag	gaaagcccc	atgtagaAAC	acaatgagag	aggaatatga	gtccccctctg	53340
catgtgtcat	ccgaaaccac	agcccacatt	ttgcataagt	ccctcagtg	tctgaccact	53400
aagcaggcat	gccacaggca	gtccatggag	aggagatttt	tagaatggg	agcttcactt	53460
aggacattac	tgtgctctgt	ctttaattgt	ttttataaac	tggcttatga	gaaaccaaga	53520
gtgttgctta	tttctttcta	gactgaacct	ggaacaggac	attgagcctt	tcttagcagg	53580
cttccatagc	ctcagagctg	gcctcaaatg	aattgcaaat	gttcatacct	ccggtcttgg	53640
caagtgaagg	ttgtgctgg	cctggcttgc	tttagtgact	tgattggact	caattataat	53700
gaacagcatc	attcacacat	gagtgggca	tagactaaaa	tgttttagtc	ttggtgtttt	53760
cttcagtaac	atcagtgcac	acccacacac	ccataaatct	ccctttttta	aatcacaaat	53820
tctaaatcag	taaagggtaa	attaatgcag	atattatagt	gtaaagtgcg	gacattttatc	53880
atctctgttt	tcaagtcaac	cttagagtag	gtcctgggca	gtgtttttca	aactctcatg	53940
ggtgtaagaa	tactgaaat	ggcttgctga	aactcagatt	gctgggtccc	tctttgagag	54000
agtctgatcc	agtggggatg	aggtgagaat	ttgcatttct	gacaagcacc	taggtgatgc	54060
tgatgctgct	ggtctatgga	gtcaccttg	atctaggcag	ccattttctc	gatgcctgga	54120
ttcatagcaa	ggcttgacac	acttcagtga	caagcacctc	accaccttcc	tgggcagctc	54180
tttcccttga	gagagctcta	tcaatttgaa	aattccttct	tttatggagc	caaggctcctc	54240
atatttgattg	tgagccattg	gcttgaattt	ggtagcctgg	aaccacacag	attatccata	54300
gaaataccag	caggtatgga	tttaaagtga	tagaaagcag	tgacctccct	tagggactaa	54360
ggacatttgc	caagaccaat	gggtgctca	tgcttttctt	gatgttgtgc	tcaaaattgg	54420
accaagtcta	ggttctcatg	gccagagctg	tgttgcaagt	tgaaatgctg	agagctgaga	54480
agcctggggg	ggagatgaca	gagcccaagc	ctttcttctg	tttaccatt	gtgcattcag	54540
ggcacatttg	agcatgagtg	aactgttagc	caaagatcca	ggaatccttc	tttcaacaca	54600



agatccttagg	cagctgaagt	aacacccact	gccaatctctg	agaatcttca	acaagactca	54660
gatggtttag	ctttgaacac	atggggcacag	acaaaacaag	ttccctgctt	tcttgatgct	54720
tgaactatag	tcagggtctc	agctcagtc	tggcctgatg	tattccttag	ggaaactgaa	54780
tccatggcca	acaaacatgg	ccaatgcagg	accacctcca	ggcccatgg	gagattccct	54840
gaagtcagag	gtcaagatac	ggttttctga	tgggaggagt	gtagtctcac	ctgatttgct	54900
gggctgggca	ttgcagcagg	gctgcagcta	ttgacatgag	ttttaggaga	ccagagcagt	54960
taggaccagt	ctcaaggaga	tgtgagagct	ccttctgtg	ccttttgcca	agggcttaca	55020
cctatttgct	ccagatcagg	agactgaata	caagattgat	taacgtgagg	tcaccagat	55080
gcaacagctt	cactttccag	ggcatgttct	cctccttatt	tgttatgcaa	tttgtccttc	55140
ctgttcttgc	ctccctgaaa	gaaaacaagt	ggaaatccca	tttccataaa	gaccttctta	55200
gaacaaggga	gtgatggaga	aacaagtgga	taacatgaaa	cagaggaggc	tttccctgatt	55260
ccttctgagc	ccagaagatg	tgactaccac	tatgcattta	ctcgtcccca	tgctgaccca	55320
gttactcatt	cattcacttg	ttcatgcatt	tattccttga	cttagtcgtc	cactaacctt	55380
ctgattttatc	acttaccac	tcattcatcc	atccatccat	ccatccatct	actcaacct	55440
ccaccacct	aatcatctta	tccatccttt	taaccagcta	cccaatcata	atccagccat	55500
ccactcatcc	atccatttac	ctaacaatcc	aatcattcat	ctacaccact	gcccagtcca	55560
atcattcgta	caataaacat	ttatttggac	tcacatgtgc	cgggttcttg	ggattcaggt	55620
ttgaaaaata	taggatttta	cttctaagga	gctcatgac	tagtgggaaa	gacaagtaaa	55680
gaaagaggat	aaatcccat	ccttaaacad	aagtttgaga	agcatatggc	tttattttct	55740
atatcccat	tttttgttta	gagcccatat	cttttttagcc	tggcaaagaa	ctttcgtgtt	55800
tcaagggttc	cactttcccc	ttagggatat	gggaagattc	ctggggctac	gtagttccag	55860
ggatttgagg	ggtggaacca	tctggcattt	aagttatagg	ccttctcatg	tttcagctga	55920
gtcctccttg	agtctgacta	ccttgacctt	agcctgattt	ttcacttggg	acacagcctt	55980
ccttcagcaa	ggctaccat	ggctgcctct	gcctaaagtg	gtgatttctc	accttggctg	56040
cacaatttta	tcactctggg	agctttaaaa	aaaatactca	tttcaggcct	accttgacc	56100
aactaagtca	gaaactccaa	gaataggatc	tgagctttaa	cattttttacc	tataacttcc	56160
cccagggtat	ttgaatgtgt	agccaagggt	gagaaggaat	agcgaggaaa	cctatataac	56220
accccatcc	ctgtctctac	ctttcttttc	tgttcctcca	acctggacaa	ggggatgggg	56280
tgtttctttt	tagtttgagg	taatctcttc	ctttgtgtgt	ttctgaataa	ggtacgttgt	56340
ctgtgtccca	catctgttcc	cactaagata	aagaatggct	agaggttctg	ctttctgccc	56400
agccacatcc	cttcctaggc	aatgtgctta	ggaaagaaaa	tatgcttaaa	ggggggtaaa	56460
gaaaaaaagg	aagagataaa	cataaggagg	agatggagg	agagggagat	gagggagggg	56520
agagcaagaa	gagggaggga	ggatgggaag	agagaaaaag	agaggggggg	aggggagagg	56580
gggagagaga	gagagagaga	gagagagaga	gagagagaga	gagactgaga	tttctaaata	56640
tcctgccagt	cagatagggt	catgcagcaa	ccagtagcaa	tgggtgtgat	gacacaggac	56700
tgatggggaa	aggggagagc	acaaagggtg	gtgtacttag	ttctgtctgg	ttcatgaacc	56760
acgccttgat	ctaggcaatc	ctttgccaat	gcctgtatcc	atagcaacac	tcgcacaact	56820
tcaatgacag	gtacctcacc	acctctctag	gctcttttcc	tttagagagc	tctatatatg	56880
ggaaagttct	tcattttatg	gagtcaggag	tctttccttg	aaggagtcag	gagagggtgg	56940
ttttagatg	aggaggcatc	tgggtgctatg	aggacctagt	ctttgccctt	ggctttcatc	57000
atagtgtct	ccccactgtg	gctgactctc	accttgggtt	ctgagcttct	ctaggggtgtg	57060
acctgtgtcc	gtttgctggt	ctagccctgg	attcttggctt	cagggccttg	cctagagctg	57120
gaactgttag	catgtgcctt	gggtaaagga	aggtgggaaa	gagcatgact	ggctccctgg	57180
gaaagggtc	tgtgccccac	cagcccgcca	cgggattggg	gccagagcga	ggctctcacc	57240
tgaacttatc	cattgcccag	gtggtgtgga	tcacagccac	gctgccttac	ttcgtgtgtg	57300
tcgtgtcct	ggtccatggc	gtcacgctgc	ccggagcctc	caatggcatc	aatgcctacc	57360
tgacatcga	cttctaccgc	ttgaaagagg	ccacggtcag	tgctcrgtga	ccaccaagcc	57420
ttgggccagg	cttgtgggag	ggttttcagg	agaaggatgat	gatggaaaat	ctgggtccag	57480
ctctgccaca	aatgtgcagt	gtagccttgg	acaggatcct	tccctgtctg	aggtgcagct	57540
tccccatctg	accaatgcgg	atttgcacct	gacagtctcc	ataagccac	ccatgtctgg	57600
aggcctggga	ttctgtggtt	gcatctggtg	gtcttcacag	actactcttt	ttgaggagag	57660
aaattccctg	tgaagaggac	atgatgtctt	gggaccttgc	tcttgccctg	tgcccacagc	57720
tccttagtcc	accccagcca	ttccctgccc	ctttcttact	cttggatccc	caaacctagt	57780
ctttgccacc	atcctgtgat	gtcagcacaa	ggatagtctt	agccaccagg	gaggccctgc	57840
caactctctt	ccccaacacc	ctcatccaac	cactccccct	gtccagaggc	ccaaactatg	57900
gtgaaagtgg	gtgaatttgg	tagtggagtc	cagtgcagag	cagtgatggg	gggagcagag	57960
acaatcacag	aggtactcag	taccttgagc	atcttcagat	aactgtgag	attacttcta	58020
gcctcctctt	gcagggcccc	tcagtgagaa	cacctcaaca	tgctatctta	caattctcca	58080
gggtttcttt	atttgaaccc	ataataatcc	tggcaggccc	cagcagcaca	ggatgaagag	58140
ggatgcatcc	caatatacat	ctccatagtt	gtaatgctcc	aacacactgc	aatgttatag	58200
accggtaac	aagagaaaac	ctattttcat	agtaacagcc	agaaagataa	cagagcataa	58260
gacatgaate	agcctcgtaa	attgcaaaat	aagtcagact	tctatttgtt	ctgtgactgt	58320
ttatgccaaa	cctttcagat	gtgtagaagc	taagccctca	gtgcagtctc	aaggagcaga	58380

tctgtcttcc	cccatcagat	catgctgccc	tctgtttgca	caggcatctc	tgaaatctga	58440
attgcaaggc	tgggcgcggt	ggctcacgcc	tgtaatccca	gcactttggg	aggctgaggc	58500
gggcggtatc	cttgaggtca	ggagttcaag	accagcctgg	ccaacatggg	gaaaccccg	58560
ctctactaaa	agtacaaaaa	ttagcggggc	acggtggcac	gcacttgtaa	ttccagccac	58620
tcaggatgct	tgaaccagg	gagtggaggt	tgcaagtggc	caagatcatg	ccactgcact	58680
ccagcctggg	tgacagagtg	agaccctgct	taaaaaaaaa	aaaaatctga	attgcagctt	58740
agtctgagtg	tgtgaggtat	aattatcccc	attatacaga	tgaggaaaca	gacagagaga	58800
agtgaacttg	accagggcta	gaacatgagg	cagagaaagt	aaaaaggaat	tcagatcttc	58860
aggcctccgg	ccatgtgcct	ttatcaccca	acggattaaa	tacgtaagcc	ccattggccc	58920
ccaaggagtc	accattgtct	atggcttgta	gaagcctcct	aggaatgggt	ctcgctttct	58980
gaaaatgcca	tctccgtaac	tcttaagatg	gccataaccc	tctgttcttg	ccccattcac	59040
actctagcct	agaacttttc	attttggtta	ctttctttga	aaatcagggc	atgaaattga	59100
gtgaatgagt	tcctacaggg	tgagctcact	cacgactacc	caaggctggg	agatgctaga	59160
gaggccagtc	ctctctctgc	agttgttttg	tacagatgac	aggggagggg	gttgccaggg	59220
ctgcccattc	ctgggttcaga	ccatgtttcc	tctggtctca	gagcatcccc	aggggtttctc	59280
agcccttccg	gaccagtggg	gtgttccagt	gttgtaggaa	gcagaggtcg	atggcttttg	59340
tctgctgggt	tcagggtatg	attgatgccg	caactcagat	atttttttcc	ttgggggctg	59400
gatttgaggt	attgattgca	tttgccaggt	acaacaaatt	tgacaacaac	tgttacaggt	59460
aagattcttc	tcagaattct	gagaagctct	aatccttggg	gattgactct	tgtggggtgg	59520
cagagagggc	tctggtctgg	aagccaactc	tccctgggca	agccaaattt	tcttcttggt	59580
aaccatcctg	ggcattctat	aaactgcgac	atggcctctg	agggctcctga	tgaccacatt	59640
tcatttcagg	atgcctctta	aacaaatgtg	agggttgga	ctgggaaaat	tgagggtacc	59700
accactgaga	gatgggtagt	tatgacagag	gagaactgtg	aagatttcag	tatggactct	59760
gtccatcaga	tgcccaggca	ggcaggggtg	gaatatcgca	gctgctgagg	gcctggcagg	59820
gtcagaagtg	agactgcagg	ggagactgag	actcagaaga	ccatgatcta	gctcagttca	59880
ggaagcagtc	aatgctacct	cctgctggcc	cagtgcgtgtg	gggacttcag	gcacaggcac	59940
aaatttggtg	ccacttccat	tacactccat	ccaaggctta	aggcagaatc	acagtgtctt	60000
tggtacatga	cagagtccag	tgaattcata	ccagcgggac	aggctatagg	gaggtaagga	60060
aatggggtga	tcagccccct	gatagaagac	aagccagtg	atggaggtga	atttgagatg	60120
agccttgagg	gatagttagg	attatgctag	gcagacgtgg	agtggactgc	atgcactggg	60180
gggagaagcg	ggacaacaca	ggcaaagtga	aggaagtgg	ttgttttatg	accaatttat	60240
ggtttgttca	gagtacacct	tgggagtcac	ggaagataaa	tatataagga	aggttgggtc	60300
ttcttagcaa	agctcttgaa	tgacaggatg	aggagtggg	aggcactggg	gagcagccat	60360
ggaaggtttg	ttgaagggaag	ctgggtgactc	aatctcctgg	caggagtaga	ctctggtatc	60420
aggctgttgc	atccataagc	agttagccta	cttctgcac	cagtgatgg	gaggccctgt	60480
atccatgtgg	cagcaggagc	cactgaagg	gggatggcct	ttgaggctgg	ggccaggctg	60540
caggttctat	agccagccca	gcagtcaaaa	cacagggttg	aggggtgtca	gggacttgac	60600
ctcactgtgc	ttcttcccc	agggatgccc	tgctgaccag	cagcatcaac	tgtatcacca	60660
gcttcgtctc	tgggttcgcc	atcttctcca	tccttggtta	catggcccat	gaacacaagg	60720
tcaacattga	ggatgtggcc	acagaagggtg	ggtgggcagc	ccacctgggc	cccagccac	60780
tgaggcggga	gctgagaagc	ccaccttatt	cttggttgca	tggctcttcc	gtggctgtag	60840
gaatactggg	ttgtccatgg	agggtgtcaa	accaccatg	tgattgactt	tcctttgagg	60900
ttatttagtg	gcattccagg	cagtcacagt	ccccatgcac	gtaggagaac	cttctctga	60960
gtcagggtgg	aaggaacgga	ttttggactc	tcctctctgt	accagccctg	ggctaagcac	61020
ttgacatacc	tccacttagt	tctcacaagg	ctgccgggca	agtgtcaata	gactcacttt	61080
acgaatggga	agactgagat	gcaagctaaa	tacattgtct	ggcgtcaccc	agctagttag	61140
caattgtgca	atagtattca	caccccaatc	aatccagctc	tggagcttgt	gtccttccct	61200
gcagcttccc	atatccttat	ggccacagag	aagctgagac	ctggggaagg	gctacctcta	61260
atgcactccg	aggaccccaa	gcttttagtg	gtaagagtgg	atcccttata	gagtatagta	61320
ggtgggggtt	gcagcatgta	gcctgtagct	gtccaggcag	ggaactgctc	tccagactgg	61380
ctggtggggg	tcaacctctc	cgatgcacag	gtgagctgta	agttcatgct	gatttcatct	61440
gttatctcta	aacctgtgtt	ctgtccgccc	acacatgacc	kaacaattgg	gccccagat	61500
actcccctat	cagtgcagc	tcagaccaat	ggtttcagcc	attgatgagg	tccttgatgt	61560
ttcttacagg	agctggccta	gtgttcaccc	gttatccaga	ggccatttct	accctgtctg	61620
gatctacatt	ctgggctgtt	gtgtttttcg	tcattgctcct	ggcgtggggc	cttgacagct	61680
cagtgagtga	ccctgcttag	gatacctatc	ccccatccca	ctgggcctga	cccccttccc	61740
caacacacag	tgctgggcct	gaagttecca	ctattcaaac	accagggtta	cagttgtttc	61800
ccagaaggcc	ctattttaa	tgcagacaaa	aaaagttagt	cctcactcaa	aaagataaga	61860
cttaggccaa	agccaagaac	cataggaacc	cctttgacat	cttggaatc	caaaagaaga	61920
ggcttcagat	aagccagccc	cacactgtcc	tcttgacagt	ggggaaatga	ttcagaggca	61980
acacagataa	aatcttgtgc	tctaacaag	cattttctca	ttatatttta	ttatcaataa	62040
tcaataggcc	aggcatgggtg	gctcactcct	ataatcccag	ggctgtggaa	ggctgagggtg	62100
gaaggattgc	ttgaggccag	gatgtcaaga	ccagactggg	caacataggg	agacccccat	62160

ctctataaaa	aatttaaaaa	attagctgag	catggtggtg	tatgcctgta	gccctagcta	62220
ctcaggaggc	tgaggtggga	ggatcacatg	agcccaggag	ttggaggctg	cagtgcagcta	62280
tgattataacc	actgcacttc	aaactgggta	gagtgagacc	tggtttctaa	aaaacacctc	62340
aaaacccaaa	cgaacaaaca	aaaacatttt	gaaccagta	gtttcttaca	tccttttatt	62400
ttatccaaat	gtaagattgg	atttactgac	atctttttaa	atctatgtct	acccttagta	62460
cctcatgcct	ggacatttgc	aaaaaatctt	atggaagggc	tggcacttgg	ttttcctccc	62520
actgcctttt	gctttcagtc	agcagatctg	ccaggagcag	ggagttgaga	aggattttga	62580
ggctgcttct	gggcttataa	tgaagaatac	tgattttgat	taacagtgtc	tgccaagagg	62640
aggggagagg	agaggagagt	ggtagcttgc	attcttcttg	tctgccctca	cattgtcctc	62700
ataaggaagc	aatctgcccc	tagcagtggg	atatgagacc	ctttcagact	ctaagagtct	62760
ggagtttgaa	gtgaccactt	tgcttgatca	ttagaaaggc	agccaaaaat	ccttatcaaa	62820
aactgctgcc	tgaagttccc	atcactagaa	gctcttctgc	aggagttggt	tccagagaca	62880
cttattgaca	tgtaaacgta	tgacatgggt	tttgggtgtt	tactgctttc	actccactat	62940
cagcttatct	gtaccactc	aggctgagtg	agtgtcagga	gacaggtagc	tgttgcgtag	63000
gggagacagg	tgttgactta	accctcacc	tctcccacgt	agtttctgag	ttctgagttt	63060
gcctgagaac	aggacagaaa	tgtgacgaga	ggatggggaa	ggaaggacgt	gctgatttct	63120
cgagagaggc	aaggcagcct	acatgagtcc	tgggctgcag	gaggctctag	gaaccctggg	63180
gcctgagact	gaggtccagg	gagaccctaa	ttcctgcacc	ccaccctcc	tggttccctc	63240
cagatgggag	gcatggaggc	tgtcatcacr	ggcctggcag	atgacttcca	ggtcctgaag	63300
cgacaccgga	aactcttcac	atttggcgct	accttcagca	ctttccttct	cgccctgttc	63360
tgcataacca	aggtgagtag	gggctgggct	ctgggtcacc	tgggggcctc	tgaggccgca	63420
tttcaataaa	gtcaaactt	cctagcctta	gaactggggc	tgagctcagg	gagaacaatg	63480
caggatccag	catcctcaat	tcagcggcct	gaccactag	ggttaggccc	agtagtcttc	63540
ttccatctct	gatgctgagg	attccattca	gcctctgtta	ttgccttatt	gacttgaggg	63600
gcagcaaaaag	tccctttgga	acccatctaa	ctctttattg	gctgaaactg	aggtgactgt	63660
aacgtcaata	caacagcacc	acagccctat	gccctgggtt	ttcaaataga	gctccgagca	63720
agtgggacag	ggggcaggta	agagttgaca	gacacaacaa	tcagttccca	cgtttgacca	63780
aagagggcct	cttggcttct	tctctccctg	tgccagggtg	gaatttacgt	cttgaccctc	63840
ctggacacct	ttgctgcggg	cacctccatc	ctttttgctg	tcctcatgga	agccatcgga	63900
gtttcctggg	tttatgggat	gtgagtgtgt	ggaaaagcct	cagctcccag	tcctcctaga	63960
atcctgcacc	tggaggtgtg	cagggaggcc	ttccatttcc	aggacagcca	cctaaaattc	64020
cagagtcag	caagtcactt	attgggaaca	aatctyaatc	ctcggctcat	ctttggatga	64080
acctgccctt	aacaggaggc	tgcaaaggcc	cctgggcac	aactcctaaa	agaggaaccc	64140
ttaggaaaat	gctgaccccc	aagtcataata	attcatccta	ccaggggggt	gtcagattta	64200
gcaaacacaa	cacgggttgc	ctagttaaac	ttgaatttca	gataaataac	aaataattat	64260
ttagtataag	tatagctcaa	atattgcatc	ggacatactt	accctaattt	ttttcattat	64320
ttatgtgaaa	ttcaaactta	actgggtatc	ttgtattttt	tctggcaaac	ttattctgga	64380
acagaactga	gagaatattt	tacaaaccct	taaagtgtgt	aattgtttgt	ttttcccccac	64440
caagtgtcac	accaacatgt	tagtcctgtt	ctcactctgc	tgccactcag	aaagagattc	64500
aatggaagag	tctgggctct	cctatcagat	tgaagtcagg	gaatgtgctg	tatgcatagt	64560
tggtgttatt	ttcagagcaa	gagtaaccaa	gaggaaagag	ctgggctttg	gagtcaggcc	64620
aactggctct	ggaatttggg	gcaaatcccc	tcacctcttt	gagcccagg	ttccctctga	64680
caggtgaatt	ggggtgacac	atgaaagggg	atactgtcct	agagttgttc	ctctccctca	64740
ttctgcatta	caaaaggccc	atccccaggt	ctccctaggt	ccakkkkatc	agcatcttgc	64800
ctcactgccc	tgctctccac	ctggggccag	aacctcatgg	gaggacctgg	ccctggctat	64860
catggggggc	atggtaacag	gcctgccttg	tgtgtgcaca	ggagtgagca	ggttcagcaa	64920
cgacatccag	cagatgatgg	ggttcaggcc	gggtctatac	tggagactgt	gctggaagtt	64980
cgtcagtcc	gccttccctc	tgggtgttag	tgtctgcagg	gaagycctgc	atgtggggag	65040
ggggctgtgt	ccaggatgga	gctgggtgag	gatatttgct	tcttagggga	ggaggctctg	65100
ggatccagag	gccctgggtca	tgcagagggg	tcacttggga	tgcttggccc	tgtggataac	65160
gtggtagaca	tccaccttac	taggggggtc	tccagctggg	gccaggctcc	cgggggctgt	65220
tatgccttct	ccaaagtcac	cttctgttct	tcctcttttc	ttgctccctg	tcatatctgc	65280
ctccttttga	ttatcacttg	cttcttgaat	tctttcttat	ttctccatct	ctttctcttt	65340
tcactcctt	ccttatttcc	tcctttgtct	gtgatgtcca	cttctcttca	ttctctctcc	65400
acctttcttc	cacctcttcc	tctctttcct	tcttctgtct	tcttctgtcc	tgtcttctct	65460
tctctccctt	ctctgcccac	ctctagtctg	tgggtgtggg	cagcatcatc	aacttcaagc	65520
cactcaccta	cgacgactac	atcttcccg	cctggggcaa	ctgggtgggg	tggggcatcg	65580
ccctgtcctc	catggtcctg	gtgcccatct	acgtcatcta	taagttctct	agcacgcagg	65640
gctctctttg	ggaggtgagc	tctggctcct	cccaggggaa	caggggtgga	gggggctgag	65700
ggggaagacg	ggacgactct	cattcctgtt	gggggtgggg	aagggacaga	aggacacaga	65760
cactagggtc	aaacggaccc	acctcattgg	ccaggttatt	ttcccccatg	agcctcagtt	65820
tccacatctg	tatattgagg	ataatattac	gtaccccaaa	acaaaaaaga	agtacttagc	65880
acagtgtctg	gcgcacagga	ggtgttcagt	acatgttact	tgggggtgag	ctcagccctg	65940

gagttcacta	aggattgatt	agacagactg	cctgaaccca	gctcactgtg	atgtctctgt	66000
ctaagatttg	tcatttccca	agatgtccca	gctctcccca	tccaagccca	ctgtgatctg	66060
ctccttctgg	ttttcacctg	cctctttcca	gaacctaata	atctgatcag	cctaaaccag	66120
agattttctga	actatttctt	tctatgcatt	ctgcatatat	gtcaatattt	atacatatgt	66180
atatatgtac	atgtgtgtgt	atatacatat	atgtatatat	acacacacac	acacatttat	66240
ataaatattt	aggaaactgc	cctttattct	gaaattatgt	cactcctatt	tgattaaaaat	66300
atccttttctt	tcataaacta	atagtataaa	tcttttccct	atatccttac	tttacaaaac	66360
aaagatgatt	tcattccctc	attcctttat	ccactcactt	ggaagggtatt	tattgggacg	66420
cagatatatg	ctgggtagta	ttcgaggcac	tagacaaaaa	ttcctgccct	tatggagttc	66480
acatttcta	caagggcagg	taaacaaaat	aggatgggaa	ggcatccttg	ggagccacaa	66540
ggaaactcaa	ggaagggagt	aacagacaga	cagtcccat	cctcattctt	tgtgatacat	66600
ttcctgtctg	tgaaatccct	aagtctgggt	ccgggtcact	gggaggatca	gtgttcagtgt	66660
acctcattct	agacatggga	actgggacct	gagccttcta	ttcttcacac	tttgggagtgt	66720
gagaggcttc	ctgctaccag	tgatcaattg	ttgggttcaga	acacatggct	tgagacccca	66780
caagtgcctc	cactgcagga	gggctttcct	gattccctgc	agggccagag	gcttccttcc	66840
acactctccc	tgctgcactt	tctccattct	gggtctaaga	tgatgtgtgt	gtttgttcat	66900
tgccagtccc	ttacatgggc	ggtaagctcc	cccaaagtag	agactgtgtg	ggtctccttc	66960
aagtctggat	ccatagggcc	tagcccatg	tctgaccaca	gtaggcagct	caagaaacag	67020
tgtctggatg	agtgaactaa	tgaccagct	ccacaaacaa	agctggagggt	gtcttgtaca	67080
gaccccaaat	gctatccatg	tggggctgca	ggatcaataa	gcagggtggc	ctcatctgsr	67140
ggtgcagcca	ggctggcaga	agggtgtccc	tgggccaagc	tgaggcctcc	tcccttctc	67200
ttcctttcag	agactggcct	atggcatcac	gccagagaac	gagcaccacc	tggtggctca	67260
gagggacatc	agacagttcc	aggtgggtga	agcctagacc	cctgggggtg	agattacaag	67320
ggcggggcct	ggctgttccc	tgctgtgyac	tgcccaaggc	tagacatcac	atccagaaaa	67380
cccagaaacc	cagtgtgagc	tgccctttcc	ccttggaaac	atcgggatgg	gggacaggga	67440
ggctcacctt	gagcccatgg	cctcaggctt	gccctgtgac	tttggggagg	ttctgtctgc	67500
ctttctgggc	ctctgtgaca	attaggggat	caacttgcac	gttccctgag	gtccgtgaag	67560
gaaggggggtg	tttttctgcc	ttctctctac	ctcctgtctg	ccccgccagc	tgcccttgc	67620
tcctttctgt	cccaccatg	tcataagtc	ctcgtgtctt	ttctctgcag	ttgcaacact	67680
ggctggccat	ctgagcctgc	ctggaggaga	aggaggaacc	cccatgccaa	ctgccaggtc	67740
acaggcatcc	gctgcgtccc	cacctcggac	accatcttgg	gattcctccc	ctggaagttg	67800
tcctttctga	tcctctcttc	ttttccatt	tacaaatgat	ttcgtgactg	tagtttttgt	67860
tcaccttctg	tgcatctggc	ctgggggctg	ttagctcaga	ggagaggagc	aaacaggaaa	67920
atgacttctg	ttctgtcccc	gctgttttgg	gggaagtctc	tcycactttg	ggatcctgct	67980
gaagctaggt	tcataaggtc	ggaaatcccc	accacatttg	cctagacttt	gggcacagga	68040
gttcttagtc	caccaaacta	gagagaggat	gggcttttga	tcagataccc	ccccccaaaa	68100
aaaaaaaaaa	acaaaaacta	aagcaaaaat	caaacaaaat	ctggctgagt	ttagtggggt	68160
ggttggggaa	ggtacataga	ccctcctctt	gcccacccta	gacagccctc	tcatgtctga	68220
acctcagcct	gggagttaga	tttatttgtc	tctaaaaatga	agtcagtga	tagatgtctt	68280
gagggatttt	gagtagaaac	attcatagtt	aattttcact	ctggccaatc	tgagtttgtat	68340
gtgtgtgttc	tggaacattc	ctccagcttt	tggtgggtcag	atggcccaga	gatattggggg	68400
acaggaggaa	gagggtaaat	gaaccacagt	gagcaggttc	taggagggtac	ctgcatcaga	68460
caagctgggtg	gaggccacgt	ggcaagccac	atctactgag	gcctcatgct	gctcttgctc	68520
tgtaagacac	ggagcccaga	aaccatctg	cacttctctga	gacctgcctg	gggaaacggg	68580
ggcagggacc	aagtgaggcc	tcatgtgtgt	cttcaccgtg	ctgtcctcac	aaggccaggt	68640
gggtgcccaa	agggagcctg	acaggctgtt	gtgttaattt	attgttcttg	cacacctgca	68700
cagcctccct	ctggggatcc	cacctggagt	ggaccagggg	tcttgagaaa	tgagaggttg	68760
gctgcaaaaa	ctctcatgca	ctagatgtgg	caccttgagg	ggcagggtga	gacaagcagc	68820
ccagaaatac	tctctcaagt	ggaggggaga	attttgagag	tgatgggaac	agtttggttg	68880
tttcagagaa	tttctaggtt	tctacttgga	tctacttctg	atacaaaactt	gcacttggtg	68940
ccctctgggtg	gtgttttagtt	ttagtccgt	aagagaaatg	attcctagtt	tgctaaattg	69000
gtggcatctt	tgaggagggt	ttctgtttat	gggttagagtc	tcttacaccc	ttgttgaggg	69060
gattcttatt	ctgactgtgg	gagctcctgt	tgaggatct	tggaaaaaaa	taaagaagcc	69120
gctgcattcg	cagctcaaga	aggtgctttg	cctcaaattg	gggtgttgtt	gagcctgggtg	69180
gttctctgat	gaagaggatt	atgaggggac	caggggtggg	cagggagatg	gttttgtctc	69240
ccagggctct	gaggtttcct	tgctgggtcg	gggtcctcag	gtcattctat	agataaaaaga	69300
gggaaaatca	ggagactttg	aatctttctg	tataaaaagg	tcagctgaat	gcctgagaca	69360
gcccagggtg	caggtgtctt	ggagccctgt	gaacagttag	gcttaagaat	ggagaacaat	69420
caggtcgggg	tctgggcccc	attagtgaat	ttatatcctc	ccataaaaagg	taacttcttc	69480
ctaggtgtta	ccatttttct	tttctgtttt	tggttttgtt	tttgtttgtt	tggtttgtttg	69540
tttgtaataa	agcactttaa	tgacatttac	ctgccatctg	cccagtgagg	actgcagggg	69600
tatagcttct	atctcccat	ttcccagggtg	agagaaccaa	ggcccagcat	tttagtcact	69660
cttgctcaag	gttttttagc	aactaacaga	tcgagttggg	ccttcaattc	acatccactg	69720

actctcagcc	cagattat	tgaatattcc	ctgcacaata	gggttcaccc	caccaggac	69780
tgtcattttt	aaaaaactca	ttcaaaccgc	aaaggaaaat	ttcttagcaa	aagaacaatg	69840
tgttgaggga	tgggaagggg	cgagagaatg	ccattttatt	tcctctagct	ggtttccaga	69900
gaggaaatta	tttagctgct	ctcttttgat	gaaaataatc	actctttgga	atagttggat	69960
gtgaaaagct	gagtctactt	ggttgaaatg	agagcaaaca	gtcagcaaag	ccttttgcac	70020
tagagcaggg	tcgtgcttcc	gagagagcct	gccatttcc	ccttgccatc	tgcagtggc	70080
cccttctgcc	tccagacatt	tgtcccgggg	tgaatcggag	atgtgggtgct	agctgaacca	70140
acaccaaacc	aacgcagtgg	tgtgccttg	cggcggaagt	tggctcctga	atctgggatg	70200
ggaacctggc	tccaagcctg	gggtcccctg	gaggttgaact	gtaccagaa	agcccttggg	70260
agttctcggg	gaggtgcttg	gagatcattt	gggtttac	ttccaccac	atttaattgga	70320
gagagagtat	gggttttatg	tttaagtcac	tttgacttcc	ttttttagc	ttgtttttaa	70380
tagcagaggt	caccggggac	aaggggtgctg	tgtactgtat	atgacacttg	acgttttga	70440
tattttttca	ggttttttaa	gaattattat	ttttcatgaa	atgtaaaata	tcagtttgag	70500
aacatcacat	ttacgtctac	tcaatgtcta	gttatttagc	accaccttt	tagctttcat	70560
tctagatgaa	aacgagacaa	gggagaagga	gagctaccaa	ctcttgccag	atatcctgct	70620
gaacagaaat	ccctgaagct	gccttaattc	tcaaaaggag	ttaccgctca	gctgggagcc	70680
agttcctgct	atatgatctg	ttttctagcc	tcgctaagt	gagactgaag	cattcctacc	70740
aaagaaatca	tttcctagta	aagaagccca	ttgaactcac	tttatttgtt	tatttccttc	70800
gaaagccacc	gaagagagaa	aaacagagaa	gggtgttagt	gtggcgga	aagcagaca	70860
tatagtttta	cagacttggg	tctgcagctg	actagctggg	tggcctggg	atagttggctt	70920
catcttttgg	ggcttcaaga	ttctttgtct	ttaaaatcag	gggttatatc	agatcatcaa	70980
agttcccat	ccattaaaga	aaacctgca	tgtatccata	atgatgctct	cctgttaa	71040
ttacaatgaa	ggaaacacat	cacttaactg	taagaatttc	ccaaatgaa	ctgatgacca	71100
gtgatctctc	tatcagagaa	atgtcagatt	tctagcctcc	agaacttga	ttttctgga	71160
cattcaatag	ttcctctttc	tcagatattt	ttcaactgat	gccagaaaca	cctggatttt	71220
gtttttaatc	caaccttttt	gttttgaggc	tttgagggt	aacacatttt	cataccctgt	71280
gagtcacag	atccacagct	ctgctgtggt	ctcagaagcc	actgaaacat	tggatgaatg	71340
gaagtacatt	ttgggtgccc	tgcctcctc	cctctgtctc	tctgcttccg	tgtaaataaa	71400
gactgtttca	attgtgtcct	ctctgtgtca	tggactgttc	caatgtcatg	cagatttctg	71460
tgtctgatat	ggatttttaa	agttgttctc	tttgtggaat	ataagtgtac	agaataataa	71520
ataatgtttc	ctgggtgtg	tatctggtag	cagagttctg	aatgctttct	tccatgaagg	71580
tggaatgcta	caaattatgt	aagggaggtg	gggtgatcta	tgatcagctt	ccaactagta	71640
aagaagagcg	tctggtcata	gtgaccaccc	ttttaatcaa	ataactcttt	ttataacct	71700
tggaaaagga	gattggaagg	agttaaatct	gtaactcttag	ccttgagatt	aacatatatt	71760
tttaaatata	aagaggcac	caagtgtac	caggtttagt	ttagttagt	tttcatttct	71820
aaggctgttt	caaggagctc	agaacctcct	gttggttga	attaaatata	caatttgggtg	71880
catgtgtgaa	ttttctggg	gagagggata	cattcacatt	tagaccttag	aagatctaag	71940
tctttgtttg	gggaagatgt	aagctgagta	ttgtcattgt	ttggagaaga	tgtgaactta	72000
taggtaat	tttttaattg	aagccagcaa	atagatagtg	ataccaatgt	aaaaggggtg	72060
ttgtcaaata	actgttcagt	caatgtcttc	aaatatctaa	aggctgtcag	agagtggtg	72120
gtgggcccaa	gtgctgaaat	gggtccaatg	gtaggaaagtc	caggaagaca	gcttgcaaga	72180
ttctaccaga	atagagaatg	ggctgttgct	ggaagtggta	actccagctc	tagagatatg	72240
caagcagata	gcaggcagtg	tctcctgggg	atgcaatgtc	agggtggaatt	ggggggagg	72300
aggttgca	acctctaaga	ttccttccat	ttggagtcc	tagggttgtt	tttttcttt	72360
ttcttcttc	ttttttttt	ttttttttt	tttgacagtc	ataagcctgc	cctgtacagc	72420
agcactggga	gatgcaaata	cattcatgcc	aaggacctg	gggtaggagt	ggtttggcct	72480
cacaaattag	agttgggaag	atatcccaga	gaggctatta	tcattctgat	cattttgttt	72540
caaccagaa	ttggagtgg	gctttattat	agtgaatcaa	acagaagaca	gctgcacttc	72600
tggcattccc	ttgtgcctga	cgagatctgg	taagcagtg	tcctgtggga	ggaggggagg	72660
gaggtgggtc	cagagaagga	aagggcagct	gttttgggg	gggtatggag	aatctgggtg	72720
cccaggcttc	caccctgtcc	cctaggctga	caacacagta	ggagaagtcg	gagcagcaca	72780
gataagcctc	accttaggca	cctagtgggc	ttctgaattt	tccccaattt	aattgcaccc	72840
catcctactt	ctggagattg	gatagcttca	tttttatctc	ctcccaaaag	gcactgatac	72900
acgtagtctc	tatctggggc	tcaatttgtt	cctctacagc	ggatcgagg	tggtcagaac	72960
taagtgttca	tgaatgggtt	tcaaaatttt	tcagaatctt	ctgagattaa	attcaaaactt	73020
ctgtttgaat	gaatttgtgc	tcatttttgg	ggaaaaagga	tccatacatt	catcaagt	73080
tcaaatattt	aaaaccac	agtatatatt	acttttgggg	gcctctctct	tctgatgata	73140
catggcatcg	gtctctgccc	ttcaccccaa	actaaatgag	gatgacaata	gaccttattt	73200
ctgaatctca	gtcacccgc	attatgttga	ccttgttttt	ttgtctgttt	gtttctgaga	73260
cagggctctca	ctgtgtcgcc	caggtctggag	tacagtgggtg	cgatgacagc	tcacagcagt	73320
cctgaacctcc	tgggtcctaa	gtgatcctcc	cgcctcagcc	tcctgagtag	atgggattat	73380
aagtgcagtc	caccacagtt	gtctaatttt	atttttggta	gaaacagtga	ctcactagat	73440
tgccaggct	ggtctcaaac	tcctgacctc	aagcaaacct	cctgccttag	cctcctgagt	73500

agctgggatac	acagggtgcag	gccactggggc	ctgggcttgac	ttttcatatc	aatcatcccca	73560
cagcaaatac	ctcattttat	cccgtgacaa	tgagcctgca	agataggcag	caacagggaac	73620
accgtgcccc	ctggacagat	gagacaactg	aggctggagc	tgagaagtga	cccgcctaag	73680
gtcacgcagc	tactgaaggg	caaagtcagg	tcccctcatg	cctgggtcaa	tgctcttcac	73740
attatattca	ccgccctatg	gaaataaggt	agagtgggga	ccagacaagt	cctgacgggt	73800
accacagaac	tgtgggaaga	gactgcaggg	ctataaggac	ttggtcacct	aacaggagct	73860
tgttgacagg	tactgggaac	attgcttcgt	cacacagtct	caaacaggac	tggaaaggatc	73920
aatgctgtta	gggatcaatg	ctgttaggga	tcaatgctct	ggaaaagtgc	tggcccccca	73980
gtgtccactt	gagaccaact	actctgatgt	gatgattgag	tcatgttgga	aaagtcaattg	74040
ctaagccttg	gctctcccag	ctgtgaaatg	agaatgttgg	attggatgat	tctctaaagt	74100
cctttctgtt	tctgactcta	tgagatacac	tcaggagagcc	ggcatgaagt	tgatgggcta	74160
attcatatga	agatgtaaat	gactactttg	tcaggcagac	agtgcagat	aaagggtggga	74220
gttgctgcoct	tttgttcatc	ctataagttt	agtgcggggc	ttggtaaact	atttctgttaa	74280
aggctctctgt	cacaacttct	cagctgctgt	tgtagcatga	aagtaacctt	atttataagt	74340
atcagggtgg	gggttggatt	tggcctgagg	tctgtggttt	gcagatctct	ggtagggtgg	74400
aaagagtga	gggtctggag	ttggactaga	cctgggtttg	agtctcagct	ttaccactga	74460
ctgctgtgaa	atcttggaca	agttatgtaa	aacttccgaa	ggctttcttg	tttctgaaga	74520
gtgagaataa	gattcccaca	agagagtttt	caggaagggtg	aaacaagggtg	atgtacactt	74580
acagcaactc	tctggggctg	cagtacctgg	attcaagacc	tggttccatc	actccacagt	74640
gtgaatccct	gggcaagcca	cataaacttc	ctttgcctcc	gtttatcatt	cataaattggg	74700
aaagacagta	gtgacccttg	ctagggtcat	ggggagaatt	aaatgttaat	attgtattca	74760
gaatagtacc	acctacacag	tttatccttt	tgtatatattg	gttcatgtca	gctataggat	74820
gaatgtatat	ttcctcctct	catcacctct	gcccatttca	aaggcatccc	agctaccact	74880
gtgttttcac	gaagccaaat	cagtgtctgt	ttcctcgtcc	tcttgatcc	cctccttagg	74940
atgggtgcoct	ccttaggatg	atgtccttga	acttgggtct	gggtagccaa	atccaagttt	75000
ccctgggcct	gagtgcattg	aaccacctgg	gcagaagttc	aagcttctgg	aaatcccagg	75060
ctccacagac	cttgccctct	gcaggaaccg	gcttccctgt	aagccctcag	ctgtcagccc	75120
ccatttagacc	actggcatgg	gagatattac	tctaggctgg	ccctggctctt	ggctatgacc	75180
tggaaaggga	ggagaccaga	gggagactcc	tcgaagagct	ggcacttgte	tgggtcctgg	75240
agtccctgctt	atcagctacc	ggctctgcca	gcctcaggcc	tggggaaagc	tgggtcgggc	75300
cagactagca	gggcatgagg	gtaagggttg	ggctgcagta	catcgaggag	gaccaccctg	75360
tccccagaga	aggcccagca	agggtcacag	cctggaatgc	ccaggagcca	caaagccacc	75420
atctctgcag	cagagggtag	ttgttaggtg	gggagcactc	cacacacccc	tgcagctcca	75480
ggctgcaatc	cagaccccag	ccccggaggg	gcagacagga	gtcagaagaa	gagaggccta	75540
acacagcagt	agcacctggt	cacagtcagc	ccagcaacag	ggcacctgcc	tgccgtccac	75600
ctcgagccat	tcccaggacc	ctgctaaacc	tcttttcttg	caccacggca	accaaaactgc	75660
ctcctttag	tcgcctttga	cccctgaccc	acatctgcag	tcacttgggtg	gtaacaatcc	75720
cctatcatgg	ggagaaggga	cagggtaggg	ctggcattcg	aggcataccc	actcacataa	75780
gagcattgca	gctctggcct	gtcaaatgga	ctgcagagcc	aaaccaggga	gtgtcagaga	75840
caagattagg	ggatctgggc	tccacagtta	catttgttga	acccttgccc	ttgagttttg	75900
gaattggaag	gacaacaaag	cacaaagagt	gtgtggcttc	atcaaaacag	ctgagaggat	75960
gaggccacat	cctggccaca	caagccctga	agttccagga	ggaccaaggc	tttaggagca	76020
tcagcacctt	ggacaaggcc	aattggctga	tctgccttta	attagcaaac	aggttggttt	76080
accttttgte	agttactatt	ctgagtgtct	tacaaatatc	agtcactgaa	ccctcctaac	76140
gactccatga	gatagcatga	ttattcgcat	ttataaatgg	gggaaactga	gacacaaaga	76200
gctgaaataa	ctagtgtgtg	gaactgggat	ttgaacccgg	taagtctggc	tccagtctgt	76260
gtctttaacc	attgatctgc	ccccttccct	ggttcccggc	cacatggaca	tgacatgggtc	76320
aggctgggtg	ggacatgagt	cctcctctac	ttccatccct	tcttcaattg	caaatgcata	76380
atactaaata	aataacttat	gtgtatacat	atgtaagttg	tacacatata	tgtaatttaa	76440
cacacatata	tgtgttatac	acatatatgc	ctatttttaa	caaaaatatg	taaatgtaaa	76500
tatatatgta	tacgtgtgtg	tgtctatata	tatatatata	catatatata	catatatata	76560
catatatata	catatatata	tacatatata	tacatatata	tatacatata	tatacatata	76620
tatacatata	tatatacata	tatatatata	cacatatata	tatacatata	tatatacata	76680
tatatatata	cacatatata	tatacatata	tatatatata	cacatatata	tatatattta	76740
agtgcctaca	atgtgatagg	aagcaaacaa	cttgctctag	atcacatagt	aagagggaat	76800
tcagtttgga	cagaggctcc	ctatctccta	ggaaaagtat	ctatcctggc	tttctccaga	76860
agccccccag	tctgtacttc	tctggttctt	tatgccaaat	acagggttag	tctgggctca	76920
ctagccaaaa	gcaaaaagat	taggcacata	tatgttagga	tgcaagtgc	tgcatctaac	76980
agaaatgtaa	ctatagtttc	ttcataaatg	gacttttctt	atcctcttgt	aacaaacagg	77040
caatgggtca	gggagaagg	ggtgagcagg	aagaagtgg	agaagtaact	ttggtcctag	77100
agaaggactt	caacagggcc	ccctgcctgg	atgtgtccag	aagccccaga	tggctctgga	77160
gctgcttta	aaagtaataa	aaaaattgga	tgccttccag	cttcttgttc	cactatccat	77220
agcatgtggt	actcatcttc	atggagaaaa	gatagtgaag	ccacctgcag	atgccttgcc	77280



cacctttcag	gcaggaggaa	gggggaggga	gagaaaaggt	aaaggcagaa	gacagttgag	77340
tcattctctg	tcattgctgga	ggagcatggc	ttccccagaa	cccctccgca	gtctgcctac	77400
accccatggg	ccaaatctgt	gcaacacaga	acccgtgact	ataagagagt	ctggagaagt	77460
aagaactttt	gctgggtacg	ttgctgccct	gaacagaatc	atggttctct	tagggagagg	77520
atgggaagga	cattgaggag	atgctgatcg	ctgcctccct	ctctgcagct	tcctcacccc	77580
aggttccctc	atctgctgag	aacaagaggg	tcctgtgga	aagcaccctg	gacagaaagg	77640
ccacagataa	gggcatctat	gttctatggc	ctgatattag	ttactccctt	gggctcaagt	77700
tgtggggact	caggactcag	gtcttgccag	aggaagacag	acagacctgg	ggttggcatt	77760
cacagaggga	ccactgagct	ggcaggtaga	tatgtccatt	gagcagagta	tttctgcccc	77820
ttctagggtc	cctctcctct	tccttggcct	gacaggtgcg	ttagtaacaa	cggagggaga	77880
tttctaattg	ataatatgag	cactacgacc	accagggtgg	accaacacac	acttctgctg	77940
ctaagcagag	gctgaaccca	gaccttctc	agagcctgtc	tgaatcctca	acactctctg	78000
gaaccagggg	agtgaaaagc	agttttgaat	aaatgaaaag	atccatcttg	ttttgttact	78060
atcatacttt	ggttgcactc	attcgttcat	tcgtttattc	attgatcaga	atcatacatg	78120
gtcccactat	gttccaggaa	agaacaatgg	aaaacagaga	aggaatatct	ctgcccgga	78180
ggagctctca	gtctaattgg	gagagggatt	gtgtgttgat	aacgaaacat	ttattgagca	78240
cctattgcat	gctcatggaa	agccctttag	tggctcctca	tttccctcaa	ggtaaattca	78300
agtccctcag	ctctctgtct	tcattctcacc	ccacctctct	gcaccatcac	cctacactag	78360
ctgcacataa	tccaagcaca	ccctgtctcc	ctgagcctca	gccttaggct	cttccccctc	78420
tttcatctct	ctgaacctga	ataacttctg	tttgtcactc	aagatatcag	accctaaaaa	78480
atgcctttcc	taacctatcc	atcaccacgt	tctgccacatt	tatttaaatg	atcttccagg	78540
ggaccagcaa	attttgagac	aggaggcaat	aactgcttat	tcataattgt	atgcctgggtg	78600
cttagacaag	gatctggcac	atgtaagcct	taaggggatg	gttgggttta	tagagatgaa	78660
tgagacaagg	tcattctcata	acctagcaga	gaaatcatgc	acagagctcc	atgtggggag	78720
atcagagagg	gctccccata	gcaggtgggtg	ctagagttgc	gtcttaggga	aattccagggt	78780
catgagaaca	gtgaaagtgg	cagcacagag	gcattgaatca	gtagcagaga	gtacaatatc	78840
tacagaaatt	tgcaggggtcc	aagcagaggg	gctgtagaag	agcataaaat	tcagaatatg	78900
gagacatcct	gtgctgagat	aaggcagtggt	aactttttcc	agaaggcaaa	agggagccaa	78960
gggttttaga	tgggtggaat	gatataatca	taattgggtg	tagatgggtg	attagtgaac	79020
gattgtgggtg	tagcgaacta	ccccaaact	tataagaca	accatgtatt	taactcgtaa	79080
atctgtggcc	catctaggaa	gttctgcaga	tactgaccaa	gctccgcac	ttgattgggt	79140
ttctcatgt	gtctgtagct	ggcaggccag	ttggaaactg	gctgggtctta	gatcgctcc	79200
cctgggatgt	tttccctcca	tgcagtgtct	cattccccag	ggaaatcatg	tgggttcaag	79260
ggagtgtgtg	gacatgagta	aggcctctta	aggccttggc	tgagaactgg	ctcaggcacc	79320
gtcacgtctg	ccatacatta	ttttgaaacc	acatgtaaaa	gctgatatat	agagaggtag	79380
aaacaattgt	ggccatttcag	atggctcact	ctgcctctgt	agtgtggaga	gtagtगतag	79440
agagaccaat	taggaatctt	acaccagccc	agggtggagg	caaagggtgg	gtttaaaaa	79500
aataattttat	ttttttaagt	tcaaatttaa	cttttaattg	acatatagta	ttagggtctt	79560
tcaaattgtaa	ttgcagtttt	tgtactgttg	aaatgtgtctg	tttgatattg	gaatacatcc	79620
ttaaataaat	gtggttatgc	tatacatgat	tttaattgcac	atatttctgct	ttaatttttt	79680
tgctaattgac	ttattacttg	ctgttttatt	ctatatttatt	ttaggctatg	gaaataatgt	79740
tagacaaaaa	gcaaatttga	atgatttttt	tttagttgaa	aatgggttgt	aaagcagtg	79800
agacaactca	caacatcaac	aacacatttg	gcccagggaac	tgctaattgaa	catacgggtg	79860
agtgggtggt	caagaagtgt	tgcaaaggag	acatgaacct	tgaagaccag	gagtgtagt	79920
accagccatc	agaagttaac	actgaccaat	tgagaacaat	catcgaagct	gatcctctta	79980
cagctacggg	agaagtgtgt	gaagaactca	acttgaccat	tctatgatcg	ttcggcggtt	80040
gatgcaaat	ggaaagggtga	aaaacctcaa	taagtgggtt	cttaattgagc	tgagcaaaaa	80100
tttaaaaaaa	gtatttttga	agtgtcatct	tctcttattc	tatgcaacaa	caatgaacaa	80160
tttctcaact	ggattgtgac	atgtgatgaa	aagtggattt	tatacggcaa	ctgggtgacaa	80220
ctaggtcagt	ggttggactt	agaagaagct	ccaaagcact	tcacaaagcc	aaacttgcac	80280
caaaaaacaa	aagggtcatgg	tcactgtttg	gtgatctgct	gccagtctga	tccactactg	80340
ttttctgaat	cccagtgaat	ccatttatatc	tgagaagtat	gctcagcaaa	tcgatgagat	80400
gcactgaaaa	ctgcaatgcc	tgcgaccagc	attgggtcaac	agaaagggtc	caattctcca	80460
caacaaccaa	ctgcacatcg	cacaaccaac	acttcaaaag	ttgaatgaat	tgggctatga	80520
agttttgcct	catccgccat	atttacctga	cctctagcca	attgtctacc	atttcttcaa	80580
ggatcttgac	aactttttgc	ggagaaaatg	cttccacaaa	cagcaggatg	cagaaaaatgc	80640
tttccaagag	ttcatcgaat	cccgaagtat	ggattttttac	gctacaggaa	taaacaaact	80700
tattttctcat	tggcaaaaat	gtattaattg	taatgggttt	tatttttgatt	aataagtgtg	80760
tttagccta	gttataatga	tttaaaattc	acaatccaaa	accacaatta	cttttgcacc	80820
aacctataaa	ttgtacatac	ttatgggggc	acgtagtgat	gtttcactac	acataattgt	80880
cagtgtatcag	atcagggttaa	ttagaatagc	tatcatctca	aacatttaat	atttctttgt	80940
gttgggaata	ttcagtattc	tcctagctat	ttggaaactgc	atagtacatt	attgttaact	81000
atagtcattc	taaagtgtcta	tagaacatta	gaatgtattc	ctcttattta	actgttaatt	81060

tgtctccctt	aacaaatttc	tcactatctt	tgcctttccc	tacccttccc	agcctctagc	81120
atcctctgtt	ctagtttttt	cttttatgag	atcaactttt	taaagcttct	caggatgagt	81180
gagaccaagc	tttgtttgac	tttgtgttcc	taaaacaaag	gttttaataa	aacaatacaa	81240
aagggtgggc	aggccaaagc	taccccaaca	ttaaaggccc	ccaaagaagt	ctgatctatt	81300
taccctaaaa	gccagaaaag	aaagattaca	atgagaaacc	cgacccaaaa	ttgcttgggg	81360
ctatgattag	gcaggttaat	caactgacaa	aagggccaag	gtccctttgc	taaacacctt	81420
gctggaaacc	caagctttgt	gcacatgagt	gggtgaaatg	gtcaggagtt	ggagaagaga	81480
aactccaggg	ctccttgata	ccaaagcccc	tatgtgctgt	ggtgaagccc	cagtggtggc	81540
tatatacaga	attgtataca	gaatatataa	ttgtaaaggc	tgatagggtt	atgaaagtgt	81600
gaatatttga	acaggcttta	tgtaagaaag	cagtgctctc	tttgccctgag	tgttttgtgg	81660
gaatggatat	tgtctggctg	gagaacactt	cccttaccta	gtattataaa	actgaaatct	81720
gttgatatag	tcctaattgga	gactatagtt	aggaatagaa	gagttgaggg	aattaaggtg	81780
aacatttgga	tgaaaactaa	tatgtttggg	caggctttat	gtgaagtgtc	tgcatctcct	81840
ttacatgatt	gtattatggg	actagacatt	gtatctgact	ggggaatgtt	ccccctacct	81900
agtactgtaa	aacagaaggc	atatatatcc	aacctccaag	caatattaat	tgaacacact	81960
aaatgagaac	cagtaagatt	gtctgagggc	agacagtgtg	gactggaagc	tggagcactg	82020
gtaggaacaa	attctcagcg	tgatagtcct	ggcgggggcg	gggcgggggg	aggggacata	82080
aaccgggact	tatggcaaaa	gcctgtgagt	gcctcccagt	gatgaacact	gggactttga	82140
actagagaat	ttccacctga	gggtcaatta	ttacctgtg	attggacatt	aattgaagct	82200
acctcagtga	ctgaaggaca	taaaacgata	ttaaatccctg	aaatacccat	gatatcttgg	82260
gtgatgtcag	agaaacactc	tactgggggtt	agggggaagg	cagtgttcag	aggatttcca	82320
tgaaaatgag	ttcaatggaa	atagaattca	gtggaaatgg	tttatacagg	atcatgctat	82380
ctaggagtgc	aaggaggaga	cactcacaaa	cagagagtct	ctttcacctc	aggactgatt	82440
ccagagctgt	gtgaggagct	tctgaattat	attagttgta	cagtgcccta	taaaccattc	82500
ttactgagc	actaagagct	gcttggtctg	tggacagcaa	ttccaagggtg	aacgaacatc	82560
ctgtttggaa	ggccaccact	ttgtttgaag	aaagcaaaaa	caaatcagct	caatgggttg	82620
aattgcatgc	tgtttaccta	gcatgatgga	agaattgaac	agtgggaaaa	gcccccatgt	82680
tggggccagt	ggcctggcca	cacactcagg	caagagggtg	atggaaacct	ggcctagtaa	82740
aaggttgctc	aagggggga	cagtcctacg	ggaatttgag	gggtgcatta	aagtaggaca	82800
tgtcaatgcc	cttcagaaga	atcgctttcc	agatttgaaa	ggtagttgga	attggcaaat	82860
agatgtccct	gtgtgcttgc	ttaagggtgga	acactgggtc	catgaaatga	actgacactg	82920
gggtagggca	gccacgcagc	tggaaatgaat	ctaggcataat	tccttttgca	tcctctgagg	82980
cacaaaatgc	caataagaac	tgttctgttt	gccagcagga	gacagaggtt	ccagagggct	83040
atgtggcaga	ccctggtggg	aaggccctga	acatagctgg	caagtgaagc	tgatgggtgt	83100
agccctggca	tgggggtgct	aaaaaggggt	cttgaccaga	atagatgctg	tctctagact	83160
gggttttgct	tacctggtgg	aagatgcaaa	tactcagaat	gccataaaaag	aagtgggaata	83220
gaagatattg	caccaatttg	gatggcagat	tcacatttct	tcaggccaag	aaatacacaa	83280
tatagcctat	aatgtccaac	aatgggcaga	gagatctcct	cctcagaata	atagtttgat	83340
agaaaattgg	aacagacaac	taaaacattg	gttgtctgaa	atggaggag	ataaatgcac	83400
gaaaggctgg	cttgacatc	ttcacaaagt	tgtgctcaca	ctcagcagga	ggagatgaag	83460
aagtgcctcc	actagataga	ctcctctgtt	ttcctgggtg	atctgggaaa	gaagagatgg	83520
ggagaatgct	ggtgtgacta	tgcaattctt	agtagggaaa	gaatatgctg	atactatgac	83580
tattttttta	tcttcttcac	actatatcaa	cttttttttt	ctttttctta	tctgatgcag	83640
tggttataga	accagggctg	attccaacga	caacaaaaat	gtgtaaattc	ctaagggcct	83700
gatggggcag	attgtgctct	gatcccatct	gtaaaaattg	gggttcatag	taaattgcatt	83760
tatatattac	cagtggttag	aaacacccca	ctagtctctg	acctgtgtaa	ctttacccta	83820
tctgaatggg	agtggactaa	gtgggaggca	cttgctagac	tagcattgct	gcctgcaatc	83880
tggaccagca	cagtggccaa	aactaatgta	ccttcgaaa	gatggaaagt	ttaggcaaaa	83940
atggggagaa	ggaggagag	tagctaaggg	caaaggaaatg	aataaatggg	ttgtgtgatg	84000
acggaaatcc	aatatatatt	aacatctcaa	aagaggctca	gagcaagtga	tgatattgtc	84060
tcttagctcc	attatacaga	tgccataaaag	gctaaagctg	tatgtttgca	gagtccagtc	84120
ttgcttttgg	aaccagcaa	gatctctcca	acaaggctac	cagcccaagt	gctctctccc	84180
tgggagacat	tttcatacaa	tatagcgatg	aagtgaagct	aattattaat	gatggaatgg	84240
gattctagta	atgcgccagt	atttttttga	gttctatatt	gtttgctgta	aagggtttct	84300
ggccagagtg	accagagggg	atgggctgtg	acatcataag	aaacacatat	tagggccctg	84360
gcctcagcca	gggacccctg	cagtctggaa	catccaacaa	aagaaacaca	ggcacagcac	84420
cagtgcacag	aggggcttcc	tccaaggctc	aggagtgtac	ctggtaaggg	gggtaccttt	84480
ctcctccact	gcaatgcaga	gtatggctgc	aaatgaaagg	aaatacagag	aagccatgct	84540
gctaagagcc	tatctactgc	ccattaccct	taagccactc	tgatcttttt	aagatctagt	84600
ggatcatagc	ctaaactata	acatcaaaaa	tatttttgata	ttatgccctc	ctgtgaaacc	84660
aagggcaaga	atttagccac	aaataaagac	cctgaacaga	accttgacct	tctgaaaaca	84720
cccagaagcc	aactgacaat	actcaactta	caccacagta	aaatgaacac	aaacctccc	84780
agatgagaaa	gaatcggtgc	aagaactctg	gcaactcaaa	aagccagagt	gtcccccttac	84840



ctccaaatga	gtccactaga	tttccaggaa	tggctcttaa	ccagactgaa	atgacaggca	84900
tagaactcag	aatgcagatg	gcaagaaagc	tcatcaagat	ttaggagaaa	gttgaacct	84960
aacccaagga	atccagtaaa	acaatccaag	acctgaaaga	caaaatagcc	gttttaacaa	85020
agaaccaaac	tgaacttcca	gagctaaaaa	attcactaca	ataattctat	aatataatta	85080
aaagtattat	caacagaata	gaccaagatg	aggaaagaat	ctcagagctc	aaaggccagt	85140
acttcacatc	gacacagtca	gacgaaagtt	aaaaaaat	tattttcaag	agaattaaat	85200
cgtttattga	ttacacgtga	taatggatga	tacacaagct	tcattcccat	ctataatttt	85260
atctggtacc	attattcaat	ttagatata	tgcataagat	gtgccaacaa	tcacttttat	85320
aaccattcca	tgattttgct	tgggtaatcc	cttttaatgg	tgaacttcag	gtcacaacag	85380
taactatcag	ttcaactaca	ccaaggtttc	caaagacaat	ggcttctcca	cccaagcagg	85440
ttgtatataa	attocaaata	gaacctggca	tcacctgaa	ggaattctaa	cttcacactg	85500
ttggggaaat	ttaccaagat	ggcttcagag	tagactaact	ttacacagca	cattaaaaaa	85560
aaagacattt	attcagcatc	acgatcagac	tattacattt	agcaatcaac	agcatgggtg	85620
caaaaaaaaa	aatctacatt	aaaacccttt	gttggaatgc	tttacacttt	ccacagaaca	85680
gaaactaaaa	taacctgtta	tacaattgat	cacaaatata	gtccttgagt	tttttgccca	85740
tacacatgag	tatttgtcta	aaacatgtct	tctttgtagc	agctaggccc	tgccaccact	85800
gtgcttggct	gagttcacaa	atctgtcgta	acctgtagct	tccctgtcac	ttctctggct	85860
ctcctctcct	gctaagcttt	gtttccta	taaaatcttc	aatgaacaaa	acttccaaga	85920
agtatgtaaa	gagaccaa	ctgcaattca	ttggcattcc	tgagagaaaa	aaagagaata	85980
agcaaccttg	caaaatata	gtggggatat	agtccatgaa	agtttctcta	atctcactag	86040
agagggttaac	atgcaaattc	gggaaatata	gagaactcgc	tagatgctat	acaacatgac	86100
catcctcaag	gaacatagtc	atcagattca	cgaacatcaa	cccaaaagaa	aaaatcttaa	86160
aggcagctag	agagaagggt	caagtcacat	acagagagaa	ccccatcagg	ctagcagcag	86220
acctatcagc	agaaatctta	cacctcagaa	gatattgggg	gtctattttt	agtgtcctta	86280
aaggaaagaa	atttcaacca	agaattcata	ttccttcaaa	ctaaacttca	taagtgaagg	86340
agaaataaaa	tccttctcag	ataagcaaat	gctgagggac	attgtttcaa	ctaaaccagc	86400
cttacaagag	gtcattaagg	gagtgtctaa	catggaatca	aaagagtgat	acttgttacc	86460
acaaaaacac	actaagaata	tagcccgcag	gtactataaa	gcaactacac	aaccaagtct	86520
acataacaac	aagctagcaa	cacagtcaca	ggctcaaaat	ctcatatacc	tattctaacc	86580
ctgaatgtaa	atgggctaaa	tgctccact	taaaagatat	agagtggcaa	gccagataaa	86640
aagacaagac	ccaaccatct	gctgtcttca	agagactcat	ctcacatgta	atgacacca	86700
caggttcaaaa	gtaaagggat	ggagaaatat	ctaccatgca	aatggaaaac	taaaaagaac	86760
cagtcaactat	ttttatgtca	gataaaatag	atgttaaacc	gatttctatt	aagaaggaca	86820
aagaagggtta	ttacgttatg	ctaaaatgta	caattcaaca	agaaaaatta	actatcctaa	86880
atatatacac	acccaacatt	ggagcacc	aattcatgaa	acaattcttc	ttggactaca	86940
aaaagactta	gataaccaca	caataagagt	ggagctcttc	aacattccac	tgacagcatt	87000
agacagatca	ttgaggcaga	aaacaaacga	agaaactcta	gacttaaaact	tgactcttgg	87060
ccagttagac	ctaatagaca	tctatagaac	actccacca	acaatggcag	aacaaataact	87120
cttctcacct	gcacacagag	ttcgcgtgtt	gtcgtccagg	ctggagtgca	atgggtgcgat	87180
cttggctcac	tgcaacctcc	gcttccagg	ttcaagtgat	tcttctgcct	cagcctcctg	87240
agtatctctg	ggattatgac	acccatcatc	acggctggct	aattttgttt	tattgtttgt	87300
ttgtttgttt	gtttgttgtt	gttgttgttg	tttgtatatt	tactagagac	cgggtttcac	87360
cacactggcc	aggetggtct	caaactcctg	acctcaaaag	atctgcctgc	cttggctctcc	87420
caaagtgtctg	ggattacagg	tatgagccac	cacacctgac	cacacagaac	atattctaag	87480
attaactaca	cgctcagtca	taaagcaagt	gttaaaattt	tttttgtaaa	gttgaatca	87540
taccaagcac	actctcgga	cacagtgc	taaacataaa	aatattatca	agaacatctc	87600
tcaaaaactgc	ataaatacat	ggaaattaaa	caacttactc	ctgaataact	cctgggtgaa	87660
tatcaaattt	aaggcataaa	tcaaaaaatt	ctttgaaatt	attgaaaata	gggatgcaac	87720
ttaccaaaat	ctctgggatg	cagctaaagc	agtgttaaga	ggaaagttaa	gagcatgaaa	87780
tgcttctatc	agaagttag	aaagatctca	aattaacaat	gtaagtgtgc	acctaaggga	87840
actagaaaaa	gagaacaaac	caaccccaaa	gctagcaaaa	gaaaactaaa	attagagaag	87900
aatttgacac	tgagttgcaa	aatccatac	aatgatcaa	taaaactaca	agttgtttat	87960
tagtaaaaaat	aaaccagatc	aataggcccc	taactagatt	aacaaaatca	aagaagatcc	88020
aaataagcac	aatcagaaat	gacaaaaatg	atgttacacc	tgatcccaca	gaaatataaa	88080
agatcctcag	ataatattat	gaataactct	atgtgcacaa	attagaaaat	ctggagaaaa	88140
taataaaatt	cctggaaata	atctcctaag	attgaatcag	gaagagattg	aaatcctgaa	88200
gagactaata	tgggaactctg	aaattgaatc	agttacaaca	acaacaaaaa	aaccttacca	88260
atcaaaaaaa	gtcctggatc	agattaattc	acagccaaat	tctaccacat	gtacaaaagaa	88320
gaactgagac	caattctact	gaaactattc	caagaaaatc	caagaggagg	gactcctctc	88380
taactcattc	tatgaagcca	gcacagcct	aatgccaaaa	tctggaagag	tcacaatgaa	88440
aaaaaaaaaac	ttctggctaa	tatccctgat	gaacatagac	acaaaaatcc	tcaacaaaat	88500
accaggaaac	caaatgcagc	ggcacatcaa	aatgttaata	aacgatgatc	aagtaggctt	88560
catccctgag	atgcaataat	tggttcaaca	agtacaaaatc	aataaatgtg	attcaccaca	88620

taaacagaat	ttaaagcaaa	aacaatatgt	tcatctcaat	agacaaagaa	agaatttctt	88680
ataaaatctg	acatcctttc	atgttaaaaa	ccctcaacag	actcagcatt	aaaggagcac	88740
atctcaaaac	aataaaagcc	atctatgaca	aaccacagc	caacatcata	ctgaatgggc	88800
aaatctggaa	gcattcccct	tgagatatgg	aacaagacat	aatgccaac	tctcaccact	88860
cctattaaac	atagccctgg	aagtcctaac	tagagcaatc	aggcaagaaa	aagaaataaa	88920
aggcatctaa	acaggaaaaag	aagaagtcaa	actatcttca	ctgacaatat	aattctatac	88980
ttagagaacc	ctaaagaatc	caccaaagg	ctactagaac	tgacaaatta	ttttagtaag	89040
gtttcaggat	acaaagtcaa	tgtacaaaaa	ttactagcat	ttctatacat	caataacact	89100
caggctgaga	gtcaaataca	gaacacaatc	ccatttgcaa	caaccacaaa	taaatgaaat	89160
acctaggaat	acagctgacc	aaggaagtga	aagatctctg	caaggagaac	tacaaaactg	89220
ctcaaacaaa	tcagagatga	cacaaataaa	tggaaaaaca	ttcaatgctc	atggatagga	89280
aaaatcaatt	tcattaaaaat	ggccatgctt	cctaaagcaa	tttacagatt	caatgctatt	89340
tccatcaaac	tacctgcacc	aattcttcac	agagttagaa	aaaacaattc	taaaattcat	89400
atccaaccaa	aagagccaga	atcatcatag	caatcctaag	caaaaagaac	aaagctggag	89460
gcattcatt	acccaacttc	agactatact	ataaggctat	agtaaccaa	atagcatggt	89520
actggatcaa	aaatggactc	atagaccaat	ggacacagaag	agaaaactca	gaaataaagc	89580
cacaaacct	aaaccatctg	atcttcgaca	aggtcaacaa	aaacaagcaa	tggggaaagg	89640
actccctatt	cagtaaatgg	tgctgggata	actggccagc	catatgcaga	agaatgaaac	89700
aattgaaaca	cagccatgcc	catttgata	ggatcgtcc	atggctgtct	ttactatcac	89760
agcagttgcc	aaagagaaca	tggcctgcaa	agtccaaaat	atttactatc	tggcacttta	89820
tagaaaaagt	ttgctgatac	tctaatttgg	atcactgagt	gaccacatgg	aagacaacca	89880
cattgttgac	ctgaacaaca	acactctact	tctttacata	aatgaaaaat	aagccattga	89940
aattctgggc	ctaattgcta	ccatagttta	tcctgggtctc	actaataatt	cttcctcagc	90000
agtcacaggg	tgattgactg	atgaatgtac	atggcccaat	catcagttgt	ttgagccatt	90060
gaggtggact	agttatgccc	atgggagtag	agctctctcc	tctacgaccc	accacgagcc	90120
caaaatttcc	tccagatact	ctgaccagtc	agtcctagga	cctgattgac	cccagggagt	90180
ctgaccccct	aagtataaca	cagcatcatg	ggcagcatca	tgggcctggg	aaggtgtaaa	90240
cataatccaa	tttctgcccc	ttgaactgaa	tgtaacagg	aagacgttcc	ctgaagcaga	90300
aggaaatgac	cttgatgacg	atgacccttg	ccaaaggtag	gtacccttgc	cttgctacct	90360
acctgggtgg	catgacgggtg	atcaaggctg	gccctgcttt	catgtaacta	actggccttc	90420
gatgggtcac	ttttcccatt	gagtgacttt	tttcagttat	acacttttgt	aaactagaag	90480
tgtttttact	ggcattttctt	tatgtacttt	tttattttta	ccatcatttt	aatttaaaaa	90540
atgcagtcac	acattttcca	tgcatacctc	taatttatgg	caggttatag	aggtcttgca	90600
tttatggcaa	tggtataaag	tctccttttt	gagtgagcat	gttgaagtaa	aaagagtgc	90660
ttcattttaa	gaaaactgct	catggaagta	catagatat	gctgataagg	caaaaaacca	90720
tgatattagt	atgagactaa	ctgagggtcc	agaaacactg	cgtatgcca	ggctgcagt	90780
gagaatgtca	tagaatcctg	gattcataga	gtgtggagcc	atggtgaagg	gtgcgtgaga	90840
gggtccctcc	cccagagcca	caccctgtct	ttccacaagg	aattcccaa	tgtaaccag	90900
tggattcaga	cttctgtctc	ccagttcagt	gttctccacc	acaaaatcta	cacctgatca	90960
atcccatagt	tcagagacaa	agctgagtga	ggggcccaga	aagacatgtg	tttgcgtg	91020
ccaatgcctg	ctctaacatg	tgttttccac	atatctgctg	agcaaactga	tggaggtgga	91080
gaagcttggg	agagttcatt	tgaaggcccc	agatatgccc	actctcccaa	gtcctaccca	91140
acctcctatg	taagccaggg	gtggcttttg	catgtgtcca	tggggatgtt	cgccctcaag	91200
tgatgcagga	aggagtcaag	gcagtcacct	gatgggctga	tcctttgtct	tggaatcctt	91260
aagatcattg	tagatcctta	agaacattcc	agaactctca	cagcattctg	gagtccttta	91320
tttaacacat	gtttattgag	cacctactgt	gggcccagca	tgttcttggg	tccttggggg	91380
ccattagtga	acaaagcaaa	ggtccctaga	ttcacggagc	gtgcattcta	gcagggggag	91440
acagataaga	agaacatgca	aattactcca	tggatcatgt	gatatgttag	aacgggataa	91500
gtgccttgga	aacaaagaag	cagttaagca	gatgaggag	atcagaagga	aggatcccat	91560
gaattccgct	gtcttgaatt	ttgacatagt	aggggagagg	agtgggccag	gaggtgtgtg	91620
agtggcaagt	gtactgaggt	gtccagtcgg	caagtgtcca	actctcaggt	gtgccagct	91680
ccctaattgct	gaggagaaaa	atggcagggtg	tgtccattca	ccctggccaa	gctgggaaga	91740
aaagcccaaa	ggttctaatt	ggcctcacca	cctctcccca	gggtacaaag	gaccctacag	91800
gcactagaga	agaccccat	catctcagca	gccaggcatt	tggagggttt	ccagcagccc	91860
acctctagct	gccttctttt	ctttcctttt	ttaaaaata	atatttactg	tttttatttt	91920
ctgactgcaa	atgtaatgca	tacttattac	aaaaaaggta	aagtattatg	atttaaat	91980
tgtttgtatt	ccagtttttc	tgctgttg	tatactttct	tcctttaaaa	tggaaatgta	92040
agttcagata	atgttgatgc	ttgctttgct	cattaagtat	atcatgagca	tcattctatg	92100
ccattaaata	gcatagcctg	atattagcag	ctgcatcaca	tttggtattg	caccacaatt	92160
aatttcccca	agcttttatc	tggggtcatt	aggttacata	tgaagttttt	gataatatag	92220
agagcactgt	gatgaatatt	ttatagtga	acctttatgc	ccattcataa	ttatttttagg	92280
ataagttccc	agaaatgaca	ttctctgagtc	gaaaagtgt	tatcttttgt	taaaattcct	92340
tgccaaaata	ttccaactac	acttctccca	ttgaaggatg	aaaatctcca	ttcatcagat	92400

tttttgctgt	gcttggggtt	attaaaattg	tttttggtta	tcggaataggc	aaaatgataa	92460
taataatagc	aatattattt	tcctatttag	tttgcattta	tctgaagacc	agtgaagttg	92520
agttcttttt	ccctttcttc	acattggaat	gttggtttta	ttattattat	tattataatt	92580
attattgttg	ttatgccact	tgtacttggt	gatctgcagg	aaaacctccc	aagatggaaa	92640
gcatgaaatt	gtctttgctg	gctctgattc	ttgacagctg	tgtcatccca	gagcctgagt	92700
gcctcagttt	cctcatgtac	ctagtggggg	ccatgaggcc	tgccttctgg	tactttgagg	92760
tctgggactg	ttgcttataa	tatacttggt	tataagcacc	acatggcatg	gatctacctg	92820
gctatgtaaa	cttgggcagg	ttctctaacc	tctctgggct	tcagttttct	catttgtaaa	92880
atggaaataa	tggaaacctat	gtaatcacag	taatctgagg	cttaaatgag	ttaatacata	92940
aagggtactt	gaaacagtgc	ctggaacact	gggaggacgc	aataactatt	accaatgttc	93000
atctatgttg	tatccttgag	atctttcatc	agggaacca	acagcacttg	cctgggatag	93060
gcagatggta	gaatcttggc	atgtcagggc	tgcaagactc	atgcagaaat	caatcctctc	93120
acatagacct	ggcagattgg	gacccagaat	gtgaaaggaa	ttcacccaag	gtcaccctgt	93180
aaatgtgtgg	gagagacaaa	actagagcac	agttctgacg	ttgtcccaca	aagattttac	93240
ccctaagata	ttgttggaia	tgtcacctcc	aaggagggat	cagtgtattg	gtggtctccc	93300
ctcctcaatg	ctgggagttc	caaagtttcc	gggaagaaaa	gagctgtgaa	gcccttctca	93360
ctctgcttgg	tcttaggaga	ccttagtgag	tcccagcgct	cccacctgaa	gcccctgata	93420
gcctcctacc	cactacaatg	tcgtgagttc	gtaaatatca	agtccatttt	caggcttaaa	93480
cctcccagtc	caaggcgctg	ccactagaaga	caactcgctt	agatctggct	gaacttcagg	93540
ggttcttctt	tccccctccg	caggtgcacc	caagatccca	aggtagggca	gtttctctca	93600
gaactattga	ccaaccgaaa	ggaaaacatt	cctttcaagc	tttctgaaga	ctgtctttac	93660
ctcaatattt	acactcctgc	tgacttgacc	aagaaaaaca	ggctgctggg	aagttgtggg	93720
atcccctggg	caagacgtgt	cagtgccagt	acccagata	ttctagtgtg	gatcggaagg	93780
ggatgaaggc	agcttggggg	gggagctgca	caggccaggga	ttgtttcagg	accccgaggc	93840
ctctacagga	aacacaggtt	ttccacacgt	cagtttcccc	tcgtgacata	gggactctgg	93900
gggagtttgc	tgtgcctctt	taatgaacat	cttaattggt	ccaagttccc	tcagtataaa	93960
agaaggatga	gaatgattac	ctttagttac	tagattaaaa	atctgatacc	cagattggta	94020
tcagagtggg	taagacatga	ttttcaataa	tgttagcggt	cgaaggaact	tagagaaaag	94080
ccaacacctc	aactcttctt	tttcagatag	agaaaaccgag	gcccagacag	ggaaggggag	94140
gtcaccaggt	aggatagttt	tggctcaagt	cttctgatct	tcaaactagt	gcttttgaca	94200
cagagtaggg	cattgagatt	gtatgtggcc	tttctccagc	acaccaacat	ccatctgggg	94260
taactttcac	tgtccgggta	tgggtgttgg	gggacagacc	tgggacaatc	ccagaagctc	94320
ttccttttgc	ctttggccaa	atatctggga	tttttttgta	cctaatttcc	ctccctaatt	94380
gtgttgggca	aggtgatga	cccaatgtgt	cagcatatgc	caaataaaca	aacggcagga	94440
gatggggctg	gctgccagct	gcagggttgg	gagtgtctgc	tggcaaagaa	ggccacccca	94500
aggtgaaaga	ggaagggttg	tcagggtccg	aggtctccc	aggggacccg	tagcatgggtg	94560
cctaggagtg	gcggagcagg	tctgcgaaca	tgggactaga	agttggccct	acatgtgctt	94620
cgtgagacac	aggaagtggg	agaaagggtt	actcattaat	tcattcattc	ttctattgtg	94680
tactcagggc	cccatataca	cagtttagacc	tggggcttca	cggaaaggag	gaacatgaac	94740
gcactccaca	ctgcccctgc	cttcaaggat	cttgcccttt	gtggggtaga	ggcatatcct	94800
cctttcagca	tgttattgca	ggtcagcact	cgggctcagt	cttcacacaa	agatgaatgc	94860
acactcaatc	cctccacagg	aggcaggcag	ggattagagg	tgtgggagaa	acaggagctc	94920
tgggaacctg	aaggcaggaa	aacctccagg	aatggccaca	ggttctagaa	ctacacgtgc	94980
ttagaacagc	acttcgtaca	tagtttatgt	tatgagttct	tttatatttc	atgaataata	95040
ttattacaat	actattattt	tagccactct	cacttcttcc	ccactatgtg	gactttttaa	95100
atgcaagaac	cttgagttag	gaattgtacc	tactctcatc	ctcgggtatt	agcagagtcc	95160
ctggcacata	gtaagtcttc	agacagtgtt	agtccattga	ttgaaggcat	cctgaaggag	95220
gtgggtttta	ggctgggctc	tgcagggttg	ataggatttg	gggatgcaga	ggcataaagg	95280
aggcatttga	ggaagagaca	ccatcacagg	catgtgtgct	tctcgagaca	atcattcatg	95340
cacagagaag	tttacttcac	catgaaagag	ttactgaga	tgaagctgag	atacaagggc	95400
tgccccatgg	gtacgcggag	tgtttgaaca	gtccaggctt	gagggtgatg	ggagtgaagg	95460
ggagaacatg	aatccttagc	gtttgctatg	cccattgatg	tgttctcagc	gtgaagagcc	95520
ttggcaggag	gaggcactgg	agactgggta	gaaaggaaag	ggcagccagg	gtatgtgcag	95580
tgggtgtgtg	gcttgggccc	cagttgggag	aattatggag	gagagagact	gccttttgca	95640
accttgctgg	gcacttgtga	aatttgggta	acaacctccc	tcagttgtga	ccaacaggca	95700
ggtcaccaa	caagatgccc	tctgagtgtc	ccctggcctt	gtgtcctgta	acgagtatgt	95760
tgttcccccc	ctgcccagggt	gatgggtgtg	atccacagag	gggggctgat	gggtggcacc	95820
gcatcaacct	ctgatgggag	ggtactcgca	gcccataaaa	acgtgggtgg	ggtagaccat	95880
cagcactgcc	tgggcatctg	gggattcttc	aggtaagaaa	ttagactctc	ctcactgcac	95940
ctttggcccc	caacatgagg	ctgctaggac	cagctctggg	catgtcagcc	ctcaggagac	96000
cttaactggg	ttcctcattg	tagcagacaa	gcaccttcat	aattggacac	tacctaccct	96060
ctcactcccc	agccacacta	gtccactagc	ctctgagctt	ttgtatgtgg	tgttccctct	96120
gcctggaatg	cttagtctac	ctaaagaatt	cctcttcatc	ctgcaagacc	cagccccag	96180

ttagctccac	tgaaagactc	atctcctttt	catctgtgct	gctcccacac	attgcatttc	96240
tctgtcatgg	cagctagcat	gcagcccagc	tgttgaaagg	tgacacatct	gacttctcat	96300
ggaaaggagg	gaaggggcag	agtcatacag	ggagttcagg	gcataattgtg	ggtgaaggaa	96360
tgggcgctgc	agaaggtggg	gtgtgggagc	atctgactcc	ttcctggagg	agtgttggga	96420
ccactcacc	ccattttctg	cttgaaatct	ggcaagtgtg	ggaagcaaag	atggagtcct	96480
cctcatcagg	tctccatggg	gacagaagtc	cccatggcgt	ggaggaattt	ggtagctttg	96540
agagcttggt	tggggaaagc	attcaaactt	aaagggtctg	tacattggag	gagagaaaat	96600
gggatgcca	agaattttta	gaatttttga	gaatgttttt	agaattcatt	ggttataagc	96660
aacagtttcc	cagtgaccag	atttaagtca	agacggacga	ttggctagg	gtggtggctc	96720
atgcctgtaa	tttctgagag	tgatgtggcc	ctcactcctg	ctctgggtga	gaagggtgac	96780
gtcaagcccc	tggctgaggt	aggtctcccg	ctggatgccc	ccaacccctt	ggctctgtgc	96840
ttctgaattc	tcagaggtta	ttcttgccat	gggttctagc	tgatgttctc	ctagaatcac	96900
tgaagcgatt	gggaggtaga	ggcggaagcc	ttgcttgagc	ccaggagtta	gagaccagcc	96960
agggcaacaa	agtgaatcc	tgtctctaca	aaaagcaaaa	aattaagctg	ggcatggtgg	97020
tgcaagactg	tgggcccac	tacatgggag	gctgaagtgg	gaggatcacc	tgagcccagg	97080
aggtctatgc	tgcaagtgc	tgtgtttgca	ccactgcact	ccagcttggg	aacaaagcaa	97140
gaccttgctc	caaaatcttc	tcttgaaaag	gagaatttat	ttttcaagga	aatagagatc	97200
tgggaggatg	ggctttgtgc	aaaaacagga	agcagaaatt	acaaaatgat	gggaatccta	97260
gactctgtta	ctcttgttct	ctctctgtct	ctttctctct	gtctgtctgt	ctttctctct	97320
ctctctcacc	ctctacttct	ccctgtccct	gtttatttat	ttgagaaaca	ctctgggcct	97380
tgattctgtc	cgagatcctg	cacggggctc	tgggggcatg	tgcgcttgcc	ctgactcccc	97440
gactgtggag	cctgcctgct	ctccctctgt	gcccttcttt	ctggctgcac	tttgttcca	97500
atctgcatga	gcaccctatc	tgccctgag	cttaaggact	ctccttggtt	ccagaaagta	97560
gtcaggctgt	ctttcctggt	gtgaaaaatg	agtgtttttt	acattagcag	ctctccacc	97620
caattccagg	tcacttaaga	gagaggctca	ctgtcccgtc	tttgcttcga	tgtccctgaa	97680
ctcttagaaa	agtaggaaac	cagagtatgc	tggggcaaat	gaccccaatg	cctagggtcag	97740
gcagaaggga	ccctgtccct	cgggagggtc	ttttaaattt	ttatattttt	tacatttttt	97800
taaagatgaa	aagaggttct	tgggtatta	attattgtta	ctttgtggct	tgactcagga	97860
caaagggtgca	gagaccatcg	cccatggcca	aatctggatc	tatgcctgca	tggcccttga	97920
gctaaggatg	acttttttta	atcatatgaa	attcaaat	cattgtccat	aaaggaagtt	97980
ttcctcgaac	acagtgcac	ccattcattt	accttgtgtc	tctggctgtg	tttcatgcca	98040
acagcagtct	tgaagttgca	gcagagacca	catggcccac	aaagcctcaa	atatttacta	98100
tttggctctt	gatgggcaca	ttgtgacct	gtggcctaaa	gagtcatgtt	tgattactgc	98160
ttgggactct	agtacacaaa	tgtgcagggtg	gaaactcctg	gctgtgccac	agatgcctca	98220
ctcagctgag	aaaccccatc	tatgtcttgc	aaggggacgag	accctgtttt	tctttagaac	98280
tcaccattaa	agcacatttg	ctactttctg	aagtggctct	gtgtgaatca	tcttatctag	98340
gcctcctgca	attctgcaca	tctttattgt	gtggaagaca	tggcactctc	ccacatgtat	98400
taactcatga	ggtaggtgca	gtcattatta	ccatccatga	gtggagaaac	caaggcccag	98460
acaaatcagg	tggactgcct	gtggccta	ggctggtaag	tggagcagcc	aggatttggg	98520
agcagacaag	taaattcaag	attccatcat	ctcaacccca	gctccacctc	acccttcttg	98580
acacattcag	cttgagatga	ttatgtccat	ttcaatagag	ataaggtagc	agagataaga	98640
gactgggtaa	ttggctcata	ctacaattgt	gattagta	agaggcaatg	ctctgcggaa	98700
tccagaaccc	acacatgtgg	gtctagagtt	tcttctgctg	ccccctgcca	cttgtagaag	98760
tcaggcttag	ttaggataga	acatcttttt	ccatattgat	ggagggaagg	gacttcgctc	98820
ttgaactctg	ttgttgcttg	tgatctttgc	agcaaatg	taacactgtt	gggtgtgaaa	98880
ccaccaactc	agctgtcatg	gctcactgtc	tgccgcagaa	gatggaagag	gagctcttgg	98940
agacgacatt	gaaaatggta	ggttgccctgt	tcccgtagcc	caaaccctgt	aaacttggct	99000
ccagacttct	tcatttcagc	tgtcctcttg	ccctgggaca	gttacctggg	gcaatttctc	99060
aagtctcagg	agtctcagta	tctgaatggg	gaatctaatt	tgtccttttt	tttattgaaa	99120
aatgacacaa	atgtaaaaa	aaagtccaaa	aataacatga	taaaaaaact	gaccaaattt	99180
actatttgac	caaattttta	tattttgcca	ttcttgtttt	cagatgtatt	tttgagaaac	99240
taaacattac	atattccag	gggacacccat	cattctgaat	tttggggatg	gagttattaa	99300
gtcaaagat	tttcagaaag	atgtcacaag	ttatcttggg	tgacttagaa	actgtctgta	99360
ttagacctgg	tagtgggtcca	gttttctaga	ttttctgaga	ctctgactca	gttgtcattc	99420
taggatagtc	gttcgtccac	tcaatcatta	atccatctac	tatgatcttc	ttatgcatct	99480
atgtgttcac	taattcatcc	cattcattga	tatattttta	tcaatcta	atcaacctgt	99540
tcataacttt	ttatttttct	attttcaatc	tatccactgt	tcatgcatca	tccagccacc	99600
atatacttta	actctatcac	cccattcctc	caaaaccaac	aatccagtta	tcacctatct	99660
gttagttttc	accactatt	catgtatcca	tccaattcaa	ctgtactcca	gctatttggg	99720
aagccatcca	tccctccatt	tatccacca	tcatccatg	ctaagtatgt	aggggtgggt	99780
gttagaggta	gtgaaacaga	catgaagtgg	acatagtccc	tgtcacata	tacttttcag	99840
gttgagtatg	gtggcagcac	agaggggaag	cattcattgt	agtcatcagg	ggtgtctcac	99900
agagaagggtg	gacgagccga	atttgagacc	agacagcgga	attcggaat	tcatgccctt	99960

aaccctgact	ccaccttate	tttcttgaga	aattcagcat	tgagatcatt	gtgcccattt	100020
taatagagg	aacagagaca	gagaaatttt	gttaattggc	catgtcacag	ttccagttag	100080
tcagaggcaa	cacagttcca	gttaggaccc	agaaccacac	cctgtgggtc	tagaatatct	100140
tctgccattc	ctgctgtcct	cacatattag	gacttgggga	cctttatgat	tgacggacag	100200
ctgtggcagt	ctctcaacac	aggggaagccc	agcaggacaa	acacccagat	gacacagcac	100260
ccagggccat	tgggaactat	tccctttgag	ggagaagggt	gtgaattcca	agctcatgag	100320
tagcctgate	tctggaatcc	ctccttgga	ctgaggctac	tcttgggtcc	caggtccggc	100380
tgctaccact	ggactctgct	tgtgtttaca	tgggttgagt	ccaatgtggt	cttggagctt	100440
aggtcttggt	tcaagctcta	aatgaccaa	gtgttcaagg	aattaaaaca	caactgcttt	100500
ctaattgcctg	gaaggaggca	aacattccag	caattctgca	tgtggcatca	gaggacccag	100560
cttaaaagga	aaaacttggt	aactttggga	aaatccagcc	ctaagatcct	gggacatcct	100620
tctgagattt	tctgagatct	tgtgggagcg	cctccatgat	taccactgct	ctccagtaca	100680
cacacatgca	gacacacaga	gaaacacaca	cacatagaca	cacacacaca	gagaaacaca	100740
cacacagaca	cacagagaca	cacacaaaca	cacacacaga	cacacacaca	gagaaacaca	100800
cagacacaga	cagagacaca	cacaaacaca	cacacagaca	aacacacaca	caaacacaca	100860
cacacacaca	cagacactcc	tggctagtgg	gactacaatc	cttaatggag	agacctgcac	100920
tggttacttc	ctgccaacag	gccagacacg	tgagctacag	tgcagcgata	caatcactgc	100980
aatcttcatg	aacacacacc	aaagagaagc	atggggtagg	gtaagtttca	gtgagtgtga	101040
tgagtcagag	ctgtgtaatg	ggagatgaga	aaactccccc	aagggtgcctt	gaatggaaaa	101100
aggaatgtgt	tggataaaca	tccttgtgtt	aactgaaaaa	ctcaggagtt	gacagtttca	101160
ggcatggctg	gatccagatg	cctattgaat	gttattgaga	atctaccatt	ctctatcctt	101220
cagcttttga	caactctgtg	ttgacttcac	tcttcagcag	atacatcttc	tgggaagggt	101280
aaagacaaca	gcactctaga	gttatatcct	atctgcttcg	aaacctctcg	tccaacaact	101340
tcctacaaaa	gttctggggg	aaactctatt	ggatgtatag	ggatgtatag	ctatccctga	101400
actaatacc	gcaatcaggg	aaatggagcg	ccccagggtc	catatagatg	cctgaattca	101460
tggagtgtga	gggaaagaaa	gagatccctg	aaaaagaatg	ggggtattct	tccttgggga	101520
acaggaaggg	gagagggatg	ggggacaggg	aaggctccaa	aagcaggtgt	cctatccaga	101580
gctgtagcaa	tgctggctca	gagttcctgg	cccatccttc	ccgtgccagt	gcccactcct	101640
tcgttctatg	ccttcaccct	gtgctcagcg	ccagcagagc	cagagtcagg	cccacttcct	101700
ctgggcccag	ccagctcggc	accaggaggg	agaaacctgac	acctctgctg	ccccactcac	101760
ccagctcagt	gttctcctgg	gaagcctcct	accacacatc	tctgcttttg	tcttcacaga	101820
atttctgaac	tctagactta	catggagacc	ccagagaggt	aaggacattt	tgtttctcga	101880
ttgcgggttt	tgagtcttag	cacctttaag	ctccaattaa	ctataagtga	aagaatcctc	101940
tctcgggtaa	ttataggaac	tcctgtgtgc	ttgatgtgta	ggcccagaga	ggggcagtcg	102000
ctcactggg	taacacagcc	aggaagacta	gtggctggcc	tggaaacctat	tttctctgact	102060
cccagtcag	tgctcccagg	catcacctct	gtatgcctcg	ggctctgccc	actcccctgc	102120
ttttttacat	tttctgctcc	ccaaaatggc	actatgggag	gaggttgaac	cagaacattc	102180
cactatcggg	aggcagagat	aacagggatg	attagccacg	gagaggggaa	gcctgaatct	102240
cagtcacagg	acactcaact	cctccagaca	cacaggagtc	tccaacaata	tcctcgtgat	102300
ctcctcacca	ccccacctc	ccaatgggtt	gacagtttct	ggtgacatca	cctctgacga	102360
atcttacaat	cctgtcctct	ctgctgcctt	aatggagggtc	acagcactct	cctaaatggt	102420
catgggcgga	gtacatgaga	atcattccag	caaaagactt	attaacactt	tctatattcc	102480
aagaacttgt	ttaaggagct	gtgatatagg	agttaaaccac	gaaagactcc	ttgccttttt	102540
gggaccttcc	attacagtgt	agggagagtg	caataaaaaa	gcaattctag	tatgtattct	102600
gttggatggg	gtgcatgcat	taggggtaga	gtttgcaggt	ggattcaatt	taagtgcgag	102660
gatcagggaa	tggctcaata	agaagggtgc	atttgagcca	agctctggag	gaggcatgaa	102720
gccagctgtc	aggaaacctg	gggaagccta	ttccaggcag	agggaacagc	cactgcaaag	102780
accccgatgg	aagtggcagg	tccagctgga	gaggatggag	tgtggggaca	gactggcttg	102840
aggctgaaga	ggtaatggga	agtgggagag	ggatcattta	aagtagttgc	atttggattc	102900
tgagcaagat	gggaagcctt	tggaggtttt	gaacagagga	gtcacatgat	cttagatttc	102960
acaaaggtct	ctgcccctgg	tgatcaaata	gactgtagga	aacgggcaga	gtggatgcag	103020
ctgaccagct	ggcggggccac	tgcattgcca	taatccaggc	aatggctcct	ggctgcttaa	103080
ggctgtagta	gtggggatgg	gaggaaatggt	tggagtctgg	atatctttga	aggaatagct	103140
gagaggattc	gctgatggac	aggatgctag	gggtaagaaa	gggagaggag	tggaggatgt	103200
cctgagtttt	cgggcagaag	caaagtcata	cccacacagg	gcagccactt	gaaaactcta	103260
agtggacaac	aatcacttgt	cattgttgct	tatggcagtc	ttcccacttg	gctgccaccc	103320
aaccagggca	atcctgtctc	tctcctcaac	ttttatcctt	ttctacttca	tatcctctac	103380
ccaattccgt	gtctcatggt	gcagccagat	tggccttctc	taacagagtt	agagtgcgtc	103440
acccccactt	cttaaaagcc	tgaccttctc	tatgagacaa	attcccttcc	ctccatggag	103500
ttagtccttc	aaaacacacc	tgcgtgcgca	ctatgtgcca	gactatacag	aaggtaggct	103560
ctgcacctg	ccctccctct	aaaacctgcc	ccacgataat	tttccaagcc	cagaactcct	103620
gagtgtttct	ggaatttacc	ctgcatagtg	atatctatgt	ccctttgctc	acgtgggttc	103680
cgtttttttag	aaattctcac	tcctttctct	acttgtcaat	accagtcact	gcccagagcc	103740

cactgcaggc	aggcggcacc	tcctccacgt	agcctgcct	gcattcttct	tgcagagaag	103800
ctgtctctct	tgctggcctc	ccacggcagc	cctgcctgaa	ctgcacagcc	tctcaaggag	103860
gccggacttg	caccccaatc	ctgttccgta	ttgtcagcca	tattggatta	ggatctgcac	103920
cttgcctcagc	tggttctggt	ccacttcaca	gaacatttcc	ccaggcagc	ccgaactagc	103980
tcgtcattca	ttggcttttg	tagagcagaa	caaaggctct	ggaagccata	gggtctcaaa	104040
aaagctagga	attgtccagt	tgcattctgat	atctgggagg	gaaaatacca	gcccataagg	104100
gcatgggagc	tggaagatg	gcccagaagg	actgggggtc	tattgaaagg	ggacccacag	104160
caacctgact	aacaggtaat	acttacagtt	attcagccct	tccagacacc	aggtgctgcg	104220
ctaagtattt	tgcatgtgtt	cagccattta	attcctcaca	ataactcacc	tcttagatga	104280
gaaaactgag	gcccaaacag	gtgaaactcc	cagccagtaa	gtagcagagc	caggcttcag	104340
atccagttaa	tctggtttca	aagtccatac	tctgttttaa	ctgtaccagc	aaccagctgc	104400
cctgatggca	atgctggaat	caggctctcg	ctaactctgt	accatacaaa	aattattcat	104460
caaaggtaaa	acctaaaatt	aggacatgga	tcaatatact	gtgagttcat	cactgattct	104520
tttattcatg	attttctctc	taataggga	tctcgtccta	gtctaggctc	cttgagtgat	104580
gagggttccg	gacctcctca	aagccaccca	tggtatcaata	acagctctca	tttaaataga	104640
gatagatagc	acaatctctc	ctcattaatc	atggattctg	cgtttataaa	ttcacctgct	104700
tcctaaaatg	tccttataac	ccccaaatcg	atactggtgg	cactttcatg	gtcacacaca	104760
ggcagggtaca	gagttagggga	atctggattt	gcatgatggg	caggttccat	ctgagatccg	104820
gcaaggcaac	ctctgtcttc	ttgtttcatc	tctcaagcta	acaagtgtcc	tcttcgtggt	104880
caatttagtg	ccatgtgttc	tgcatttttg	tgctttttct	ggtgatgtca	ctgttcagag	104940
ttgcccgcga	catgtagcgt	gctgtctagt	gttccctgagc	taagcaggct	gtgctgtgcc	105000
ttaccgggaa	ggcgctctg	tgagataagc	ttgggcagtg	ctgctggcca	tgctgtcggt	105060
ggtgaaaaat	ccacaaaact	gcacatacag	gaaaaggagg	aggaaattgg	ccagttcata	105120
catgaggctg	tgatgggaag	tgctaaagta	acacctactg	tgtgtgatgc	agctgtggaa	105180
agatggaaaa	gaaactgcat	tgaggagattc	atgagatgat	gaaggaattt	ttaaaaagca	105240
ggatggacag	cactgttgtg	aggttgaaaa	caggaaattt	acactcatct	taccagggt	105300
caaaaaatgg	gaagggtctt	tcagctgggt	ttttattaaa	agtaatccta	cttataatta	105360
actctttgta	agacttatgt	attatataaa	gtgtctttca	acagaaaccc	acacataaaa	105420
gaaggttgat	gaaaatgttg	tgccagagg	tttgcaagaa	cctaaccag	tatttccct	105480
ttgagtgatg	accctgtatt	ctctaattca	gcactcgtgg	gagctttgtc	ggaagcaact	105540
gctgggacta	ccgaaaacaa	ctgtggacac	agagagggaa	atgcatgtac	ttcaaattga	105600
agtatataga	catgtaattt	tatatagata	atacatgtat	ttcagttga	gtgaagattt	105660
cttctctctc	tcgtcacctg	accagtgtca	gcctctgct	gaagttctgc	ccctgagtca	105720
cacatctatc	ctccttagtt	aggaccctgt	gtgtgcatac	ccatggccca	aagtcacgcc	105780
ggtctagggt	gctgggtctca	ccctcagaca	ggcagagttg	gggacacggt	tgtgacctag	105840
gggtgggaatc	acaggcgctg	tggtgtctct	tccccagag	ttacccccac	acacccacgg	105900
tgattgatgg	atggtgtgct	ccaaaaacac	ccgaggagct	tcaagctgaa	aggaagttcc	105960
acactgtccc	ctacattgtc	ggatttaaca	ggaagggaatt	tggtgtggtt	cttccaacag	106020
tgagaaggcg	caggcctctt	ggagggactc	acccaccccc	atcagccctc	ccacctctga	106080
tcccaggagt	gcttccctct	ccaagcactg	ctctgagtc	tgggcagctg	ttcccttcag	106140
caggaggtaa	catttccatg	gaaaccttct	ccaggagggc	acagttgtca	ccgggatatac	106200
agggcccttg	gatccctct	cccagactc	cttgattgtc	ttcctattga	agaatcctga	106260
agtgtctgtg	gtgggaggac	cagtagataa	aataactgtg	cagatgggaa	aactgagggg	106320
gcctaggagg	ggaaaggagt	tgaggagtcc	ggagaggcag	tcgggggctt	cctggcttcc	106380
cactttgggc	tggttatgca	tagttccccc	ataaatcact	catgctcttc	atcacctcat	106440
tgaaaagatc	caaaaaagtg	gcttcttttg	atttcccat	gacttctagg	gaacagtaga	106500
caccagggtc	tacttgaggg	atgacgggtc	gaggagggtg	aggatggaca	agttacctaa	106560
tcgggtgctg	tgctcaatac	ctggtgacaa	aataatccat	acagcaaaact	ccagagacac	106620
aatttaccce	tgtaacaaac	ctgcacctgt	acccccaacc	ctaaaaataa	aattgggaat	106680
aaaaagtggg	agaaagaaag	attgacttct	aaaattgaaa	aagcgttctc	cttccagtcg	106740
aggacacaca	aagctgacca	tgattaaagc	agtaggacag	aatttattca	gtaacacaa	106800
tgacacagag	aaagaagagt	ccagtatgga	ttggactcaa	atccccaaaa	ctaactcctg	106860
gcactgtttt	aaaggctgag	tggtgcaaa	gataggcact	gtgtgctgtg	gagagggact	106920
tggtccatgt	cactagaccg	cctggatgtc	ttcatcctgg	ctcacctggg	gcagaaacaa	106980
actcctctta	tcgtcaggac	aggaagccat	gcattagact	gcaggaagaa	cccactgaag	107040
tcaggctcta	ctctttccac	agggactggg	aagatcagga	gtcagctccc	tgaatgtttg	107100
cattgcaaag	agaaggctct	aaggccctca	aggaaatggg	gttgggtggt	aaattccatc	107160
ccaaagggca	gagaaagtgt	ttatcattgc	aggcttctaa	actaactgct	ctagttgggt	107220
tcaggggcct	gtctgcttct	ctccagggtt	tggttgagc	agagtaaat	gttctggcag	107280
agttgagcct	tcccaggcaa	gcatgttaag	gatactggag	tcattctagg	gacacagcct	107340
taagctgcta	gaagcgatgc	tagagtttct	tcgagctctc	gagtgacag	gtttgggcag	107400
agttgttttg	tgtaagagga	tatgaagttc	gcccctcaga	aggatttcag	aggttatacc	107460
aaagacccaa	gccatgaagg	caggctctaa	ggctttcagt	gtcatctgtg	acagggtggg	107520



gtactagga	ggtctgcac	ctcttcccc	gaacctcta	ttccacactg	gcttggcaga	107580
caccttccct	caccatgtca	ctggccactg	taggtatccc	agcctgacac	acacacaaaa	107640
cacacacaca	cacacacaca	cactgcaaaa	cactgccaca	gcttctccac	attttttttt	107700
tttttgtaat	ctttgcaatg	cttgagtttc	tggatataag	ccattttgat	tcattgattt	107760
tgcccatttc	agtaaaaaac	catgccttta	aaagcccaaa	atattggagg	actttcagtc	107820
tgcatgtatt	tggttggttc	gtcagtttgt	ttcttctcgt	taattcccaa	tgattcataa	107880
atgcttaact	tttttttttt	ttttaacagt	tgatgagcta	tctactctcc	gaagggaaac	107940
tggaaccagaa	gacagccatg	tcactcttct	ggaagtccta	tcccttttgt	gtaagagtct	108000
aggaatcacg	ggaattggct	aggacccaca	gagcgacaag	gattgcccac	attatagagc	108060
aattaaatgg	ccgaatgaag	actggggcct	cagggtttct	cccatctttc	cacctttccc	108120
acttcacttt	ccaccctagc	ggggaggtgc	acagggcttg	tggtgattcac	cattgaggca	108180
gcccttccctg	gtgggctgga	gaagctacat	cgctcaccag	gggttggttg	tcactttatt	108240
gatctatttt	agcgcattcc	taaggaattg	attccagaag	ccattgagaa	gtacttagga	108300
ggaacagatg	accctgtcaa	gaagaaagac	ctgttcctgg	acttaatggg	ggacgtactg	108360
ttcgggtgcc	catctgtgac	tgtggcccg	aaccacagag	gtgagtccta	gaggtcgaa	108420
aggggagga	tatggacccc	accagcttct	gtatctgact	cacctacctc	ccagcataga	108480
cagatgtgga	aacagccgag	ggtcaggcct	caaaggctga	ttccatatgg	catgggatga	108540
ggtgctgtct	tattttggtt	tatgccagta	gcagcctgtg	aaaaaaaaa	ccagaggcaa	108600
gcggtttttt	taagtggtg	atcccagata	tcagcagtag	ggcggtgagg	aagtggagaa	108660
ggaaagagat	ggaatccaat	ccaaggtgcc	ttgacaagg	agatccctct	gtggacaact	108720
ggagctggga	aactcaagga	aacactgaga	atacagcact	caggggcac	ccatctgagc	108780
accaagggag	ctgggttatt	tatccaccag	ctccacttg	tcattgtttg	aaggctcttg	108840
caaggagtgt	tttattccct	gtgactttga	cctgctgcac	acaagggcag	agtagtctct	108900
tgtgaccaga	caaaggcctc	aggccgggag	ctgcagatgc	tggtggtaga	agtcaggctg	108960
gcatgcccg	gaagagggga	tatgggtgag	acactgacag	catctgctgc	aagggctcca	109020
tgcttgaggt	tatcgtggga	catagggctg	ctgtaggaca	aatatgaaa	gatgagtcct	109080
ggaaggtttt	taagggtcaa	gttggtgca	aacaagcttg	ttaagcattg	gagctggaag	109140
aacaatggga	gtcctgcaca	ggatccagag	gattgtccag	gaccaagaag	gccaaaagta	109200
agagctatgg	tggtgtgtgg	ggaggtggtc	ggaagaatgg	caatgtctga	ggctggcttt	109260
tgtctatctc	ggtgtgtgca	ggaacatgca	agcacagtgc	caggacaggg	tctatgcagg	109320
accttctacc	actgacccaa	ggctgtgtgg	gtggggcatg	agggttagga	tgctgtggct	109380
cacctctaga	gaagtgtctt	ctcctgggtg	ccaactagag	gaggctcaca	ggactcctct	109440
ttttcttcca	gctctcatte	gcctagtctg	caagccagga	aatgtcctct	ctctaaccat	109500
gctggaaagg	tttttaaatt	tggaacttca	taagctaaag	ctaaagctat	agctaaagct	109560
gatgtcgcag	gtgcccagac	acacctttgc	acaggaagg	gcaggtgctc	ataactctca	109620
cttcttcaca	aagtctctgat	aaaaccctat	aaccaggacc	actggagttg	aatcatttct	109680
gtcttaaaact	tgcttttgcc	ccatgttctg	catctgatct	atatatagt	ttcccatctc	109740
catcttccaa	tggtttgagc	aatactgaac	ctctgttttt	catctgattt	cccacacttc	109800
tgagttcaga	gttttttggt	gttgtgtgtg	ttgtgtgttg	ccaggactac	acagatctta	109860
tcaactttca	cttattgttg	tgtctcactc	tttttgataa	aaacaacatt	tctgaacata	109920
aagttaatat	gttaaagtta	atatgaagaa	agtttcaaaa	atatggaaac	acgtaaagaa	109980
gaaactacat	atcactccta	attccccac	ctggaggcaa	gtggtataaa	tttttttgta	110040
ctttcttcta	aagatttttc	atgtcctata	tactttaaaa	atcaatttta	tatttcgctt	110100
ttgttcatag	aacactatgt	tgtgaggatt	ttctcaatat	tcatataaac	tcatcaaaac	110160
attccttatt	ccatgaaatg	gctgtgttaa	atagacttta	atattcctat	cctatttagat	110220
gttttagcctg	gctgtctaca	ttctgatact	acaataacac	tgagtccagc	ctaattgtta	110280
taagtctcta	accacatgtc	tagtaatttt	cttggaattc	tttttagaag	tgaataacta	110340
ggctggacca	aagaaatatt	tttgaactct	tggcaaataa	tgcaaatgtg	cattccagtg	110400
cataagaacg	tggttttctt	aatttacttt	ctcatttggg	ataccaaggt	taaaagttaa	110460
tgctgccaat	ttgccccacc	aaaaagaagc	acatcacctc	gtattctttt	gcatgtcttt	110520
catgacatgt	ctttcattgt	ctctgcttct	cttctgtgtc	ctatttgtca	ttgccccaaa	110580
ctgtgcccta	ctttctctctg	aagacttgtg	ttgtgactgt	aggaattcta	tgaatatcaa	110640
tcacttttagc	caaaaagggt	tgacaaagta	cattttgggc	agcatgctgc	ctataataat	110700
ttctatcatt	cacaaaagct	ctttcctcta	tagttggctc	tgagtccctt	tggaaaatgt	110760
ttgaatggca	aaggcaaggt	caaacctctc	tttttagcaag	ttttgcttga	ccttgaagca	110820
gccatttaac	aggtggatta	cagagccaca	gaaggatggc	atcttcccaa	gtgcgcttcc	110880
tgctgagcca	aggggtgagc	gcaggaggct	gacaaagatg	agtgaaataga	ttattcttca	110940
ttcttacatt	gaaatgacat	gtgcgggtgg	ggcgtgaggt	tagggatgag	tgagctctctg	111000
ttgttaaatc	cttttgggc	tgaatatatta	agaatgttaa	gaaatgatgg	ctggaggtgg	111060
tggtctatac	ctatactctc	agccctttgg	gagactgaag	tgaggaggtt	gtgagagcct	111120
aggatttcaa	gatcagcctg	ggcaacatag	tgagatcctg	tctctacaac	aaaattgttt	111180
tcaaaaagtg	atgatactat	attacaaaat	aacatatata	atatcatccc	aagtttatat	111240
acataaaaaga	gagatatgtt	aaaaataaaa	agaagcgttc	tctgtggtag	agttaccagt	111300

gatgttttaa	atttgatttt	taaaatgggt	tttcaaaatg	atTTTTaaat	tatataggag	111360
gtggaaaatt	caaagtgtcg	aggcacagga	ccaggtggcc	catgatgtag	cccagaaggg	111420
ccagtgattt	gtggctccaa	tgagccaatc	attgggaac	tggcatcttc	ttcgggctgg	111480
aacaggagag	ctttgtgtgt	gggagagaag	gcaagcaaaa	agaagagagg	caagggaaaa	111540
gcaaggtcac	ccttgctcag	ccccttcttt	ggctctgcat	gactttactg	ccttaacacc	111600
ctaactactcc	caggccaggc	aggcagcaag	acacatggag	acagtgagat	ataaagcagt	111660
gagtgcgcga	gattcctgag	acacaagagg	cagattgttc	cctctctgca	tatgtttgta	111720
tttaagtagc	ctcatgttca	gacaagcaac	ttggatttgc	ttcagtcttc	tcaggatggg	111780
tgagaaaaac	actggaagtg	ctcaaaatga	gggagaacag	aagacacctg	tcagagtggg	111840
gatggcgctc	aagtgaacga	agtctgttat	caatgaatta	catccagtgt	aaccagatgt	111900
agagagattg	tcttgtgtga	gaatgtacca	gcaggcaaa	gggtttacga	ggcagagtca	111960
gtgtccctgc	actggcagtt	atTTTgaatg	aattgaccca	gggtttccac	attcattcat	112020
taaacatttg	ttcattgaac	aaatatctgg	ctctaattcc	agttccacct	caaccagcta	112080
tgacagccgg	agcatgtcgc	tgagctttcc	ttgactctg	tttctctact	gtgctgacag	112140
ccagaggttt	cctgcagagt	tggagacctt	ggtagcctcc	aggtgtgtgt	ctggcaacat	112200
gaactgtgca	tgaatccttg	tcttctcaga	tgctggagca	cccacctaca	tgtatgagtt	112260
tcagtaccgt	ccaagcttct	catcagacat	gaaacccaag	acggtgatag	gagaccacgg	112320
ggatgagctc	ttctccgtcc	ttggggcccc	atctttaaaa	gataatggct	ccttgctctc	112380
cgtgagcttg	gagttaggag	atctgggttc	ctgtcttggt	gtgggtggctt	tcagcaagtt	112440
tcttctctcc	tggtcttagt	ttactgattc	tctataacag	ggttgaatgt	cactgggttg	112500
tccccagct	tctctccact	ctaacaatg	tgaggcggga	tgtgtattca	tgtgcccctt	112560
gcacagccac	tcagaatcct	gctctgtgac	atcaacaaga	cgggtgtgtg	tgggggagtc	112620
ttctgaagga	ttcactatac	aggggtgaat	gtcattaggt	tgtccccag	cttctcctg	112680
ctctaataca	catgacgggg	gatgtgtatc	catgtaccct	ctgcacagaa	actcagaatc	112740
ctggcctgtg	acatcaacaa	gacaggcggg	aggggtgtct	ctgcaggatt	cagtatgaca	112800
gagttgaatg	tcactgggtt	gtccccccac	ctctctccgc	tctaacatac	ctgagggagg	112860
atgtgtattc	atgtgccctc	tgacagggcg	ttcagaatcc	tgttctgtga	catcaacaag	112920
acaagtgttt	gggggggtct	ctgcaggatt	cactatgaca	gggttgaatg	tcattgggtt	112980
gtccccagc	ttctcctgct	tctaatacac	attagggagg	atgtgcatcc	atgtaccctc	113040
tggcacagac	actcagaatc	ctgggctatg	tcatcaacaa	gacaggtggg	gggacacatg	113100
cagggggtgct	ctaggttgag	aagccacca	taagtttccc	tctcccagga	gcgctgagaa	113160
tgtgagtgag	ggtgagatta	gagttggtgt	taaccctgag	tcaggtctaa	tgtgtgtcgg	113220
tttgtctttc	tgtctgtctc	taacaaaaac	tcataaacct	ttacatttat	tacatttaat	113280
aattgttagt	ttagaaatca	caggattatg	aattacgatt	tatagtcagc	aggattcact	113340
gtgacaggat	tgaatgtcat	tggcttgtcc	cccagtttcc	tctgtctcta	acacacatga	113400
gggaggatgt	atatcatgtg	ccctctgcca	ccgacactca	gaatcctggg	ccgtgtcatc	113460
aacaagatag	gcggaggggac	acatgcaggg	ccctgctcta	ggttgagaaa	ccaccaatca	113520
atTTTccctc	cccagaagtg	ctgagaatat	gagtgagggt	gagattagaa	ttgggtgtta	113580
ccctgagtc	ggtctaattg	gtgtcgggtt	gtgtttctgc	ctttatgtct	ctaacaaaa	113640
ctcataaacc	tttaaattta	atataattaa	taattgttaa	tttagaaatc	acaggatgta	113700
tgaatttggg	atgggagagg	agactttatt	tttagtgtgg	tttatagtca	gcaaagttgc	113760
tatccctcaa	gctgggaagg	tgctctggc	caagcccaca	aacaggctca	tcgaacgagg	113820
aggggttggg	tagaagcttt	atacgaacag	attggctaaa	catacatggt	caacacgtta	113880
cagggggagc	aatggatatt	catgaagaca	gtcctgacac	atgtgtatta	aacaaacatg	113940
catgtaacat	tgcccatggt	cacctggtgg	tggagacct	atattttaa	gtattacaat	114000
tagggcttat	aaatccaagg	gtcttctcag	gacacaaagc	ccagcaagtg	agcagcctct	114060
gtacaccggc	caggtccagt	ccatggctgg	tgatgttctt	atctggagaa	aataactgaa	114120
atcagtctct	tatgcaatca	aagccgtagt	taaggctggg	gggcagggtt	ctgttcttcc	114180
gagtatccaa	gctgcagcca	ttttaattgt	tttcatTTTg	cttaactcca	ggccagtact	114240
ggtttagctg	tagacaaaaa	gaagcacctt	gcagcaggga	gaacagagtg	gattctttta	114300
gggtagagat	gcaggcctga	acccttgccc	ggcatggcct	tcgatctttt	tttaatttgg	114360
tgtcttattg	ccacaaggag	tgtgttctgt	cagaatgatc	acctttattt	tattgtgtat	114420
actcgtccgg	tgggtgtctaa	accacaaaaa	agggggagta	tgatgaggcg	tgtctgacct	114480
cctgtctgtt	tccaggcagg	aactcagttt	aggggttttc	tgggggtccc	ttagcccaga	114540
gagggctctg	tcagttagtt	gggggtgtta	ggattttatt	tttagtttac	attatacaat	114600
atTTTtaaaa	atcctttcat	gatgtcttct	aagccttaac	tctcagctgt	tacagatcac	114660
atgggactca	ccccatggct	gtcaggatg	caccatcgcc	actgggcatg	tcccaattat	114720
gcacccttag	gaggtcttag	ttctgttata	tttcagaatg	tgaattgtgg	gtgtgtgcaa	114780
gagagagcaa	ccctgggagg	tggggcaagc	acatggaatg	atgcatgccc	attgctgagc	114840
cctaggtcag	ccatgcttaa	aggttaaagta	cacacaaatc	caccaggatc	ttctaaatgt	114900
gcagacctca	gtcagtgagg	tgtggagcat	gcgccaagac	tatgtttcta	gcaggtttgc	114960
acgtgaagtt	gacaatgcag	gtccgcggac	cacactttga	gtaacaaagg	ctttttttct	115020
tcttccccac	agagggtgcc	tcagaagagg	agatcagact	tagcaagatg	gtgatgaaat	115080



tctgggccaa	ctttgctcgc	aatgggtgag	gctcttgcca	aagacacagc	acagctgggtg	115140
aggggtgggg	gcggggcatg	cctattggga	aggggcagct	tctaagggttc	tagcgatcaa	115200
acttctgacc	ctgtgaccat	agcactctga	caatgagagc	tctctacaaa	tgagagggcc	115260
gcccccgag	atagtgaact	ccccgtctct	ggagatatac	aagcctcttg	acggagataa	115320
cttgggctgc	ctcacacatc	tctgaagatt	gttggggaca	cacagcagct	ttggggcaat	115380
tctatttgat	tttgtttcca	gaaaccccaa	tggaagaagg	ctgccgcact	ggccagagta	115440
caaccaggag	gaagggtacc	tgcagattgg	tgctaacacc	caggcagccc	agaagctgaa	115500
ggacaaggaa	gtagctttct	ggaccaaact	cttcgccaag	aaggcagtg	agaagccacc	115560
ccagatagaa	cacattgcgc	tgtgaacgga	aggtccatcc	agcctcgga	acctggagga	115620
gcaaagactg	gggtcttttg	ccaaagggat	tgcaggttca	gaaggcatct	taccatggct	115680
gggggaattgt	ctgggtgggtg	ggggtagggg	gcagagggtca	tgaaggagca	agttttttat	115740
ttgtgacctc	agctttggca	ataaaagatc	ttttgaaagc	caaatacactg	cttgtgtctt	115800
gtattagaga	ttaatccatc	ctcctcagag	acagaacgat	gatgaaagag	gcaatgtgag	115860
aaggaagctg	gctttgctgg	ggatggcctg	gcctcaggac	gagtacagtc	cagagggctg	115920
ggtcatggac	agtgtcagg	ggagctctgg	gcctactgca	tgtttctgag	cccccaagaa	115980
tttccaacaa	taggatttag	gattgccaga	gtgcagcatc	cctatcctcc	atttggatct	116040
gcctatggaa	atggaaatgg	cccaggctga	gaatttgctt	ggatcagggg	agagagagag	116100
gtgccgaggt	gaccccggtg	cactgttgga	tggcctttat	tgactcttgc	acagggtctgc	116160
cacaccttcc	tcagtatgta	cactagcctc	ctagaccctt	ccctgaggct	gtctctttca	116220
acagctggtc	taaactccct	ctgtaacctg	gaccacttct	gttgcgggca	ctgaccacct	116280
tagagcaagt	ctccagagg	tcatccta	actgtgtctt	tcagaatctc	aggggtgatt	116340
tctggattct	gctagaatgt	ggaaaactct	aaagagtgtc	actcctgcct	tatcagcaag	116400
agaaaaagct	ggattgtctt	caaaaatcata	acttttctta	tgcccagga	gaaagattgg	116460
ggtagatagt	cagactagag	agggccaggc	atgggtggctc	aagcctgtaa	tccagcactt	116520
tgaggaggccg	aggcaggcag	atgataaggt	gagaagatcg	agaccatcat	ggctaacaca	116580
atgaaacccc	gtctctacta	aaaatacaaa	aaattagctg	ggtgtggtgg	tgggcgccctg	116640
tagtcccagc	tactcgggag	gctgaggcaa	gagaattgca	tgaacccggg	aggcagtgct	116700
tgcagtgagc	cgagatcatg	ccactgcact	ccagcctagg	tgacagagca	agactccacc	116760
taaaaaaaaa	aaaaaaattc	gccctgggca	gagctgcagg	ggagggtggg	aagccgactc	116820
aggccctgca	cctgggtagc	tgccccacct	ggtgctgccc	caggtaacgc	atgtacagga	116880
tgagcctccc	ttccccagc	agggacagat	cccactcagt	cctgccccgc	atgctctcct	116940
aaaagtttgt	atcaagactg	tgccctatta	ttccctgcga	tgggaagggc	tggggagaaa	117000
aaaaccttcc	ttaccacttg	attgtgtcaa	aatacaagg	aattcattgc	aaagagcttg	117060
tcgtgtccca	tgaacggggt	ggagctcaag	tctgaaatta	aaggatgggt	aggaaggggg	117120
atggccagcc	acaacgtggt	ggaagtgtga	ccctgagcag	tgggggcaag	ggggccagcc	117180
cacgggcagc	agggctggtg	ttggcaaggt	tgctggagca	caccgtgggt	gcctggagga	117240
cagcttttct	accttgacat	gtaggaaaca	gacttctctc	tttataggaa	gataatgcca	117300
taaaatgtct	gtctacctat	ctgtctatct	attatctatc	taccatctat	caattatcta	117360
tctatcatct	attacctatc	taatctattt	atttcattaa	ttacatttat	ttatgtaatt	117420
gtattttcaag	ctctattttac	ctcctgaact	tttcatgtga	gagactacat	tttattcaat	117480
atatgcttta	ggtaagtttc	agttggattt	ctcttagtac	atatgacaga	gtcctgatta	117540
aaatcattgc	tgcatttgat	catttatatt	ctatcctgta	actataattt	atgtgatcac	117600
cagtaatttt	atctgtatca	atcttgtctc	ctgtattaga	taacagggtc	ttaagggtctg	117660
gtacaaacat	ttcagttttt	tattgaacat	aacatacata	taagaaatat	atatatatac	117720
acatacacac	aaacacacac	atgctatgta	tatatattga	cttgataact	tcactaactg	117780
atcacactgt	gtaattagga	cccagatcaa	gacacaatat	taccagcatc	ccagaagcca	117840
catggagctc	aattccaggc	cctgctcact	ttccccctct	tgcctatcta	cccaaatgg	117900
tcaccacagt	cctgatgtct	agcagcaata	tttctttttc	caggttttgt	gcttttatatg	117960
aacagaatca	catactcttg	catctgggtt	ctttccctca	atattatggt	tatgagattc	118020
acgtgtattg	ttgtatatgg	ctgtagtttg	tcactattgc	tgtatagtca	ttcattgtat	118080
ggatatgtca	taattttactg	gtgtagggca	cttgaggaaat	gtattagtct	gctcgggctt	118140
ctgtaacaaa	ataccacaga	ctgggtggct	taatttaactg	aaattcgcat	ttgcatagtt	118200
ctcaaggcta	gaagttccag	aacaggacac	aatgagaagg	cagcagtctg	caaacaagga	118260
ggagagccct	caccagggaa	tcagtcagct	taatcaacta	aaatttgcat	ttgcatagtt	118320
ctctaggcta	taagatccag	aacaggacac	agtgagaagg	cagcagtctg	caaacaagga	118380
agagaggcct	caccagggaa	tgagtcagct	taactcaactg	aaatttgcat	ttgcaaaaaa	118440
ggaagagagc	cctcaccagg	aaatgagtca	gcttaataca	ctaaaatttg	cgtttgcata	118500
gttctctaga	ctagaagttc	cagaccagga	cacagtggag	aggcagcagt	ctgcaacaaa	118560
ggaagagagt	cctcaccagg	aaatgagtca	gcttaataca	ctaaaatttg	cgtttgcata	118620
gttctctagg	ctataagttc	cagaacagga	cacagtggag	aggcagcagt	ctgcaacaaa	118680
ggaagagagg	cctcaccagg	aaatgagtca	gcttaataca	ctgaaatttg	catttgcata	118740
gttctctagg	ttagaagttc	cagaccagga	cacagtggag	aggcagcagt	ctgcaacaaa	118800
ggaagagagc	cctcaccagg	aaatgagtca	gcttaataca	ctgaaattcg	catttgcata	118860

gttctcagg	ctagaagttc	cagaccagga	cacagtgagg	aggcagcagt	ctgcaaccaa	118920
ggaagagagc	ccccaccagg	aaatgagtc	gtttaatcaa	ctaaaatttg	catttgcata	118980
gttctctagg	ctataagttc	cagaacagga	cacagtgaga	aggcagcagc	ctacaaacaa	119040
ggaagagaac	cctcaccagg	aaatgagtc	gcttaatcaa	ctgaaattcg	catttgcata	119100
gttctcagg	ctagaagttc	cagaccagga	cacagtgagg	aggcagcagt	ctgcaaacaa	119160
ggaagagagc	cctcaccagg	aaatcagtc	gctgttctca	tttaattgttc	tcactttaga	119220
agatcatgca	agggacaaaa	tctccagaat	ctttcctggg	cggggtcaca	gctgggggtg	119280
gaaagtgtga	gcccctctga	aacttcccc	atagctgtcc	ttctatggag	gccaggagcg	119340
catcggggaa	ggtacagtc	acagtcctcc	tccatccac	cagtcaggct	ccaaggggtc	119400
ttcacatcca	caaaacacca	ttttcataga	tcaatagcac	acacaccaag	atgcgcaaat	119460
tcaaacaga	taccctaatg	gcactcactt	attgaatttg	caaggatttt	taccactact	119520
cttttggtgg	tagtgcttag	tggcaagaat	atagaaaacc	aggaagtatt	cagcactgat	119580
gtgacagatc	agtagctcct	gggatttggg	cagaattttg	tgagtcagc	ctttttggag	119640
aagcttatgt	catttacgct	tgctgagtc	tgtgtaagcc	ccaaagccaa	gctttcacaa	119700
gtagagactt	aggcagcttt	gaaaaggaga	agtttatctt	ctaccctctc	aaagaggggtg	119760
taggaggttc	cccttgagag	taaccactgg	tccctccaga	tggtctggct	gcttctgcca	119820
ggctctactt	tcagaaatgc	ccttcattgt	gcaattatca	gaattaaagc	ctttcagtgt	119880
ctcctcattg	tccagggatg	aagtctgttc	tccttggttc	ggcattgaag	ctctctgtct	119940
tccattcccc	cttcatttgc	aactggcctc	cccaagaagc	ccctgaatct	gccttgttcc	120000
aatgctaatt	tcttctctgc	ctctccaaat	tttgcccatc	tctcaatacc	tggtaccatc	120060
aagagtcac	acagcttttg	gcattaacat	atagaaat	tgatagttct	cagggcaaga	120120
aaacacacag	aacatgcac	tctatggagg	ccactctatt	cacctggatg	cttataatgt	120180
aatctgtagt	ttgagtttcc	agggtctctt	ccagattata	attcaatctt	cacttttctg	120240
tgtctaaaatt	tttaccattgc	tttctgaatc	atcttttttc	ccattttatt	cttaacaggc	120300
taaaggaagg	cttaatagag	tagcccta	gaataggatc	tggttttata	atcgggcttt	120360
tgtgatttga	atcaaagaaa	tgcaaaaact	tagtgtttat	cagagtgtgc	tgcaacttatt	120420
cctggagtta	tgcaagatca	ttttagatgg	cacacaaaact	aaaaaccact	tatagaatgg	120480
ctgtttat	attttgcgtg	gtattaggga	aaaaaccctt	actatcaagt	ccatgggtta	120540
atggatatta	cctgtgacaa	ggattgctgg	cagtcgttta	aaatctgtcc	caccttctct	120600
ggtacacagc	cagattacat	tttccagcct	tcattgcaat	tagattgaac	acgtgaataa	120660
gttctcacca	atgtcctctg	agtgggagtg	gagagtgc	cagccaggcc	tggtcccatc	120720
aaatgtcca	tggtcacact	tctgtcctg	cctctccag	gtgacaggca	attgacacct	120780
atggcaactt	tagaaacat	gagtgaagga	aggcaagcc	accatagcct	agatcaggac	120840
tgagtaaaact	acagcctgag	ggccaaatct	ggcctactgt	cttttttaaa	ataaagtttt	120900
attgaagcac	agtcagtc	attggcgtag	gtattgttta	tggtccgcct	tactaccaca	120960
gcagtcgcaa	cagacagccc	atggcctgca	aagtcctgaa	tccttactat	ctggcccttt	121020
atagagaaag	tttgcgtgata	tcctaatttt	gatctctgaa	tgaccatag	gacaacagcc	121080
accttgttga	cctgaacaac	gttctagtc	tttacctatg	cgaaaaataa	gccgttgaaa	121140
ttctgggct	atttgcctac	atagtttacc	ctactctcac	taataattct	tgctcagcag	121200
tcacaggggtg	attgactgat	gaatgtacat	ggcccgat	ccggttgttt	gcgccattga	121260
gggtgactag	ttatgccc	gggagtacag	ctctctctc	taagaccac	caccaggcca	121320
aaatttctc	catagctct	gaccagttag	tcctaggacc	tgattgaccc	caggtagtct	121380
gaacccctaa	ataaacata	gcattcatgg	cctgggaagg	tgtaaacata	atacaatttc	121440
tgcccatgga	actgaatgtt	aacaggaaga	cattccctga	agcagaagaa	aatgaccttg	121500
gtgatgatga	cccttgccaa	aggtaggtga	cccttgccaa	aggtagttaa	cccttgccct	121560
gtcacctacc	tggtggctct	gatgggtgac	agttctttca	tgtaactaac	tggtcctcaa	121620
tggttcactt	ttcccatgga	gtgacttttt	tcaattatat	gcttttgtaa	attagaagtg	121680
tttttactgg	catttcttta	tgacgttttt	tatttttacc	atcattttta	tttaaaaaat	121740
gcagttacac	attttccatg	catacctcta	atttatggca	ggttatcacg	gtcttgccag	121800
tatggaaatg	gtataaagtc	tcctttttga	gtgagcatgt	taaagtaaaa	agagtgtctc	121860
atttaagaa	aactgttc	agaagtacag	acgatatgct	gatgaggcaa	aaaaccatga	121920
tattagtgtg	agaataagtg	aggttccaga	aacactgc	atgtccaggc	tgagtgagg	121980
aatgtcgtag	aatcctggat	tcataagtg	tgagaccag	gtgaagggtg	catgagagag	122040
ccctcccc	atagccaccc	cctgccttcc	cacaaggaat	tcccaaatgt	cacccagtgg	122100
attctcagac	ttctgtctcc	catttcagtg	ttctccacca	caaaatctac	acctgatcga	122160
tcccacagtt	cagagacaaa	gctgagtgag	gggtcagca	ggacatgggc	ttgctgtgcc	122220
caatgcctgc	tctaataatta	gctttccata	tatctgctga	gtaaactgat	ggaggtggag	122280
aggtttggg	gagttcattt	gaagccccc	gatatgcccc	ctctcccaag	tcctaccccc	122340
tgcttagaag	ttaaggccag	ttcctcagat	tttactttcc	acgtcatata	gttccacatg	122400
ggaaaccaga	gggattcccc	agggaaaagc	aatgacccaa	atcaactgcc	gcttaaacaa	122460
gagacgtact	gcttacagct	gaagtgatgc	aggggagtta	tatgtattaa	gcaaaaatga	122520
gatctactgg	aaggcttgg	aggctccagc	ttcaccatc	acaatctgca	gaatcatcat	122580
gaaccagaaa	tggtcagtc	caggagtggc	caaaaaattc	tctgtttgca	caattggctg	122640

gtgtcacaaag caggagtgtg attgctcaggt gggttcaggag aagaactaat ccttacatct 122700  
 tatatttttgt gaatacagca ccacaaaatc ttcataggcg aagagccagg actgtttctc 122760  
 aggttgcaaa ggtcagctga ctaaggcaac agggcaggat gggttaacagg cacgtgcatg 122820  
 tgtgcacatg tgtgtgctgt gttgtgttgt gctgagtgag tgggactagc tttgtttctc 122880  
 acttaggagg accaccaga ttgtcccttg tggatagaga tagggatgct ttttattagc 122940  
 atgcagttta tcaaccagg ttctgtcctg gataaaagta agggaggaaac cctaagctca 123000  
 ggtcaacttt tgttagagtc gttagtcttg gggactgatt ctcatgctgt cagagcatcc 123060  
 tcattcccat cacagaatgc ccctcaccag cctgcacgtg gctagaatga gtgctaata 123120  
 gcatcccttt ttgaatttgg gtctccagaa gcttcatttc agatacaact cacggccttg 123180  
 ggcaagaatc cattagcagg tctgggactg tcatgtgctt tatggctgct cgttgcccaa 123240  
 tctttcctga tgtcaatcgt ggtctggact ggacaagggc aggttgcca agtgacattg 123300  
 ggaaagtaga acatggctcc ccaagtacct ggtacctggc tctcatcttc ctctcttttt 123360  
 ctttcttttc ttttctttct ttctttttct ttctttccct ttctctctct cctctctctc 123420  
 ctctctctcc ttcttagtct tcttcttctt tctttcttat tatttcttcc gtctttcttt 123480  
 ctttctctct ctcttctttt cttctctctt ttctctctct tcttctctct tttctctctt 123540  
 ctctttttct tcttctctct cctctttttt ttcttcttcc tttctcttta ttctttaga 123600  
 gatagggtct tactatgttt ccaggttgg tcttgaactc ctctctcaag caatcccccc 123660  
 accttggcct cccaaagtcc taggattacc aagcggaag gggttgccca gtgcccaggc 123720  
 tcccctggct atttctatcc cttcagccct accatgtctc gcctgggtca atgagctgac 123780  
 aaggcaattt gccttagata aggtaccacaa ttagaataat tccctgatgt ataaaagcaa 123840  
 gagaaatggc tgccagccac actgtgctgg aaggcagaaa cctcaagtac tggttctgac 123900  
 tttgccactg agttgctgtg tggccttagg caaacctctc ccatctctgg gccttagttt 123960  
 cttttgggaa taaataacgg aattgagttg agcctatgta ttagtctact taggctgcca 124020  
 gaagaaaata tcacagactg ggtggcttaa acaacagaaa tcaatttaag attgtgagac 124080  
 agcattaatc tcattggggtt attttgagaa ctgagactga gttcttgcac acaaaactct 124140  
 cggcatagtg tttgccacac agtaagctct cagtaaatat ttgtcaatga atgtatgaag 124200  
 aaataaaagt ggaaaatgca aataagtaaa aacactgaca agattacagc caggaaatgg 124260  
 ctgttgtaat tctaattagc tatatagcct tccaatattt tcccatgcaa ataaagacat 124320  
 atgttactac caaaacggga ccatattata cctatctaga ttttcaaaaa tatttcatta 124380  
 ttttattgaa atataagtca catgtcataa agtttacctt tttaaagtgt acaatctagt 124440  
 ggtgtttagt atattccca agttgcacta acatcatcac tatttaatcc caggacattt 124500  
 ttaccacccc caagataaaa ctcatgccc cttagcagtc ctctcatcc ccgtctctt 124560  
 ccccttcccc agaccctgtc aaacactttc tgtctctgta gatttgacta ttctggaaat 124620  
 tacacataaa aagcatcata tgacatgtgg ccttttgggg ctggcttctt tcctttacca 124680  
 taatgatttc cagcttcacac tacattgtag catgttcttc ttatggctgg atgatatgcc 124740  
 tctgcacgaa tacaccacac tttatttaca cattcatcag gtcattggaca tgtggggtgt 124800  
 gccacttttt tgactaggat gaatgacact gctctttgtg tacaagtttt ttatggacat 124860  
 gctttcagtt ctgttcggta gacacctagg aggggaattg ctgggtcata tggaaactct 124920  
 atgttgtaatt tttggaggaa ctgcctacac cgcacaacag tttataacct gttatttttt 124980  
 cctttcacia cgcatcctgt ctctattgtt aataagtagc tgtgcacatc actattttga 125040  
 gtgaatacat catatttctt tagccagcgg tatcacagtg tgttttagtga attccctatt 125100  
 gttggacatt taataatccc atgaaagagg tttgagtgac ttcttgtgt ccccgagcag 125160  
 ttgtaaatga cagttttcca ggtgtgccc cagcactctg tatcccccta atttgggtat 125220  
 ttacattgac cttgacatca cacctactgc tctccacccc tatatgtgtt gtotacaatg 125280  
 gtgaacccct tgagaagctg aacctatgtc tgaattgacc tttgtatcca ttatacatgg 125340  
 ccagggtgct ggcattttgg taaatgttca cagaatggat ggttacatga atggatggat 125400  
 gattaaagcc agtagctatt gagagatgga atcattttta cattctgtcc aaaaattcct 125460  
 gctttggaag gtatgtatgt acctgagatt ggaagtgtgt gagaaggctt ggctagttgg 125520  
 caggatactg tgaagctaatt tcaggcatca gaaagtggac tggataaaat ttaggatcgc 125580  
 ttccaagctt gaaatcctgg aacgctatga aacacaagcc ctgggagctg agatatgtcc 125640  
 taacttaccc agctgagctg tgagggtgtg gtggctctaa cattttccag ttgtttctga 125700  
 ggacctcaga tcaaagcttc cctttgccta aaagcatctg cctgctgggt cgggcctttg 125760  
 ggggcccctca gagagcacta aggttagagt cctgcaaggg tgacaccgtt atgccacaag 125820  
 cagttgggag agtttacagc tctctgtaat ctgagagtag agtccagatt ggtttgatga 125880  
 aagagggtaa actgtgagtg ggcgtggctt gagggccccc tggaaagccca gggagatctg 125940  
 gggaaaggga gggcttttct gatctctccc aattagagga ttaggcaatt ggcagtgca 126000  
 ggcggttaact gggggccagg gtggcgccag ggctggacag cacttccagg atgtggctcc ctgctcttgt 126060  
 cggagacctc cgaagccccc ggaactgtcg ccttccagg ttctgaagtc aaatatgcg 126120  
 cctggccact ctgctgctt ccgctgctt ggggtagtc aactggcgag agatgcgtag aaaggcaag 126180  
 ggcacttttt gaaatccttg ttctgggccc aactggcgag agatgcgtag aaaggcaag 126240  
 acacaaaagg tccggctccg tggcggggag cgacctcgt acttgggaat ggacttgag 126300  
 cagctgagcc cagccagcct gggccgagcg gagacacagg gagggtgaac atgctgagac 126360  
 cgcctgacac tgcttgcccc aagaaggccg gcagctggcc cacctcactc cgcacacaag 126420

agaaatthtag	gcagctcagt	ttattgtccc	ataattcgctc	ccgttatggc	tcgataacgg	126480
atagcggctc	aggagaatat	taagagcatc	gactctggag	ccagagtgc	tgggttcgag	126540
tcccgcgtgg	gcgcttcctc	gctgtgtgta	cttaggcaag	agactgagct	attctgtgct	126600
tggtttaccc	cctctctgaa	acagagggtg	cagtgtctacc	tacctcactg	ggctttgggtg	126660
aggaggaaat	gggtgggtgt	ttctaaagca	ctcttggaag	cgctgtgtat	gtagaaagca	126720
tgaaaaaggg	gtggataaat	ttaaaggcgc	tgtttaaaaa	cgtagtgtat	gaatagaaaa	126780
tttagctgt	ggtcaggcca	ctatatcagg	acctcttgcc	attaaaaaga	cagtttctta	126840
ctcatgttct	caacaggagg	gggacaccag	tgcgcggggc	acaaggggaa	gcagcagagc	126900
ctggggaggg	gacagggcgg	atctgaggcc	aaggggcttt	tactgtggct	tccaaggata	126960
gaagaggaaa	ggcagggcag	gcaggctgag	gactggcaag	ttgggatact	tcaggggctc	127020
tggggcacag	gggctgttcc	taattgtttt	gtacctagcc	ctggcatgat	tagggcaggt	127080
gggtagtggc	cagggcctgg	caaccgatc	aaagaggcag	ttgggggtgtg	ggctctgggg	127140
tggctggacg	ctgggaggga	cagtttctcc	aaggtcaaca	aggcctcaga	tgccagagta	127200
tcagaataca	gaaaacaaaa	cacatggtac	atagaggggt	gcagcgaggg	gcctcgaaat	127260
acccccatgc	cattttatag	acagagaaac	tgagactcac	acaggggaaat	gtacttgccc	127320
agggtcaacc	cgaaaatcat	gcctaggtct	gtctctgggt	cctgaatcct	gacagcccag	127380
ccccgtctgc	atcctgtctt	cctctggca	ctctgacact	gcgagagctc	tggaactgtg	127440
gggaagggca	gagaagagag	gaagcctatt	tggaactgaa	tgttccttta	cctctggtta	127500
ctctctggca	tgccatccat	ttccttctct	aggaagacca	tacaggctgc	ctccacttcc	127560
tcagtttctt	cctctgtaaa	atgggcatgt	tgtgacctac	ccagcaaggc	ttatttgaag	127620
atggatttaa	acaaactgga	atgcatgcct	ggcacatagt	agggtgcccac	catgttctgt	127680
cttcatataa	catcagcagc	aactggtctt	gttctcacac	ttgtttctgc	ctcccccat	127740
tcacccactt	tttcacccct	ggcaatctgg	ctgccatcca	cctcatcctg	ttgaagggaa	127800
tccctgagct	gagcatgacc	agcccagtg	tttcttctct	gacttgactc	tcctccacct	127860
ccctgaagtc	ctcagcaatc	ttagctggtt	cctcgccctc	ttgctccctg	ggcttcaaa	127920
acatgggaac	gttctctctc	ccctattctg	atggatcttt	ggctctggcc	gtagtggctc	127980
ctgtgtttga	cctttgtttt	ttttctctct	ccctctcaca	ctggcatctt	caatgaagcc	128040
atacacatcc	accgtatgta	ccctcacagt	ccaggagaag	attctgcctt	gctccctcac	128100
caggcttctt	tccagctttg	aagtgcgctc	atcctgtggc	atcatcttgc	ctggatatcc	128160
cactcacatc	tccaccgagc	ctgtgtaaac	agggatccag	cattacaagc	cagctctttg	128220
gtcttctttt	ccttccattt	ccccacctc	tggtcaggga	ccaagtcttt	tcttttctct	128280
tcttttcttt	ccttccctcc	ctcactccca	ctgcctgccc	tgctgctctg	cctgctgccc	128340
tgctgctctt	ccttccctcc	ttccttctct	ccttccctcc	ttccttctct	ccttcttctc	128400
ttccttctct	ccttccctcc	ttccttccat	ccttccatct	ttccttctct	tcttctctct	128460
ttctctctct	ctggaggagc	caggattaca	ggcacatgct	accacaccca	gctaattttt	128520
ctattttcag	tagagagggg	gtttcaccat	gttgccagg	ctggctctga	actcctgacc	128580
tcaaagatgc	tgctgctctt	ggcctcccaa	agtgtctggg	ttacaggtga	tccactgtgc	128640
ctggcttcca	agtctttcaa	aatacctttt	agacatcatc	atatttctac	atatttttct	128700
tttttttatt	taaaatttta	aaataattaa	gatggggggg	aggatttcag	gtgaagaccg	128760
gaaatcccat	acagtgtctg	aaaggtggaa	atcaccaaga	aaacaggcca	catgtaatgc	128820
caccacccat	tgctatgtcg	ataaacatgc	ttccaaggaa	gttcatctca	gtattatttg	128880
taattagcaa	caacaacaaa	agaaaagaag	ctaataattg	acattgcagg	gttggtctatt	128940
aataagatga	gacatggatg	ctgtgtgtga	actgggcttt	ccataatggg	tttccattgt	129000
gattggatat	tcccctttta	gaccaaactc	gaattgttct	gttctgctct	agccccacac	129060
tttaggggag	gtgttgacgt	cttgtctgta	tccaaagcag	agcagctggg	aggacaagag	129120
gctggaaatc	atttcttagg	agggaagctc	agagaaactg	agggtgactg	agccagatag	129180
gacctgaggg	gtgggcagca	agatcaagtg	tctgaaaggc	cacaggctgc	agatcagatc	129240
aggccagtat	agtcccagta	caggtagaac	cagaactgat	gcggaggctg	tgggaaatga	129300
atttcagctc	agtgaggaaa	cattgtccgt	gctgcaagaa	tggagcagac	ctgccaggg	129360
ccaccagaag	aatcttctct	gacctgatca	catcctttat	ctggaacggg	tcctgctgct	129420
tatttgtcca	ttaaagaaaa	ctcaagcgt	tagcctggca	ttctaagccc	tcctgacat	129480
gtgcgggtctc	attccaggaa	tattttccac	tccccccaga	ctccacctgg	tgcatgtggg	129540
ccatgcccc	ttccccaggc	aggctctgca	ttctgtgct	ctgagcctca	gcaaattccc	129600
ttctctctgc	tggtgtaccac	tctctgtctc	tcctctcccc	tcattcagtc	ctccccctgc	129660
gcaagtccca	gctcctccat	gatgcccga	atcagaaggc	cttgccccct	cttctaattc	129720
ctagactgcc	ttatgggtac	ctctcccagg	acatggccac	ttccttccca	gctgtagccc	129780
caggtgtata	tgtgaccctt	ccctataatg	gtcagtgctt	gtgagaatat	gggacacccc	129840
tttttcatcc	tctcatccag	catgcggctc	agtgccagga	ttctaattgga	taaatgtttc	129900
cagagacttc	taagggggaa	gctaaatgct	ttgttctttc	ctagtagctc	tccttcttgc	129960
atttattttt	agctggatgt	ttttatgcct	ccaattctag	tttgccatt	aaaccagctc	130020
aatggggttag	ggaggacatt	gatcgtcatc	cctattgtac	atcaagagaa	actgaggcct	130080
agaggggtta	ggtgacttat	ttaaggtcac	tcacttagaa	agcggcaaac	tccacctgga	130140
atctgggtcc	agccttttgc	ctctgatgca	tcttgattta	ttctccatgt	ccagcagggc	130200

atccgtcttc	gccacctgtg	gtggacaccg	tgcattggcaa	agtgtctggg	aagttcgtca	130260
gcttagaagg	atttgcacag	cctgtggcca	ttttcctggg	aatccctttt	gccaaagccg	130320
ctcttggacc	cctgaggttt	actccaccgc	agcctgcaga	accatggagc	tttgtgaaga	130380
atgccacctc	gtacctctct	atgtaagctg	cggcatgtgt	ccttggggat	gtttacctca	130440
aagtgtatga	ggaaggagtc	aaggcagtc	cctgatgggc	tgatcctttg	ctctggactc	130500
cttaagatct	ttgtagatcc	ttaagaacat	tccagaactc	tcacagcatt	ctggagtcca	130560
ttattttaaca	catgtttatt	gagcacctgc	tgtgtgccag	gcgtgttctg	ggttcttggg	130620
atccattagt	gaaaaagcaa	agatccctag	gttcctggag	cgtgcattct	agcaggggga	130680
gacagataag	aacaatatgc	aaattactcc	gtggattatg	tgatatgata	gaacaggaaa	130740
agtgccttgg	aaacaaagaa	gcagttaagc	aggtgaggga	gatcagaagg	aaggatccca	130800
tgaattctgc	tgtcttgaat	tttgacatag	tcggggagag	gagtggggcca	ggaggtgtgt	130860
gggtggcaag	tgtactgagg	tgtccactcg	gcaagtgtct	aactctcagg	tgtgcctatt	130920
cctgaggaga	acaatggaag	gtgtgtccat	tcacctgggc	caagctggga	agaaaagccc	130980
aaaggttcta	attggcctca	ccatcactcc	ccagggtagg	aaggacccta	cagacatcag	131040
agcagaccct	gctcatctca	gcagccaggt	gttcggaggc	tttccagcag	cccaccagtg	131100
gccgccttct	tttcttccct	tttttaaaaa	ataatgttta	ctgtttttat	tttctgagtg	131160
caaatgtaat	tataacttat	tacagaaaat	ctaggaaaata	cagagaaaag	aaagtaagaa	131220
aattaagatc	acatacaata	ttccaccacc	cagagagaac	aactatcagt	attttagatg	131280
gtaaatgtatt	atgatgtaat	atattgtttg	tattccagtt	tttttgcctg	ttgatatact	131340
ttctttcttt	aaaagggaat	gctatatgtg	gataatttgg	atgcctgctt	tgctcattta	131400
taagtatatc	atgagcataa	ttccatgcca	ttaaaatagca	cagcctggta	ttaaaagctg	131460
cattacattg	ggtaattgaac	cataaataat	tttcccaagc	ttttatttgg	ggtcattaa	131520
ttatatatga	tgtttttaat	aatataacat	catgaatgtg	aaacatttat	gcacattcat	131580
gaatagttta	ggataaacttc	tcagaaatga	catttctgag	tcaaagagta	tatatattctt	131640
gtttgatattc	cctcccaaaa	tattccaaact	acactcctcc	cattgacgta	tgaacatctc	131700
catttggcag	actcttggca	atgcttggga	ttattaaaaa	tatttttggc	tattgtatag	131760
gcaaaaataat	aataacaata	ccagcaatat	tattttcctc	tttaatttgc	atttatctga	131820
agaccagtga	gttctttttt	cctttcttca	cattgggaatg	tattattatt	attattatta	131880
ttattattat	tgttattcct	cttgcaactg	gtgatcttag	gaaaatttcc	caggatggaa	131940
tcaagaagtc	atctttgctg	gctctgattc	tgtcacttga	gagctgtgtc	atcccagagt	132000
ctgagtgcct	cagtttctct	atgtacctag	tggggggcgt	gatgactgcc	ttttggtaca	132060
ttgaggtctg	ggactgttgc	ttataatata	cttgtgtata	agcaccacat	ggcatggatc	132120
tacctggcta	tgtaaccttg	gtcaggttct	ctaaccctgc	taggcttcag	ttttctcatc	132180
tgtaaaatgg	agataataga	acctacctaa	tgggactagt	ctgaggctta	aatgagttaa	132240
tatacaaaag	gtacttaaaa	cagtgcctgg	aacactggga	gaactaaata	actattacca	132300
gtgttcatct	atgttgcac	cttgagatct	ttcatcaggg	caacacaaca	gcaactgcct	132360
gggagaggca	ggtggtagaa	tcttggcatg	tcagggctgc	aagactcatg	tagaaatcac	132420
tccgtcact	tagacctggc	ggattgggac	gcagagtgtg	aaaggaattc	acccaaggtc	132480
acccataaa	tgcattgggag	agacaaaact	agagcacaat	tctcctgatg	ttgtcccaca	132540
aagatatcac	ccctgagcta	ttgtgagaaa	tgtcacctcc	cagggaggat	cagtgtatta	132600
gtggtctccc	ctccttgatg	ctgggagttc	caaaggctct	ggaaagggaa	gaggtgtgaa	132660
gcccttctca	ctctgcttgg	tcttaggaga	ccttagtgag	tcccagcgcc	cccacctgaa	132720
gcccctgata	gcctcctacc	cactacaatg	tctgagtgct	gtaactatca	agtccttttc	132780
caggcttaaa	cctcccagtc	caaggcgctg	cgttagaaaa	cacctcgctt	agatctggct	132840
gaacttcagg	ggttcttctt	tccccctccc	cagggtgcacc	caagatccca	aggcggggca	132900
gttactctca	gagctattta	caaaccgaaa	ggagaacatt	cctctcaagc	tttctgaaga	132960
ctgtctttac	ctcaatattt	acactcctgc	tgacttgacc	aagaaaaaca	ggctgccggg	133020
aagtgtggg	accccttggg	caaggcggtg	cagtggcagt	accccgcatc	ttctggggca	133080
gaatgggaag	gagtgaaggc	agcttgggga	gggagctgca	caggccagga	ttgtttcaga	133140
gacccaggg	cctccacagg	aaacactggt	tttccacaca	tcagtttacc	ctcgtgacat	133200
aggcactctg	ggggagtttg	ttttgcatct	ttaatgaaca	tcttaattgt	tccaagtctc	133260
ctcatgctaa	tagaaggatg	agaatgatta	cttttagtta	ctagattaaa	aatctgatac	133320
caagattggg	taagacatga	ttttcaatgt	tagtgggtga	aagaacttag	agaaaagcca	133380
acaccccaac	tcttcttttt	caaataagaga	aactgaggcc	cagacaggga	aggggaggtc	133440
acccagtagg	gtagttttgg	ctcaagtctt	ctgatcttca	catcagtgct	tttgacatgg	133500
agtagggcat	tgagcttgta	tgtggccttt	ctccagcaca	gcaacattca	tctggggtaa	133560
ctttcactgt	ccagggtacg	atgttggggg	cggagcctgg	acaatccag	aagctcttcc	133620
ttttgccttt	ggccaaatag	ctgggatttc	ttttgttacc	taatttccct	ccctaattgt	133680
cttggcaag	gctgatgacc	cagtgaagtc	gaatttccca	aataaatgaa	gggcaggaca	133740
tggggcagcc	gccagctgc	aagtggagg	gtggggagg	tctgctggca	aaggaggcac	133800
ccagggtgaa	aaaacaaagg	gtgtgtgtc	tagcagtgct	cccaggggca	ccgtgggcat	133860
ggtgcctatg	agtgggggag	caggctctgc	aacgtggaac	taaaagttgg	tcctacatgt	133920
gctttgtgag	acacaggaag	tgagagaaag	gtttactcat	tcattcattc	attcattcat	133980

tcattcattc	ttctattgtg	tactcagtcg	cccatatata	cagtttagacc	tggggcttca	134040
gggaaaggag	gaacatgaat	ccactccaca	cagccctctg	cttcaaggat	cttgccctct	134100
gggctgtaga	gacatatcct	cccttcagca	ctttattgca	ggccagccct	caggctcagt	134160
cttcacacaa	agatgaatgc	acactcaatc	cctccccagg	aggcaggcag	ggatttagag	134220
tgtgggagaa	acaagggtc	tgggaacctg	gagtcaggag	aacctccagg	aatggccaca	134280
ggctctagaa	ctacacggtc	tgggtttaaa	tcctggttct	gcttttgact	agctgagaga	134340
cttgggagtt	tcttaacttc	tctaagcctc	tgtttcctca	aaatgggaat	catcacatat	134400
gatcagtc	gggtgaccac	taagcgtgat	ctcagtcctc	ggctaaaaag	gcagaggcag	134460
gctcataccc	ctgccctaac	agtggactca	ctgcactgtg	gccggcgcc	gcagtgtgct	134520
gggcagctca	acatgtggac	tctggaggca	gactgcctgg	gttaaagtcc	tgctgtctac	134580
acttttgagt	tgtaggacct	tgggcagggt	aagtgcctcc	attttccac	ctggataatg	134640
ggacattatc	agtacctacc	caatgtatag	tttattttac	tgtgcttaga	acagcacttg	134700
ggacatagtt	tatgttacga	gttcttttat	atttcatgaa	taataattat	acaatatcat	134760
tattttagcc	actctcactt	cttccccact	atgtggactt	ttaaaatgca	agaatcatgc	134820
atgagggaatt	gtatccactc	tcctcctcca	gtattagcag	agtccctggc	acatgctaag	134880
ttctcgacag	tgtagtcca	ttgactgaag	gcacccctga	gtgggtgggt	tttaggctgg	134940
gttctgcagg	gtggatagga	tttggggatg	cagaggcata	aggaggcatt	tgagggaagag	135000
acaccatcac	aggcacgtgt	gcttctcgag	acaatcattc	atgcacagag	aagtttactt	135060
caccaagaga	tagttaactg	agatgaagct	gagatacaag	ggctgcccc	tgggtacgct	135120
gagtgatgga	atagtctagg	cttgagggtg	atgggagtgt	cctcccgaag	aggacatcct	135180
tagcctttgc	tatgcccatg	atgatgttct	gcagatcaag	agcctttcgg	ggaggaggca	135240
ctggaggctg	ggtagaaagg	aaggacagc	cagggtatgt	gcagtagggg	ggtggcttgg	135300
gtccagttg	ggagaattat	gcaggagaga	gattgccttt	tgcaaagtgt	ctgggagctg	135360
gtgaactttg	gatagcatcc	tccttcagtt	gtaaccaaca	ggtaggtcac	caaacaagac	135420
atcttctgag	tgctccctgg	ctctgtgtcc	tgtaactggg	atgttgcttc	ctctctgccc	135480
aggtgatggg	gtggatccac	ggaggggggc	tgatggtggg	tgccggcatca	acctatgatg	135540
ggctggccct	tgctgcccac	gaaaacgtgg	tggtgggtgac	cattcaatat	cgccctgggca	135600
tctggggatt	cttcaggtaa	gaaatcggac	tctcctcact	gcactttggc	ccccagaacg	135660
aggatgctag	gaccagctc	tggtcatgcc	agccctcagg	ggagcttagc	taggttccac	135720
agtaaggcat	ccaagccctc	tcgtaattgg	acactaccta	ccctctcact	acccagccaa	135780
tcacccactt	gcctctgagc	ttttgcatgt	gctgtccct	ctgcctggaa	tgcttattct	135840
atccgaagaa	cacctcttca	tcctgcaaga	cccagccccc	agttacctcc	actgaaagac	135900
tcctctcctc	ttcacctatg	tttctccagc	acattgcttt	tctctgtcat	gacacttagc	135960
agtcagccca	gcagggtgaag	gttgacacat	ctgacttctc	atggaaagga	gggaaggggc	136020
agagtcacag	aggagctca	gggcatgttg	tgggtgaagg	aatgggggct	gcagatgggtg	136080
gggtgtggga	gcactctgac	ccttctgtg	ggagtgttgg	gacctctca	gctcattttc	136140
tgcttgaaat	ttggcaagtg	tgggaagcaa	ggatggagtc	ttcccatcag	gtctccatgg	136200
ggacaggagt	cagatctcct	tcaaggcgca	actgctatga	accttttcta	aggttctcct	136260
ccatccatgc	cagtcagggt	tcttcttgaa	cacgccactc	agttgggtctc	attgcggtca	136320
tcaatgacct	ccccctgctc	tccacccaac	ctctcaggac	ctcccagcag	cagcagatgg	136380
ccactcagcc	tctgtgacat	gcttctctcc	cagccctttc	cctgggtctc	cctcctccct	136440
gtccacaggg	ctctcttgct	tccctctccc	tccttactaa	ttccagtgta	tcccaggggag	136500
cagccagagc	ccctgtttcc	agccacctc	acctttgaag	cccacaggca	tactcactc	136560
cctcctcccc	acccttggtc	gtctaaaggg	tgccccactc	ttcccaggga	caagttgaat	136620
ccttgactcc	cactgcccct	ccccaacaga	gacccctctc	tctcccacc	acgcctccac	136680
tcagcttctg	ctgcccacatc	ctcccttggg	ctcaggagaa	ggccttgttg	acagcccggg	136740
ctgtctcttt	tctcacaacc	ctcttggctg	gccttccaga	atccactcag	agtcctctac	136800
tttgacactc	ttccctggct	cctagcccag	ccaaagctct	ctgtctgtca	ccttgattat	136860
gatctttaac	actttcagat	ccctgccact	tttatataaa	gctgagttgc	acagttagcca	136920
gagtgatcac	ttaacacatg	cattgaatca	tgcgatgcct	ctgcacaaaa	ccctgcaggg	136980
gcttcccatg	ctccttacca	tgacagccga	agttcttgcc	aggccccagg	gccctctcta	137040
gctgcacctc	ctgactcaca	ctttctttca	ctgggcccc	ggccctttgc	acttgctttt	137100
tcttctgcct	ggaattcctt	cttttgata	tttacaagg	tcatgtgtct	attgtgcttg	137160
ttttatgaag	gtctttgcct	ccaaaacctc	aaatgtcact	gcctccaaaa	agccttccct	137220
gattgggata	tgaatgggca	ccccctgtcc	cactcctggt	ttttctctta	ctccattgta	137280
tttacctcag	tgcaacttga	ctacctgaca	tcattatatt	ctctctatgt	atctgtttat	137340
ctgcttgtga	tctgtagtgg	gaattcagtg	tcacacaggg	ttttgctgt	tttgctctca	137400
gatgtgctct	agctcataag	acagcgtcag	gcatacagta	gatgctcagt	aaatagttgc	137460
cagttgtgtg	aatgtagaac	catacatcac	cacaatgctg	tactaatgaa	agcagggtct	137520
cagagatgct	gaagcccagc	cttattctta	agggttctct	gagaacccct	agcccatct	137580
gtggctcctga	aggctcctga	tgacatctct	gctccccacc	ctcaacctgt	tctcttctc	137640
acagcacagg	ggatgaacac	agccggggga	actgggtgca	cctggaccag	gtgggtgccc	137700
tgcgctgggt	ccaggacaac	attgccagct	ttggaggga	cccaggctct	gtgaccatct	137760

ttggagagtc	agcgggagga	gaaagtgtct	ctgttcttgt	gagttttcct	gtcaccaggc	137820
ccaacccac	gcttgatgtg	atgctgatga	gacctcttgg	acacctgtca	atccagctat	137880
ggatacctct	gattacaata	cctgaattca	ggactggccc	tactcacagc	ccagcatcag	137940
ggggtagaaa	gctaaagacc	agctctcctt	ggcccccagg	aagctcagag	ctcagcttag	138000
tgctctgggg	ccatatgaat	ctccagttgc	agcctgcaat	ggtggcattc	tcctcttcca	138060
gcttggttga	gctctctctc	tctctctctc	tttctctctc	tccttcacac	tcattttaac	138120
ataaggactc	acatcccttc	tcttgggaag	taggaatagg	cataaattat	gagtaagggc	138180
aggcagagag	aagaggtgga	cagaggtcat	tgtttggcta	aaccagacct	acatgtggag	138240
gggacatgga	cactgagcag	gctgggaatt	cctctggggg	ggtctgatgg	cttgtccatg	138300
cccaagaagg	aggcgacagt	ctttgtgact	gtggggctca	gtgggctagg	ggaggcaggc	138360
agaggaagga	gggatggagc	cgcgatagg	gagggatggg	gcagggggtg	tgggtcatag	138420
acacaacctt	gggtgtgagg	ggctctgctg	ggattgggga	ttgggttcag	gagacactgg	138480
gggatctggg	atgaaaaccc	agatgagagg	tgctgggagc	tgtaggaaga	cttccacctc	138540
cttgaggtgg	gcagaggggc	agccactac	tggattcctc	agtcccggtg	tggttttata	138600
gtggagtaga	tctagcctgg	aatagcgagt	gagtcactga	ccccactcct	gagcatgaac	138660
tctctctccc	tcactctgc	tgtcaggttt	tgtctccatt	ggccaagaac	ctcttccacc	138720
gggccatttc	tgagatgggc	gtggccctca	cttctgttct	ggtgaagaaa	ggtgatgtca	138780
agcccttggc	tgaggtaggt	ctccggctgg	tacgtctccg	gctggacacc	cccacctcct	138840
tggctctatg	ctcctgaatc	ctcagggatc	tctcttgggg	tcggtttag	ctaattgtct	138900
cctagaatca	ctgaggcacc	aatggctgag	caggaagggc	gaggagacac	cttgatcagc	138960
gtcccagttt	cacagccagg	caaaccgaca	cagggcttgg	aagggatttg	ccaagggcag	139020
caggtgatca	gggcagagct	gggactccag	ctcatggccc	tagcagccag	tacagtggcc	139080
tatctgtgac	cacactctct	ctatgtgcca	gggcttgggt	ccatgttggg	cagtgtatgg	139140
gtcttgtgtc	tctctgggtc	tgccaatagg	ctggttaagt	gaacaaccag	gatttgaag	139200
cagacaagga	aattcaggat	tccatgctct	ctatccagc	tccacctcac	atttcttgac	139260
acattcacct	tgagatgatt	atgtccattt	caatggagat	aaggtagcag	agatgagaga	139320
ttacataaatt	gaccatggtt	acaattgaga	ttagtaacag	aggcaacgct	ccgtgggacc	139380
tggaaaccac	accacgggt	ctacagtatc	ttctgtgct	cctgccact	agtacaagtt	139440
gggcttggga	tagaatgcca	ctttctctct	tgatggaggg	aagggatgtc	gctcttgaac	139500
tctgttgttg	cctgtgatct	ttgcagcaaa	ttgctatcac	tgctgggtgc	aaaaccacca	139560
cctctgctgt	catgggtcac	tgccctgcgc	agaagacgga	agaggagctc	ttggagacga	139620
cattgaaaa	ggtaggttgc	ctgttcccgt	agcccaaac	ctgtaaactt	ggtcccagac	139680
ttcttcattt	cagctgtcct	cttgccagg	gacagtctcc	tgggacaatt	tctcaactct	139740
cagtatctga	atggggaatc	tgatttgtcc	ttttttattg	taaaatgcca	caaattgtaa	139800
aaaagaaagt	caaaaaataa	catgataaaa	aattgtgtaa	caatccccag	tcctgaccaa	139860
aatttaatat	tttgccattc	ttgttttcag	atgtattttt	aagaaattaa	atgttacata	139920
ttcccagggg	acaccatcat	cctgaatttg	ggggatggag	atattaagct	caaagatttt	139980
cagaaagatg	tcacaattta	tcttggttga	cttagaaact	gtctgtatta	gacctagtgg	140040
tggtccagtt	ttctagattt	tctgagactg	actcagttgt	catcctagga	tagtcatcca	140100
tcacccatt	cgtaaatccg	tctatctatg	attgtcttat	ccatctatct	gttactaat	140160
tcatccaatt	cactcatatc	tttttatcaa	tctaagtca	acctattcat	aactttgtat	140220
ttatctattt	tcaatccatt	caccattcat	ggatcatcca	gccaccttat	atctcaactc	140280
catcacccat	tcctccaaaa	tcaacaatcc	aattatcgcc	tgtctgctag	ttttcaccca	140340
tctattcatg	tacattctca	attcaactgt	actccatgta	ttgaccaact	ccatccatcc	140400
ctccattgat	ccatccatcc	atccatgcta	aatatgtagg	ggtgggtggt	agaggtagca	140460
aaacagacat	gaagtggaca	tagtccctgc	tctcaaggaa	ctatccaaag	agaaatacat	140520
tcatatactt	cgcaggttga	gtatgggtgc	agcacagagg	ggaagcattc	attgtagttaa	140580
tcagggatgc	ttcacagaga	aggcggagga	gccagatttg	agaccagaca	gtggaattca	140640
ggagttcatg	cccttaatcc	tgactccacc	ttatctttcc	tgagaaattc	agctttcaga	140700
tcattgtgcc	cattttaaca	gagggaacaa	agacagataa	attttgtaat	tgccccatgt	140760
cacagttcaa	attagtcaca	gaggcaacac	tgtaggaccc	agaaccgaca	cctgcggtgc	140820
tagagtatct	tctgccttcc	ctgctccctg	ccatcctcac	atattaggac	ttggggacct	140880
ttaggattgt	tgatgggcca	tggcagttct	tcatcacagg	gaagaccagg	aggacaaaca	140940
ccagatgac	acagacccca	gggccattgg	gaactattcc	ctttgagggg	gaagagtgtg	141000
aattccaagc	tcaggagtag	cctggactct	ctccttggac	ctgaggctac	tcctggatcc	141060
cagggctggc	ctctaccact	ggactctgct	tgtgtttcca	tgagttgagt	ccaatgtggt	141120
attggtgctt	aggtcttggc	tcaggctcta	agtgacaaa	gtgttcaagg	aatgaaaaca	141180
caactgtttt	ctaaccgccc	gaaggaggca	aatattccag	caattctgca	tgtggcatca	141240
gaggacccag	cttaaaaggg	aagagttgag	tctttgggaa	aacccatccc	taagatccta	141300
gaacattctt	ttgagttttt	ctgagatctt	gtggaagcac	ctccatgatt	acgcgtgcc	141360
tccagtacac	acacatgcag	acacacagac	acacacacac	acacacagac	acacacacag	141420
agaaacacat	acagacacac	acacacagag	acacacacag	acacccacac	acaaagagcc	141480
acacacagac	acactcatat	acacacacac	acacactcct	ggctagtggg	acttcaatcc	141540



ttaatggagg	gacctgcact	ggttacatcc	tgagcacagg	tcagatctgg	gaactacagt	141600
gcaacactac	agtcactgca	atcttgggtga	acacacacca	aagagaagca	tggggttagga	141660
tgagactcag	tgagcttgcg	tgagtcaggg	ctttctaatg	ggagatgagg	aaactctccc	141720
aagtaccttg	aacagaaaaa	gaaatgtgtt	gcaatagcat	cgctgtgtaa	actgaaatc	141780
tcaggagttg	atggcttcag	gcatggctgg	gtccagatga	tcataggata	ttattgagaa	141840
tctaccattc	tctgtccttc	agctttgcac	atctctgtgt	tggcttcact	cttaggcaga	141900
tatatctcct	gggaagggtta	aagacaacag	cactctagac	ttatgtccta	tctgcttaaa	141960
aacctctctt	ctaaacaatt	cctgcaaaag	ttttggggta	aactctattg	gattgacatg	142020
agtgtatgcc	catccctgaa	ctaattatca	tgttcaggga	gatggagcac	cgcaggtcac	142080
atatagatat	acgaattcac	ggagtgtatg	gggaagaacc	tgacacctct	ggtgccccac	142140
tcacccagct	cagtgttctc	ctggtaagcc	tctcaccac	atcctctgcc	tttgtcttca	142200
cagaaattct	tatctctgga	cttacaggga	gacccagag	aggtaaggac	cttttgtttc	142260
tggattacgg	gttttgagtc	ttagcacctt	taagctccaa	ttactgtga	gtgaaagaat	142320
catctcttgg	gtaattatag	taactcctgc	gtgtttgttt	ctgaggccca	gagaggggta	142380
gtgactcacc	tgggtaacac	agccaggaag	actagtggct	ggcctggaa	ccattttcct	142440
gactcccagt	ccagtgtctc	caggcatcac	ctctgtgtgc	cctgggctct	gcccactccc	142500
cttctttttt	acattttctg	ctcccaaaa	tggcactgta	ggaggaggct	gaaacagaac	142560
cttccacaat	caggaggcag	agataacagc	gatgattagc	caaggagagg	ggaagcctaa	142620
atctcagtc	aaggacactc	gtctcctccc	agcacacagg	aaactccaac	agtattctcc	142680
caatctctct	atcccaactc	ccacccacac	ctcccagtg	gttgacagtt	tctggtgaca	142740
tcacctctga	cgaatcttac	aatctgttcc	tctctgtctc	ctccctggag	atcacagcac	142800
tctcctaaat	ggcatgaggc	ggagtacatg	agattcattc	agcaaagact	taataaacac	142860
ttctatgtg	ccaggacttg	tttaggagct	ggggatataa	cagtgaaaaa	agaaagactc	142920
cctaccctct	tgggaccttc	cattacagtg	ccaggacagt	gcaataaaaa	agcaaatcaa	142980
gtatgtattc	cgtttgatgg	tgtgcagcat	taggggatag	agtttgtggg	tggcttcaat	143040
ttaagtagca	ggatcaggga	atggttcaat	gagaagggtg	catttgagcc	aagctctgga	143100
ggaggcagga	agccagctgt	caggaaacct	ggagaagcct	attccaggca	gaggggaacag	143160
tcactgcaaa	gacctgaca	gaaggggcca	gtctggctgg	agaggaccga	gtgtggggac	143220
agactggctt	gaggctaaag	aggtaatggg	cagtgggaga	gagatcaatt	aaagtacttg	143280
gatttggatt	cagagcaaga	tgggaagcct	tggagggttt	tgaacagagg	agtcacatga	143340
tcttagatct	cacaaaggtc	tctgtctctg	gtgttcaaat	agactgtagg	aaaggggcaa	143400
agtggatgca	gttgaccagc	tgggcagcca	ctgcattgcc	ataatccagg	caagggtctc	143460
tggctgctta	gacagggtcg	tggcagtggg	gatgggagga	gtagttggag	tctggatatc	143520
tttgaaggaa	tagctgacag	gatttctgta	tggacaggat	gcaagggtta	agaaacgggg	143580
aggagtggag	gacgcctga	gttttctgac	acaacaaggt	tgtgcccaca	cagggcagcg	143640
acttgcaaac	tctaagtga	gaacaatcac	ttgtcattgt	tgctgatggc	agtcttccag	143700
catggctgtc	acccaactga	gggtctcccg	tctcttgcct	caacttttag	cctcttctac	143760
ttcactttct	ctccccattt	ccatgtctca	tggtcagcc	agactggcct	tccttaacag	143820
aattagagca	cgtcaccccc	acttcttaaa	agcctgacct	tccttatgag	acaaatcccc	143880
ttccctccat	ggagttagtc	cttcaaaaca	cacctgcgtg	cacactgtgt	gccagactgt	143940
gcagaaagta	ggctctgcac	ctgtccctcc	tctagaccc	tgcccacag	catttctcca	144000
agccaagaac	tcttgggtgt	ttctggaatt	taccctgcac	agtgacacct	atgtcctttt	144060
gctcatgctg	ttcccaactg	ttagaaatc	tcactccttt	cctcacctgg	caataccatt	144120
cactgcccag	agcccaccgc	aggcaggcgg	cgtctcttcc	acgtagtctg	ccctgcatct	144180
tccttccaga	ggggctgctc	ctcttctgct	cctccacag	cagccctgcc	tgaactgcac	144240
agcctcttaa	ggaggctgga	cttgacccc	aatcctgttc	ttcattgtca	gccatattgg	144300
attaggatct	gatcttgtcc	agctaggctt	ggtccacttt	tcagaacatc	tccccaggc	144360
agtcgaact	agctcgtcat	tcattggctt	ttgtagagca	gaccaaaggt	cccagaagcc	144420
atagggtctc	aaaggctagg	aattgtccag	ttccatctga	tatccagaag	ggaaatacag	144480
cccatggggc	gtggaactgg	gaagattcca	cagaggactg	gtgtctatga	gagggaccca	144540
cagcaacctt	gctaacaagt	aatacctaac	agttattcag	cctttccaga	caccaggtgc	144600
tgtgctaagt	atcttcatatg	tgttcagcca	tttaatcctc	acaataactc	acctcttaga	144660
tgagaaaact	gaggcccaaa	cagggtgaac	tcccagccag	taagtagcag	agccaggctt	144720
cagatgcagt	taatctggtt	tcaaagtcca	tgtctatct	tagcaacatc	cacgctctat	144780
cgtagcaact	acaccattgt	gactaaatat	gaaatataac	tgtacccaga	accagctgcc	144840
ctgatggcaa	cacatgagtt	gggctctctc	taatctgtga	ccatataaaa	attattcatc	144900
aaagggtgaaa	cctaataatta	agacatggat	caatatactg	tgagttaatc	actgattctt	144960
ttactcatga	ttttctctct	agtagggat	catgtcctag	tctaggctcc	ttgagtgacc	145020
agggttcggg	acctctctca	agccaccctg	ggatcaataa	cagctcttgt	ttaaatacag	145080
atagatagca	taatctcttc	ctcattaatc	atggattctg	tgtttataaa	ttcacctgct	145140
tgctaaaatg	tccttataac	ccccaaatca	atctgggtgg	cactttcatg	gtcacacaca	145200
ggcagggtaca	gagcagggga	agctggattt	gcatgatggg	catgttccat	ctgagatccg	145260
gcgaggcaac	ctctctcttc	ttgttccatc	tctgatgttt	acaagtgtcc	tcttcgcggg	145320



ctatttagtg	ccgtgtgttc	tgcatttttg	tgtttttgt	agtgatgtca	ctgttttagag	145380
cgaacccaag	agtagcgctg	ctgtctggcg	ttcctgagct	aaacaggctg	tgtgtgtcct	145440
tacgggggaag	gtgcctgtgt	gagacaagct	tggtgagggc	aggagctgca	gtgctgtcgg	145500
ccgtgcattt	gggtgtgaaa	aatccacata	atagcacatt	cagaaaaagg	agaaggaaat	145560
tggccgattc	atacatgagg	ctgtgataga	aagggctaaa	gtaacaccta	ttgtgtggga	145620
tggagccgtg	gaagtctctt	tcaacagaaa	cccacacata	aaagaagggt	gatgaaaatg	145680
ttgtggccag	aggtttgcaa	aaacctaacc	cagtatttcc	cccttgagtg	atgaccctgt	145740
attctcta	tcagtactca	cgggggcttt	atcagaagca	actgccagga	ctaccgaaaa	145800
tcaattgtgg	acacacagag	gaaaatgcat	gcacttcaaa	ttgaaatata	tagacatgta	145860
attttacata	gataatacat	gtatttcaat	atgagtgaag	atttcttctt	ctcctcatca	145920
cctgagcagt	gtcagcctct	gcctgaagtt	ctgcccctga	gtcatggaga	cctaccccc	145980
taagtttaga	tcctgagcat	gtgcagccat	ggcgcatggc	catgccggtc	tatggtactg	146040
gtctcaccct	cagacaggca	gagtggggga	catgggtgtg	actagggagg	gaatcacagg	146100
tgtgtcactg	ctctctcccc	agagtcaacc	ccttctgggc	actgtgattg	atgggtagct	146160
gctgctgaaa	acacctgaag	agcttcaagc	tgaagggaat	ttccacactg	ttccctacat	146220
ggtcggaatt	aacaagcagg	agtttggtg	gttgattcca	atggtgagaa	ggcacatgtc	146280
tgttgagggg	actcaaccac	ccccatcagc	cctcctgtct	ctggtcccag	gaatgcttcc	146340
ctctccgagc	tgcactctga	gtcctgggca	gctgttccct	tcagcaggag	ttaacatttc	146400
cacggaaatc	ttctccagga	gggcacagtt	ttcacccggg	tatcagggcc	ctgggatttc	146460
ctctccccag	actctcttat	tgtcttctta	ttgaagaatc	ctgaagtgtc	tgtgctggga	146520
gggcccagtag	agaaaataac	tctgcagatg	ggaaaacgga	gggggacctg	aagggggaag	146580
gagtggagga	gtccggagaa	gcagtcgggg	gcttctctgg	ttcccacctc	gggctgggtg	146640
tgcgtaattc	ccctgaaaat	cactcatgct	cttcatcacc	tcattgaaaa	tatccaaaga	146700
aagtggcttc	ttcttgagtt	accattgact	tctagggaa	agcagacatc	agcgtctact	146760
aagagagtgg	atggtcagag	gaagatgagg	atggaaaagc	tacctaatac	ggtgctatgc	146820
tcaatacctg	gtaacaaaat	aatctataca	gcaaactcca	gagacccaaa	ttaccatga	146880
tcaaacctgc	acagttaccc	ccaaacctaa	aataaaagtt	ggaaacaaat	aaatggaaaa	146940
agtaattgag	ttctaaaagt	aaagaagtgt	tctccttcca	gttgaagata	aacaaaactg	147000
acctgtggtt	aagcagtagg	acagatttat	tcagtaatat	gattgcaata	ggggaaatag	147060
tccagcgtgg	agtgactca	catccctgaa	acaaaagcct	gatgacgttt	cataggccag	147120
gtgtgccaa	ggaaacactg	tggctctatg	ggagaggctt	ggttcatgtg	actagaccac	147180
ctggatgtct	tcactctggc	tcacctgggg	cagaaacaaa	ctcctcttat	ctttaggaca	147240
ggaagccatg	cattagaccg	caggaagaac	ccactgaagt	caggctctac	tccttcgaca	147300
gggactggga	agatcaggag	tgagctccct	gaatgtttgc	attgcaaaga	gaaggctctc	147360
aggctcctca	ggaaaatggg	ttgggtggta	gattcacatc	ccaaagggca	gagaaagtgt	147420
ttatcattgc	aggcttctaa	agtaactgct	ctagttgggt	tcggggaccc	ggctgcttgt	147480
ctccagggtt	tggctggagc	agagtaaat	gtcctggcag	ggttgagcct	ttccaggcag	147540
ttatgttaag	gatactgggg	tcattctagg	gacacagcct	taagctgcta	gaagcaatgc	147600
tagagattgg	tcgagtccct	gagtgcagag	gtttgggaag	agttgttatg	tgcgtagaga	147660
tgtgcagttc	gcccctcaga	aggatttcag	aggttatacc	aaagaccaa	gccacgaaga	147720
caggatttaa	ggatttcagt	gtcatctgtg	acaggtgggg	gtactaggga	ggtctacatc	147780
ctcttcccca	gagccctcta	ttccacactg	gcctggcaga	caccttgcat	ctccatgtca	147840
ctgaccactg	tagggatccc	agccacagac	acacacacac	acacgcgcgc	acacacacac	147900
actgcaaaac	actgccacag	cttctctgaa	attttgtttt	ttgttttttt	tttttgtaaa	147960
cttttgcaatg	cttgagtttc	tggatataag	cccatttgat	tcattgattt	cacccatttc	148020
agtaagact	catgccctta	aaagccccc	taattagagg	actttcagac	tgcattgggt	148080
tggttggttg	gtcagtttgt	ttcttatcat	taattcccaa	tgattcataa	atgctgaact	148140
tttttttttt	tttttagcag	tgatgagcta	tcactctccc	gaaggccaac	tggaccagaa	148200
gacagccatg	tcactcctgt	ggaagtccca	tccccttggt	gtaagagtct	aggaatcatg	148260
ggaattggct	gagaccaga	gagggacaag	gacttgccca	aatcatagag	caattaaatg	148320
gcagaatgaa	gactggggcc	tcagggtttc	ccccatcttt	ccacctttcc	cacttctatt	148380
tccaccctag	cggggagttg	cacagggctt	atggggttca	ccattgaggc	aggactttct	148440
ggtgggctgg	agaagctgca	tcgctcacc	ggggctgggt	gtcacttttt	gatctatttc	148500
agtgcattgc	taaggaaact	attccagaag	ccactgagaa	atacttagga	ggaacagacg	148560
acactgtcaa	aaagaaagac	ctgttcctgg	acttgatagc	agatgtgatg	tttggtgtcc	148620
catctgtgat	tgtggcccg	aaccacagag	gtgagtcaca	gaggtcgaa	gggagggaca	148680
caaaccaccac	gagcttctgt	atctgaccca	cctacctccc	agcatagaca	gacatggaaa	148740
cagctgaggg	tcaggccctca	aaggctgatt	ccatatggca	tgggatgagg	tgtgtcttta	148800
ttttggttta	tgccagcaga	agactgtgag	aaaaaaaaat	ccagaggcaa	gtggtttttt	148860
taaggtgatg	atcccagata	acagcagtag	ggaggtgggg	aagttagaga	ggaagagat	148920
ggaatccaat	ccaagatgcg	ttgtcaaggg	agtatccact	gtggacaact	ggagcgggga	148980
aactcaagga	aacaccaaga	atacagggtc	caggggcac	ccatctgagt	ggcaaggag	149040
ccgggtattt	attcaccagc	ttctacttgt	cattgggtga	aggctcttgc	aagggaattgt	149100

ttattccctg	tgacttcgac	ctgctgcaca	caagggcaga	gtagtctctt	gtgaccagac	149160
aaagggcctca	ggcctggagc	tgagatgct	ggaggtggaa	gtcaggctgg	catgcccagg	149220
aagaggggat	ataggtgaga	ccctggcagc	atctgctgca	agggctccat	gcctggagtt	149280
attgtgggac	atagggctgc	tgtaggacaa	atattgaaag	atgagtcgtg	gaaggggttt	149340
aaggtctgag	ccagctgcaa	acaagtctgt	taagtattgg	agctggataa	aaagtgggag	149400
ccctgcatgg	gatccagagg	attgtccagg	accaagaagg	ccagagagag	gagccagggc	149460
gggtgtggga	gaggtggtct	gtagaatggc	agtgtctgag	ggtgggtttt	atgcatctca	149520
gtgcgtgcag	tagcatgcaa	gcacagggca	agggcagggt	ctatgcagga	cctgctacca	149580
ctgacccaag	gctgtgtggg	tggggcatga	cgtagggat	gtgtgtgctc	acctagagag	149640
gagtgtctgt	tcctgcgtgc	cagctagagg	agattcacag	gattcctttt	cttccagctc	149700
tcattcgccct	agtctgcaag	ctaggaaatg	tcctctctct	aacctatgctg	gaaggggttt	149760
taaaattaga	acttcataag	catgataaaa	actagctaac	gcttaactag	caggtgccct	149820
gacacacctt	tgacacaggaa	ggggcagggtg	ctcataaccc	tcatttcttc	acagggctct	149880
gataaaaacc	tttaaccaag	accactggag	ttgaatctgt	tccttcttaa	acttgccctt	149940
gccttatgct	ctgcgtctga	actatatata	gagttcccat	ctccattttc	tgatgggtttg	150000
agcaataactg	aacttatgtt	ttcatctggt	tttcccatga	ctttaagttc	agggcttttt	150060
tttttttttt	tttttttgcc	aggactacac	agattttatc	tactttcact	tattgttgtc	150120
tcactcctttt	tgataaaata	acatttctga	atataaaatt	aatatgttaa	attatagaaa	150180
ctttcaaaaa	tatggaaaca	caaaaagaag	aaactatgta	tcactcattt	ccactacctg	150240
gaggcaagtg	ctataaattt	tttgtgtttt	cgctctaaaga	ttttccatgt	cctatatact	150300
ttaaaaatca	attttatatt	ttacttttgt	tcatagaaca	ctatgttgtg	aggattttct	150360
caatgttgat	acaaactcat	caaagcattc	cttattccat	gaaatggctg	tgtaaaatag	150420
actttaatat	tcataccta	ttagatgttt	agcctggcta	ctcacattct	gatgctacaa	150480
taacattgag	ctcagcctaa	tggtcataag	tctctaaaca	catgtctaatt	aattttctta	150540
ggattatttt	tagaagtaaa	taactaggtt	ggacaatgca	aatgttttag	aactttgggc	150600
aaatatgtga	aaattgcatt	ccactgcata	agaatgtgga	tttcttaatt	ctctttctca	150660
tttgggatgc	taagattaaa	aattagcata	acacttccag	tttcataagc	cttccccacc	150720
aacaagaagc	acatcagcct	gttttaattc	gcatgtcctc	catgactagc	cctctcattg	150780
tctctgcttc	tcttattatg	tctaattgtc	attacccaaa	tctgtgcgct	actttcctct	150840
gaagacttgt	gttgtgattg	taagaattgt	ataaatatca	atggcttttag	ccaaagagtt	150900
ttacaaagta	cgttttgggc	agcatgctgc	ctataataag	ttctatcatt	cacaaaagct	150960
ctttcttcta	tggttggtc	tgagtctctt	tggaataatgt	tcgaggggca	aaggcaaggt	151020
caaacctctc	tttttagcaag	ttttgtttga	ccttgaagca	gccatttaac	aggtggatta	151080
cagagccaca	gaaggatggc	atcttcccag	gtgcgcttcc	tgctgagccg	aggggtgcagt	151140
gcaggaggct	gacaaagatg	agtgaataga	ttattcttca	ttctcacatt	gaaatgacat	151200
gtgcgggtgg	ggcatgaggt	tagggatgcg	tgagctccca	ttgttaaatc	cttttgtgaa	151260
gcaattttta	atgatgttaa	gaaatgatgg	ctggaggcgg	tggtctctgc	caacactctc	151320
cgaatttttg	gaggctgagg	tgggaggatt	atgagagcct	aggatttcaa	gatcagcctg	151380
ggcagcatag	tgagaccctg	tctctacaaa	acaattttaa	agggaaagtga	ttacagtgtg	151440
ctacaaaata	ccatatataa	tatcatcccc	agttaaatac	ataaaaagaga	gatatgctaa	151500
aataaaaaag	aagcattctc	tgagtggtag	agttatgagt	gatactttaa	atttgattgt	151560
taaaattgat	ttttaaatta	tataggatat	ggaaaaattt	tagaaggaaa	tacaaaaaat	151620
gcatggccct	tgctcaggt	agtggaaata	tgagtgatat	ctagttttgc	tttatgcgtt	151680
tccatatttt	tgtttcttct	aattattcct	aattgttttt	attttccaaa	tttcttactg	151740
taccctaaag	ggaggacatt	gtaaattttc	tccaccagcc	tggtcattgcc	ctgactcttt	151800
ccgtcttagt	gtcacttctc	agtgggtatc	atgaccagtg	caaagtgcgtg	aggcacaggg	151860
ccaggcgggc	cacgaggtag	ccctgaaggg	gcagcgatct	gtggctccaa	tgagccaatc	151920
attgggaaac	tggcatcttc	ctggggctgg	gacaggagag	ctttgttggg	gggagaggag	151980
ggcagagccg	aaggagagag	ggcagggggg	aggcaagggtc	acccttgctc	agcgccttct	152040
tttctctgcc	agggctttac	tgcttaaca	ccctaact	cccaggccag	gcaggcagca	152100
agacacatgg	ggacagttag	ctataaagca	gtgagtgcgc	cagggttctg	agacacaaga	152160
ggcagattgt	tccctctctg	catatgtttg	tatttaaaata	gcctcatgtt	cagacaagca	152220
acttggtatt	gcttcagtct	tctcaggatg	ggtgagaaaa	acactggaaa	tgctcaaaa	152280
gaggcagaa	agaagacacc	tgtcatgggtg	gagatggcat	ccaagtgaat	gaacgcgagt	152340
ctgttatcaa	tgaattatat	ccggtgtaac	cagatgtaga	gagattgtct	tgtgtgagaa	152400
tgaccagca	ggcaaagggg	tttacgaggc	agagtcaggg	tcctgcacc	ggcagctgtt	152460
ttaaatgaat	tgacccaggg	tttccacatt	cattcattaa	acatttgctc	attgaacaaa	152520
tatttggtct	taattccgct	tccacctcag	acagctatgc	agcccgagc	acatcactga	152580
gctttcctga	gactctgttt	ctctactgtg	ctgacagcca	gaggtttgct	gcagagctgg	152640
agaccttggt	agcctccagg	tgtgtgtctg	gcaacatgaa	ctgtgcatga	atccttgtct	152700
tctcagatgc	tggagcacc	acctacatgt	atgagtttca	gtaccgtcca	agcttctcat	152760
cagacatgaa	acccaagacg	gtgataggag	accacgggga	tgagctcttc	tccgtctttg	152820
gggccccatt	tttaaaaggt	aatgctcctt	cctgtctgtg	agctaggagt	tagagacttg	152880

ggttccagtc	ttggtgtggt	ggccttcagc	aattttgtcc	tctcctggtc	ttagtttcc	152940
gattctgtat	aacaggggtg	aatgtcactg	ggttgtccgc	cggttctctc	ccactctaac	153000
acatgtgagg	agggatgtgt	attcatgtgc	cctctgcaca	gacgctcaga	atcctgtctg	153060
gtgacatcaa	gacaggtggt	ggtgggggtc	tcctgcagga	ttcactatga	caggggtgaa	153120
tgctactggg	ttgttccccg	gcttctctcc	gctctaacac	acctgagggg	ggatgtgtat	153180
catgtaccct	ctgccacaga	cactcagaat	cctgggctgt	gtcatcaaca	agataggcgg	153240
tgggacacat	gcgggggcct	gctctaggtt	gagaagccac	caatcaattt	ccctctccca	153300
ggagcgctga	gacagttagt	gagggtgaga	ttagaattgg	tgtaaccct	aagtcagggtc	153360
taatgtgtgc	ctgtttgtct	ttctgtctgt	ctctaacaaa	aactcataaa	cctttacatt	153420
tagtacattt	aataattgtt	gatttagaat	tcacaggatg	tatgaatttg	gaacaggaga	153480
agagaatatt	ttttatatgg	tttatagtca	gcaaggtggc	catcccacag	gctgggaagg	153540
tgctctggc	caagcccaga	aacgggtcca	ttggaggagg	gggtgggtag	gagctttatg	153600
tgaacggatt	ggctaaacat	acatgttcaa	caggttacag	ggggagcaat	ggatattcat	153660
gaagacagtc	ctgacacatg	tgtattaaac	aaacatgtat	gtaacatggc	ccatgttcac	153720
ctgggtggtg	agacctaata	tttaaatgta	ttacaattag	ggcctgtaag	tccaaagggtc	153780
ttctcaggac	acgaagctca	gcaagtggag	agcttctgta	caccggccag	gtccagtcca	153840
tggctgggtg	tgcttcttatc	tggagaaagt	tactgaaatc	agtctcttat	gcaatcaaag	153900
cagtagttaa	gtctggcaag	tcagggttct	gtttgtctgc	gtatcccagc	tgacgcggt	153960
gttattgttt	tccttttgct	tagctccagg	cagtgctgg	tttagctgct	agagaagagg	154020
aagcacctcg	tggcagtgag	aacaaagtgg	attctttttt	ttttttatta	ttatacttta	154080
agttttaggg	tacatgtgca	cattgtgcag	gtagttaca	tatgtataca	tgtgccgtgc	154140
tgggtgcgtg	cacccactaa	ctcgtcatct	agcattaggt	atatctccca	gtgctatccc	154200
tccccctcc	ccccaccca	ccacagtccc	cagagtgtga	tattccccct	cctgtgtcca	154260
tgtagcttca	ttgttcaatt	cccacctatg	atgagaata	tgcggtgttt	ggttttttgt	154320
tcttgcgata	gtttactgag	aatgatgggt	tccaatttca	tccatgtccc	tacaaaggag	154380
atgaactcat	cattttttat	ggctgcatag	tattccacgg	tgtatatgtg	ccacattttc	154440
ttaatccagt	ctatcattgt	tggacatttg	ggttgggtcc	aagtctttgc	tattgtgaat	154500
aatgccgcaa	taaacatacg	tgtgcatgtg	tctttatagc	agcatgattt	atagtcattt	154560
gggtatatac	ccagtaatgg	gatggctggg	tcaaatggta	tttctagttc	tagatccctg	154620
aggaatcgcc	acactgactt	ccacaatggg	tgaactagtt	tacagtccca	ccaacagtgt	154680
aaaagtgttc	ctatttctcc	acatcctctc	cagcacctgt	tgtttctctg	cttttttagg	154740
atgcaggcct	gaacccttgc	ccgacgtggc	cttaggtctc	gtttttaatt	tgggtgtctta	154800
ttgccacaaa	gagtgtgttc	tgtcagaatg	atgaccttca	ttttattgct	gatgctgggtc	154860
cgggtggtgc	taaatcacaa	aagggaggga	gtattatgag	gcgtgtctga	cctcctgtcc	154920
gttccaggc	aggaacagag	ttgaagggtt	ttcgaggctc	cccttagccc	agagagggtc	154980
tgttcagtc	gttgggggtg	tcaggatttt	atttttagtt	tacattatac	aatagtttaa	155040
aaaatccttt	cacggtgtct	tctaagtctt	aactctcagc	agttacagat	cagatgggac	155100
tcaccccatg	gctgtctcaga	acgcaccagc	gcctctgggc	atctcactgt	gcatgcttag	155160
gcgccttgcg	gctctgttgt	ttttcagaat	gtgaattgtg	ggtgtgtgct	ggggaggagg	155220
aaaagaccca	agagagagca	accctggaaa	gtgggggtgc	tgtagaggaa	accctggggg	155280
ggggcatttc	ctgtgacctt	gagcggggag	gagcgaggcg	agggtcacag	gagacaaagg	155340
cagccagcca	atggaatgac	gcatgcccat	tgctgagccc	taggtcagat	atgctgaaag	155400
gtaaaagtaca	cacaaatcca	ccacgatctt	ctaaaagtgc	agacctcagc	tcagtgggtg	155460
tggggcatgt	gccaagacta	tgtttccagc	agactcgcat	gtgatgttga	cgctgcagtc	155520
cacggaccac	actttgagta	acaaaggctt	tttttcttct	tccccacaga	gggtgcctca	155580
gaagaggaga	tcagacttag	caagatgggt	atgaaattct	gggccaaact	tgctcgcaat	155640
gggtgaggct	ggtggcaaa	acagagcacg	gctgggtgag	gtggggggcg	gggcatgcct	155700
attgggaagg	ggcagcttct	aagggtctag	tgatcaaact	tctgacctg	tgaccatagc	155760
actctgataa	tgagagctct	ctgcaaacgg	agaggccgcc	cctggagata	gtgagctctc	155820
catctctgga	ggtatacaag	cctcttgaca	gagataactt	gggcatcctc	acacatctct	155880
gaagattgtt	gggaacacac	agcagctttg	gggcaattct	aattgattct	gtttccagaa	155940
accccaatgg	ggaagggtcg	cccactggc	cagagtacaa	ccagaaggaa	gggtatctgc	156000
agattgggtg	caacacccag	gcggcccgga	agctgaagg	caaagaagta	gctttctgga	156060
ccaacctctt	tgccaagaag	gcagtggaga	agccacccca	gacagaacac	atagagctgt	156120
gaatgaagat	ccagccggcc	ttgggagcct	ggaggagcaa	agactggggt	cttttgcgaa	156180
agggattgca	ggttcagaag	gcattctacc	atggctgggg	aattgtcttg	tgggtggggg	156240
caggggacag	agggcatgaa	ggagcaagtt	tgtatttgt	gacctcagct	ttgggaataa	156300
aggatctttt	gaaggccaaa	ttggtgcttg	tgtctgtac	tggagattaa	tactttgtcc	156360
tcagagacag	aacgggtgatg	aaagaggcga	tgtgagaagg	aagggtggctt	tgtctggggat	156420
ggcctgggtct	caggatgagc	agagtccaga	gggctgggtc	atggacgggtg	ctcaggggag	156480
ctctgggcct	gatgcacctt	tctgggcccc	caacaatttc	caacaatacg	agttgggggtg	156540
gccagagtcg	aggatcccta	ccctctattt	ggagtggccc	atggaaatgg	aagtggccca	156600
ggctgagaat	gagtcctggat	cagggaaagag	ggagcgtg	tgaggtgatc	ccgtggcact	156660

gttgcatggc	acttactgac	cattgcacag	gcctgcaaca	cctttctgag	tatgtacact	156720
agcctcccat	acccctccat	gaggttgtct	ctccaccaaa	ctggctgaaa	ctccttctgt	156780
agcctggacc	acttctgggtg	tgggcagtga	ccaccttgga	gggtggcccat	tcttctccag	156840
agggctcatcc	taaactgtgt	ctttcagaat	cccatgggtg	atttctggat	tctgttagta	156900
cgtagaaaagc	tctaaagcat	gtcattcccg	ccttatcagc	aagaggaaagc	cggattgtcc	156960
tcaaaatcat	aacttttctc	gcaccaaaga	gctgaagttg	caaggcacat	ggttccctcg	157020
aaatcgaagg	gaagacaagc	acctggggga	gtgggtgggat	gtgaacactg	gcttacttct	157080
cacctgcagg	caggagacgg	cgtgaccata	atgagcagaa	atactctatg	aatttttattc	157140
agtgtctgaag	gccaaagggtg	ggccactgtg	agagtataaa	acctctggga	accatggacc	157200
catggggagt	tgactcccat	cacagactct	actccatggg	tatttatcag	ggcccatgag	157260
aaagattggg	gtagacagt	agactggaga	aagtctgcct	tcaggaaatgc	aggcatgagc	157320
cctgctgaca	cccttcaccc	ctaaagaaca	aaatccttca	atcattgcgg	aatggccagg	157380
aaatccttgc	ctcctcaagg	tactggtaga	gacatattga	ggttgaagat	aaggaacctt	157440
ttaaaactct	ataccctctg	gagagggaca	gggagtcac	ttggggccag	attatcggtc	157500
ttttactgct	ggggatggtc	agtatctctg	acaaacctcc	atctccaaca	gcaagaaatg	157560
aaggctctgc	ctaaggttga	ggctggacca	cgacaagagc	aggcactcct	ggctgctacc	157620
atggagttag	ccagtcocag	gtaacagaaa	tctgctgctg	ggagagagag	caaagcatgc	157680
agatcaaccc	tcttgtaaaa	gcaggtgcac	aggacaggcc	taaagctgag	agtggaaaca	157740
gacatttaga	aaatcgttca	gaaaaccggc	ctttacacaa	gcacaccaga	accagcaca	157800
ggtagcactg	gaagcatttg	aagcagatgg	tgcatgtatg	atagccatag	caacaacaaa	157860
actattcccc	gatcaccaca	ctcgaaatac	acacgcacac	acacacacac	acgcatgcat	157920
gtacacacaa	aatcagtcct	gcagcagaag	aaaagatatg	tccacttctc	gtcacggata	157980
ctacttactt	cagtttcaac	tactttaccc	atgatgtcaa	gtattgaatt	caaaattgca	158040
aaccttataa	aggaagcaac	acctatgaac	aagagacaaa	gcagttgggc	acagtggtgc	158100
atgctgtgag	tccagctac	ttaggaggct	gatgcaggag	gattgcttga	acctgtgagt	158160
tcaaggctgt	agtgcactgt	aattgcacct	atgaataacc	acctgcactc	tagtcatggt	158220
attatgggtga	aatagcatcg	cttagagtga	gagagagaga	gagagacaga	cagacaaatc	158280
aatcaacaga	accagattca	gagataacct	aggtgttaga	ctaacagact	gggaatttaa	158340
aataactata	tggaatactt	ccatgaacag	atggctagt	tcagcagaga	ggtagaaact	158400
atgagaaaaga	agcaaataga	aatgttagaa	atgaaaaaaa	atagtaacag	aaattagaaa	158460
tgctctaat	ggattcatca	gtagatctga	cacagctgac	gaatgaatga	gtgtagcaga	158520
agacaggcca	atataaatta	cccaacttaa	aatgaagaaa	atcagtgaat	aaaaaacaaa	158580
acaggggaatc	aaagaactgt	cagataatat	ccaatgggtcc	aacatatgca	taactggaat	158640
cccagaaaaga	gaagacaaag	caggcagaag	aaaatatattg	aagagataat	ggctgagaat	158700
tttccaaaag	taatgaaaaa	catcaaggca	tacgtccaag	agcctggaaa	accccaagca	158760
ggattcaaca	acaacagcaa	caacagcaac	aaaaacatac	acatttagac	acacactgag	158820
aaaatattga	aggcagccag	aggaaaaaga	cattgcatac	aaagaaagg	attagagcag	158880
attttttact	ggaaactatg	caagccaaaa	aataatggag	tgacaccttt	aaagtattca	158940
aacgaaaaaa	atctttgcag	aattctatat	ccagaaaaaa	cactgttcaa	aaaatacagg	159000
gaaaaatggt	ttcagatgaa	caatagagag	aatttatact	tacatacttg	tgctacaaaa	159060
aatgtataat	gaaatttctc	acgcaaaagg	tatatgatac	aggataaaaa	ctttgatatt	159120
tatcaaaaga	gtgaagctct	acatatagct	ttaaaaataa	ggtaattgtag	gctatttttc	159180
ctatatatta	ttactgttta	aaacaaaaat	agcaccaatg	aactgtggat	ttagagcata	159240
cgtaaagaata	aaatatacaa	caaaaaataat	atgaaagatg	agagacagg	atttgaagca	159300
cacttttgtg	agattcttac	actctgtgtg	attggatttg	tctgaaggta	taagggtgatt	159360
aatgtatat	gtatgtatat	tgtataccca	ggaaaaccaa	taataaattt	taaaaggaga	159420
catgaataat	aacacaatag	aggagataac	atgaaatcat	aaatactcgc	tacacgagca	159480
agcagacaga	agaagaacaa	agacacagga	acaaatgaaa	aagtactgca	gaagtgcag	159540
attttaatcc	aaccgtatca	ataactatac	tacacaaaaa	tgatgtaaac	acaccaatta	159600
aaaatgattt	tcagattgga	ttaaagaaaa	cacaaaaacgc	aacctaacgc	tgctcgtgag	159660
ttagtccaaa	ttcacgtttc	agtgtttgac	tcctgggtggc	ttttaagcct	cagccttccc	159720
ttgtcccttc	ttgtgacac	ctggaaaagct	gataagaaaag	cctgggtgct	tcctcctttg	159780
ttgtcggagg	aaaattcaaa	gcttaccgtg	agaaagctga	ccacggcccc	agtgcggaat	159840
cctcatacca	cacctggtcg	tcctgtccaa	gacagcgtcc	cagagctcct	tgagcctcag	159900
cgggggggaag	aaacagcata	ttttttcctc	ctggtccaga	gagaggggag	acgctacaga	159960
gcaggggtcg	gtaagctgca	gcccacaggc	caaacctgtc	agaccgtggg	atccttgggt	160020
caggaccaag	gtcaaaactcg	ttttggggct	ccccagaag	tgctggggcaa	tgcaacctgg	160080
tggatggact	gagagctgcc	cagcagatgg	atctgtaccc	agggaaagtgc	acattggcct	160140
ttgggtgaaca	gtccatggta	cccttgaact	ctataataat	agcagtaata	ggccggggcgc	160200
ggtgactcgc	acctgtaatc	ccagcacttt	gggaggccga	ggtggggcga	tcacctgagg	160260
ttaggagttc	gagaccagcc	tgcccaacac	ggtgaaatct	catgtctaca	aaaaatacaa	160320
aaattagctg	gacgtgggtg	cgggtgcctg	taatcccagc	tagtcggggg	gctgaggcag	160380
aggaatcgct	tgaacccggg	aggcggagg	ggcagtgagc	caagatcatg	ctactgcact	160440

ccagcctggg	caacaagagt	gaaacaccgt	cataaaagaa	agaagaaaga	aagaaggaaa	160500
gaaggaaaga	aagaaagaaa	gagaaagaaa	gaaagaagga	aagaaggaga	gataaagaaa	160560
gaaggaaagga	aggaagggaag	gaaggaaaaga	aagaaagaaa	gaaagaaaga	aagaaagaaa	160620
gaaagaataa	tagcagtaat	agaaataact	aaaactcact	gcatagttat	tatgtgttta	160680
attataaaat	actcttcata	ttaactcaga	gagtcttcac	agaaactcta	tgagcagttc	160740
atttgggtatc	aacca					160755